









































Appendix E: Band Edge Measurements


Test Graphs




11B MIMO_Ant1_2462




11B MIMO_Ant2_2462




11G MIMO_Ant1_2412




11G MIMO_Ant2_2412




11G MIMO_Ant1_2462




11G MIMO_Ant2_2462






11N20 MIMO_Ant1_2412




11N20 MIMO_Ant2_2412









11N40 MIMO_Ant1_2452




11N40 MIMO_Ant2_2452



11AX20 MIMO_Ant1_2412



11AX20 MIMO_Ant2_2412



11AX20 MIMO_Ant1_2462




Date: 14.JUN.2023 10:17:50

11AX20 MIMO_Ant2_2462




Date: 13.JUN.2023 19:03:06

11AX40 MIMO_Ant1_2422




Date: 14.JUN.2023 13:40:21

11AX40 MIMO_Ant2_2422




Date: 13.JUN.2023 19:37:28

11AX40 MIMO_Ant1_2452



Date: 14.JUN.2023 13:44:27

11AX40 MIMO_Ant2_2452



Date: 13.JUN.2023 19:43:14

Appendix F: Duty Cycle

Environmental Conditions

Temperature:	24-26°C
Relative Humidity:	42-49%
ATM Pressure:	100.19-101.0 kPa

The testing was performed by Matt Liang on 2023-06-09 and 2023-07-18.

EUT operation mode: Transmitting

Test Result: Compliant. Please refer to the table and plots.


Test Mode	Channel	Antenna	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Duty Cycle Factor [dB]	1/T Minimum VBW[kHz]
11B MIMO	2412	Ant1	80.00	80.00	100.00	/	/
		Ant2	80.00	80.00	100.00	/	/
	2437	Ant1	80.00	80.00	100.00	/	/
		Ant2	80.00	80.00	100.00	/	/
	2462	Ant1	80.00	80.00	100.00	/	/
		Ant2	80.00	80.00	100.00	/	/
11G MIMO	2412	Ant1	2.08	2.17	95.85	0.18	0.48
		Ant2	2.08	2.14	97.20	0.12	0.48
	2437	Ant1	2.08	2.17	95.85	0.18	0.48
		Ant2	2.08	2.14	97.20	0.12	0.48
	2462	Ant1	2.09	2.18	95.87	0.18	0.48
		Ant2	2.08	2.14	97.20	0.12	0.48
11N20 MIMO	2412	Ant1	80.00	80.00	100.00	/	/
		Ant2	80.00	80.00	100.00	/	/
	2437	Ant1	80.00	80.00	100.00	/	/
		Ant2	80.00	80.00	100.00	/	/
	2462	Ant1	80.00	80.00	100.00	/	/
		Ant2	80.00	80.00	100.00	/	/
11N40 MIMO	2422	Ant1	7.94	7.98	99.50	/	/
		Ant2	7.94	8.00	99.25	/	/
	2437	Ant1	7.96	8.00	99.50	/	/
		Ant2	7.94	8.00	99.25	/	/
	2452	Ant1	7.94	8.00	99.25	/	/
		Ant2	7.94	8.00	99.25	/	/



Test Mode	Channel	Antenna	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Duty Cycle Factor [dB]	1/T Minimum VBW[kHz]
11AX20 MIMO	2412	Ant1	3.99	4.05	98.52	0.06	0.25
		Ant2	4.00	4.06	98.52	0.06	0.25
	2437	Ant1	4.00	4.05	98.77	0.05	0.25
		Ant2	4.01	4.05	99.01	0.04	0.25
	2462	Ant1	4.00	4.05	98.77	0.05	0.25
		Ant2	4.00	4.05	98.77	0.05	0.25
11AX40 MIMO	2422	Ant1	3.99	4.04	98.76	0.05	0.25
		Ant2	3.99	4.05	98.52	0.06	0.25
	2437	Ant1	3.99	4.05	98.52	0.06	0.25
		Ant2	3.99	4.05	98.52	0.06	0.25
	2452	Ant1	3.99	4.04	98.76	0.05	0.25
		Ant2	3.99	4.03	99.01	0.04	0.25



Note: DC factor= $10 \cdot \log_{10}(1/\text{duty cycle})$

Only when the duty cycle less than 98%, the DC factor and 1/T used for test.


Test Graphs








11G MIMO_Ant1_2412




Date: 9.JUN.2023 13:40:33

11G MIMO_Ant2_2412




Date: 10.JUN.2023 15:56:27

11G MIMO_Ant1_2437




Date: 9.JUN.2023 13:41:42

11G MIMO_Ant2_2437



Date: 10.JUN.2023 15:57:28

11G MIMO_Ant1_2462



11G MIMO_Ant2_2462

