






Date: 22.AUG.2023 17:03:42

11AC20MIMO_Ant2_5825




Date: 22.AUG.2023 17:06:47

11AC40MIMO_Ant1_5755




Date: 22.AUG.2023 17:58:01


11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant2_5785




11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5775



11AX80MIMO_Ant2_5775



4. Maximum conducted output power

4.1. Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A-CDD	Ant1	5180	12.91	≤23.98	PASS
	Ant2	5180	13.25	≤23.98	PASS
	total	5180	16.09	≤23.98	PASS
	Ant1	5200	14.55	≤23.98	PASS
	Ant2	5200	15.10	≤23.98	PASS
	total	5200	17.84	≤23.98	PASS
	Ant1	5240	14.17	≤23.98	PASS
	Ant2	5240	14.83	≤23.98	PASS
	total	5240	17.52	≤23.98	PASS
	Ant1	5745	16.14	≤30.00	PASS
	Ant2	5745	17.22	≤30.00	PASS
	total	5745	19.72	≤29.12	PASS
	Ant1	5785	16.15	≤30.00	PASS
	Ant2	5785	16.90	≤30.00	PASS
	total	5785	19.55	≤29.12	PASS
	Ant1	5825	16.25	≤30.00	PASS
	Ant2	5825	16.75	≤30.00	PASS
	total	5825	19.52	≤29.12	PASS
11N20MIMO	Ant1	5180	12.12	≤23.98	PASS
	Ant2	5180	13.08	≤23.98	PASS
	total	5180	15.64	≤23.98	PASS
	Ant1	5200	12.13	≤23.98	PASS
	Ant2	5200	13.02	≤23.98	PASS
	total	5200	15.61	≤23.98	PASS
	Ant1	5240	12.09	≤23.98	PASS
	Ant2	5240	12.80	≤23.98	PASS
	total	5240	15.47	≤23.98	PASS
	Ant1	5745	15.99	≤30.00	PASS
	Ant2	5745	17.10	≤30.00	PASS
	total	5745	19.59	≤29.12	PASS
	Ant1	5785	16.00	≤30.00	PASS
	Ant2	5785	16.85	≤30.00	PASS
	total	5785	19.46	≤29.12	PASS
	Ant1	5825	16.17	≤30.00	PASS
	Ant2	5825	16.75	≤30.00	PASS
	total	5825	19.48	≤29.12	PASS
11N40MIMO	Ant1	5190	10.92	≤23.98	PASS
	Ant2	5190	11.66	≤23.98	PASS
	total	5190	14.32	≤23.98	PASS
	Ant1	5230	15.49	≤23.98	PASS

	Ant2	5230	16.17	≤23.98	PASS
	total	5230	18.85	≤23.98	PASS
	Ant1	5755	16.34	≤30.00	PASS
	Ant2	5755	17.23	≤30.00	PASS
	total	5755	19.82	≤29.12	PASS
	Ant1	5795	16.71	≤30.00	PASS
	Ant2	5795	17.48	≤30.00	PASS
	total	5795	20.12	≤29.12	PASS
11AC20MIMO	Ant1	5180	12.94	≤23.98	PASS
	Ant2	5180	13.36	≤23.98	PASS
	total	5180	16.17	≤23.98	PASS
	Ant1	5200	14.46	≤23.98	PASS
	Ant2	5200	15.04	≤23.98	PASS
	total	5200	17.77	≤23.98	PASS
	Ant1	5240	14.02	≤23.98	PASS
	Ant2	5240	14.79	≤23.98	PASS
	total	5240	17.43	≤23.98	PASS
	Ant1	5745	15.91	≤30.00	PASS
	Ant2	5745	17.15	≤30.00	PASS
	total	5745	19.58	≤29.12	PASS
	Ant1	5785	15.98	≤30.00	PASS
	Ant2	5785	16.93	≤30.00	PASS
	total	5785	19.49	≤29.12	PASS
	Ant1	5825	16.11	≤30.00	PASS
	Ant2	5825	16.81	≤30.00	PASS
	total	5825	19.48	≤29.12	PASS
11AC40MIMO	Ant1	5190	10.71	≤23.98	PASS
	Ant2	5190	11.84	≤23.98	PASS
	total	5190	14.32	≤23.98	PASS
	Ant1	5230	15.42	≤23.98	PASS
	Ant2	5230	16.35	≤23.98	PASS
	total	5230	18.92	≤23.98	PASS
	Ant1	5755	16.18	≤30.00	PASS
	Ant2	5755	17.45	≤30.00	PASS
	total	5755	19.87	≤29.12	PASS
	Ant1	5795	16.70	≤30.00	PASS
	Ant2	5795	17.58	≤30.00	PASS
	total	5795	20.17	≤29.12	PASS
11AC80MIMO	Ant1	5210	12.75	≤23.98	PASS
	Ant2	5210	13.85	≤23.98	PASS
	total	5210	16.35	≤23.98	PASS
	Ant1	5775	14.51	≤30.00	PASS
	Ant2	5775	15.67	≤30.00	PASS
	total	5775	18.14	≤29.12	PASS
11AX20MIMO	Ant1	5180	12.69	≤23.98	PASS

	Ant2	5180	13.47	≤23.98	PASS
	total	5180	16.11	≤23.98	PASS
	Ant1	5200	14.51	≤23.98	PASS
	Ant2	5200	15.35	≤23.98	PASS
	total	5200	17.96	≤23.98	PASS
	Ant1	5240	14.07	≤23.98	PASS
	Ant2	5240	15.08	≤23.98	PASS
	total	5240	17.61	≤23.98	PASS
	Ant1	5745	10.61	≤30.00	PASS
	Ant2	5745	11.83	≤30.00	PASS
	total	5745	14.27	≤29.12	PASS
	Ant1	5785	10.61	≤30.00	PASS
	Ant2	5785	11.66	≤30.00	PASS
	total	5785	14.18	≤29.12	PASS
	Ant1	5825	10.76	≤30.00	PASS
	Ant2	5825	11.64	≤30.00	PASS
	total	5825	14.23	≤29.12	PASS
11AX40MIMO	Ant1	5190	10.38	≤23.98	PASS
	Ant2	5190	11.73	≤23.98	PASS
	total	5190	14.12	≤23.98	PASS
	Ant1	5230	7.98	≤23.98	PASS
	Ant2	5230	8.93	≤23.98	PASS
	total	5230	11.49	≤23.98	PASS
	Ant1	5755	10.97	≤30.00	PASS
	Ant2	5755	12.12	≤30.00	PASS
	total	5755	14.59	≤29.12	PASS
	Ant1	5795	11.00	≤30.00	PASS
	Ant2	5795	11.94	≤30.00	PASS
	total	5795	14.51	≤29.12	PASS
11AX80MIMO	Ant1	5210	10.92	≤23.98	PASS
	Ant2	5210	12.27	≤23.98	PASS
	total	5210	14.66	≤23.98	PASS
	Ant1	5775	8.68	≤30.00	PASS
	Ant2	5775	9.98	≤30.00	PASS
	total	5775	12.39	≤29.12	PASS

Note: The Duty Cycle Factor is compensated in the graph.

5. Maximum power spectral density

5.1. Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A-CDD	Ant1	5180	2.33	≤11.00	PASS
	Ant2	5180	3.64	≤11.00	PASS
	total	5180	6.04	≤11.00	PASS
	Ant1	5200	3.89	≤11.00	PASS
	Ant2	5200	5.18	≤11.00	PASS
	total	5200	7.59	≤11.00	PASS
	Ant1	5240	3.62	≤11.00	PASS
	Ant2	5240	4.8	≤11.00	PASS
	total	5240	7.26	≤11.00	PASS
	Ant1	5745	2.37	≤30.00	PASS
	Ant2	5745	4.71	≤30.00	PASS
	total	5745	6.71	≤29.12	PASS
	Ant1	5785	2.78	≤30.00	PASS
	Ant2	5785	3.99	≤30.00	PASS
	total	5785	6.44	≤29.12	PASS
	Ant1	5825	3.18	≤30.00	PASS
	Ant2	5825	4.54	≤30.00	PASS
	total	5825	6.92	≤29.12	PASS
11N20MIMO	Ant1	5180	1.37	≤11.00	PASS
	Ant2	5180	3.64	≤11.00	PASS
	total	5180	5.66	≤11.00	PASS
	Ant1	5200	1.27	≤11.00	PASS
	Ant2	5200	3.48	≤11.00	PASS
	total	5200	5.52	≤11.00	PASS
	Ant1	5240	1.04	≤11.00	PASS
	Ant2	5240	2.9	≤11.00	PASS
	total	5240	5.08	≤11.00	PASS
	Ant1	5745	1.46	≤30.00	PASS
	Ant2	5745	3.8	≤30.00	PASS
	total	5745	5.80	≤29.12	PASS
	Ant1	5785	1.92	≤30.00	PASS
	Ant2	5785	3.84	≤30.00	PASS
	total	5785	6.00	≤29.12	PASS
	Ant1	5825	2.41	≤30.00	PASS
	Ant2	5825	3.97	≤30.00	PASS
	total	5825	6.27	≤29.12	PASS
11N40MIMO	Ant1	5190	-3.31	≤11.00	PASS
	Ant2	5190	-1.47	≤11.00	PASS
	total	5190	0.72	≤11.00	PASS
	Ant1	5230	0.95	≤11.00	PASS

	Ant2	5230	2.56	≤11.00	PASS
	total	5230	4.84	≤11.00	PASS
	Ant1	5755	-1.31	≤30.00	PASS
	Ant2	5755	0.86	≤30.00	PASS
	total	5755	2.92	≤29.12	PASS
	Ant1	5795	-0.58	≤30.00	PASS
	Ant2	5795	1.26	≤30.00	PASS
	total	5795	3.45	≤29.12	PASS
11AC20MIMO	Ant1	5180	2.3	≤11.00	PASS
	Ant2	5180	3.9	≤11.00	PASS
	total	5180	6.18	≤11.00	PASS
	Ant1	5200	3.63	≤11.00	PASS
	Ant2	5200	5.44	≤11.00	PASS
	total	5200	7.64	≤11.00	PASS
	Ant1	5240	3.41	≤11.00	PASS
	Ant2	5240	4.71	≤11.00	PASS
	total	5240	7.12	≤11.00	PASS
	Ant1	5745	1.42	≤30.00	PASS
	Ant2	5745	3.8	≤30.00	PASS
	total	5745	5.78	≤29.12	PASS
	Ant1	5785	2.17	≤30.00	PASS
	Ant2	5785	4.27	≤30.00	PASS
	total	5785	6.36	≤29.12	PASS
	Ant1	5825	2.96	≤30.00	PASS
	Ant2	5825	4.1	≤30.00	PASS
	total	5825	6.58	≤29.12	PASS
11AC40MIMO	Ant1	5190	-3.41	≤11.00	PASS
	Ant2	5190	-0.86	≤11.00	PASS
	total	5190	1.06	≤11.00	PASS
	Ant1	5230	1.04	≤11.00	PASS
	Ant2	5230	3.22	≤11.00	PASS
	total	5230	5.28	≤11.00	PASS
	Ant1	5755	-1.06	≤30.00	PASS
	Ant2	5755	1.19	≤30.00	PASS
	total	5755	3.22	≤29.12	PASS
	Ant1	5795	-0.23	≤30.00	PASS
	Ant2	5795	1.94	≤30.00	PASS
	total	5795	4.00	≤29.12	PASS
11AC80MIMO	Ant1	5210	-3.63	≤11.00	PASS
	Ant2	5210	-2.44	≤11.00	PASS
	total	5210	0.02	≤11.00	PASS
	Ant1	5775	-5.29	≤30.00	PASS
	Ant2	5775	-3.09	≤30.00	PASS
	total	5775	-1.04	≤29.12	PASS
11AX20MIMO	Ant1	5180	1.93	≤11.00	PASS

	Ant2	5180	3.71	≤11.00	PASS
	total	5180	5.92	≤11.00	PASS
	Ant1	5200	3.11	≤11.00	PASS
	Ant2	5200	4.72	≤11.00	PASS
	total	5200	7.00	≤11.00	PASS
	Ant1	5240	2.24	≤11.00	PASS
	Ant2	5240	4.18	≤11.00	PASS
	total	5240	6.33	≤11.00	PASS
	Ant1	5745	-3.87	≤30.00	PASS
	Ant2	5745	-1.8	≤30.00	PASS
	total	5745	0.30	≤29.12	PASS
	Ant1	5785	-3.35	≤30.00	PASS
	Ant2	5785	-1.88	≤30.00	PASS
	total	5785	0.46	≤29.12	PASS
	Ant1	5825	-3.14	≤30.00	PASS
	Ant2	5825	-1.3	≤30.00	PASS
	total	5825	0.89	≤29.12	PASS
11AX40MIMO	Ant1	5190	-3.53	≤11.00	PASS
	Ant2	5190	-1.32	≤11.00	PASS
	total	5190	0.72	≤11.00	PASS
	Ant1	5230	-6.69	≤11.00	PASS
	Ant2	5230	-4.6	≤11.00	PASS
	total	5230	-2.51	≤11.00	PASS
	Ant1	5755	-6.65	≤30.00	PASS
	Ant2	5755	-4.61	≤30.00	PASS
	total	5755	-2.50	≤29.12	PASS
	Ant1	5795	-6.05	≤30.00	PASS
	Ant2	5795	-4.3	≤30.00	PASS
	total	5795	-2.08	≤29.12	PASS
11AX80MIMO	Ant1	5210	-5.86	≤11.00	PASS
	Ant2	5210	-3.82	≤11.00	PASS
	total	5210	-1.71	≤11.00	PASS
	Ant1	5775	-10.63	≤30.00	PASS
	Ant2	5775	-8.78	≤30.00	PASS
	total	5775	-6.60	≤29.12	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

5.2. Test Graphs





11A-CDD_Ant2_5200



11A-CDD_Ant1_5240



11A-CDD_Ant2_5240




11A-CDD_Ant1_5745




11A-CDD_Ant2_5745




11A-CDD_Ant1_5785




11A-CDD_Ant2_5785



11A-CDD_Ant1_5825



11A-CDD_Ant2_5825




11N20MIMO_Ant1_5180



11N20MIMO_Ant2_5180



11N20MIMO_Ant1_5200



11N20MIMO_Ant2_5200



11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240



11N20MIMO_Ant1_5745



11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785



11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825



11N20MIMO_Ant2_5825



11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190



11N40MIMO_Ant1_5230



11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755



11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795



11AC20MIMO_Ant1_5180



11AC20MIMO_Ant2_5180



11AC20MIMO_Ant1_5200




11AC20MIMO_Ant2_5200



11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240



11AC20MIMO_Ant1_5745



11AC20MIMO_Ant2_5745



11AC20MIMO_Ant1_5785



11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825



11AC20MIMO_Ant2_5825



11AC40MIMO_Ant1_5190




11AC40MIMO_Ant2_5190



11AC40MIMO_Ant1_5230



11AC40MIMO_Ant2_5230




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795



11AC80MIMO_Ant1_5210



11AC80MIMO_Ant2_5210



11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775




11AX20MIMO_Ant1_5180




11AX20MIMO_Ant2_5180



11AX20MIMO_Ant1_5200



11AX20MIMO_Ant2_5200



11AX20MIMO_Ant1_5240



11AX20MIMO_Ant2_5240




11AX20MIMO_Ant1_5745



11AX20MIMO_Ant2_5745



11AX20MIMO_Ant1_5785



11AX20MIMO_Ant2_5785



11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5190



11AX40MIMO_Ant2_5190




11AX40MIMO_Ant1_5230



11AX40MIMO_Ant2_5230




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795



11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5210



11AX80MIMO_Ant2_5210



11AX80MIMO_Ant1_5775



11AX80MIMO_Ant2_5775



6. Band edge measurements

6.1. Test Result

TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A-CDD	Ant1	Low	5180	-42.6	≤-27	PASS
	Ant2	Low	5180	-31.26	≤-27	PASS
11N20MIMO	Ant1	Low	5180	-42.77	≤-27	PASS
	Ant2	Low	5180	-31.03	≤-27	PASS
11N40MIMO	Ant1	Low	5190	-41.47	≤-27	PASS
	Ant2	Low	5190	-35.56	≤-27	PASS
11AC20MIMO	Ant1	Low	5180	-42.72	≤-27	PASS
	Ant2	Low	5180	-31.08	≤-27	PASS
11AC40MIMO	Ant1	Low	5190	-40.82	≤-27	PASS
	Ant2	Low	5190	-37.31	≤-27	PASS
11AC80MIMO	Ant1	Low	5210	-38.84	≤-27	PASS
	Ant2	Low	5210	-30.76	≤-27	PASS
11AX20MIMO	Ant1	Low	5180	-41.37	≤-27	PASS
	Ant2	Low	5180	-32.52	≤-27	PASS
11AX40MIMO	Ant1	Low	5190	-41.58	≤-27	PASS
	Ant2	Low	5190	-36.84	≤-27	PASS
11AX80MIMO	Ant1	Low	5210	-39.93	≤-27	PASS
	Ant2	Low	5210	-35.3	≤-27	PASS


TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	Low	5745	5650~5700	-40.4	≤9.38	PASS
				5700~5720	-29.7	≤14.81	PASS
				5720~5725	-26.14	≤27.00	PASS
				5760~5650	-46.19	≤-27	PASS
	Ant2	Low	5745	5650~5700	-35.7	≤-5.05	PASS
				5700~5720	-26.96	≤15.55	PASS
				5720~5725	-27.01	≤15.98	PASS
				5760~5650	-42.98	≤-27	PASS
	Ant1	High	5825	5850~5855	-31.97	≤18.03	PASS
				5855~5875	-33.89	≤10.05	PASS
				5875~5925	-40.45	≤-26.90	PASS
				5925~5935	-44.02	≤-27	PASS
	Ant2	High	5825	5850~5855	-25.95	≤15.80	PASS
				5855~5875	-29.61	≤10.05	PASS
				5875~5925	-36.04	≤-19.66	PASS
				5925~5935	-42.49	≤-27	PASS
11N20MIMO	Ant1	Low	5745	5650~5700	-40.5	≤5.93	PASS
				5700~5720	-28.65	≤14.48	PASS


	Ant2	Low	5745	5720~5725	-26.93	≤25.86	PASS
				5760~5650	-46.27	≤-27	PASS
				5650~5700	-39.49	≤-19.11	PASS
				5700~5720	-23.14	≤15.51	PASS
				5720~5725	-23.25	≤15.98	PASS
				5760~5650	-40.26	≤-27	PASS
	Ant1	High	5825	5850~5855	-31.6	≤18.03	PASS
				5855~5875	-32.4	≤10.98	PASS
				5875~5925	-36.83	≤-26.61	PASS
				5925~5935	-43.62	≤-27	PASS
	Ant2	High	5825	5850~5855	-24.99	≤15.80	PASS
				5855~5875	-29.64	≤10.05	PASS
				5875~5925	-38.73	≤-24.44	PASS
				5925~5935	-42.49	≤-27	PASS
11N40MIM O	Ant1	Low	5755	5650~5700	-30.21	≤9.69	PASS
				5700~5720	-22.24	≤15.36	PASS
				5720~5725	-20.74	≤23.04	PASS
				5780~5650	-39.83	≤-27	PASS
	Ant2	Low	5755	5650~5700	-33.57	≤8.25	PASS
				5700~5720	-19.47	≤14.98	PASS
				5720~5725	-19.21	≤17.23	PASS
				5780~5650	-42.26	≤-27	PASS
	Ant1	High	5795	5850~5855	-29.21	≤24.03	PASS
				5855~5875	-27.23	≤10.71	PASS
				5875~5925	-31.54	≤-23.83	PASS
				5925~5935	-43.55	≤-27	PASS
11AC20MI MO	Ant1	Low	5745	5650~5700	-40.33	≤-0.85	PASS
				5700~5720	-33.71	≤15.60	PASS
				5720~5725	-27.65	≤27.00	PASS
				5760~5650	-45.23	≤-27	PASS
	Ant2	Low	5745	5650~5700	-37.96	≤5.07	PASS
				5700~5720	-34.79	≤15.60	PASS
				5720~5725	-25.77	≤27.00	PASS
				5760~5650	-43.03	≤-27	PASS
	Ant1	High	5825	5850~5855	-30.63	≤22.93	PASS
				5855~5875	-31.19	≤10.38	PASS
				5875~5925	-39.26	≤-21.84	PASS
				5925~5935	-44.81	≤-27	PASS
	Ant2	High	5825	5850~5855	-27.88	≤17.58	PASS
				5855~5875	-33.7	≤10.38	PASS
				5875~5925	-36.11	≤-20.68	PASS

				5925~5935	-41.32	≤-27	PASS
11AC40MI MO	Ant1	Low	5755	5650~5700	-32.48	≤6.22	PASS
				5700~5720	-21.38	≤15.36	PASS
				5720~5725	-20.05	≤26.60	PASS
				5780~5650	-41.14	≤-27	PASS
	Ant2	Low	5755	5650~5700	-34.78	≤9.55	PASS
				5700~5720	-20.08	≤15.25	PASS
				5720~5725	-16.45	≤26.60	PASS
				5780~5650	-40.07	≤-27	PASS
	Ant1	High	5795	5850~5855	-30.25	≤19.67	PASS
				5855~5875	-27.66	≤10.37	PASS
				5875~5925	-32.86	≤-26.31	PASS
				5925~5935	-42.83	≤-27	PASS
	Ant2	High	5795	5850~5855	-28.94	≤22.39	PASS
				5855~5875	-31.38	≤10.24	PASS
				5875~5925	-34.39	≤-26.84	PASS
				5925~5935	-42.61	≤-27	PASS
11AC80MI MO	Ant1	Low	5775	5650~5700	-35.95	≤-4.44	PASS
				5700~5720	-32.41	≤15.55	PASS
				5720~5725	-26.25	≤26.93	PASS
				5800~5650	-42.74	≤-27	PASS
		High	5775	5850~5855	-29.29	≤21.12	PASS
				5855~5875	-30.93	≤10.78	PASS
				5875~5925	-33.64	≤-24.26	PASS
				5925~5935	-40.26	≤-27	PASS
	Ant2	Low	5775	5650~5700	-30.29	≤6.87	PASS
				5700~5720	-24.92	≤15.42	PASS
				5720~5725	-21.68	≤26.93	PASS
				5800~5650	-39.44	≤-27	PASS
		High	5775	5850~5855	-26.35	≤15.62	PASS
				5855~5875	-27.87	≤10.63	PASS
				5875~5925	-32.76	≤-25.26	PASS
				5925~5935	-41.69	≤-27	PASS
11AX20MI MO	Ant1	Low	5745	5650~5700	-44.76	≤5.81	PASS
				5700~5720	-43.3	≤10.65	PASS
				5720~5725	-38.76	≤21.68	PASS
				5760~5650	-45.37	≤-27	PASS
	Ant2	Low	5745	5650~5700	-37.69	≤-4.55	PASS
				5700~5720	-41.11	≤15.60	PASS
				5720~5725	-38.75	≤22.82	PASS
				5760~5650	-40.36	≤-27	PASS
	Ant1	High	5825	5850~5855	-40.66	≤15.80	PASS
				5855~5875	-39.76	≤11.09	PASS
				5875~5925	-43.78	≤7.99	PASS
				5925~5935	-45.55	≤-27	PASS

	Ant2	High	5825	5850~5855	-34.37	≤26.95	PASS
				5855~5875	-34.3	≤10.05	PASS
				5875~5925	-42.17	≤-21.11	PASS
				5925~5935	-44.14	≤-27	PASS
11AX40MI MO	Ant1	Low	5755	5650~5700	-42.65	≤8.39	PASS
				5700~5720	-34.21	≤14.98	PASS
				5720~5725	-30.86	≤25.71	PASS
				5780~5650	-45.87	≤-27	PASS
	Ant2	Low	5755	5650~5700	-42.82	≤9.98	PASS
				5700~5720	-34.43	≤14.71	PASS
				5720~5725	-34.65	≤23.93	PASS
				5780~5650	-44.88	≤-27	PASS
	Ant1	High	5795	5850~5855	-39.23	≤22.39	PASS
				5855~5875	-40.69	≤11.24	PASS
				5875~5925	-43.5	≤-22.06	PASS
				5925~5935	-45.88	≤-27	PASS
	Ant2	High	5795	5850~5855	-41	≤26.21	PASS
				5855~5875	-39.48	≤11.58	PASS
				5875~5925	-42.2	≤-4.72	PASS
				5925~5935	-44.62	≤-27	PASS
11AX80MI MO	Ant1	Low	5775	5650~5700	-43.6	≤-17.23	PASS
				5700~5720	-43.29	≤15.55	PASS
				5720~5725	-37.57	≤26.93	PASS
				5800~5650	-46.85	≤-27	PASS
		High	5775	5850~5855	-39.44	≤25.40	PASS
				5855~5875	-41.64	≤11.08	PASS
				5875~5925	-43.9	≤-9.39	PASS
				5925~5935	-45.83	≤-27	PASS
	Ant2	Low	5775	5650~5700	-39.7	≤-5.43	PASS
				5700~5720	-39.5	≤15.48	PASS
				5720~5725	-30.76	≤25.40	PASS
				5800~5650	-42.19	≤-27	PASS
		High	5775	5850~5855	-39.55	≤20.51	PASS
				5855~5875	-40.78	≤11.91	PASS
				5875~5925	-41.21	≤-15.14	PASS
				5925~5935	-43.24	≤-27	PASS


6.2. Test Graphs






Date: 21.AUG.2023 19:44:18

11N20MIMO_Ant2_Low_5180




Date: 21.AUG.2023 19:47:36

11N40MIMO_Ant1_Low_5190




Date: 22.AUG.2023 10:04:02


11N40MIMO_Ant2_Low_5190




11AC20MIMO_Ant1_Low_5180




11AC20MIMO_Ant2_Low_5180




11AC40MIMO_Ant1_Low_5190




11AC40MIMO_Ant2_Low_5190




11AC80MIMO_Ant1_Low_5210




11AC80MIMO_Ant2_Low_5210




11AX20MIMO_Ant1_Low_5180




11AX20MIMO_Ant2_Low_5180




11AX40MIMO_Ant1_Low_5190




11AX40MIMO_Ant2_Low_5190




11AX80MIMO_Ant1_Low_5210



11AX80MIMO_Ant2_Low_5210




11A-CDD_Ant1_Low_5745



11A-CDD_Ant2_Low_5745



11A-CDD_Ant1_High_5825




11A-CDD_Ant2_High_5825




Date: 22.AUG.2023 14:53:20

11N20MIMO_Ant1_Low_5745




Date: 22.AUG.2023 09:36:59

11N20MIMO_Ant2_Low_5745



Date: 22.AUG.2023 09:40:13

11N20MIMO_Ant1_High_5825




11N20MIMO_Ant2_High_5825



11N40MIMO_Ant1_Low_5755




11N40MIMO_Ant2_Low_5755




Date: 22.AUG.2023 11:05:24

11N40MIMO_Ant1_High_5795




Date: 22.AUG.2023 11:09:10

11N40MIMO_Ant2_High_5795



Date: 22.AUG.2023 11:13:54


11AC20MIMO_Ant1_Low_5745



11AC20MIMO_Ant2_Low_5745




11AC20MIMO_Ant1_High_5825



11AC20MIMO_Ant2_High_5825




11AC40MIMO_Ant1_Low_5755




11AC40MIMO_Ant2_Low_5755



11AC40MIMO_Ant1_High_5795




11AC40MIMO_Ant2_High_5795




11AC80MIMO_Ant1_Low_5775



11AC80MIMO_Ant1_High_5775




11AC80MIMO_Ant2_Low_5775




11AC80MIMO_Ant2_High_5775




11AX20MIMO_Ant1_Low_5745



11AX20MIMO_Ant2_Low_5745



11AX20MIMO_Ant1_High_5825



11AX20MIMO_Ant2_High_5825