







11AX80MIMO_Ant1_Low_5210




11AX80MIMO_Ant0_High_5210




11AX80MIMO_Ant1_High_5210




11AMIMO_Ant0_Low_5745




11AMIMO_Ant1_Low_5745




11AMIMO_Ant0_High_5825




11AMIMO_Ant1_High_5825




11N20MIMO_Ant0_Low_5745




11N20MIMO_Ant1_Low_5745




11N20MIMO_Ant0_High_5825




11N20MIMO_Ant1_High_5825




11N40MIMO_Ant0_Low_5755




11N40MIMO_Ant1_Low_5755




11N40MIMO_Ant0_High_5795




11N40MIMO_Ant1_High_5795




11AC20MIMO_Ant0_Low_5745




11AC20MIMO_Ant1_Low_5745




11AC20MIMO_Ant0_High_5825




11AC20MIMO_Ant1_High_5825




11AC40MIMO_Ant0_Low_5755




11AC40MIMO_Ant1_Low_5755




11AC40MIMO_Ant0_High_5795




11AC40MIMO_Ant1_High_5795




11AC80MIMO_Ant0_Low_5775




11AC80MIMO_Ant0_High_5775




11AC80MIMO_Ant1_Low_5775




11AC80MIMO_Ant1_High_5775




11AX20MIMO_Ant0_Low_5745




11AX20MIMO_Ant1_Low_5745




11AX20MIMO_Ant0_High_5825




11AX20MIMO_Ant1_High_5825




11AX40MIMO_Ant0_Low_5755




11AX40MIMO_Ant1_Low_5755




11AX40MIMO_Ant0_High_5795




11AX40MIMO_Ant1_High_5795




11AX80MIMO_Ant0_Low_5775



11AX80MIMO_Ant0_High_5775



11AX80MIMO_Ant1_Low_5775



11AX80MIMO_Ant1_High_5775

7. Emissions in Restricted Bands

7.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11AMIMO	Ant0	Low	5180	AV	4500.000	-58.53	≤-41.20	PASS
				AV	5146.232	-45.57	≤-41.20	PASS
				AV	5150.000	-45.86	≤-41.20	PASS
				Peak	4500.000	-46.65	≤-21.20	PASS
				Peak	5128.986	-30.08	≤-21.20	PASS
				Peak	5150.000	-29.92	≤-21.20	PASS
	Ant1	Low	5180	AV	4500.000	-65.46	≤-41.20	PASS
				AV	5141.159	-47.26	≤-41.20	PASS
				AV	5150.000	-47.72	≤-41.20	PASS
				Peak	4500.000	-53.83	≤-21.20	PASS
				Peak	5147.246	-34.92	≤-21.20	PASS
				Peak	5150.000	-35.02	≤-21.20	PASS
	total	Low	5180	AV	4500.000	-57.73	≤-41.20	PASS
				AV	5141.159	-43.32	≤-41.20	PASS
				AV	5150.000	-43.68	≤-41.20	PASS
				Peak	4500.000	-45.89	≤-21.20	PASS
				Peak	5147.246	-28.85	≤-21.20	PASS
				Peak	5150.000	-28.75	≤-21.20	PASS
	Ant0	High	5240	AV	5350.000	-50.4	≤-41.20	PASS
				AV	5350.087	-50.4	≤-41.20	PASS
				AV	5460.000	-58.11	≤-41.20	PASS
				Peak	5350.000	-40.59	≤-21.20	PASS
				Peak	5353.565	-39.92	≤-21.20	PASS
				Peak	5460.000	-47.7	≤-21.20	PASS
	Ant1	High	5240	AV	5350.000	-49.62	≤-41.20	PASS
				AV	5350.087	-49.62	≤-41.20	PASS
				AV	5460.000	-58.12	≤-41.20	PASS
				Peak	5350.000	-39.68	≤-21.20	PASS
				Peak	5357.391	-38.37	≤-21.20	PASS
				Peak	5460.000	-47.83	≤-21.20	PASS
	total	High	5240	AV	5350.000	-46.98	≤-41.20	PASS
				AV	5350.087	-46.98	≤-41.20	PASS
				AV	5460.000	-55.10	≤-41.20	PASS
				Peak	5350.000	-37.10	≤-21.20	PASS
				Peak	5357.391	-36.07	≤-21.20	PASS
				Peak	5460.000	-44.75	≤-21.20	PASS
	Ant0	Low	5745	Peak	5650.000	-43.4	≤-27.00	PASS
				Peak	5700.000	-40.64	≤10.00	PASS
				Peak	5720.000	-35.12	≤15.60	PASS
				Peak	5725.000	-25.6	≤27.00	PASS

	Ant1	Low	5745	Peak	5650.000	-40.33	≤-27.00	PASS
				Peak	5700.000	-35.8	≤10.00	PASS
				Peak	5720.000	-32.18	≤15.60	PASS
				Peak	5725.000	-24.77	≤27.00	PASS
	total	Low	5745	Peak	5650.000	-38.59	≤-27.00	PASS
				Peak	5700.000	-34.57	≤-27.00	PASS
				Peak	5720.000	-30.40	≤-27.00	PASS
				Peak	5725.000	-22.15	≤-27.00	PASS
	Ant0	High	5825	Peak	5850.000	-32.38	≤15.60	PASS
				Peak	5855.000	-33.97	≤27.00	PASS
				Peak	5875.000	-34.07	≤15.60	PASS
				Peak	5925.000	-39.4	≤10.00	PASS
	Ant1	High	5825	Peak	5850.000	-26	≤15.60	PASS
				Peak	5855.000	-31.19	≤27.00	PASS
				Peak	5875.000	-34.78	≤15.60	PASS
				Peak	5925.000	-36.75	≤10.00	PASS
	total	High	5825	Peak	5850.000	-25.10	≤-27.00	PASS
				Peak	5855.000	-29.35	≤-27.00	PASS
				Peak	5875.000	-31.40	≤-27.00	PASS
				Peak	5925.000	-34.87	≤-27.00	PASS
11N20MIM O	Ant0	Low	5180	AV	4500.000	-65.11	≤-41.20	PASS
				AV	5149.275	-42.42	≤-41.20	PASS
				AV	5150.000	-42.2	≤-41.20	PASS
				Peak	4500.000	-53.73	≤-21.20	PASS
				Peak	5149.275	-26.91	≤-21.20	PASS
				Peak	5150.000	-27.92	≤-21.20	PASS
	Ant1	Low	5180	AV	4500.000	-65.14	≤-41.20	PASS
				AV	5146.232	-48.72	≤-41.20	PASS
				AV	5150.000	-48.69	≤-41.20	PASS
				Peak	4500.000	-53.23	≤-21.20	PASS
				Peak	5140.145	-35.89	≤-21.20	PASS
				Peak	5150.000	-36.64	≤-21.20	PASS
	total	Low	5180	AV	4500.000	-62.11	≤-41.20	PASS
				AV	5146.232	-41.51	≤-41.20	PASS
				AV	5150.000	-41.32	≤-41.20	PASS
				Peak	4500.000	-50.46	≤-21.20	PASS
				Peak	5140.145	-26.39	≤-21.20	PASS
				Peak	5150.000	-27.37	≤-21.20	PASS
	Ant0	High	5240	AV	5350.000	-50.47	≤-41.20	PASS
				AV	5350.783	-50.36	≤-41.20	PASS
				AV	5460.000	-57.95	≤-41.20	PASS
				Peak	5350.000	-39.66	≤-21.20	PASS
				Peak	5360.174	-39.59	≤-21.20	PASS
				Peak	5460.000	-48.27	≤-21.20	PASS
	Ant1	High	5240	AV	5350.000	-49.31	≤-41.20	PASS
				AV	5350.435	-49.3	≤-41.20	PASS

				AV	5460.000	-57.97	≤-41.20	PASS
				Peak	5350.000	-39.65	≤-21.20	PASS
				Peak	5360.522	-38.1	≤-21.20	PASS
				Peak	5460.000	-47.17	≤-21.20	PASS
	total	High	5240	AV	5350.000	-46.84	≤-41.20	PASS
				AV	5350.435	-46.79	≤-41.20	PASS
				AV	5460.000	-54.95	≤-41.20	PASS
				Peak	5350.000	-36.64	≤-21.20	PASS
				Peak	5360.522	-35.77	≤-21.20	PASS
				Peak	5460.000	-44.67	≤-21.20	PASS
	Ant0	Low	5745	Peak	5650.000	-42.48	≤-27.00	PASS
				Peak	5700.000	-37.59	≤10.00	PASS
				Peak	5720.000	-32.6	≤15.60	PASS
				Peak	5725.000	-24.63	≤27.00	PASS
	Ant1	Low	5745	Peak	5650.000	-39.93	≤-27.00	PASS
				Peak	5700.000	-36.48	≤10.00	PASS
				Peak	5720.000	-31.72	≤15.60	PASS
				Peak	5725.000	-22.21	≤27.00	PASS
	total	Low	5745	Peak	5650.000	-38.01	≤-27.00	PASS
				Peak	5700.000	-33.99	≤-27.00	PASS
				Peak	5720.000	-29.13	≤-27.00	PASS
				Peak	5725.000	-20.24	≤-27.00	PASS
	Ant0	High	5825	Peak	5850.000	-32.75	≤15.60	PASS
				Peak	5855.000	-33.63	≤27.00	PASS
				Peak	5875.000	-35.49	≤15.60	PASS
				Peak	5925.000	-39.96	≤10.00	PASS
	Ant1	High	5825	Peak	5850.000	-29.71	≤15.60	PASS
				Peak	5855.000	-29.73	≤27.00	PASS
				Peak	5875.000	-35.4	≤15.60	PASS
				Peak	5925.000	-36.82	≤10.00	PASS
	total	High	5825	Peak	5850.000	-27.96	≤-27.00	PASS
				Peak	5855.000	-28.25	≤-27.00	PASS
				Peak	5875.000	-32.43	≤-27.00	PASS
				Peak	5925.000	-35.10	≤-27.00	PASS
11N40MIM O	Ant0	Low	5190	AV	4500.000	-64.99	≤-41.20	PASS
				AV	5141.159	-44.98	≤-41.20	PASS
				AV	5150.000	-45.18	≤-41.20	PASS
				Peak	4500.000	-54.21	≤-21.20	PASS
				Peak	5148.261	-28.25	≤-21.20	PASS
				Peak	5150.000	-29.76	≤-21.20	PASS
	Ant1	Low	5190	AV	4500.000	-65.06	≤-41.20	PASS
				AV	5149.275	-44.37	≤-41.20	PASS
				AV	5150.000	-43.33	≤-41.20	PASS
				Peak	4500.000	-53.31	≤-21.20	PASS
				Peak	5149.275	-28.9	≤-21.20	PASS
				Peak	5150.000	-28.35	≤-21.20	PASS

	total	Low	5190	AV	4500.000	-62.01	≤-41.20	PASS
				AV	5149.275	-41.65	≤-41.20	PASS
				AV	5150.000	-41.15	≤-41.20	PASS
				Peak	4500.000	-50.73	≤-21.20	PASS
				Peak	5149.275	-25.55	≤-21.20	PASS
				Peak	5150.000	-25.99	≤-21.20	PASS
	Ant0	High	5230	AV	5350.000	-52.24	≤-41.20	PASS
				AV	5351.478	-51.92	≤-41.20	PASS
				AV	5460.000	-59.17	≤-41.20	PASS
				Peak	5350.000	-43.42	≤-21.20	PASS
				Peak	5351.478	-41.75	≤-21.20	PASS
				Peak	5460.000	-49	≤-21.20	PASS
	Ant1	High	5230	AV	5350.000	-52.05	≤-41.20	PASS
				AV	5351.855	-51.81	≤-41.20	PASS
				AV	5460.000	-59.35	≤-41.20	PASS
				Peak	5350.000	-40.97	≤-21.20	PASS
				Peak	5358.638	-40.34	≤-21.20	PASS
				Peak	5460.000	-49.34	≤-21.20	PASS
	total	High	5230	AV	5350.000	-49.13	≤-41.20	PASS
				AV	5351.855	-48.85	≤-41.20	PASS
				AV	5460.000	-56.25	≤-41.20	PASS
				Peak	5350.000	-39.01	≤-21.20	PASS
				Peak	5358.638	-37.98	≤-21.20	PASS
				Peak	5460.000	-46.16	≤-21.20	PASS
	Ant0	Low	5755	Peak	5650.000	-43.28	≤-27.00	PASS
				Peak	5700.000	-37.09	≤10.00	PASS
				Peak	5720.000	-32.08	≤15.60	PASS
				Peak	5725.000	-31.19	≤27.00	PASS
	Ant1	Low	5755	Peak	5650.000	-42.35	≤-27.00	PASS
				Peak	5700.000	-38.58	≤10.00	PASS
				Peak	5720.000	-23.09	≤15.60	PASS
				Peak	5725.000	-22.57	≤27.00	PASS
	total	Low	5755	Peak	5650.000	-39.78	≤-27.00	PASS
				Peak	5700.000	-34.76	≤-27.00	PASS
				Peak	5720.000	-22.57	≤-27.00	PASS
				Peak	5725.000	-22.01	≤-27.00	PASS
	Ant0	High	5795	Peak	5850.000	-37.54	≤15.60	PASS
				Peak	5855.000	-38.01	≤27.00	PASS
				Peak	5875.000	-39.93	≤15.60	PASS
				Peak	5925.000	-41.78	≤10.00	PASS
	Ant1	High	5795	Peak	5850.000	-36.37	≤15.60	PASS
				Peak	5855.000	-38.38	≤27.00	PASS
				Peak	5875.000	-40.41	≤15.60	PASS
				Peak	5925.000	-41.78	≤10.00	PASS
	total	High	5795	Peak	5850.000	-33.91	≤-27.00	PASS
				Peak	5855.000	-35.18	≤-27.00	PASS

11AC20MI MO				Peak	5875.000	-37.15	≤-27.00	PASS
				Peak	5925.000	-38.77	≤-27.00	PASS
	Ant0	Low	5180	AV	4500.000	-64.99	≤-41.20	PASS
				AV	5139.130	-44.86	≤-41.20	PASS
				AV	5150.000	-45.32	≤-41.20	PASS
				Peak	4500.000	-54.56	≤-21.20	PASS
				Peak	5136.087	-33.51	≤-21.20	PASS
				Peak	5150.000	-34.77	≤-21.20	PASS
	Ant1	Low	5180	AV	4500.000	-64.9	≤-41.20	PASS
				AV	5140.145	-47.52	≤-41.20	PASS
				AV	5150.000	-47.29	≤-41.20	PASS
				Peak	4500.000	-53.88	≤-21.20	PASS
				Peak	5149.275	-34.81	≤-21.20	PASS
				Peak	5150.000	-32.65	≤-21.20	PASS
	total	Low	5180	AV	4500.000	-61.93	≤-41.20	PASS
				AV	5140.145	-42.98	≤-41.20	PASS
				AV	5150.000	-43.18	≤-41.20	PASS
				Peak	4500.000	-51.20	≤-21.20	PASS
				Peak	5149.275	-31.10	≤-21.20	PASS
				Peak	5150.000	-30.57	≤-21.20	PASS
	Ant0	High	5240	AV	5350.000	-52.04	≤-41.20	PASS
				AV	5356.348	-51.63	≤-41.20	PASS
				AV	5460.000	-58.52	≤-41.20	PASS
				Peak	5350.000	-41.88	≤-21.20	PASS
				Peak	5350.783	-40.49	≤-21.20	PASS
				Peak	5460.000	-47.37	≤-21.20	PASS
	Ant1	High	5240	AV	5350.000	-50.07	≤-41.20	PASS
				AV	5356.000	-49.41	≤-41.20	PASS
				AV	5460.000	-57.77	≤-41.20	PASS
				Peak	5350.000	-40.34	≤-21.20	PASS
				Peak	5358.087	-37.95	≤-21.20	PASS
				Peak	5460.000	-49.05	≤-21.20	PASS
	total	High	5240	AV	5350.000	-47.93	≤-41.20	PASS
				AV	5356.000	-47.37	≤-41.20	PASS
				AV	5460.000	-55.12	≤-41.20	PASS
				Peak	5350.000	-38.03	≤-21.20	PASS
				Peak	5358.087	-36.03	≤-21.20	PASS
				Peak	5460.000	-45.12	≤-21.20	PASS
	Ant0	Low	5745	Peak	5650.000	-42.47	≤-27.00	PASS
				Peak	5700.000	-37.72	≤10.00	PASS
				Peak	5720.000	-32.99	≤15.60	PASS
				Peak	5725.000	-21.86	≤27.00	PASS
	Ant1	Low	5745	Peak	5650.000	-41.79	≤-27.00	PASS
				Peak	5700.000	-39.88	≤10.00	PASS
				Peak	5720.000	-35.59	≤15.60	PASS
				Peak	5725.000	-26.45	≤27.00	PASS

11AC40MI MO	total	Low	5745	Peak	5650.000	-39.11	≤-27.00	PASS
				Peak	5700.000	-35.66	≤-27.00	PASS
				Peak	5720.000	-31.09	≤-27.00	PASS
				Peak	5725.000	-20.56	≤-27.00	PASS
	Ant0	High	5825	Peak	5850.000	-31.61	≤15.60	PASS
				Peak	5855.000	-32.72	≤27.00	PASS
				Peak	5875.000	-35.8	≤15.60	PASS
				Peak	5925.000	-39.08	≤10.00	PASS
	Ant1	High	5825	Peak	5850.000	-21.26	≤15.60	PASS
				Peak	5855.000	-22.47	≤27.00	PASS
				Peak	5875.000	-35.92	≤15.60	PASS
				Peak	5925.000	-37.45	≤10.00	PASS
	total	High	5825	Peak	5850.000	-20.88	≤-27.00	PASS
				Peak	5855.000	-22.08	≤-27.00	PASS
				Peak	5875.000	-32.85	≤-27.00	PASS
				Peak	5925.000	-35.18	≤-27.00	PASS
11AC40MI MO	Ant0	Low	5190	AV	4500.000	-64.9	≤-41.20	PASS
				AV	5149.275	-47.45	≤-41.20	PASS
				AV	5150.000	-48	≤-41.20	PASS
				Peak	4500.000	-52.89	≤-21.20	PASS
				Peak	5128.986	-33.97	≤-21.20	PASS
				Peak	5150.000	-37.77	≤-21.20	PASS
	Ant1	Low	5190	AV	4500.000	-64.93	≤-41.20	PASS
				AV	5149.275	-43.62	≤-41.20	PASS
				AV	5150.000	-43.54	≤-41.20	PASS
				Peak	4500.000	-53.8	≤-21.20	PASS
				Peak	5149.275	-31.04	≤-21.20	PASS
				Peak	5150.000	-31.77	≤-21.20	PASS
	total	Low	5190	AV	4500.000	-61.90	≤-41.20	PASS
				AV	5149.275	-42.12	≤-41.20	PASS
				AV	5150.000	-42.21	≤-41.20	PASS
				Peak	4500.000	-50.31	≤-21.20	PASS
				Peak	5149.275	-29.25	≤-21.20	PASS
				Peak	5150.000	-30.80	≤-21.20	PASS
	Ant0	High	5230	AV	5350.000	-52.71	≤-41.20	PASS
				AV	5351.855	-51.84	≤-41.20	PASS
				AV	5460.000	-59.02	≤-41.20	PASS
				Peak	5350.000	-43.8	≤-21.20	PASS
				Peak	5373.333	-42.1	≤-21.20	PASS
				Peak	5460.000	-50.67	≤-21.20	PASS
	Ant1	High	5230	AV	5350.000	-51.19	≤-41.20	PASS
				AV	5352.232	-50.05	≤-41.20	PASS
				AV	5460.000	-58.48	≤-41.20	PASS
				Peak	5350.000	-41.52	≤-21.20	PASS
				Peak	5351.855	-39.51	≤-21.20	PASS
				Peak	5460.000	-48.9	≤-21.20	PASS

	total	High	5230	AV	5350.000	-48.87	≤-41.20	PASS
				AV	5352.232	-47.84	≤-41.20	PASS
				AV	5460.000	-55.73	≤-41.20	PASS
				Peak	5350.000	-39.50	≤-21.20	PASS
				Peak	5351.855	-37.60	≤-21.20	PASS
				Peak	5460.000	-46.69	≤-21.20	PASS
	Ant0	Low	5755	Peak	5650.000	-43.51	≤-27.00	PASS
				Peak	5700.000	-35.01	≤10.00	PASS
				Peak	5720.000	-28.6	≤15.60	PASS
				Peak	5725.000	-29.05	≤27.00	PASS
	Ant1	Low	5755	Peak	5650.000	-41.15	≤-27.00	PASS
				Peak	5700.000	-35.16	≤10.00	PASS
				Peak	5720.000	-23.34	≤15.60	PASS
				Peak	5725.000	-21.22	≤27.00	PASS
	total	Low	5755	Peak	5650.000	-39.16	≤-27.00	PASS
				Peak	5700.000	-32.07	≤-27.00	PASS
				Peak	5720.000	-22.21	≤-27.00	PASS
				Peak	5725.000	-20.56	≤-27.00	PASS
	Ant0	High	5795	Peak	5850.000	-37.53	≤15.60	PASS
				Peak	5855.000	-37.36	≤27.00	PASS
				Peak	5875.000	-40.19	≤15.60	PASS
				Peak	5925.000	-42.23	≤10.00	PASS
	Ant1	High	5795	Peak	5850.000	-34.98	≤15.60	PASS
				Peak	5855.000	-35.41	≤27.00	PASS
				Peak	5875.000	-36.9	≤15.60	PASS
				Peak	5925.000	-38.61	≤10.00	PASS
	total	High	5795	Peak	5850.000	-33.06	≤-27.00	PASS
				Peak	5855.000	-33.27	≤-27.00	PASS
				Peak	5875.000	-35.23	≤-27.00	PASS
				Peak	5925.000	-37.04	≤-27.00	PASS
11AC80MI MO	Ant0	Low	5210	AV	4500.000	-63.78	≤-41.20	PASS
				AV	5148.913	-44.81	≤-41.20	PASS
				AV	5150.000	-44.86	≤-41.20	PASS
				Peak	4500.000	-53.98	≤-21.20	PASS
				Peak	5150.000	-33.32	≤-21.20	PASS
	Ant1	Low	5210	AV	4500.000	-63.57	≤-41.20	PASS
				AV	5138.043	-44.08	≤-41.20	PASS
				AV	5150.000	-46.47	≤-41.20	PASS
				Peak	4500.000	-53.52	≤-21.20	PASS
				Peak	5143.478	-33.3	≤-21.20	PASS
				Peak	5150.000	-36	≤-21.20	PASS
	total	Low	5210	AV	4500.000	-60.66	≤-41.20	PASS
				AV	5138.043	-41.42	≤-41.20	PASS
				AV	5150.000	-42.58	≤-41.20	PASS
				Peak	4500.000	-50.73	≤-21.20	PASS
				Peak	5143.478	-33.26	≤-21.20	PASS

	Ant0	High	5210	Peak	5150.000	-31.45	≤-21.20	PASS
				AV	5350.000	-52.03	≤-41.20	PASS
				AV	5350.435	-51.39	≤-41.20	PASS
				AV	5460.000	-58.44	≤-41.20	PASS
				Peak	5350.000	-42.69	≤-21.20	PASS
				Peak	5350.435	-42	≤-21.20	PASS
				Peak	5460.000	-50.82	≤-21.20	PASS
	Ant1	High	5210	AV	5350.000	-51.4	≤-41.20	PASS
				AV	5352.058	-51.11	≤-41.20	PASS
				AV	5460.000	-59.89	≤-41.20	PASS
				Peak	5350.000	-43.87	≤-21.20	PASS
				Peak	5364.638	-39.95	≤-21.20	PASS
				Peak	5460.000	-52.13	≤-21.20	PASS
	total	High	5210	AV	5350.000	-48.69	≤-41.20	PASS
				AV	5352.058	-48.24	≤-41.20	PASS
				AV	5460.000	-56.09	≤-41.20	PASS
				Peak	5350.000	-40.23	≤-21.20	PASS
				Peak	5364.638	-37.84	≤-21.20	PASS
				Peak	5460.000	-48.42	≤-21.20	PASS
	Ant0	Low	5775	Peak	5650.000	-43.67	≤-27.00	PASS
				Peak	5700.000	-33.81	≤10.00	PASS
				Peak	5720.000	-29.87	≤15.60	PASS
				Peak	5725.000	-28.93	≤27.00	PASS
	Ant1	Low	5775	Peak	5650.000	-42.21	≤-27.00	PASS
				Peak	5700.000	-28.61	≤10.00	PASS
				Peak	5720.000	-28.15	≤15.60	PASS
				Peak	5725.000	-27.73	≤27.00	PASS
	total	Low	5775	Peak	5650.000	-39.87	≤-27.00	PASS
				Peak	5700.000	-27.46	≤-27.00	PASS
				Peak	5720.000	-25.92	≤-27.00	PASS
				Peak	5725.000	-25.28	≤-27.00	PASS
	Ant0	High	5775	Peak	5850.000	-37.02	≤15.60	PASS
				Peak	5855.000	-37.81	≤27.00	PASS
				Peak	5875.000	-39.62	≤15.60	PASS
				Peak	5925.000	-45.37	≤10.00	PASS
	Ant1	High	5775	Peak	5850.000	-29.24	≤15.60	PASS
				Peak	5855.000	-33.47	≤27.00	PASS
				Peak	5875.000	-35.96	≤15.60	PASS
				Peak	5925.000	-39.86	≤10.00	PASS
	total	High	5775	Peak	5850.000	-28.57	≤-27.00	PASS
				Peak	5855.000	-32.11	≤-27.00	PASS
				Peak	5875.000	-34.41	≤-27.00	PASS
				Peak	5925.000	-38.78	≤-27.00	PASS
11AX20MI MO	Ant0	Low	5180	AV	4500.000	-64.75	≤-41.20	PASS
				AV	5146.232	-44.96	≤-41.20	PASS
				AV	5150.000	-45.8	≤-41.20	PASS

	Ant1	Low	5180	Peak	4500.000	-54.25	≤-21.20	PASS
				Peak	5127.971	-32.94	≤-21.20	PASS
				Peak	5150.000	-34.3	≤-21.20	PASS
				AV	4500.000	-64.89	≤-41.20	PASS
				AV	5149.275	-45.35	≤-41.20	PASS
				AV	5150.000	-45.46	≤-41.20	PASS
				Peak	4500.000	-54.2	≤-21.20	PASS
				Peak	5141.159	-34.34	≤-21.20	PASS
				Peak	5150.000	-34.59	≤-21.20	PASS
	total	Low	5180	AV	4500.000	-61.81	≤-41.20	PASS
				AV	5149.275	-42.14	≤-41.20	PASS
				AV	5150.000	-42.62	≤-41.20	PASS
				Peak	4500.000	-51.21	≤-21.20	PASS
				Peak	5141.159	-30.57	≤-21.20	PASS
				Peak	5150.000	-31.43	≤-21.20	PASS
	Ant0	High	5240	AV	5350.000	-51.33	≤-41.20	PASS
				AV	5350.087	-51.33	≤-41.20	PASS
				AV	5460.000	-58.93	≤-41.20	PASS
				Peak	5350.000	-42.98	≤-21.20	PASS
				Peak	5361.913	-40.57	≤-21.20	PASS
				Peak	5460.000	-49.29	≤-21.20	PASS
	Ant1	High	5240	AV	5350.000	-50.03	≤-41.20	PASS
				AV	5355.652	-49.64	≤-41.20	PASS
				AV	5460.000	-57.99	≤-41.20	PASS
				Peak	5350.000	-41.03	≤-21.20	PASS
				Peak	5359.130	-39.29	≤-21.20	PASS
				Peak	5460.000	-46.31	≤-21.20	PASS
	total	High	5240	AV	5350.000	-47.62	≤-41.20	PASS
				AV	5355.652	-47.39	≤-41.20	PASS
				AV	5460.000	-55.42	≤-41.20	PASS
				Peak	5350.000	-38.89	≤-21.20	PASS
				Peak	5359.130	-36.87	≤-21.20	PASS
				Peak	5460.000	-44.54	≤-21.20	PASS
	Ant0	Low	5745	Peak	5650.000	-40.69	≤-27.00	PASS
				Peak	5700.000	-38.21	≤10.00	PASS
				Peak	5720.000	-31.34	≤15.60	PASS
				Peak	5725.000	-22.03	≤27.00	PASS
	Ant1	Low	5745	Peak	5650.000	-40.24	≤-27.00	PASS
				Peak	5700.000	-35.06	≤10.00	PASS
				Peak	5720.000	-29.47	≤15.60	PASS
				Peak	5725.000	-29.09	≤27.00	PASS
	total	Low	5745	Peak	5650.000	-37.45	≤-27.00	PASS
				Peak	5700.000	-33.35	≤-27.00	PASS
				Peak	5720.000	-27.29	≤-27.00	PASS
				Peak	5725.000	-21.25	≤-27.00	PASS
	Ant0	High	5825	Peak	5850.000	-32.55	≤15.60	PASS

	Ant1	High	5825	Peak	5855.000	-32.61	≤27.00	PASS
				Peak	5875.000	-35.35	≤15.60	PASS
				Peak	5925.000	-39.56	≤10.00	PASS
				Peak	5850.000	-29.24	≤15.60	PASS
				Peak	5855.000	-31.81	≤27.00	PASS
				Peak	5875.000	-32.17	≤15.60	PASS
	total	High	5825	Peak	5925.000	-35.72	≤10.00	PASS
				Peak	5850.000	-27.58	≤-27.00	PASS
				Peak	5855.000	-29.18	≤-27.00	PASS
				Peak	5875.000	-30.46	≤-27.00	PASS
				Peak	5925.000	-34.22	≤-27.00	PASS
11AX40MI MO	Ant0	Low	5190	AV	4500.000	-64.45	≤-41.20	PASS
				AV	5149.275	-45.66	≤-41.20	PASS
				AV	5150.000	-45.84	≤-41.20	PASS
				Peak	4500.000	-53.68	≤-21.20	PASS
				Peak	5146.232	-34.47	≤-21.20	PASS
				Peak	5150.000	-34.52	≤-21.20	PASS
	Ant1	Low	5190	AV	4500.000	-63.81	≤-41.20	PASS
				AV	5145.217	-46.92	≤-41.20	PASS
				AV	5150.000	-47.84	≤-41.20	PASS
				Peak	4500.000	-53.87	≤-21.20	PASS
				Peak	5148.261	-36.43	≤-21.20	PASS
				Peak	5150.000	-36.73	≤-21.20	PASS
	total	Low	5190	AV	4500.000	-61.11	≤-41.20	PASS
				AV	5145.217	-43.23	≤-41.20	PASS
				AV	5150.000	-43.72	≤-41.20	PASS
				Peak	4500.000	-50.76	≤-21.20	PASS
				Peak	5148.261	-32.33	≤-21.20	PASS
				Peak	5150.000	-32.48	≤-21.20	PASS
	Ant0	High	5230	AV	5350.000	-52.73	≤-41.20	PASS
				AV	5351.855	-53.09	≤-41.20	PASS
				AV	5460.000	-59.62	≤-41.20	PASS
				Peak	5350.000	-44.42	≤-21.20	PASS
				Peak	5365.420	-42.1	≤-21.20	PASS
				Peak	5460.000	-49.27	≤-21.20	PASS
	Ant1	High	5230	AV	5350.000	-52.43	≤-41.20	PASS
				AV	5358.261	-51.36	≤-41.20	PASS
				AV	5460.000	-58.66	≤-41.20	PASS
				Peak	5350.000	-42.32	≤-21.20	PASS
				Peak	5375.594	-41.28	≤-21.20	PASS
				Peak	5460.000	-50.26	≤-21.20	PASS
	total	High	5230	AV	5350.000	-49.57	≤-41.20	PASS
				AV	5358.261	-49.13	≤-41.20	PASS
				AV	5460.000	-56.10	≤-41.20	PASS
				Peak	5350.000	-40.23	≤-21.20	PASS
				Peak	5375.594	-38.66	≤-21.20	PASS

	Ant0	Low	5755	Peak	5460.000	-46.73	≤-21.20	PASS
				Peak	5650.000	-43.81	≤-27.00	PASS
				Peak	5700.000	-35.14	≤10.00	PASS
				Peak	5720.000	-24.18	≤15.60	PASS
				Peak	5725.000	-23.93	≤27.00	PASS
	Ant1	Low	5755	Peak	5650.000	-38.6	≤-27.00	PASS
				Peak	5700.000	-32.31	≤10.00	PASS
				Peak	5720.000	-17.18	≤15.60	PASS
				Peak	5725.000	-18.65	≤27.00	PASS
	total	Low	5755	Peak	5650.000	-37.46	≤-27.00	PASS
				Peak	5700.000	-30.49	≤-27.00	PASS
				Peak	5720.000	-16.39	≤-27.00	PASS
				Peak	5725.000	-17.52	≤-27.00	PASS
	Ant0	High	5795	Peak	5850.000	-35.57	≤15.60	PASS
				Peak	5855.000	-35.42	≤27.00	PASS
				Peak	5875.000	-37.12	≤15.60	PASS
				Peak	5925.000	-40.58	≤10.00	PASS
	Ant1	High	5795	Peak	5850.000	-33.82	≤15.60	PASS
				Peak	5855.000	-34.5	≤27.00	PASS
				Peak	5875.000	-34.73	≤15.60	PASS
				Peak	5925.000	-35.54	≤10.00	PASS
	total	High	5795	Peak	5850.000	-31.60	≤-27.00	PASS
				Peak	5855.000	-31.93	≤-27.00	PASS
				Peak	5875.000	-32.75	≤-27.00	PASS
				Peak	5925.000	-34.36	≤-27.00	PASS
11AX80MI MO	Ant0	Low	5210	AV	4500.000	-64.65	≤-41.20	PASS
				AV	5146.739	-48.79	≤-41.20	PASS
				AV	5150.000	-49.02	≤-41.20	PASS
				Peak	4500.000	-54.1	≤-21.20	PASS
				Peak	5133.696	-38.09	≤-21.20	PASS
				Peak	5150.000	-38.41	≤-21.20	PASS
	Ant1	Low	5210	AV	4500.000	-64.08	≤-41.20	PASS
				AV	5147.826	-44.84	≤-41.20	PASS
				AV	5150.000	-47.08	≤-41.20	PASS
				Peak	4500.000	-53.15	≤-21.20	PASS
				Peak	5145.652	-33.22	≤-21.20	PASS
				Peak	5150.000	-36.59	≤-21.20	PASS
	total	Low	5210	AV	4500.000	-61.35	≤-41.20	PASS
				AV	5147.826	-43.37	≤-41.20	PASS
				AV	5150.000	-44.93	≤-41.20	PASS
				Peak	4500.000	-50.59	≤-21.20	PASS
				Peak	5145.652	-32.00	≤-21.20	PASS
				Peak	5150.000	-34.40	≤-21.20	PASS
	Ant0	High	5210	AV	5350.000	-57	≤-41.20	PASS
				AV	5350.841	-56.59	≤-41.20	PASS
				AV	5460.000	-61.83	≤-41.20	PASS

				Peak	5350.000	-48.29	≤-21.20	PASS
				Peak	5371.942	-46.93	≤-21.20	PASS
				Peak	5460.000	-52.6	≤-21.20	PASS
	Ant1	High	5210	AV	5350.000	-56.6	≤-41.20	PASS
				AV	5353.275	-56.16	≤-41.20	PASS
				AV	5460.000	-61.4	≤-41.20	PASS
				Peak	5350.000	-48.33	≤-21.20	PASS
				Peak	5351.246	-46.81	≤-21.20	PASS
	total	High	5210	Peak	5460.000	-52.88	≤-21.20	PASS
				AV	5350.000	-53.79	≤-41.20	PASS
				AV	5353.275	-53.36	≤-41.20	PASS
				AV	5460.000	-58.60	≤-41.20	PASS
				Peak	5350.000	-45.30	≤-21.20	PASS
	Ant0	Low	5775	Peak	5351.246	-43.86	≤-21.20	PASS
				Peak	5460.000	-49.73	≤-21.20	PASS
				Peak	5650.000	-41.34	≤-27.00	PASS
				Peak	5700.000	-31.85	≤10.00	PASS
	Ant1	Low	5775	Peak	5720.000	-24.57	≤15.60	PASS
				Peak	5725.000	-27.02	≤27.00	PASS
				Peak	5650.000	-39.08	≤-27.00	PASS
				Peak	5700.000	-25.43	≤10.00	PASS
	total	Low	5775	Peak	5720.000	-24.6	≤15.60	PASS
				Peak	5725.000	-26.17	≤27.00	PASS
				Peak	5650.000	-37.05	≤-27.00	PASS
				Peak	5700.000	-24.54	≤-27.00	PASS
	Ant0	High	5775	Peak	5720.000	-21.57	≤-27.00	PASS
				Peak	5725.000	-23.56	≤-27.00	PASS
				Peak	5850.000	-34.12	≤15.60	PASS
				Peak	5855.000	-33.82	≤27.00	PASS
	Ant1	High	5775	Peak	5875.000	-38.53	≤15.60	PASS
				Peak	5925.000	-44.53	≤10.00	PASS
				Peak	5850.000	-29.46	≤15.60	PASS
				Peak	5855.000	-29.48	≤27.00	PASS
	total	High	5775	Peak	5875.000	-33.37	≤15.60	PASS
				Peak	5925.000	-40.98	≤10.00	PASS
				Peak	5850.000	-28.18	≤-27.00	PASS
				Peak	5855.000	-28.12	≤-27.00	PASS
				Peak	5875.000	-32.21	≤-27.00	PASS
				Peak	5925.000	-39.39	≤-27.00	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.