







2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500




9. Duty Cycle


9.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [kHz]	Limit	Verdict
DH5	Ant1	2402	2.89	3.75	77.07	0.346	---	---
		2441	2.89	3.75	77.07	0.346	---	---
		2480	2.89	3.75	77.07	0.346	---	---
2DH5	Ant1	2402	2.89	3.75	77.07	0.346	---	---
		2441	2.89	3.75	77.07	0.346	---	---
		2480	2.89	3.75	77.07	0.346	---	---
3DH5	Ant1	2402	2.89	3.75	77.07	0.346	---	---
		2441	2.89	3.74	77.27	0.346	---	---
		2480	2.90	3.75	77.33	0.345	---	---


9.2. Test Graphs




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



10. Emissions in Restricted Bands


10.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-53.44	≤-41.20	PASS
				AV	2342.000	-50.23	≤-41.20	PASS
				AV	2390.000	-53.35	≤-41.20	PASS
				Peak	2310.000	-42.63	≤-21.20	PASS
				Peak	2341.543	-39.62	≤-21.20	PASS
				Peak	2390.000	-42.36	≤-21.20	PASS
		High	2480	AV	2483.500	-51.76	≤-41.20	PASS
				AV	2483.913	-51.47	≤-41.20	PASS
				AV	2500.000	-52.5	≤-41.20	PASS
				Peak	2483.500	-42.38	≤-21.20	PASS
				Peak	2487.507	-37.65	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-53.97	≤-41.20	PASS
				AV	2341.696	-51.03	≤-41.20	PASS
				AV	2390.000	-53.34	≤-41.20	PASS
				Peak	2310.000	-41.02	≤-21.20	PASS
				Peak	2385.065	-38.83	≤-21.20	PASS
				Peak	2390.000	-41.95	≤-21.20	PASS
		High	2480	AV	2483.500	-50.24	≤-41.20	PASS
				AV	2483.797	-49.98	≤-41.20	PASS
				AV	2500.000	-52.36	≤-41.20	PASS
				Peak	2483.500	-41.48	≤-21.20	PASS
				Peak	2487.507	-36.38	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-53.47	≤-41.20	PASS
				AV	2342.000	-50.5	≤-41.20	PASS
				AV	2390.000	-52.86	≤-41.20	PASS
				Peak	2310.000	-41.98	≤-21.20	PASS
				Peak	2342.000	-39.56	≤-21.20	PASS
				Peak	2390.000	-40.42	≤-21.20	PASS
		High	2480	AV	2483.500	-49.76	≤-41.20	PASS
				AV	2483.681	-49.61	≤-41.20	PASS
				AV	2500.000	-52.19	≤-41.20	PASS
				Peak	2483.500	-40.22	≤-21.20	PASS
				Peak	2487.507	-36.62	≤-21.20	PASS
				Peak	2500.000	-41.33	≤-21.20	PASS


Note:

- The Antenna Gain is compensated in the graph.
- The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


10.2. Test Graphs









2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV




3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak



-----End of the report-----