

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

RF Power Output							
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	1850.7	18607	1.4	1	0	21.61	
				1	3	21.60	
				1	5	21.40	
				3	0	21.59	
				3	1	21.58	
				3	3	21.30	
	6	0		20.39			
	1880	18900		1	0	21.32	
				1	3	21.38	
				1	5	21.18	
				3	0	21.22	
				3	1	21.23	
				3	3	21.07	
	6	0		20.18			
	1909.3	19193		1	0	21.27	
				1	3	21.27	
				1	5	21.15	
				3	0	21.00	
				3	1	21.11	
				3	3	21.13	
	6	0		20.11			
	16QAM	1850.7		18607	1	0	20.00
					1	3	19.97
					1	5	20.28
3					0	20.19	
3					1	20.13	
3					3	20.10	
6		0		19.36			
1880		18900		1	0	20.16	
				1	3	20.28	
				1	5	20.12	
				3	0	20.18	
				3	1	20.22	
				3	3	20.20	
6		0		19.27			
1909.3		19193		1	0	20.02	
				1	3	20.36	
				1	5	20.29	
				3	0	19.99	
				3	1	20.02	
				3	3	19.95	
				6	0	19.16	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1850.7	18607	1.4	1	0	20.02
				1	3	21.11
				1	5	21.00
				3	0	20.54
				3	1	20.44
				3	3	20.36
				6	0	19.39
	1880	18900		1	0	20.40
				1	3	20.59
				1	5	20.51
				3	0	20.00
				3	1	19.82
				3	3	19.77
				6	0	18.76
	1909.3	19193		1	0	19.99
				1	3	20.79
				1	5	20.59
				3	0	20.52
				3	1	20.42
				3	3	19.87
				6	0	19.08

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	21.91
				1	8	21.89
				1	14	21.98
				8	0	20.87
				8	4	20.68
				8	7	20.63
				15	0	20.75
	1880	18900		1	0	21.30
				1	8	21.35
				1	14	21.31
				8	0	20.03
				8	4	19.98
				8	7	19.94
				15	0	19.92
	1908.5	19185		1	0	21.36
				1	8	21.41
				1	14	21.38
				8	0	20.16
				8	4	20.17
				8	7	20.18
				15	0	20.21
16QAM	1851.5	18615	1	0	21.20	
			1	8	21.17	
			1	14	21.30	
			8	0	19.62	
			8	4	19.63	
			8	7	19.60	
			15	0	19.43	
	1880	18900	1	0	19.97	
			1	8	20.02	
			1	14	19.74	
			8	0	18.46	
			8	4	18.50	
			8	7	18.49	
			15	0	18.69	
	1908.5	19185	1	0	20.33	
			1	8	20.29	
			1	14	20.10	
			8	0	18.79	
			8	4	18.79	
			8	7	18.86	
			15	0	18.91	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1851.5	18615	3	1	0	20.25
				1	8	20.76
				1	14	20.77
				8	0	19.52
				8	4	19.63
				8	7	19.69
				15	0	19.30
	1880	18900		1	0	19.53
				1	8	20.34
				1	14	20.01
				8	0	18.91
				8	4	18.92
				8	7	18.87
				15	0	18.89
	1908.5	19185		1	0	20.26
				1	8	20.72
				1	14	20.79
				8	0	19.58
				8	4	19.53
				8	7	19.43
				15	0	19.04

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	21.48
				1	12	21.58
				1	24	21.46
				12	0	20.44
				12	7	20.45
				12	13	20.41
				25	0	20.36
	1880	18900		1	0	21.12
				1	12	21.25
				1	24	20.87
				12	0	20.06
				12	7	20.11
				12	13	19.99
				25	0	20.01
	1907.5	19175		1	0	21.39
				1	12	21.20
				1	24	21.20
				12	0	20.16
				12	7	20.15
				12	13	20.06
				25	0	20.08
16QAM	1852.5	18625	1	0	20.09	
			1	12	19.84	
			1	24	19.73	
			12	0	19.17	
			12	7	19.29	
			12	13	19.27	
			25	0	19.22	
	1880	18900	1	0	19.75	
			1	12	20.29	
			1	24	19.69	
			12	0	18.69	
			12	7	18.86	
			12	13	18.73	
			25	0	18.60	
	1907.5	19175	1	0	19.96	
			1	12	20.18	
			1	24	19.82	
			12	0	18.94	
			12	7	19.04	
			12	13	19.05	
			25	0	19.01	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1852.5	18625	5	1	0	20.07
				1	12	20.89
				1	24	20.75
				12	0	19.22
				12	7	19.15
				12	13	19.11
				25	0	19.28
	1880	18900		1	0	19.80
				1	12	20.54
				1	24	20.45
				12	0	18.91
				12	7	19.12
				12	13	19.01
				25	0	19.07
	1907.5	19175		1	0	20.19
				1	12	20.63
				1	24	20.42
				12	0	18.93
				12	7	18.93
				12	13	18.86
				25	0	19.09

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	21.55
				1	25	21.51
				1	49	21.05
				25	0	20.04
				25	12	20.16
				25	25	19.94
				50	0	20.00
	1880	18900		1	0	20.77
				1	25	21.07
				1	49	20.88
				25	0	19.62
				25	12	19.70
				25	25	19.64
				50	0	19.65
	1905	19150		1	0	21.25
				1	25	21.52
				1	49	21.27
				25	0	20.24
				25	12	20.25
				25	25	20.09
50				0	20.18	
16QAM	1855	18650		1	0	20.78
				1	25	20.73
				1	49	20.37
				25	0	19.05
				25	12	18.98
				25	25	18.78
				50	0	18.86
	1880	18900	1	0	19.85	
			1	25	19.77	
			1	49	19.55	
			25	0	18.78	
			25	12	18.87	
			25	25	18.71	
			50	0	18.66	
	1905	19150	1	0	20.41	
			1	25	20.41	
			1	49	20.06	
			25	0	19.20	
			25	12	19.21	
			25	25	19.06	
50	0	19.05				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1855	18650	10	1	0	20.45
				1	25	20.17
				1	49	19.99
				25	0	18.99
				25	12	19.00
				25	25	18.78
				50	0	18.96
	1880	18900		1	0	19.90
				1	25	20.48
				1	49	20.03
				25	0	18.78
				25	12	18.75
				25	25	18.93
				50	0	18.86
	1905	19150		1	0	20.24
				1	25	21.06
				1	49	20.68
				25	0	19.37
				25	12	19.50
				25	25	19.31
				50	0	19.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	21.85
				1	37	21.69
				1	74	21.17
				36	0	20.37
				36	29	19.99
				36	30	19.94
				75	0	20.01
	1880	18900		1	0	20.42
				1	37	21.16
				1	74	20.54
				36	0	19.38
				36	29	19.51
				36	30	19.50
				75	0	19.34
	1902.5	19125		1	0	20.78
				1	37	21.31
				1	74	20.78
				36	0	19.91
				36	29	19.85
				36	30	19.82
				75	0	19.68
16QAM	1857.5	18675	1	0	20.95	
			1	37	20.77	
			1	74	20.43	
			36	0	18.90	
			36	29	18.71	
			36	30	18.62	
			75	0	18.78	
	1880	18900	1	0	19.76	
			1	37	20.03	
			1	74	19.82	
			36	0	18.31	
			36	29	18.34	
			36	30	18.34	
			75	0	18.43	
	1902.5	19125	1	0	20.13	
			1	37	20.22	
			1	74	19.98	
			36	0	18.63	
			36	29	18.61	
			36	30	18.67	
			75	0	18.79	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1857.5	18675	15	1	0	20.63
				1	37	20.64
				1	74	19.82
				36	0	19.11
				36	29	18.82
				36	30	18.78
				75	0	18.98
	1880	18900		1	0	19.45
				1	37	20.59
				1	74	20.09
				36	0	18.82
				36	29	18.76
				36	30	18.72
				75	0	18.64
	1902.5	19125		1	0	19.81
				1	37	20.59
				1	74	20.20
				36	0	18.89
				36	29	18.92
				36	30	18.89
				75	0	18.84

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	1860	18700	20	1	0	21.72	
				1	49	21.34	
				1	99	21.03	
				50	0	20.60	
				50	24	20.31	
				50	50	20.21	
				100	0	20.33	
	1880	18900		1	0	21.24	
				1	49	21.47	
				1	99	21.15	
				50	0	19.98	
				50	24	20.10	
				50	50	19.94	
				100	0	19.91	
	1900	19100		1	0	21.10	
				1	49	21.21	
				1	99	21.12	
				50	0	20.33	
				50	24	20.41	
				50	50	20.28	
				100	0	20.23	
	16QAM	1860		18700	1	0	20.70
					1	49	20.44
					1	99	20.21
50					0	19.30	
50					24	19.15	
50					50	18.89	
100					0	19.04	
1880		18900		1	0	19.77	
				1	49	20.23	
			1	99	19.70		
			50	0	18.77		
			50	24	18.80		
			50	50	18.82		
			100	0	18.73		
1900		19100	1	0	20.86		
			1	49	20.88		
			1	99	20.72		
			50	0	18.91		
			50	24	18.86		
			50	50	18.86		
			100	0	18.93		

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1860	18700	20	1	0	20.27
				1	49	20.15
				1	99	19.90
				50	0	19.39
				50	24	19.18
				50	50	19.09
				100	0	19.30
	1880	18900		1	0	19.88
				1	49	20.48
				1	99	19.65
				50	0	18.81
				50	24	18.81
				50	50	18.75
				100	0	18.91
	1900	19100		1	0	19.87
				1	49	20.18
				1	99	19.93
				50	0	19.21
				50	24	19.12
				50	50	19.09
				100	0	19.43

2 Occupied Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
2	1880	18900	1.4	6	0	1.082	Fig.1	1.088	Fig.2	1.082	Fig.3
	1909.3	19193		6	0	1.082	Fig.4	1.082	Fig.5	1.082	Fig.6
	1851.5	18615	3	15	0	2.683	Fig.7	2.683	Fig.8	---	---
	1880	18900		15	0	2.683	Fig.9	2.683	Fig.10	2.683	Fig.11
	1908.5	19185		15	0	2.696	Fig.12	2.683	Fig.13	2.696	Fig.14
	1852.5	18625	5	25	0	4.472	Fig.15	4.472	Fig.16	4.472	Fig.17
	1880	18900		25	0	4.472	Fig.18	4.472	Fig.19	4.472	Fig.20
	1907.5	19175		25	0	4.472	Fig.21	4.472	Fig.22	4.472	Fig.23
	1855	18650	10	50	0	8.944	Fig.24	8.944	Fig.25	8.944	Fig.26
	1880	18900		50	0	8.944	Fig.27	8.944	Fig.28	8.944	Fig.29
	1905	19150		50	0	8.944	Fig.30	8.944	Fig.31	8.944	Fig.32
	1857.5	18675	15	75	0	13.415	Fig.33	13.415	Fig.34	13.415	Fig.35
	1880	18900		75	0	13.415	Fig.36	13.350	Fig.37	13.415	Fig.38
	1902.5	19125		75	0	13.415	Fig.39	13.415	Fig.40	13.415	Fig.41
	1860	18700	20	100	0	17.887	Fig.42	17.800	Fig.43	17.800	Fig.44
	1880	18900		100	0	17.800	Fig.45	17.800	Fig.46	17.800	Fig.47
	1900	19100		100	0	17.800	Fig.48	17.887	Fig.49	17.887	Fig.50




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30