APP instructions

1. Please scan the QR code below to download and install the "iCLICK" APP software.
2. Please enter your mobile phone number to register and log in. The password must be recorded elsewhere so as not to be forgotten.
3. Please keep your login password properly to avoid the trouble caused by lost password.

Download APP Registration/Login

For more APP operations, please download the APP to use or scan the code to visit the website below to view detailed help files.

Scan the code for more help

Name and content of hazardous substances in products

Part Name	Harmful Substance					
	Pb	Hg	Cd	Cr(VI)	PBB	PBDE
shell	○	○	○	○	○	○
Circuit module	×	○	○	○	○	○
charger	×	○	○	○	○	○

This form is compiled in accordance with SJ/T 11364

○ Indicates that the content of the hazardous substance in all homogeneous materials of the part is below the limit requirement specified in GB/T 26572.

× It means that the content of the hazardous substance in at least one of the homogeneous materials of the part exceeds the limit requirement of GB/T 26572.

 The labeling period refers to the period (ten years). The hazardous substances in electronic and electrical products will not leak or change under normal use conditions. The user's use of the electronic information product will not cause serious pollution to the environment or their personal or property. The time limit for causing serious damage.

This product complies with RoHS environmental protection requirements: At present, there is no mature technology in the world that can replace or reduce the lead content in electronic ceramics, optical glass, steel and copper alloys.

Product warranty card and service policy

Warranty regulations:

Product performance failure caused by non-human damage during the warranty period can enjoy the following three guarantees services

≤7Days

If product quality problems occur within 7 days of purchasing the machine, consumers can choose to refund the purchase price at the invoice price or replace the product with the same model and specification.

If you apply for a 7-day unreasonable return or exchange, please use it carefully to ensure that the film is complete, the product and accompanying accessories are complete, and the product itself, accompanying accessories, product appearance and packaging do not have any damage, scratches, or damage (logistics fees are borne by the user).

≤15days

If product quality problems occur within 15 days of purchase, consumers can choose to replace products with the same model and specifications.

During the free warranty period, the product will be tested by the manufacturer's authorized dealer after it is returned. After confirming the fault, the authorized service provider can choose to repair, refurbish or replace, and the replaced bad parts will not be returned to the user. For products tested without failure, they will be returned as they are.

The warranty period of this product is one year.

Non-warranty regulations:

Be in one of the following situations (including but not limited to), not within the scope of the "Three Guarantees" service

Over the warranty period, no invoice or other valid proof of purchase (receipt or a screenshot of the order that can reflect logistics information)

Damage caused by force majeure such as fire, flood, lightning strike, etc.

Failure to comply with the requirements of the product manual for use, maintenance, and storage, resulting in damage.

Damage caused by disassembly and repair by non-manufacturer authorized service personnel.

The product model or code on the warranty certificate does not match the actual product, or has been altered.

Normal discoloration, wear and consumption during the use of the product.

The product cannot be used due to the consumer's own network.

The repaired power supply has obvious hard object damage, cracks, broken feet, severe deformation, power cord damage, disconnection, bare core, etc. The power supply is not warranted to be replaced.

In the case of the above, you should seek a solution from the responsible party or choose a paid service or purchase it separately.

User Info:

Customer Name: _____

Phone Number: _____

Address: _____

APP Register Account: _____

Product Model: _____

Purchase Time: _____

Super Room AI Hub

Product model:ST001　　　　　Executive standard:Q/ST001-2018

Service line:+86-021-60798295　　　Product URL:www.superroom.net

Manufacturer:Shanghai Wuyi Information Technology Co., Ltd.

Address:New Huigu Technology Industrial Park, No. 799 Hutai Road, Jing'an District, Shanghai


6　972108　270026

● All illustrations in this manual are for reference only, please refer to the actual product

SUPERROOM

AI Hub User Manual

Packing list

| HUB×1	Install the fixing plate×1
USB charging cable×1	Charger×1

Specifications

Operating voltage	DC5V
Rated current	≤100mA
Product size	110X112X50mm
Working temperature	-10 ℃ —— 55 ℃
Working environment humidity	≤95%RH，without condensation
IP rating	IP20

Fixed installation method

Install the roof

Install the wall

Place the desktop

Wiring diagram

Infrared emission ball

Indicator light

RESET

Temperature and humidity sensor

Distribution network：

Please tap the RESET button with a toothpick, and press it for no more than 1 second. After letting go, you will see the indicator light flashing, indicating that it is in the state of receiving and distributing the network. At this time, you can open the Easy Accusation mobile app to connect to the network. (If the pressing time exceeds 4 seconds, it may cause the device to reset and lose the previously stored data)

Indicator light:

The indicator light flashes when the network is configured. After the power is normally connected to the network, the indicator light is always on. When transmitting infrared or radio frequency signals, the indicator light will flash once.

Instructions

When the HUB is normally used on the desk, please rotate the bottom fixing plate counterclockwise to remove it and store it for later use.

The HUB can be fixed on the wall or on the top of the wall. The fixed type can fix the fixed plate with expansion screws.

Before fixing, consider the power supply line in advance. The fixing angle of the HUB is the same as the three screw holes, so when fixing it, for aesthetic reasons, it can be adjusted to the ideal angle in advance.

Whether it is on a table or a fixed wall, please be sure to pay attention to the hemispherical emitting area at the top of the HUB that can be transmitted to all infrared remote control appliances in the room.

If an infrared device is used in the cabinet, you can insert the infrared emission extension cord into any OUT port of the HUB, and then introduce the extension cord's transmitter to the infrared device receiving window in the cabinet, and test the infrared code sent by the mobile phone APP to receive normal Prevail.

Once the HUB is successfully connected to the network, we recommend that it be powered on all the time. If the power is cut off, the mobile APP and Tmall Genie smart speakers will not be able to control the smart devices at home.

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

-- Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different
   from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.