



USER MANUAL

SLB1.1


TAG-N-TRAC FLEXIBLE SMART LABEL

About This User Manual

This user manual explains how to use Tag-N-Trac's SLB1.1. The intended audience are users who will be receiving samples of the SmartSense tag for test, evaluation, or deployment.

What is included in the box?

SLB1.1



1. SmartSense Label

How to:

User will feed the reel of SLB1.1 labels into a printer to print their content. After printing, the user can activate the smart label via tearing along the perforated line.

Regulatory

RF average conduct power range:

BLE :+3dBm

CE Statement

The minimum distance between the user and/or any bystander and the radiating structure of the transmitter is 20cm.

Hereby, We, Tag-N-Trac Inc. declares that the radio equipment type SLB1.1 is in compliance with the Directive 2014/53/EU.

Legal Information

This device may be operated in all member states of the EU. Observe national and local regulations where the device is used.

FCC Regulations:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

RF Exposure

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The antenna(s) used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter and must be installed to provide a separation distance of at least 20cm from all persons.

This Class A digital apparatus complies with Canadian ICES-003.

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Exposition aux RF

Cet appareil est conforme aux limites d'exposition aux rayonnements RF de la FCC définies pour un environnement non contrôlé. Les antennes utilisées pour cet émetteur ne doivent pas être situées à proximité ou fonctionner conjointement avec une autre antenne ou un autre émetteur et doivent être installées de manière à assurer une distance de sécurité d'au moins 20 cm avec toute personne.

Cet appareil numérique de la classe A est conforme à la norme NMB-003 du Canada.

Cet appareil contient des émetteurs/récepteurs exempts de licence conformes aux normes CNR d'Innovation, Sciences et Développement économique Canada. Son fonctionnement est assujetti aux deux conditions suivantes :


1. Cet appareil ne doit pas causer d'interférences.
2. Cet appareil doit tolérer toute interférence, y compris celles pouvant entraîner un fonctionnement indésirable.

Tag-N-Trac

PRODUCT MODEL: SLB1.1

FCC ID: 2A24I-V0CG12J18

IC: 33402-V0CG12J18



This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received,

Including interference that may cause undesired operation