

-26dB Bandwidth NVNT ac40 5590MHz Ant1



-26dB Bandwidth NVNT ac40 5670MHz Ant1



-26dB Bandwidth NVNT ac80 5530MHz Ant1



-26dB Bandwidth NVNT ac80 5610MHz Ant1



-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5600MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1



-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5590MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.543
NVNT	a	5600	Ant1	16.542
NVNT	a	5700	Ant1	16.563
NVNT	ac20	5500	Ant1	17.65
NVNT	ac20	5600	Ant1	17.63
NVNT	ac20	5700	Ant1	17.609
NVNT	ac40	5510	Ant1	36.256
NVNT	ac40	5590	Ant1	36.273
NVNT	ac40	5670	Ant1	36.318
NVNT	ac80	5530	Ant1	75.596
NVNT	ac80	5610	Ant1	75.674
NVNT	n20	5500	Ant1	17.632
NVNT	n20	5600	Ant1	17.645
NVNT	n20	5700	Ant1	17.616
NVNT	n40	5510	Ant1	36.283
NVNT	n40	5590	Ant1	36.281
NVNT	n40	5670	Ant1	36.276

OBW NVNT a 5500MHz Ant1



OBW NVNT a 5600MHz Ant1



OBW NVNT a 5700MHz Ant1



OBW NVNT ac20 5500MHz Ant1



OBW NVNT ac20 5600MHz Ant1



OBW NVNT ac20 5700MHz Ant1



OBW NVNT ac40 5510MHz Ant1



OBW NVNT ac40 5590MHz Ant1




OBW NVNT ac40 5670MHz Ant1



OBW NVNT ac80 5530MHz Ant1



OBW NVNT ac80 5610MHz Ant1



OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5600MHz Ant1



OBW NVNT n20 5700MHz Ant1



OBW NVNT n40 5510MHz Ant1



OBW NVNT n40 5590MHz Ant1




OBW NVNT n40 5670MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	6.401	11	Pass
NVNT	a	5600	Ant1	6.744	11	Pass
NVNT	a	5700	Ant1	5.989	11	Pass
NVNT	ac20	5500	Ant1	6.924	11	Pass
NVNT	ac20	5600	Ant1	7.067	11	Pass
NVNT	ac20	5700	Ant1	6.949	11	Pass
NVNT	ac40	5510	Ant1	5.493	11	Pass
NVNT	ac40	5590	Ant1	3.619	11	Pass
NVNT	ac40	5670	Ant1	4.138	11	Pass
NVNT	ac80	5530	Ant1	0.699	11	Pass
NVNT	ac80	5610	Ant1	1.062	11	Pass
NVNT	n20	5500	Ant1	7.584	11	Pass
NVNT	n20	5600	Ant1	7.114	11	Pass
NVNT	n20	5700	Ant1	6.923	11	Pass
NVNT	n40	5510	Ant1	4.216	11	Pass
NVNT	n40	5590	Ant1	4.489	11	Pass
NVNT	n40	5670	Ant1	4.018	11	Pass


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5600MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5600MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5590MHz Ant1




PSD NVNT ac40 5670MHz Ant1




PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5610MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5600MHz Ant1




PSD NVNT n20 5700MHz Ant1



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5590MHz Ant1




PSD NVNT n40 5670MHz Ant1



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-36.99	-27	Pass
NVNT	a	5700	Ant1	-31.82	-27	Pass
NVNT	ac20	5500	Ant1	-31.83	-27	Pass
NVNT	ac20	5700	Ant1	-29.26	-27	Pass
NVNT	ac40	5510	Ant1	-33.66	-27	Pass
NVNT	ac40	5670	Ant1	-46.09	-27	Pass
NVNT	ac80	5530	Ant1	-35.51	-27	Pass
NVNT	ac80	5610	Ant1	-48.99	-27	Pass
NVNT	n20	5500	Ant1	-36.47	-27	Pass
NVNT	n20	5700	Ant1	-28.66	-27	Pass
NVNT	n40	5510	Ant1	-30.4	-27	Pass
NVNT	n40	5670	Ant1	-48.38	-27	Pass


Band Edge NVNT a 5500MHz Low Ant1



Band Edge NVNT a 5700MHz High Ant1



Band Edge NVNT ac20 5500MHz Low Ant1



Band Edge NVNT ac20 5700MHz High Ant1



Band Edge NVNT ac40 5510MHz Low Ant1




Band Edge NVNT ac40 5670MHz High Ant1




Band Edge NVNT ac80 5530MHz Low Ant1



Band Edge NVNT ac80 5610MHz High Ant1



Band Edge NVNT n20 5500MHz Low Ant1



Band Edge NVNT n20 5700MHz High Ant1



Band Edge NVNT n40 5510MHz Low Ant1




Band Edge NVNT n40 5670MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-34.28	-27	Pass
NVNT	a	5600	Ant1	-34.18	-27	Pass
NVNT	a	5700	Ant1	-34.87	-27	Pass
NVNT	ac20	5500	Ant1	-33.78	-27	Pass
NVNT	ac20	5600	Ant1	-34.92	-27	Pass
NVNT	ac20	5700	Ant1	-34.57	-27	Pass
NVNT	ac40	5510	Ant1	-34.33	-27	Pass
NVNT	ac40	5590	Ant1	-33.9	-27	Pass
NVNT	ac40	5670	Ant1	-34.99	-27	Pass
NVNT	ac80	5530	Ant1	-34.82	-27	Pass
NVNT	ac80	5610	Ant1	-34.88	-27	Pass
NVNT	n20	5500	Ant1	-34.21	-27	Pass
NVNT	n20	5600	Ant1	-34.37	-27	Pass
NVNT	n20	5700	Ant1	-34.8	-27	Pass
NVNT	n40	5510	Ant1	-35.31	-27	Pass
NVNT	n40	5590	Ant1	-35.69	-27	Pass
NVNT	n40	5670	Ant1	-35.34	-27	Pass


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5600MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT ac20 5500MHz Ant1 Emission




Tx. Spurious NVNT ac20 5600MHz Ant1 Emission




Tx. Spurious NVNT ac20 5700MHz Ant1 Emission




Tx. Spurious NVNT ac40 5510MHz Ant1 Emission




Tx. Spurious NVNT ac40 5590MHz Ant1 Emission




Tx. Spurious NVNT ac40 5670MHz Ant1 Emission




Tx. Spurious NVNT ac80 5530MHz Ant1 Emission




Tx. Spurious NVNT ac80 5610MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant1 Emission




Tx. Spurious NVNT n20 5600MHz Ant1 Emission




Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n40 5510MHz Ant1 Emission



Tx. Spurious NVNT n40 5590MHz Ant1 Emission



Tx. Spurious NVNT n40 5670MHz Ant1 Emission



5.8G WIFI:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	91.55	0.38
NVNT	a	5785	Ant1	90.9	0.41
NVNT	a	5825	Ant1	90.9	0.41
NVNT	ac20	5745	Ant1	89.95	0.46
NVNT	ac20	5785	Ant1	90.02	0.46
NVNT	ac20	5825	Ant1	90.03	0.46
NVNT	ac40	5755	Ant1	81.88	0.87
NVNT	ac40	5795	Ant1	81.87	0.87
NVNT	ac80	5775	Ant1	62.24	2.06
NVNT	n20	5745	Ant1	89.88	0.46
NVNT	n20	5785	Ant1	89.82	0.47
NVNT	n20	5825	Ant1	89.74	0.47
NVNT	n40	5755	Ant1	82.19	0.85
NVNT	n40	5795	Ant1	82.19	0.85


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1



Duty Cycle NVNT ac20 5785MHz Ant1



Duty Cycle NVNT ac20 5825MHz Ant1



Duty Cycle NVNT ac40 5755MHz Ant1



Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1



Duty Cycle NVNT n20 5785MHz Ant1



Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	8.671	0.38	9.051	30	Pass
NVNT	a	5785	Ant1	8.98	0.41	9.39	30	Pass
NVNT	a	5825	Ant1	9.133	0.41	9.543	30	Pass
NVNT	ac20	5745	Ant1	8.775	0.46	9.235	30	Pass
NVNT	ac20	5785	Ant1	9.598	0.46	10.058	30	Pass
NVNT	ac20	5825	Ant1	9.779	0.46	10.239	30	Pass
NVNT	ac40	5755	Ant1	8.384	0.87	9.254	30	Pass
NVNT	ac40	5795	Ant1	8.902	0.87	9.772	30	Pass
NVNT	ac80	5775	Ant1	7.183	2.06	9.243	30	Pass
NVNT	n20	5745	Ant1	9.01	0.46	9.47	30	Pass
NVNT	n20	5785	Ant1	9.16	0.47	9.63	30	Pass
NVNT	n20	5825	Ant1	9.228	0.47	9.698	30	Pass
NVNT	n40	5755	Ant1	8.298	0.85	9.148	30	Pass
NVNT	n40	5795	Ant1	8.646	0.85	9.496	30	Pass

-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.337	0.5	Pass
NVNT	a	5785	Ant1	16.323	0.5	Pass
NVNT	a	5825	Ant1	16.346	0.5	Pass
NVNT	ac20	5745	Ant1	17.331	0.5	Pass
NVNT	ac20	5785	Ant1	17.271	0.5	Pass
NVNT	ac20	5825	Ant1	17.56	0.5	Pass
NVNT	ac40	5755	Ant1	36.025	0.5	Pass
NVNT	ac40	5795	Ant1	36.146	0.5	Pass
NVNT	ac80	5775	Ant1	75.352	0.5	Pass
NVNT	n20	5745	Ant1	17.129	0.5	Pass
NVNT	n20	5785	Ant1	17.415	0.5	Pass
NVNT	n20	5825	Ant1	17.525	0.5	Pass
NVNT	n40	5755	Ant1	36.048	0.5	Pass
NVNT	n40	5795	Ant1	36.16	0.5	Pass

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



-6dB Bandwidth NVNT a 5825MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1



-6dB Bandwidth NVNT n20 5745MHz Ant1



-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.52
NVNT	a	5785	Ant1	16.547
NVNT	a	5825	Ant1	16.552
NVNT	ac20	5745	Ant1	17.608
NVNT	ac20	5785	Ant1	17.637
NVNT	ac20	5825	Ant1	17.627
NVNT	ac40	5755	Ant1	36.261
NVNT	ac40	5795	Ant1	36.251
NVNT	ac80	5775	Ant1	75.506
NVNT	n20	5745	Ant1	17.618
NVNT	n20	5785	Ant1	17.65
NVNT	n20	5825	Ant1	17.628
NVNT	n40	5755	Ant1	36.237
NVNT	n40	5795	Ant1	36.195

OBW NVNT a 5745MHz Ant1



OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1



OBW NVNT ac20 5745MHz Ant1



OBW NVNT ac20 5785MHz Ant1



OBW NVNT ac20 5825MHz Ant1



OBW NVNT ac40 5755MHz Ant1



OBW NVNT ac40 5795MHz Ant1



OBW NVNT ac80 5775MHz Ant1



OBW NVNT n20 5745MHz Ant1



OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
NVNT	a	5745	Ant1	2.167	30	Pass
NVNT	a	5785	Ant1	3.036	30	Pass
NVNT	a	5825	Ant1	3.188	30	Pass
NVNT	ac20	5745	Ant1	3.764	30	Pass
NVNT	ac20	5785	Ant1	4.067	30	Pass
NVNT	ac20	5825	Ant1	3.984	30	Pass
NVNT	ac40	5755	Ant1	0.636	30	Pass
NVNT	ac40	5795	Ant1	1.283	30	Pass
NVNT	ac80	5775	Ant1	-11.366	30	Pass
NVNT	n20	5745	Ant1	3.507	30	Pass
NVNT	n20	5785	Ant1	4.076	30	Pass
NVNT	n20	5825	Ant1	4.73	30	Pass
NVNT	n40	5755	Ant1	0.13	30	Pass
NVNT	n40	5795	Ant1	0.655	30	Pass


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac80 5775MHz Ant1



PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-28.18	Pass
NVNT	a	5825	Ant1	-31.39	Pass
NVNT	ac20	5745	Ant1	-20.47	Pass
NVNT	ac20	5825	Ant1	-28.06	Pass
NVNT	ac40	5755	Ant1	-24.03	Pass
NVNT	ac40	5795	Ant1	-37.78	Pass
NVNT	ac80	5775	Ant1	-41.68	Pass
NVNT	n20	5745	Ant1	-27.52	Pass
NVNT	n20	5825	Ant1	-28.42	Pass
NVNT	n40	5755	Ant1	-24.95	Pass
NVNT	n40	5795	Ant1	-47.45	Pass

Band Edge NVNT a 5745MHz Low Ant1



Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant1



Band Edge NVNT ac20 5825MHz High Ant1



Band Edge NVNT ac40 5755MHz Low Ant1




Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ac80 5775MHz High Ant1




Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1




Band Edge NVNT n40 5795MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-34.04	-27	Pass
NVNT	a	5785	Ant1	-34.78	-27	Pass
NVNT	a	5805	Ant1	-35.18	-27	Pass
NVNT	ac20	5745	Ant1	-34.83	-27	Pass
NVNT	ac20	5785	Ant1	-34.49	-27	Pass
NVNT	ac20	5825	Ant1	-35.47	-27	Pass
NVNT	ac40	5755	Ant1	-34.6	-27	Pass
NVNT	ac40	5795	Ant1	-34.2	-27	Pass
NVNT	ac80	5775	Ant1	-35.31	-27	Pass
NVNT	n20	5745	Ant1	-35.23	-27	Pass
NVNT	n20	5785	Ant1	-32.84	-27	Pass
NVNT	n20	5825	Ant1	-35.14	-27	Pass
NVNT	n40	5755	Ant1	-35.14	-27	Pass
NVNT	n40	5795	Ant1	-34.94	-27	Pass


Tx. Spurious NVNT a 5745MHz Ant1 Emission




Tx. Spurious NVNT a 5785MHz Ant1 Emission




Tx. Spurious NVNT a 5805MHz Ant1 Emission




Tx. Spurious NVNT ac20 5745MHz Ant1 Emission




Tx. Spurious NVNT ac20 5785MHz Ant1 Emission




Tx. Spurious NVNT ac20 5825MHz Ant1 Emission




Tx. Spurious NVNT ac40 5755MHz Ant1 Emission




Tx. Spurious NVNT ac40 5795MHz Ant1 Emission




Tx. Spurious NVNT ac80 5775MHz Ant1 Emission




Tx. Spurious NVNT n20 5745MHz Ant1 Emission




Tx. Spurious NVNT n20 5785MHz Ant1 Emission




Tx. Spurious NVNT n20 5825MHz Ant1 Emission



Tx. Spurious NVNT n40 5755MHz Ant1 Emission



Tx. Spurious NVNT n40 5795MHz Ant1 Emission




DFS:

Calibration


5290MHz ac80 DFS_FCC_T0

Radar Calibration




5530MHz ac80 DFS_FCC_T0

Radar Calibration




5310MHz n40 DFS_FCC_T0

Radar Calibration




5510MHz n40 DFS_FCC_T0

Radar Calibration




5320MHz a DFS_FCC_T0

Radar Calibration




5500MHz a DFS_FCC_T0

Radar Calibration




Non-Occupancy

5290MHz ac80 Non-Occupancy




5530MHz ac80 Non-Occupancy




5310MHz n40 Non-Occupancy

Non-Occupancy period




5510MHz n40 Non-Occupancy

Non-Occupancy period




5320MHz a Non-Occupancy

Non-Occupancy period



5500MHz a Non-Occupancy


Non-Occupancy period



Shutdown Time


Mode	Frequency (MHz)	Channel Move Time (s)	Limit Channel Move Time (s)	Close Transmission Time (s)	Limit Close Transmission Time (s)	Close Transmission Time after 200ms(s)	Limit Close Transmission Time after 200ms (s)	Verdict
ac80	5290	0.366	10	0.0096	0.26	0.0008	0.06	Pass
ac80	5530	0.3752	10	0.0052	0.26	0.0008	0.06	Pass
n40	5310	0.53	10	0.0084	0.26	0.0036	0.06	Pass
n40	5510	0.4512	10	0.0072	0.26	0.0024	0.06	Pass
a	5320	0.4284	10	0.0084	0.26	0.002	0.06	Pass
a	5500	0.514	10	0.0092	0.26	0.0024	0.06	Pass

5290MHz ac80 Shutdown




5530MHz ac80 Shutdown

Channel Shutdown




5310MHz n40 Shutdown

Channel Shutdown




5510MHz n40 Shutdown

Channel Shutdown



5320MHz a Shutdown

Channel Shutdown



5500MHz a Shutdown

Channel Shutdown

