


13.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	689	0.1	RMS	688.9	-65.1	-13	52.1	Pass	6591
689	726	0.1	RMS	699.545	19.26	60	40.74	Pass	401
726	1000	0.1	RMS	822.8	-64.83	-13	51.83	Pass	2741
1000	3000	1	RMS	1399	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6801	-45.32	-13	32.32	Pass	7001



13.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.18	-71.86	-13	58.86	Pass	2986
30	689	0.1	RMS	606.2	-65.64	-13	52.64	Pass	6591
689	726	0.1	RMS	703.06	20.38	60	39.62	Pass	401
726	1000	0.1	RMS	865.8	-64.88	-13	51.88	Pass	2741
1000	3000	1	RMS	1406	-47.56	-13	34.56	Pass	2001
3000	10000	1	RMS	6800	-45.33	-13	32.33	Pass	7001



13.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.24	-72.27	-13	59.27	Pass	2986
30	689	0.1	RMS	622.5	-65.85	-13	52.85	Pass	6591
689	726	0.1	RMS	703.06	19.32	60	40.68	Pass	401
726	1000	0.1	RMS	820.1	-64.77	-13	51.77	Pass	2741
1000	3000	1	RMS	1406	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6800	-45.34	-13	32.34	Pass	7001



13.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.19	-71.52	-13	58.52	Pass	2986
30	689	0.1	RMS	689	-64.12	-13	51.12	Pass	6591
689	726	0.1	RMS	706.575	20.6	60	39.4	Pass	401
726	1000	0.1	RMS	894	-64.78	-13	51.78	Pass	2741
1000	3000	1	RMS	1413	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6800	-45.31	-13	32.31	Pass	7001



13.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	689	0.1	RMS	689	-64.88	-13	51.88	Pass	6591
689	726	0.1	RMS	706.575	19.63	60	40.37	Pass	401
726	1000	0.1	RMS	946.5	-64.8	-13	51.8	Pass	2741
1000	3000	1	RMS	1413	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6802	-45.33	-13	32.33	Pass	7001



14. LTE_Band17


14.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	694	0.1	RMS	693.6	-64.83	-13	51.83	Pass	6641
694	726	0.1	RMS	704.32	20.51	60	39.49	Pass	401
726	1000	0.1	RMS	987.6	-64.88	-13	51.88	Pass	2741
1000	3000	1	RMS	1408	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	6800	-45.39	-13	32.39	Pass	7001




14.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.22	-72.76	-13	59.76	Pass	2986
30	694	0.1	RMS	693.7	-65.14	-13	52.14	Pass	6641
694	726	0.1	RMS	704.32	19.5	60	40.5	Pass	401
726	1000	0.1	RMS	976.7	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1408	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	6803	-45.39	-13	32.39	Pass	7001




14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	694	0.1	RMS	693.8	-65.56	-13	52.56	Pass	6641
694	726	0.1	RMS	707.84	20.98	60	39.02	Pass	401
726	1000	0.1	RMS	981.6	-64.86	-13	51.86	Pass	2741
1000	3000	1	RMS	1415	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6801	-45.42	-13	32.42	Pass	7001




14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	694	0.1	RMS	657.3	-65.8	-13	52.8	Pass	6641
694	726	0.1	RMS	707.84	20.15	60	39.85	Pass	401
726	1000	0.1	RMS	832.1	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1415	-47.75	-13	34.75	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001




14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	694	0.1	RMS	485.6	-65.81	-13	52.81	Pass	6641
694	726	0.1	RMS	711.36	20.76	60	39.24	Pass	401
726	1000	0.1	RMS	839.6	-64.81	-13	51.81	Pass	2741
1000	3000	1	RMS	1422	-44.5	-13	31.5	Pass	2001
3000	10000	1	RMS	6800	-45.41	-13	32.41	Pass	7001




14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	58.69	Pass	2986
30	694	0.1	RMS	494.3	-65.9	-13	52.9	Pass	6641
694	726	0.1	RMS	711.36	20.2	60	39.8	Pass	401
726	1000	0.1	RMS	987.6	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1422	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001




14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	694	0.1	RMS	693.9	-62.42	-13	49.42	Pass	6641
694	726	0.1	RMS	704.56	20.45	60	39.55	Pass	401
726	1000	0.1	RMS	925.1	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1409	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6801	-45.45	-13	32.45	Pass	7001




14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	694	0.1	RMS	693.9	-63.01	-13	50.01	Pass	6641
694	726	0.1	RMS	704.56	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	979	-64.96	-13	51.96	Pass	2741
1000	3000	1	RMS	1409	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	6798	-45.51	-13	32.51	Pass	7001



14.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.22	-72.42	-13	59.42	Pass	2986
30	694	0.1	RMS	694	-64.34	-13	51.34	Pass	6641
694	726	0.1	RMS	705.6	20.84	60	39.16	Pass	401
726	1000	0.1	RMS	944.3	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1411	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001



14.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	694	0.1	RMS	693.9	-64.52	-13	51.52	Pass	6641
694	726	0.1	RMS	705.6	19.77	60	40.23	Pass	401
726	1000	0.1	RMS	984	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1411	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	6803	-45.5	-13	32.5	Pass	7001



14.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	694	0.1	RMS	689	-62.91	-13	49.91	Pass	6641
694	726	0.1	RMS	706.56	20.7	60	39.3	Pass	401
726	1000	0.1	RMS	846.1	-64.89	-13	51.89	Pass	2741
1000	3000	1	RMS	1413	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	6801	-45.42	-13	32.42	Pass	7001



14.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	694	0.1	RMS	689	-64.14	-13	51.14	Pass	6641
694	726	0.1	RMS	706.56	19.7	60	40.3	Pass	401
726	1000	0.1	RMS	842.9	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1413	-48.31	-13	35.31	Pass	2001
3000	10000	1	RMS	6801	-45.4	-13	32.4	Pass	7001



15. LTE_Band25


15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-13	57.24	Pass	2986
30	1000	0.1	RMS	984.089	-64.57	-13	51.57	Pass	9701
1000	1840	1	RMS	1840	-51.78	-13	38.78	Pass	841
1840	1925	1	RMS	1850.2	23.57	60	36.43	Pass	401
1925	3000	1	RMS	2991	-50.66	-13	37.66	Pass	1076
3000	12000	1	RMS	12000	-43.49	-13	30.49	Pass	9002
12000	20000	1	RMS	13599	-39.05	-13	26.05	Pass	8001




15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	845.8	-64.59	-13	51.59	Pass	9701
1000	1840	1	RMS	1840	-52.59	-13	39.59	Pass	841
1840	1925	1	RMS	1850.2	22.55	60	37.45	Pass	401
1925	3000	1	RMS	2987	-50.64	-13	37.64	Pass	1076
3000	12000	1	RMS	11999	-43.5	-13	30.5	Pass	9002
12000	20000	1	RMS	13603	-38.93	-13	25.93	Pass	8001




15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	870.514	-64.53	-13	51.53	Pass	9701
1000	1840	1	RMS	1838	-53.07	-13	40.07	Pass	841
1840	1925	1	RMS	1881.863	23.35	60	36.65	Pass	401
1925	3000	1	RMS	2988	-50.66	-13	37.66	Pass	1076
3000	12000	1	RMS	11995	-43.52	-13	30.52	Pass	9002
12000	20000	1	RMS	13602	-39.04	-13	26.04	Pass	8001




15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.19	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	987.192	-64.56	-13	51.56	Pass	9701
1000	1840	1	RMS	1838	-53.07	-13	40.07	Pass	841
1840	1925	1	RMS	1881.863	22.43	60	37.57	Pass	401
1925	3000	1	RMS	3000	-50.65	-13	37.65	Pass	1076
3000	12000	1	RMS	11995	-43.52	-13	30.52	Pass	9002
12000	20000	1	RMS	13604	-39.06	-13	26.06	Pass	8001




15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.22	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	943.262	-64.47	-13	51.47	Pass	9701
1000	1840	1	RMS	1840	-53.06	-13	40.06	Pass	841
1840	1925	1	RMS	1913.738	23.64	60	36.36	Pass	401
1925	3000	1	RMS	2991	-50.65	-13	37.65	Pass	1076
3000	12000	1	RMS	3828	-42.29	-13	29.29	Pass	9002
12000	20000	1	RMS	13599	-39.07	-13	26.07	Pass	8001




15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	57.22	Pass	2986
30	1000	0.1	RMS	845.3	-64.56	-13	51.56	Pass	9701
1000	1840	1	RMS	1840	-53.09	-13	40.09	Pass	841
1840	1925	1	RMS	1913.738	22.71	60	37.29	Pass	401
1925	3000	1	RMS	2986	-50.69	-13	37.69	Pass	1076
3000	12000	1	RMS	11999	-43.48	-13	30.48	Pass	9002
12000	20000	1	RMS	13603	-39.1	-13	26.1	Pass	8001




15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	948.266	-64.5	-13	51.5	Pass	9701
1000	1840	1	RMS	1840	-52.29	-13	39.29	Pass	841
1840	1925	1	RMS	1850.2	23.35	60	36.65	Pass	401
1925	3000	1	RMS	2933	-50.68	-13	37.68	Pass	1076
3000	12000	1	RMS	11995	-43.53	-13	30.53	Pass	9002
12000	20000	1	RMS	13602	-39	-13	26	Pass	8001




15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	968.779	-64.43	-13	51.43	Pass	9701
1000	1840	1	RMS	1840	-52.36	-13	39.36	Pass	841
1840	1925	1	RMS	1850.2	22.65	60	37.35	Pass	401
1925	3000	1	RMS	2987	-50.66	-13	37.66	Pass	1076
3000	12000	1	RMS	11995	-43.43	-13	30.43	Pass	9002
12000	20000	1	RMS	13600	-39.06	-13	26.06	Pass	8001



15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	911.541	-64.58	-13	51.58	Pass	9701
1000	1840	1	RMS	1836	-53.04	-13	40.04	Pass	841
1840	1925	1	RMS	1881.225	23.4	60	36.6	Pass	401
1925	3000	1	RMS	3000	-50.64	-13	37.64	Pass	1076
3000	12000	1	RMS	11996	-43.48	-13	30.48	Pass	9002
12000	20000	1	RMS	13608	-39.07	-13	26.07	Pass	8001



15.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	57.74	Pass	2986
30	1000	0.1	RMS	841.9	-64.44	-13	51.44	Pass	9701
1000	1840	1	RMS	1838	-53.03	-13	40.03	Pass	841
1840	1925	1	RMS	1881.225	22.48	60	37.52	Pass	401
1925	3000	1	RMS	2992	-50.59	-13	37.59	Pass	1076
3000	12000	1	RMS	11997	-43.46	-13	30.46	Pass	9002
12000	20000	1	RMS	13599	-39.01	-13	26.01	Pass	8001



15.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.16	-70.54	-13	57.54	Pass	2986
30	1000	0.1	RMS	882.222	-64.39	-13	51.39	Pass	9701
1000	1840	1	RMS	1840	-53.02	-13	40.02	Pass	841
1840	1925	1	RMS	1912.038	23.62	60	36.38	Pass	401
1925	3000	1	RMS	2941	-50.59	-13	37.59	Pass	1076
3000	12000	1	RMS	11999	-43.49	-13	30.49	Pass	9002
12000	20000	1	RMS	13601	-39.02	-13	26.02	Pass	8001



15.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	971.481	-64.47	-13	51.47	Pass	9701
1000	1840	1	RMS	1839	-53.06	-13	40.06	Pass	841
1840	1925	1	RMS	1912.038	22.79	60	37.21	Pass	401
1925	3000	1	RMS	2980	-50.62	-13	37.62	Pass	1076
3000	12000	1	RMS	11999	-43.4	-13	30.4	Pass	9002
12000	20000	1	RMS	13601	-39.05	-13	26.05	Pass	8001



15.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	1000	0.1	RMS	857.005	-64.5	-13	51.5	Pass	9701
1000	1840	1	RMS	1840	-51.84	-13	38.84	Pass	841
1840	1925	1	RMS	1850.2	23.28	60	36.72	Pass	401
1925	3000	1	RMS	2990	-50.59	-13	37.59	Pass	1076
3000	12000	1	RMS	12000	-43.45	-13	30.45	Pass	9002
12000	20000	1	RMS	13604	-39.02	-13	26.02	Pass	8001



15.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	971.081	-64.43	-13	51.43	Pass	9701
1000	1840	1	RMS	1840	-52.19	-13	39.19	Pass	841
1840	1925	1	RMS	1850.2	22.46	60	37.54	Pass	401
1925	3000	1	RMS	2990	-50.62	-13	37.62	Pass	1076
3000	12000	1	RMS	11998	-43.47	-13	30.47	Pass	9002
12000	20000	1	RMS	13602	-38.94	-13	25.94	Pass	8001



15.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	844.6	-64.45	-13	51.45	Pass	9701
1000	1840	1	RMS	1838	-52.93	-13	39.93	Pass	841
1840	1925	1	RMS	1880.163	23.31	60	36.69	Pass	401
1925	3000	1	RMS	2987	-50.5	-13	37.5	Pass	1076
3000	12000	1	RMS	11992	-43.35	-13	30.35	Pass	9002
12000	20000	1	RMS	13599	-39.04	-13	26.04	Pass	8001



15.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	980.187	-64.56	-13	51.56	Pass	9701
1000	1840	1	RMS	1838	-52.5	-13	39.5	Pass	841
1840	1925	1	RMS	1880.163	22.7	60	37.3	Pass	401
1925	3000	1	RMS	3000	-50.58	-13	37.58	Pass	1076
3000	12000	1	RMS	11999	-43.44	-13	30.44	Pass	9002
12000	20000	1	RMS	13600	-38.91	-13	25.91	Pass	8001



15.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-13	56.74	Pass	2986
30	1000	0.1	RMS	982.288	-64.4	-13	51.4	Pass	9701
1000	1840	1	RMS	1840	-52.97	-13	39.97	Pass	841
1840	1925	1	RMS	1910.125	23.55	60	36.45	Pass	401
1925	3000	1	RMS	2986	-50.57	-13	37.57	Pass	1076
3000	12000	1	RMS	11998	-43.37	-13	30.37	Pass	9002
12000	20000	1	RMS	13604	-38.99	-13	25.99	Pass	8001



15.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	2986
30	1000	0.1	RMS	964.476	-64.53	-13	51.53	Pass	9701
1000	1840	1	RMS	1840	-53.03	-13	40.03	Pass	841
1840	1925	1	RMS	1910.125	22.9	60	37.1	Pass	401
1925	3000	1	RMS	2995	-50.56	-13	37.56	Pass	1076
3000	12000	1	RMS	11997	-43.45	-13	30.45	Pass	9002
12000	20000	1	RMS	13602	-38.93	-13	25.93	Pass	8001



15.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	854.203	-64.44	-13	51.44	Pass	9701
1000	1840	1	RMS	1833	-46.99	-13	33.99	Pass	841
1840	1925	1	RMS	1850.413	23.31	60	36.69	Pass	401
1925	3000	1	RMS	2999	-50.54	-13	37.54	Pass	1076
3000	12000	1	RMS	11872	-43.53	-13	30.53	Pass	9002
12000	20000	1	RMS	13600	-38.99	-13	25.99	Pass	8001



15.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	57.44	Pass	2986
30	1000	0.1	RMS	850.401	-64.5	-13	51.5	Pass	9701
1000	1840	1	RMS	1833	-47.09	-13	34.09	Pass	841
1840	1925	1	RMS	1850.413	22.69	60	37.31	Pass	401
1925	3000	1	RMS	2933	-50.63	-13	37.63	Pass	1076
3000	12000	1	RMS	11998	-43.45	-13	30.45	Pass	9002
12000	20000	1	RMS	13598	-39.01	-13	26.01	Pass	8001



15.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	965.177	-64.48	-13	51.48	Pass	9701
1000	1840	1	RMS	1839	-52.97	-13	39.97	Pass	841
1840	1925	1	RMS	1878.038	23.42	60	36.58	Pass	401
1925	3000	1	RMS	2986	-50.59	-13	37.59	Pass	1076
3000	12000	1	RMS	11996	-43.4	-13	30.4	Pass	9002
12000	20000	1	RMS	13602	-38.97	-13	25.97	Pass	8001



15.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	885.324	-64.51	-13	51.51	Pass	9701
1000	1840	1	RMS	1840	-52.59	-13	39.59	Pass	841
1840	1925	1	RMS	1878.038	22.53	60	37.47	Pass	401
1925	3000	1	RMS	2992	-50.61	-13	37.61	Pass	1076
3000	12000	1	RMS	11996	-43.5	-13	30.5	Pass	9002
12000	20000	1	RMS	13602	-38.98	-13	25.98	Pass	8001



15.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	851.502	-64.55	-13	51.55	Pass	9701
1000	1840	1	RMS	1839	-53.03	-13	40.03	Pass	841
1840	1925	1	RMS	1905.45	23.82	60	36.18	Pass	401
1925	3000	1	RMS	2983	-50.58	-13	37.58	Pass	1076
3000	12000	1	RMS	11998	-43.52	-13	30.52	Pass	9002
12000	20000	1	RMS	13602	-39.01	-13	26.01	Pass	8001



15.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	987.592	-64.56	-13	51.56	Pass	9701
1000	1840	1	RMS	1831	-53.06	-13	40.06	Pass	841
1840	1925	1	RMS	1905.45	22.9	60	37.1	Pass	401
1925	3000	1	RMS	2990	-50.6	-13	37.6	Pass	1076
3000	12000	1	RMS	11999	-43.45	-13	30.45	Pass	9002
12000	20000	1	RMS	13601	-39.01	-13	26.01	Pass	8001



15.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.17	-70.79	-13	57.79	Pass	2986
30	1000	0.1	RMS	982.388	-64.51	-13	51.51	Pass	9701
1000	1840	1	RMS	1838	-43.11	-13	30.11	Pass	841
1840	1925	1	RMS	1850.838	23.23	60	36.77	Pass	401
1925	3000	1	RMS	2990	-50.63	-13	37.63	Pass	1076
3000	12000	1	RMS	12000	-43.42	-13	30.42	Pass	9002
12000	20000	1	RMS	13599	-39	-13	26	Pass	8001



15.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	841.9	-64.56	-13	51.56	Pass	9701
1000	1840	1	RMS	1838	-43.28	-13	30.28	Pass	841
1840	1925	1	RMS	1850.625	22.57	60	37.43	Pass	401
1925	3000	1	RMS	2992	-50.62	-13	37.62	Pass	1076
3000	12000	1	RMS	11994	-43.45	-13	30.45	Pass	9002
12000	20000	1	RMS	13602	-38.96	-13	25.96	Pass	8001



15.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	57.51	Pass	2986
30	1000	0.1	RMS	956.271	-64.5	-13	51.5	Pass	9701
1000	1840	1	RMS	1840	-53	-13	40	Pass	841
1840	1925	1	RMS	1875.7	23.45	60	36.55	Pass	401
1925	3000	1	RMS	3000	-50.6	-13	37.6	Pass	1076
3000	12000	1	RMS	3752	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	13599	-39.01	-13	26.01	Pass	8001



15.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	1000	0.1	RMS	845.8	-64.38	-13	51.38	Pass	9701
1000	1840	1	RMS	1837	-52.49	-13	39.49	Pass	841
1840	1925	1	RMS	1875.7	22.64	60	37.36	Pass	401
1925	3000	1	RMS	2979	-50.65	-13	37.65	Pass	1076
3000	12000	1	RMS	11996	-43.51	-13	30.51	Pass	9002
12000	20000	1	RMS	13601	-39.01	-13	26.01	Pass	8001



15.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	831.3	-64.61	-13	51.61	Pass	9701
1000	1840	1	RMS	1835	-53.06	-13	40.06	Pass	841
1840	1925	1	RMS	1900.775	23.71	60	36.29	Pass	401
1925	3000	1	RMS	2933	-50.63	-13	37.63	Pass	1076
3000	12000	1	RMS	11997	-43.49	-13	30.49	Pass	9002
12000	20000	1	RMS	13603	-38.99	-13	25.99	Pass	8001



15.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.17	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	858.106	-64.6	-13	51.6	Pass	9701
1000	1840	1	RMS	1839	-53.06	-13	40.06	Pass	841
1840	1925	1	RMS	1900.775	22.94	60	37.06	Pass	401
1925	3000	1	RMS	2981	-50.65	-13	37.65	Pass	1076
3000	12000	1	RMS	11999	-43.55	-13	30.55	Pass	9002
12000	20000	1	RMS	13600	-39.08	-13	26.08	Pass	8001



15.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	991.094	-64.6	-13	51.6	Pass	9701
1000	1840	1	RMS	1833	-48.15	-13	35.15	Pass	841
1840	1925	1	RMS	1851.05	23.16	60	36.84	Pass	401
1925	3000	1	RMS	2996	-50.65	-13	37.65	Pass	1076
3000	12000	1	RMS	11993	-43.5	-13	30.5	Pass	9002
12000	20000	1	RMS	13610	-39.11	-13	26.11	Pass	8001



15.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	952.769	-64.62	-13	51.62	Pass	9701
1000	1840	1	RMS	1840	-48.5	-13	35.5	Pass	841
1840	1925	1	RMS	1851.05	22.48	60	37.52	Pass	401
1925	3000	1	RMS	2983	-50.7	-13	37.7	Pass	1076
3000	12000	1	RMS	11995	-43.45	-13	30.45	Pass	9002
12000	20000	1	RMS	13601	-39.03	-13	26.03	Pass	8001



15.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.16	-70.48	-13	57.48	Pass	2986
30	1000	0.1	RMS	882.822	-64.48	-13	51.48	Pass	9701
1000	1840	1	RMS	1838	-44.64	-13	31.64	Pass	841
1840	1925	1	RMS	1873.575	23.26	60	36.74	Pass	401
1925	3000	1	RMS	3000	-50.66	-13	37.66	Pass	1076
3000	12000	1	RMS	3747	-38.9	-13	25.9	Pass	9002
12000	20000	1	RMS	13602	-39.05	-13	26.05	Pass	8001



15.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	982.889	-64.55	-13	51.55	Pass	9701
1000	1840	1	RMS	1838	-47.53	-13	34.53	Pass	841
1840	1925	1	RMS	1873.575	22.3	60	37.7	Pass	401
1925	3000	1	RMS	2986	-50.69	-13	37.69	Pass	1076
3000	12000	1	RMS	3747	-39.46	-13	26.46	Pass	9002
12000	20000	1	RMS	13599	-39.03	-13	26.03	Pass	8001



15.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	983.689	-64.53	-13	51.53	Pass	9701
1000	1840	1	RMS	1839	-53.09	-13	40.09	Pass	841
1840	1925	1	RMS	1895.888	23.4	60	36.6	Pass	401
1925	3000	1	RMS	2988	-50.66	-13	37.66	Pass	1076
3000	12000	1	RMS	11999	-43.42	-13	30.42	Pass	9002
12000	20000	1	RMS	13607	-39.09	-13	26.09	Pass	8001



15.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	847.9	-64.53	-13	51.53	Pass	9701
1000	1840	1	RMS	1838	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1895.888	22.48	60	37.52	Pass	401
1925	3000	1	RMS	2998	-50.6	-13	37.6	Pass	1076
3000	12000	1	RMS	11997	-43.55	-13	30.55	Pass	9002
12000	20000	1	RMS	13600	-38.98	-13	25.98	Pass	8001



16. LTE_Band26(part22)


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	813.5	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.3	18.63	60	41.37	Pass	461
860	1000	0.1	RMS	865.4	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1648	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6801	-45.45	-13	32.45	Pass	7001




16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.22	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	813.5	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	824.3	17.58	60	42.42	Pass	461
860	1000	0.1	RMS	932.7	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1648	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	6800	-45.41	-13	32.41	Pass	7001




16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.2	-58.61	-13	45.61	Pass	7841
814	860	0.1	RMS	836.1	18.96	60	41.04	Pass	461
860	1000	0.1	RMS	987.3	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1672	-49.72	-13	36.72	Pass	2001
3000	10000	1	RMS	6802	-45.4	-13	32.4	Pass	7001




16.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	811.4	-61.38	-13	48.38	Pass	7841
814	860	0.1	RMS	836.1	18.23	60	41.77	Pass	461
860	1000	0.1	RMS	865.9	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1672	-50.13	-13	37.13	Pass	2001
3000	10000	1	RMS	6801	-45.48	-13	32.48	Pass	7001




16.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	811	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	847.8	18.7	60	41.3	Pass	461
860	1000	0.1	RMS	888.3	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1695	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	6798	-45.44	-13	32.44	Pass	7001




16.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	811	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	847.9	17.96	60	42.04	Pass	461
860	1000	0.1	RMS	959	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1695	-50.53	-13	37.53	Pass	2001
3000	10000	1	RMS	6799	-45.43	-13	32.43	Pass	7001




16.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.6	-64.29	-13	51.29	Pass	7841
814	860	0.1	RMS	824.2	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	997	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001




16.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.17	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	813.5	-64.57	-13	51.57	Pass	7841
814	860	0.1	RMS	824.2	18.28	60	41.72	Pass	461
860	1000	0.1	RMS	871.1	-65.13	-13	52.13	Pass	1401
1000	3000	1	RMS	1648	-47.69	-13	34.69	Pass	2001
3000	10000	1	RMS	6802	-45.45	-13	32.45	Pass	7001



16.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	813.7	-57.71	-13	44.71	Pass	7841
814	860	0.1	RMS	835.2	19.18	60	40.82	Pass	461
860	1000	0.1	RMS	977.8	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1670	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	6801	-45.44	-13	32.44	Pass	7001



16.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	809.9	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	835.2	18.54	60	41.46	Pass	461
860	1000	0.1	RMS	934.1	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1670	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	6797	-45.45	-13	32.45	Pass	7001



16.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.7	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	846.2	18.88	60	41.12	Pass	461
860	1000	0.1	RMS	995.9	-65.07	-13	52.07	Pass	1401
1000	3000	1	RMS	1692	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6799	-45.46	-13	32.46	Pass	7001



16.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.39	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.3	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	846.2	17.98	60	42.02	Pass	461
860	1000	0.1	RMS	861	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1692	-49.75	-13	36.75	Pass	2001
3000	10000	1	RMS	6800	-45.37	-13	32.37	Pass	7001



16.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	814	-64.74	-13	51.74	Pass	7841
814	860	0.1	RMS	824.3	18.78	60	41.22	Pass	461
860	1000	0.1	RMS	979.8	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	6801	-45.27	-13	32.27	Pass	7001



16.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	59.69	Pass	2986
30	814	0.1	RMS	814	-64.79	-13	51.79	Pass	7841
814	860	0.1	RMS	824.3	17.94	60	42.06	Pass	461
860	1000	0.1	RMS	991.5	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1648	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	6801	-45.47	-13	32.47	Pass	7001



16.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	810.3	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	834.3	19.12	60	40.88	Pass	461
860	1000	0.1	RMS	874.8	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1668	-49.29	-13	36.29	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001



16.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	790.6	-65.4	-13	52.4	Pass	7841
814	860	0.1	RMS	834.3	18.61	60	41.39	Pass	461
860	1000	0.1	RMS	956.8	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1668	-49.84	-13	36.84	Pass	2001
3000	10000	1	RMS	6801	-45.38	-13	32.38	Pass	7001



16.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	807.2	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	844.3	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	993.3	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1688	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	6800	-45.43	-13	32.43	Pass	7001



16.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	812.1	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	844.3	18.18	60	41.82	Pass	461
860	1000	0.1	RMS	993.7	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1688	-49.44	-13	36.44	Pass	2001
3000	10000	1	RMS	6801	-45.43	-13	32.43	Pass	7001



16.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	58.84	Pass	2986
30	814	0.1	RMS	814	-61.87	-13	48.87	Pass	7841
814	860	0.1	RMS	824.6	19.38	60	40.62	Pass	461
860	1000	0.1	RMS	958.6	-65.08	-13	52.08	Pass	1401
1000	3000	1	RMS	1649	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6797	-45.43	-13	32.43	Pass	7001



16.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	813.9	-61.87	-13	48.87	Pass	7841
814	860	0.1	RMS	824.6	18.54	60	41.46	Pass	461
860	1000	0.1	RMS	987.3	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1649	-48.49	-13	35.49	Pass	2001
3000	10000	1	RMS	6802	-45.49	-13	32.49	Pass	7001



16.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.4	-65.2	-13	52.2	Pass	7841
814	860	0.1	RMS	832.1	19.51	60	40.49	Pass	461
860	1000	0.1	RMS	992.8	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1664	-49.73	-13	36.73	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001



16.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.2	-65.17	-13	52.17	Pass	7841
814	860	0.1	RMS	832.1	18.79	60	41.21	Pass	461
860	1000	0.1	RMS	954.3	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1664	-50.34	-13	37.34	Pass	2001
3000	10000	1	RMS	6799	-45.45	-13	32.45	Pass	7001



16.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.2	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	814	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	839.6	19.44	60	40.56	Pass	461
860	1000	0.1	RMS	911.5	-65.06	-13	52.06	Pass	1401
1000	3000	1	RMS	1679	-48.49	-13	35.49	Pass	2001
3000	10000	1	RMS	6804	-45.44	-13	32.44	Pass	7001



16.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	813.9	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	839.6	18.58	60	41.42	Pass	461
860	1000	0.1	RMS	877.2	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1679	-49.38	-13	36.38	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001



16.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	811.6	-53.36	-13	40.36	Pass	7841
814	860	0.1	RMS	824.8	18.78	60	41.22	Pass	461
860	1000	0.1	RMS	980.1	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1649	-47.26	-13	34.26	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001



16.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	811.6	-53.4	-13	40.4	Pass	7841
814	860	0.1	RMS	824.8	17.98	60	42.02	Pass	461
860	1000	0.1	RMS	938.1	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1649	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6800	-45.34	-13	32.34	Pass	7001



16.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	814	0.1	RMS	809.9	-63.84	-13	50.84	Pass	7841
814	860	0.1	RMS	829.8	18.92	60	41.08	Pass	461
860	1000	0.1	RMS	930.1	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1659	-49	-13	36	Pass	2001
3000	10000	1	RMS	6803	-45.46	-13	32.46	Pass	7001



16.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	59	Pass	2986
30	814	0.1	RMS	814	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	829.8	18.07	60	41.93	Pass	461
860	1000	0.1	RMS	876.6	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1659	-49.61	-13	36.61	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001



16.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	811.9	-64.81	-13	51.81	Pass	7841
814	860	0.1	RMS	834.8	18.89	60	41.11	Pass	461
860	1000	0.1	RMS	862.1	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1669	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6803	-45.37	-13	32.37	Pass	7001



16.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	811.9	-64.61	-13	51.61	Pass	7841
814	860	0.1	RMS	834.8	18.41	60	41.59	Pass	461
860	1000	0.1	RMS	877.6	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1669	-49.78	-13	36.78	Pass	2001
3000	10000	1	RMS	6800	-45.43	-13	32.43	Pass	7001



17. LTE_Band26(part90)


17.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.34	-13	52.34	Pass	401
0.15	30	0.01	Peak	0.16	-64.51	-13	51.51	Pass	2986
30	809	0.1	Peak	808.9	-51.85	-13	38.85	Pass	7791
809	829	0.1	Peak	814.3	24.6	60	35.4	Pass	401
829	1000	0.1	Peak	829.6	-51.45	-13	38.45	Pass	1711
1000	3000	1	Peak	1629	-38.05	-13	25.05	Pass	2001
3000	10000	1	Peak	8292	-32.16	-13	19.16	Pass	7001




17.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.16	-13	51.16	Pass	401
0.15	30	0.01	Peak	0.74	-63.99	-13	50.99	Pass	2986
30	809	0.1	Peak	716.4	-54.77	-13	41.77	Pass	7791
809	829	0.1	Peak	814.25	24.86	60	35.14	Pass	401
829	1000	0.1	Peak	842	-53.84	-13	40.84	Pass	1711
1000	3000	1	Peak	1629	-38.85	-13	25.85	Pass	2001
3000	10000	1	Peak	8735	-31.74	-13	18.74	Pass	7001




17.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.63	-13	51.63	Pass	401
0.15	30	0.01	Peak	0.16	-64.14	-13	51.14	Pass	2986
30	809	0.1	Peak	472.7	-54.63	-13	41.63	Pass	7791
809	829	0.1	Peak	818.6	24.72	60	35.28	Pass	401
829	1000	0.1	Peak	993.9	-54.49	-13	41.49	Pass	1711
1000	3000	1	Peak	1637	-38.54	-13	25.54	Pass	2001
3000	10000	1	Peak	7356	-31.7	-13	18.7	Pass	7001




17.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.54	-13	52.54	Pass	401
0.15	30	0.01	Peak	0.16	-61.95	-13	48.95	Pass	2986
30	809	0.1	Peak	808.7	-41.41	-13	28.41	Pass	7791
809	829	0.1	Peak	818.6	25.06	60	34.94	Pass	401
829	1000	0.1	Peak	831.4	-32.55	-13	19.55	Pass	1711
1000	3000	1	Peak	1637	-38.67	-13	25.67	Pass	2001
3000	10000	1	Peak	9488	-32.04	-13	19.04	Pass	7001




17.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.3	-13	54.3	Pass	401
0.15	30	0.01	Peak	0.22	-64.28	-13	51.28	Pass	2986
30	809	0.1	Peak	738.4	-54.57	-13	41.57	Pass	7791
809	829	0.1	Peak	822.85	24.26	60	35.74	Pass	401
829	1000	0.1	Peak	830.8	-53.65	-13	40.65	Pass	1711
1000	3000	1	Peak	1645	-37.38	-13	24.38	Pass	2001
3000	10000	1	Peak	7887	-31.92	-13	18.92	Pass	7001




**17.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.5	-13	53.5	Pass	401
0.15	30	0.01	Peak	0.42	-64.2	-13	51.2	Pass	2986
30	809	0.1	Peak	788.6	-54.31	-13	41.31	Pass	7791
809	829	0.1	Peak	822.85	25.13	60	34.87	Pass	401
829	1000	0.1	Peak	830.9	-52.62	-13	39.62	Pass	1711
1000	3000	1	Peak	1646	-36.65	-13	23.65	Pass	2001
3000	10000	1	Peak	8261	-32.29	-13	19.29	Pass	7001




**17.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.31	-13	53.31	Pass	401
0.15	30	0.01	Peak	0.15	-64.76	-13	51.76	Pass	2986
30	809	0.1	Peak	809	-42.51	-13	29.51	Pass	7791
809	829	0.1	Peak	814.25	24.75	60	35.25	Pass	401
829	1000	0.1	Peak	829.8	-49.35	-13	36.35	Pass	1711
1000	3000	1	Peak	1628	-39.2	-13	26.2	Pass	2001
3000	10000	1	Peak	7899	-31.59	-13	18.59	Pass	7001




**17.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.39	-13	52.39	Pass	401
0.15	30	0.01	Peak	0.46	-64.32	-13	51.32	Pass	2986
30	809	0.1	Peak	809	-41.15	-13	28.15	Pass	7791
809	829	0.1	Peak	814.2	25.06	60	34.94	Pass	401
829	1000	0.1	Peak	832.7	-49.53	-13	36.53	Pass	1711
1000	3000	1	Peak	1629	-38.86	-13	25.86	Pass	2001
3000	10000	1	Peak	9881	-32.21	-13	19.21	Pass	7001




**17.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.29	-13	52.29	Pass	401
0.15	30	0.01	Peak	0.23	-63.76	-13	50.76	Pass	2986
30	809	0.1	Peak	736.5	-53.79	-13	40.79	Pass	7791
809	829	0.1	Peak	817.75	25.15	60	34.85	Pass	401
829	1000	0.1	Peak	829.3	-53.71	-13	40.71	Pass	1711
1000	3000	1	Peak	1636	-39.06	-13	26.06	Pass	2001
3000	10000	1	Peak	7692	-31.71	-13	18.71	Pass	7001




17.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.39	-13	52.39	Pass	401
0.15	30	0.01	Peak	1.1	-64.9	-13	51.9	Pass	2986
30	809	0.1	Peak	711.9	-54.25	-13	41.25	Pass	7791
809	829	0.1	Peak	817.75	25.07	60	34.93	Pass	401
829	1000	0.1	Peak	985.4	-54.23	-13	41.23	Pass	1711
1000	3000	1	Peak	1636	-39.05	-13	26.05	Pass	2001
3000	10000	1	Peak	8714	-31.78	-13	18.78	Pass	7001




17.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.26	-13	53.26	Pass	401
0.15	30	0.01	Peak	0.15	-63.82	-13	50.82	Pass	2986
30	809	0.1	Peak	712.5	-53.95	-13	40.95	Pass	7791
809	829	0.1	Peak	821.2	24.57	60	35.43	Pass	401
829	1000	0.1	Peak	835.9	-30.25	-13	17.25	Pass	1711
1000	3000	1	Peak	1643	-37.58	-13	24.58	Pass	2001
3000	10000	1	Peak	9260	-31.92	-13	18.92	Pass	7001




**17.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.55	-13	53.55	Pass	401
0.15	30	0.01	Peak	0.15	-63.19	-13	50.19	Pass	2986
30	809	0.1	Peak	723.3	-54.46	-13	41.46	Pass	7791
809	829	0.1	Peak	821.25	25.61	60	34.39	Pass	401
829	1000	0.1	Peak	829	-42.72	-13	29.72	Pass	1711
1000	3000	1	Peak	1642	-37.44	-13	24.44	Pass	2001
3000	10000	1	Peak	7307	-32.29	-13	19.29	Pass	7001




**17.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.29	-13	53.29	Pass	401
0.15	30	0.01	Peak	0.16	-63.22	-13	50.22	Pass	2986
30	809	0.1	Peak	808.3	-53.24	-13	40.24	Pass	7791
809	829	0.1	Peak	814.35	25.04	60	34.96	Pass	401
829	1000	0.1	Peak	831.6	-52.77	-13	39.77	Pass	1711
1000	3000	1	Peak	1629	-39.17	-13	26.17	Pass	2001
3000	10000	1	Peak	7320	-31.68	-13	18.68	Pass	7001




**17.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.97	-13	51.97	Pass	401
0.15	30	0.01	Peak	0.16	-64.91	-13	51.91	Pass	2986
30	809	0.1	Peak	808.8	-53.76	-13	40.76	Pass	7791
809	829	0.1	Peak	814.25	25.13	60	34.87	Pass	401
829	1000	0.1	Peak	831.7	-53.46	-13	40.46	Pass	1711
1000	3000	1	Peak	1629	-38.53	-13	25.53	Pass	2001
3000	10000	1	Peak	9856	-32.28	-13	19.28	Pass	7001




**17.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.51	-13	51.51	Pass	401
0.15	30	0.01	Peak	0.16	-64.78	-13	51.78	Pass	2986
30	809	0.1	Peak	806.1	-54.22	-13	41.22	Pass	7791
809	829	0.1	Peak	816.9	24.56	60	35.44	Pass	401
829	1000	0.1	Peak	834	-53.34	-13	40.34	Pass	1711
1000	3000	1	Peak	3000	-39.52	-13	26.52	Pass	2001
3000	10000	1	Peak	8660	-31.17	-13	18.17	Pass	7001




**17.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.24	-13	51.24	Pass	401
0.15	30	0.01	Peak	0.58	-64.46	-13	51.46	Pass	2986
30	809	0.1	Peak	515.2	-54.53	-13	41.53	Pass	7791
809	829	0.1	Peak	816.85	24.87	60	35.13	Pass	401
829	1000	0.1	Peak	830.9	-49.46	-13	36.46	Pass	1711
1000	3000	1	Peak	2979	-38.56	-13	25.56	Pass	2001
3000	10000	1	Peak	7006	-31.39	-13	18.39	Pass	7001




**17.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.27	-13	51.27	Pass	401
0.15	30	0.01	Peak	0.17	-63.55	-13	50.55	Pass	2986
30	809	0.1	Peak	731.6	-54.46	-13	41.46	Pass	7791
809	829	0.1	Peak	819.3	24.29	60	35.71	Pass	401
829	1000	0.1	Peak	829	-50.03	-13	37.03	Pass	1711
1000	3000	1	Peak	1639	-38.88	-13	25.88	Pass	2001
3000	10000	1	Peak	7314	-32.55	-13	19.55	Pass	7001




**17.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.57	-13	52.57	Pass	401
0.15	30	0.01	Peak	0.36	-64.36	-13	51.36	Pass	2986
30	809	0.1	Peak	503.2	-54.54	-13	41.54	Pass	7791
809	829	0.1	Peak	819.3	25	60	35	Pass	401
829	1000	0.1	Peak	829.1	-44.92	-13	31.92	Pass	1711
1000	3000	1	Peak	1639	-37.54	-13	24.54	Pass	2001
3000	10000	1	Peak	9970	-32.01	-13	19.01	Pass	7001




17.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-65.71	-13	52.71	Pass	401
0.15	30	0.01	Peak	0.15	-62.32	-13	49.32	Pass	2986
30	809	0.1	Peak	808.9	-43.41	-13	30.41	Pass	7791
809	829	0.1	Peak	814.55	24.76	60	35.24	Pass	401
829	1000	0.1	Peak	830.3	-40.74	-13	27.74	Pass	1711
1000	3000	1	Peak	2969	-39.88	-13	26.88	Pass	2001
3000	10000	1	Peak	9915	-32.15	-13	19.15	Pass	7001



17.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.47	-13	52.47	Pass	401
0.15	30	0.01	Peak	0.16	-63.71	-13	50.71	Pass	2986
30	809	0.1	Peak	808.6	-50.59	-13	37.59	Pass	7791
809	829	0.1	Peak	814.55	24.93	60	35.07	Pass	401
829	1000	0.1	Peak	832.2	-40.54	-13	27.54	Pass	1711
1000	3000	1	Peak	1629	-38.99	-13	25.99	Pass	2001
3000	10000	1	Peak	8402	-32.02	-13	19.02	Pass	7001



18. LTE_Band66


18.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	978.686	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-53	-13	40	Pass	701
1700	1790	1	RMS	1710.125	23.2	60	36.8	Pass	401
1790	3000	1	RMS	2985	-51.2	-13	38.2	Pass	1211
3000	12000	1	RMS	11997	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13602	-39.61	-13	26.61	Pass	8001




18.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	831.8	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-52.64	-13	39.64	Pass	701
1700	1790	1	RMS	1710.125	22.18	60	318.82	Pass	401
1790	3000	1	RMS	2982	-51.2	-13	38.2	Pass	1211
3000	12000	1	RMS	11994	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13602	-39.63	-13	26.63	Pass	8001




18.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	836.3	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1677	-53.71	-13	40.71	Pass	701
1700	1790	1	RMS	1744.55	23.13	60	36.87	Pass	401
1790	3000	1	RMS	2999	-51.14	-13	38.14	Pass	1211
3000	12000	1	RMS	11994	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001




18.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	883.623	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1678	-53.76	-13	40.76	Pass	701
1700	1790	1	RMS	1744.325	22.62	60	37.38	Pass	401
1790	3000	1	RMS	2993	-51.26	-13	38.26	Pass	1211
3000	12000	1	RMS	11997	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13598	-39.56	-13	26.56	Pass	8001




18.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	929.153	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1680	-53.71	-13	40.71	Pass	701
1700	1790	1	RMS	1778.75	23.03	60	36.97	Pass	401
1790	3000	1	RMS	2935	-51.25	-13	38.25	Pass	1211
3000	12000	1	RMS	11991	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001




18.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	991.094	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1679	-53.78	-13	40.78	Pass	701
1700	1790	1	RMS	1778.75	22.14	60	37.86	Pass	401
1790	3000	1	RMS	2995	-51.18	-13	38.18	Pass	1211
3000	12000	1	RMS	11999	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001




18.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	853.203	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1700	-52.71	-13	39.71	Pass	701
1700	1790	1	RMS	1710.125	23.27	60	36.73	Pass	401
1790	3000	1	RMS	2986	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	12000	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13599	-39.6	-13	26.6	Pass	8001




18.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	1000	0.1	RMS	905.137	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-52.94	-13	39.94	Pass	701
1700	1790	1	RMS	1710.125	22.39	60	37.61	Pass	401
1790	3000	1	RMS	2991	-51.21	-13	38.21	Pass	1211
3000	12000	1	RMS	11999	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13598	-39.6	-13	26.6	Pass	8001



18.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	850.301	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1677	-53.78	-13	40.78	Pass	701
1700	1790	1	RMS	1743.65	23.35	60	36.65	Pass	401
1790	3000	1	RMS	2986	-51.22	-13	38.22	Pass	1211
3000	12000	1	RMS	12000	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001



18.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	823.5	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1700	-53	-13	40	Pass	701
1700	1790	1	RMS	1743.65	22.65	60	37.35	Pass	401
1790	3000	1	RMS	2988	-51.19	-13	38.19	Pass	1211
3000	12000	1	RMS	11997	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001



18.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	871.415	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1674	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1777.175	23.06	60	36.94	Pass	401
1790	3000	1	RMS	2993	-51.16	-13	38.16	Pass	1211
3000	12000	1	RMS	11992	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13602	-39.61	-13	26.61	Pass	8001



18.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	997.698	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1681	-53.8	-13	40.8	Pass	701
1700	1790	1	RMS	1777.175	22.16	60	37.84	Pass	401
1790	3000	1	RMS	2994	-51.22	-13	38.22	Pass	1211
3000	12000	1	RMS	11993	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001



18.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	986.091	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1700	-52.27	-13	39.27	Pass	701
1700	1790	1	RMS	1710.125	23.02	60	36.98	Pass	401
1790	3000	1	RMS	2991	-51.16	-13	38.16	Pass	1211
3000	12000	1	RMS	12000	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13602	-39.68	-13	26.68	Pass	8001



18.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	853.903	-65.03	-13	52.03	Pass	9701
1000	1700	1	RMS	1700	-52.73	-13	39.73	Pass	701
1700	1790	1	RMS	1710.125	22.11	60	37.89	Pass	401
1790	3000	1	RMS	2997	-51.21	-13	38.21	Pass	1211
3000	12000	1	RMS	11999	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13602	-39.53	-13	26.53	Pass	8001



18.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	826.1	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1681	-53.75	-13	40.75	Pass	701
1700	1790	1	RMS	1742.75	23.27	60	36.73	Pass	401
1790	3000	1	RMS	2991	-51.19	-13	38.19	Pass	1211
3000	12000	1	RMS	11999	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001



18.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	978.085	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1699	-53.17	-13	40.17	Pass	701
1700	1790	1	RMS	1742.75	22.61	60	37.39	Pass	401
1790	3000	1	RMS	2981	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	11999	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13600	-39.59	-13	26.59	Pass	8001



18.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	936.658	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1678	-53.78	-13	40.78	Pass	701
1700	1790	1	RMS	1775.15	22.94	60	37.06	Pass	401
1790	3000	1	RMS	2986	-51.23	-13	38.23	Pass	1211
3000	12000	1	RMS	11997	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13600	-39.61	-13	26.61	Pass	8001



18.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	986.891	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1677	-53.8	-13	40.8	Pass	701
1700	1790	1	RMS	1775.15	22.13	60	37.87	Pass	401
1790	3000	1	RMS	2993	-51.2	-13	38.2	Pass	1211
3000	12000	1	RMS	11997	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13603	-39.62	-13	26.62	Pass	8001



18.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	990.694	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1693	-48.77	-13	35.77	Pass	701
1700	1790	1	RMS	1710.575	23.11	60	36.89	Pass	401
1790	3000	1	RMS	2997	-51.24	-13	38.24	Pass	1211
3000	12000	1	RMS	12000	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13599	-39.6	-13	26.6	Pass	8001



18.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	868.513	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1693	-50.43	-13	37.43	Pass	701
1700	1790	1	RMS	1710.575	22.27	60	37.73	Pass	401
1790	3000	1	RMS	2988	-51.22	-13	38.22	Pass	1211
3000	12000	1	RMS	11993	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001



18.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	960.174	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1681	-53.79	-13	40.79	Pass	701
1700	1790	1	RMS	1740.5	23.35	60	36.65	Pass	401
1790	3000	1	RMS	2986	-51.23	-13	38.23	Pass	1211
3000	12000	1	RMS	11994	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13604	-39.63	-13	26.63	Pass	8001



18.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	842.2	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1685	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1740.5	22.32	60	37.68	Pass	401
1790	3000	1	RMS	2982	-51.16	-13	38.16	Pass	1211
3000	12000	1	RMS	11998	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001



18.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	968.579	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1682	-53.76	-13	40.76	Pass	701
1700	1790	1	RMS	1770.425	23.11	60	36.89	Pass	401
1790	3000	1	RMS	1790	-50.09	-13	37.09	Pass	1211
3000	12000	1	RMS	11999	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001



18.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	974.983	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1682	-53.78	-13	40.78	Pass	701
1700	1790	1	RMS	1770.425	22.2	60	37.8	Pass	401
1790	3000	1	RMS	1790	-49.93	-13	36.93	Pass	1211
3000	12000	1	RMS	11996	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.58	-13	26.58	Pass	8001



18.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	907.839	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1697	-41.71	-13	28.71	Pass	701
1700	1790	1	RMS	1710.8	23.14	60	36.86	Pass	401
1790	3000	1	RMS	2998	-51.23	-13	38.23	Pass	1211
3000	12000	1	RMS	11999	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13609	-39.71	-13	26.71	Pass	8001



18.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	846.5	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1698	-43.21	-13	30.21	Pass	701
1700	1790	1	RMS	1710.8	22.31	60	37.69	Pass	401
1790	3000	1	RMS	2999	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	11995	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001



18.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	985.49	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1680	-53.75	-13	40.75	Pass	701
1700	1790	1	RMS	1738.25	23.32	60	36.68	Pass	401
1790	3000	1	RMS	2989	-51.24	-13	38.24	Pass	1211
3000	12000	1	RMS	11993	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13602	-39.67	-13	26.67	Pass	8001



18.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	982.288	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1684	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1738.25	22.33	60	37.67	Pass	401
1790	3000	1	RMS	2991	-51.24	-13	38.24	Pass	1211
3000	12000	1	RMS	11995	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13600	-39.62	-13	26.62	Pass	8001



18.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	954.87	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1680	-53.78	-13	40.78	Pass	701
1700	1790	1	RMS	1765.7	23.12	60	36.88	Pass	401
1790	3000	1	RMS	1792	-27.32	-13	14.32	Pass	1211
3000	12000	1	RMS	11997	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13599	-39.67	-13	26.67	Pass	8001



18.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	983.889	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1680	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1765.7	22.24	60	37.76	Pass	401
1790	3000	1	RMS	1792	-28.78	-13	15.78	Pass	1211
3000	12000	1	RMS	11996	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001



18.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	996.298	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1693	-48.78	-13	35.78	Pass	701
1700	1790	1	RMS	1711.025	23.07	60	36.93	Pass	401
1790	3000	1	RMS	2992	-51.23	-13	38.23	Pass	1211
3000	12000	1	RMS	11999	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001

