





TEST REPORT

No. 24T04N000908-001-SAR

For

COOSEA GROUP (HK) COMPANY LIMITED

Smart Phone

Model Name: SL219A/SL219C

With

Hardware Version: 1.0

Software Version: SL219AA10013/SL219CC10013

FCC ID: 2A28USL219

Issued Date: 2024-06-13

Designation Number: CN1210

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn. www.saict.ac.cn





Picture 1: Front side of the sample (SL219A)



Picture 2: Back side of the sample (SL219A)





Picture 3: Front side of the sample (SL219C)




Picture 4: Back side of the sample (SL219C)



Test positions for Head:




Picture 5: Left Cheek Position



Picture 6: Left Tilt 15° Position





Picture 7: Right Cheek Position



Picture 8: Right Tilt 15° Position



Test positions for Body:



Picture 9: Front Side (10mm)



Picture 10: Rear Side (10mm)





Picture 11: Left Side (10mm)




Picture 12: Right Side (10mm)





Picture 13: Top Side (10mm)



Picture 14: Bottom Side (10mm)





Picture 15: Front Side (15mm)



Picture 16: Rear Side (15mm)





Picture 17: Front Side (16mm)



Picture 18: Rear Side (20mm)






Picture 19: Top Side (22mm)



Test positions for Extremity:



Picture 20: Front Side (0mm)




Picture 21: Rear Side (0mm)





Picture 22: Right Side (0mm)



Picture 23: Top Side (0mm)