



10M, QPSK, Low Channel




Date: 24.MAY.2021 14:39:19




Date: 24.MAY.2021 14:39:41

10M, QPSK, Middle Channel




Date: 24.MAY.2021 14:40:15




Date: 24.MAY.2021 14:40:37

10M, QPSK, High Channel





Date: 24.MAY.2021 14:41:01





Date: 24.MAY.2021 14:41:26



15M, QPSK, Low Channel



15M, QPSK, Middle Channel




15M, QPSK, High Channel



The screenshot shows a Spectrum Analyzer interface. At the top, the title "Spectrum" is displayed. Below it, a row of settings includes "Ref Level 10.00 dBm", "Offset 7.50 dB", "RBW 100 kHz", "Att 30 dB", "SWT 9.7 ms", "VBW 300 kHz", and "Mode Sweep". A "1Pk Max" button is on the left. The main display area shows a spectrum plot with a blue trace representing the noise floor. Two markers are present: "M1[1]" at -50.55 dBm and 733.80 MHz, and "D1 -13.000 dBm" at -13.000 dBm. The y-axis is labeled from 0 dBm to -80 dBm in 10 dB increments. The x-axis is labeled "Start 30.0 MHz", "501 pts", and "Stop 1.0 GHz". At the bottom, there is a "Measuring..." status bar with a progress indicator and a date/time stamp "24.05.2021 14:00:00".


Date: 24.MAY.2021 14:45:03



Date: 24.MAY.2021 14:45:25

The screenshot shows a Spectrum Analyzer interface. The top control bar includes the title "Spectrum", a reference level of 10.00 dBm, an offset of 7.50 dB, a resolution bandwidth (RBW) of 100 kHz, an attenuation (Att) of 30 dB, a sweep time (SWT) of 9.7 ms, a video bandwidth (VBW) of 300 kHz, and the mode set to "Sweep". A marker "1Pk Max" is active. The main display area shows a spectrum plot with a blue trace representing the noise floor at -50.16 dBm and a red horizontal line representing a reference signal at -13.00 dBm. The x-axis ranges from 30.0 MHz to 1.0 GHz, and the y-axis ranges from 0 dBm to -80 dBm. The plot shows a noisy baseline with no significant signals above the noise floor.

Date: 24.MAY.2021 14:45:55



Date: 24.MAY.2021 14:46:20

Spectrum

Ref Level 10.00 dBm Offset 7.50 dB RBW 100 kHz
 Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep

1Pk Max


MI[1] -50.72 dBm
 908.00 MHz

D1 -13.000 dBm







Start 30.0 MHz 501 pts Stop 1.0 GHz

Measuring... 24.05.2021 13:45:48


Date: 24.MAY.2021 14:46:49




Date: 24.MAY.2021 14:47:14

LTE Band 5:**1.4M, QPSK, Low Channel****1.4M, QPSK, Middle Channel****1.4M, QPSK, High Channel**

3M, QPSK, Low Channel




Date: 24.MAY.2021 14:50:48




Date: 24.MAY.2021 14:51:07

3M, QPSK, Middle Channel




Date: 24.MAY.2021 14:51:33




Date: 24.MAY.2021 14:51:58

3M, QPSK, High Channel




Date: 24.MAY.2021 14:52:31




Date: 24.MAY.2021 14:52:56

5M, QPSK, Low Channel




Date: 24.MAY.2021 14:53:28




Date: 24.MAY.2021 14:53:53

5M, QPSK, Middle Channel




Date: 24.MAY.2021 14:54:19




Date: 24.MAY.2021 14:54:38

5M, QPSK, High Channel




Date: 24.MAY.2021 14:55:07




Date: 24.MAY.2021 14:55:36

10M, QPSK, Low Channel




Date: 24.MAY.2021 14:56:09




Date: 24.MAY.2021 14:56:31

10M, QPSK, Middle Channel




Date: 24.MAY.2021 14:57:01




Date: 24.MAY.2021 14:57:23


10M, QPSK, High Channel




Date: 24.MAY.2021 14:57:48




Date: 24.MAY.2021 14:58:07

LTE Band 7:**5M, QPSK, Low Channel**


Date: 24.MAY.2021 14:58:35




Date: 24.MAY.2021 14:59:00

5M, QPSK, Middle Channel


Date: 24.MAY.2021 14:59:26



Date: 24.MAY.2021 14:59:52


5M, QPSK, High Channel

Date: 24.MAY.2021 15:00:18




Date: 24.MAY.2021 15:00:37

10M, QPSK, Low Channel




Date: 24.MAY.2021 15:01:03




Date: 26.JUL.2021 11:05:04

10M, QPSK, Middle Channel




Date: 24.MAY.2021 15:05:07




Date: 24.MAY.2021 15:05:32

10M, QPSK, High Channel




Date: 24.MAY.2021 15:06:02




Date: 24.MAY.2021 15:06:27

15M, QPSK, Low Channel




Date: 24.MAY.2021 15:07:02




Date: 24.MAY.2021 15:07:28

15M, QPSK, Middle Channel




Date: 24.MAY.2021 15:08:08




Date: 24.MAY.2021 15:08:30

15M, QPSK, High Channel




Date: 24.MAY.2021 15:09:06




Date: 24.MAY.2021 15:09:28

20M, QPSK, Low Channel




Date: 24.MAY.2021 15:09:59




Date: 24.MAY.2021 15:10:31

20M, QPSK, Middle Channel




Date: 24.MAY.2021 15:11:00




Date: 26.JUL.2021 11:07:20

20M, QPSK, High Channel




Date: 24.MAY.2021 15:16:46




Date: 24.MAY.2021 15:17:05

LTE Band 17:

5M, QPSK, Low Channel




Date: 24.MAY.2021 15:29:37




Date: 24.MAY.2021 15:29:59

5M, QPSK, Middle Channel




Date: 24.MAY.2021 15:30:22




Date: 24.MAY.2021 15:30:45

5M, QPSK, High Channel




Date: 24.MAY.2021 15:31:17




Date: 24.MAY.2021 15:31:39

10M, QPSK, Low Channel




Date: 24.MAY.2021 15:32:12




Date: 24.MAY.2021 15:32:34

10M, QPSK, Middle Channel




Date: 24.MAY.2021 15:33:01




Date: 24.MAY.2021 15:33:23

10M, QPSK, High Channel




Date: 24.MAY.2021 15:33:54



Date: 24.MAY.2021 15:34:16

5M, QPSK, Low Channel



Spectrum

Ref Level 22.50 dBm Offset 7.50 dB RBW 1 MHz
 Att 25 dB SWT 104 ms VBW 3 MHz Mode Sweep

1Pk Max

20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm

M1[1] -40.46 dBm
 5.8150 GHz

D1 -25.000 dBm

M1

Start 1.0 GHz 501 pts Stop 26.0 GHz

Measuring...

07.06.2021 19:53:06

Date: 3.JUN.2021 19:53:07

Spectrum

Ref Level 22.50 dBm Offset 7.50 dB RBW 1 MHz
 Att 25 dB SWT 102 ms VBW 3 MHz Mode Sweep

1Pk Max

20 dBm
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm

M1[1] -41.19 dBm
6.7770 GHz

01 -25.000 dBm



M1

Start 1.0 GHz 501 pts Stop 26.5 GHz



Measuring...

Date: 3 JUN 2021 19:55:47



10M, QPSK, Low Channel




10M, QPSK, Middle Channel




10M, QPSK, High Channel



15M, QPSK, Low Channel




Date: 24.MAY.2021 15:42:58




Date: 24.MAY.2021 15:43:24

15M, QPSK, Middle Channel




Date: 24.MAY.2021 15:43:53




Date: 24.MAY.2021 15:44:15

15M, QPSK, High Channel




Date: 24.MAY.2021 15:44:48




Date: 24.MAY.2021 15:45:13

20M, QPSK, Low Channel




Date: 24.MAY.2021 15:45:51




Date: 24.MAY.2021 15:46:10

20M, QPSK, Middle Channel




Date: 24.MAY.2021 15:46:52




Date: 24.MAY.2021 15:47:17

20M, QPSK, High Channel





Date: 24.MAY.2021 15:47:50





Date: 24.MAY.2021 15:48:15

LTE Band 40 Lower:



5M, QPSK, Low Channel





5M, QPSK, Middle Channel



5M, QPSK, High Channel





10M, QPSK, Middle Channel





LTE Band 40 Upper:



5M, QPSK, Low Channel




5M, QPSK, Middle Channel




5M, QPSK, High Channel




10M, QPSK, Middle Channel




Date: 26.MAY.2021 17:49:31




Date: 26.MAY.2021 17:50:38

LTE Band 41:**5M, QPSK, Low Channel**


Date: 26.MAY.2021 11:49:29




Date: 26.MAY.2021 11:49:51

5M, QPSK, Middle Channel


Date: 26.MAY.2021 11:50:14



Date: 26.MAY.2021 11:50:42


5M, QPSK, High Channel

Date: 26.MAY.2021 11:51:08




Date: 26.MAY.2021 11:51:40

10M, QPSK, Low Channel




Date: 26.MAY.2021 11:52:15




Date: 26.MAY.2021 11:52:37

10M, QPSK, Middle Channel




Date: 26.MAY.2021 11:53:11




Date: 26.MAY.2021 11:53:39

10M, QPSK, High Channel




Date: 26.MAY.2021 11:54:06




Date: 26.MAY.2021 11:54:28

15M, QPSK, Low Channel




Date: 26.MAY.2021 11:55:00




Date: 26.MAY.2021 11:55:28

15M, QPSK, Middle Channel




Date: 26.MAY.2021 11:56:07




Date: 26.MAY.2021 11:56:29

15M, QPSK, High Channel




Date: 26.MAY.2021 11:57:01




Date: 26.MAY.2021 11:57:32

20M, QPSK, Low Channel




Date: 26.MAY.2021 11:57:58




Date: 26.MAY.2021 11:58:20

20M, QPSK, Middle Channel




Date: 26.MAY.2021 11:58:50




Date: 26.MAY.2021 11:59:15

20M, QPSK, High Channel



Date: 26.MAY.2021 11:59:50



Date: 26.MAY.2021 12:00:15

FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB = $10 \lg (\text{TXpwr in Watts}/0.001)$ – the absolute level

Spurious attenuation limit in dB = $43 + 10 \text{Log}_{10} (\text{power out in Watts})$

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Sunol Sciences	Antenna	JB3	A060611-1	2020-11-10	2023-11-10
R&S	EMI Test Receiver	ESR3	102453	2020-09-12	2021-09-12
Unknown	Coaxial Cable	C-NJNJ-50	C-0075-01	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-01	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-1400-01	2021-05-06	2022-05-05
HP	Amplifier	8447D	2727A05902	2020-09-05	2021-09-05
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2020-09-05	2021-09-05
Agilent	Signal Generator	E8247C	MY43321350	2021-04-25	2022-04-24
ETS-Lindgren	Horn Antenna	3115	000 527 35	2018-10-12	2021-10-12
Agilent	Spectrum Analyzer	E4440A	SG43360054	2020-07-07	2021-07-07
Unknown	Coaxial Cable	C-SJSJ-50	C-0800-01	2020-09-05	2021-09-05
Mini-Circuit	Amplifier	ZVA-213-S+	54201245	2020-09-05	2021-09-05
ETS-Lindgren	Horn Antenna	3115	9912-5985	2020-10-13	2023-10-12
HUBER+SUHNER	Coaxial Cable	SUCOFLEX 126EA	MY369/26/26E A	2020-09-25	2021-09-25
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-01 1304	2020-12-05	2023-12-04
Quinstar	Amplifier	QLW-18405536-JO	15964001001	2020-06-27	2021-06-27
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-02 1304	2020-12-05	2023-12-04
Sinoscite	Band-stop filter	BSF1710-1785MN-0383-003	0383003	2020-06-16	2021-06-16
Sinoscite	Band-stop filter	BSF1850-1910MS-0935V2	0935V2	2020-06-16	2021-06-16
Sinoscite	Band-stop filter	BSF824-862MS-1438-001	1438001	2020-06-16	2021-06-16

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Test Items	Radiation Below 1GHz	Radiation Above 1GHz
Temperature:	29.1°C	28.5~29.7°C
Relative Humidity:	46 %	53~56%
ATM Pressure:	100.1kPa	100.4~100.8kPa
Tester:	Joker Chen	Jeremy Liang
Test Date:	2021-05-22	2021-05-23~2021-05-24

Test Result: Compliance.
EUT Operation Mode: Transmitting

Cellular Band (PART 22H)**30 MHz-10 GHz:**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM 850 Frequency:824.2MHz								
1648.40	H	56.63	-47.55	10.44	0.71	-37.82	-13.00	24.82
1648.40	V	56.12	-48.66	10.44	0.71	-38.93	-13.00	25.93
2472.60	H	59.15	-43.63	12.88	1.25	-32.00	-13.00	19.00
2472.60	V	58.23	-44.60	12.88	1.25	-32.97	-13.00	19.97
3296.80	H	44.12	-55.66	13.60	1.59	-43.65	-13.00	30.65
3296.80	V	43.26	-56.53	13.60	1.59	-44.52	-13.00	31.52
644.10	H	36.01	-65.81	0.00	0.84	-66.65	-13.00	53.65
759.30	V	35.35	-67.67	0.00	0.93	-68.60	-13.00	55.60
GSM 850 Frequency:836.6MHz								
1673.20	H	56.45	-47.49	10.61	0.73	-37.61	-13.00	24.61
1673.20	V	54.94	-49.60	10.61	0.73	-39.72	-13.00	26.72
2509.80	H	58.97	-43.94	13.11	1.25	-32.08	-13.00	19.08
2509.80	V	58.05	-44.89	13.11	1.25	-33.03	-13.00	20.03
3346.40	H	43.94	-55.74	13.83	1.61	-43.52	-13.00	30.52
3346.40	V	43.08	-56.64	13.83	1.61	-44.42	-13.00	31.42
792.90	H	35.59	-63.26	0.00	0.93	-64.19	-13.00	51.19
739.60	V	35.99	-67.32	0.00	0.94	-68.26	-13.00	55.26
GSM 850 Frequency:848.8MHz								
1697.60	H	56.81	-46.89	10.78	0.75	-36.86	-13.00	23.86
1697.60	V	54.33	-49.97	10.78	0.75	-39.94	-13.00	26.94
2546.40	H	59.83	-43.12	13.15	1.27	-31.24	-13.00	18.24
2546.40	V	58.41	-44.68	13.15	1.27	-32.80	-13.00	19.80
3395.20	H	44.33	-55.19	14.08	1.64	-42.75	-13.00	29.75
3395.20	V	42.44	-57.18	14.08	1.64	-44.74	-13.00	31.74
705.90	H	36.08	-65.19	0.00	0.94	-66.13	-13.00	53.13
788.70	V	36.86	-65.72	0.00	0.93	-66.65	-13.00	53.65

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA Band 5 Frequency:826.4 MHz								
1652.80	H	39.33	-64.80	10.47	0.72	-55.05	-13.00	42.05
1652.80	V	38.63	-66.10	10.47	0.72	-56.35	-13.00	43.35
2479.20	H	49.26	-53.55	12.93	1.25	-41.87	-13.00	28.87
2479.20	V	47.25	-55.60	12.93	1.25	-43.92	-13.00	30.92
3305.60	H	38.32	-61.48	13.63	1.59	-49.44	-13.00	36.44
3305.60	V	37.28	-62.53	13.63	1.59	-50.49	-13.00	37.49
721.40	H	36.16	-64.68	0.00	0.94	-65.62	-13.00	52.62
693.30	V	36.68	-67.32	0.00	0.93	-68.25	-13.00	55.25
WCDMA Band 5 Frequency:836.6MHz								
1673.20	H	39.52	-64.42	10.61	0.73	-54.54	-13.00	41.54
1673.20	V	38.80	-65.74	10.61	0.73	-55.86	-13.00	42.86
2509.80	H	49.45	-53.46	13.11	1.25	-41.60	-13.00	28.60
2509.80	V	47.44	-55.50	13.11	1.25	-43.64	-13.00	30.64
3346.40	H	38.51	-61.17	13.83	1.61	-48.95	-13.00	35.95
3346.40	V	37.43	-62.29	13.83	1.61	-50.07	-13.00	37.07
748.00	H	35.35	-64.75	0.00	0.94	-65.69	-13.00	52.69
770.50	V	36.53	-66.32	0.00	0.93	-67.25	-13.00	54.25
WCDMA Band 5 Frequency:846.6MHz								
1693.20	H	39.49	-64.26	10.75	0.75	-54.26	-13.00	41.26
1693.20	V	38.75	-65.60	10.75	0.75	-55.60	-13.00	42.60
2539.80	H	49.38	-53.56	13.14	1.27	-41.69	-13.00	28.69
2539.80	V	47.37	-55.69	13.14	1.27	-43.82	-13.00	30.82
3386.40	H	38.44	-61.11	14.03	1.63	-48.71	-13.00	35.71
3386.40	V	37.41	-62.23	14.03	1.63	-49.83	-13.00	36.83
812.60	H	36.66	-61.80	0.00	0.95	-62.75	-13.00	49.75
762.10	V	35.83	-67.14	0.00	0.93	-68.07	-13.00	55.07

PCS Band (PART 24E)**30 MHz-20 GHz:**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM 1900 Frequency:1850.2MHz								
3700.40	H	39.56	-58.43	14.00	1.83	-46.26	-13.00	33.26
3700.40	V	38.16	-59.81	14.00	1.83	-47.64	-13.00	34.64
5550.60	H	38.63	-55.34	13.95	1.27	-42.66	-13.00	29.66
5550.60	V	37.26	-56.56	13.95	1.27	-43.88	-13.00	30.88
889.80	H	37.75	-59.54	0.00	1.04	-60.58	-13.00	47.58
743.80	V	35.45	-67.80	0.00	0.94	-68.74	-13.00	55.74
GSM 1900 Frequency:1880MHz								
3760.00	H	39.67	-57.97	13.76	1.63	-45.84	-13.00	32.84
3760.00	V	38.21	-59.29	13.76	1.63	-47.16	-13.00	34.16
5640.00	H	38.76	-54.83	14.02	1.31	-42.12	-13.00	29.12
5640.00	V	37.37	-56.11	14.02	1.31	-43.40	-13.00	30.40
771.90	H	35.99	-63.44	0.00	0.93	-64.37	-13.00	51.37
808.40	V	35.59	-66.55	0.00	0.94	-67.49	-13.00	54.49
GSM 1900 Frequency:1909.8MHz								
3819.60	H	39.48	-57.77	13.56	1.50	-45.71	-13.00	32.71
3819.60	V	38.05	-59.02	13.56	1.50	-46.96	-13.00	33.96
5729.40	H	38.51	-55.20	13.96	1.31	-42.55	-13.00	29.55
5729.40	V	37.15	-56.53	13.96	1.31	-43.88	-13.00	30.88
868.70	H	36.27	-61.34	0.00	1.01	-62.35	-13.00	49.35
798.60	V	35.36	-67.07	0.00	0.93	-68.00	-13.00	55.00

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA Band II, Frequency:1852.4 MHz								
3704.80	H	43.21	-54.75	13.98	1.81	-42.58	-13.00	29.58
3704.80	V	38.36	-59.57	13.98	1.81	-47.40	-13.00	34.40
5557.20	H	39.62	-54.27	13.97	1.27	-41.57	-13.00	28.57
5557.20	V	36.33	-57.41	13.97	1.27	-44.71	-13.00	31.71
816.80	H	35.34	-63.06	0.00	0.95	-64.01	-13.00	51.01
791.50	V	35.43	-67.11	0.00	0.93	-68.04	-13.00	55.04
WCDMA Band II, Frequency:1880 MHz								
3760.00	H	43.38	-54.26	13.76	1.63	-42.13	-13.00	29.13
3760.00	V	38.50	-59.00	13.76	1.63	-46.87	-13.00	33.87
5640.00	H	39.79	-53.80	14.02	1.31	-41.09	-13.00	28.09
5640.00	V	36.55	-56.93	14.02	1.31	-44.22	-13.00	31.22
894.00	H	38.10	-59.13	0.00	1.04	-60.17	-13.00	47.17
865.90	V	36.01	-64.25	0.00	1.01	-65.26	-13.00	52.26
WCDMA Band II, Frequency:1907.6MHz								
3815.20	H	43.47	-53.81	13.57	1.50	-41.74	-13.00	28.74
3815.20	V	38.62	-58.48	13.57	1.50	-46.41	-13.00	33.41
5722.80	H	39.89	-53.87	13.95	1.32	-41.24	-13.00	28.24
5722.80	V	36.51	-57.21	13.95	1.32	-44.58	-13.00	31.58
894.00	H	36.86	-60.37	0.00	1.04	-61.41	-13.00	48.41
812.60	V	35.89	-66.11	0.00	0.95	-67.06	-13.00	54.06

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level + Antenna Gain
- 3) Margin = Limit-Absolute Level

LTE Band 2 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK,Frequency:1850.7 MHz								
3701.40	H	41.53	-56.45	13.99	1.83	-44.29	-13.00	31.29
3701.40	V	43.75	-54.21	13.99	1.83	-42.05	-13.00	29.05
5552.10	H	44.57	-49.38	13.96	1.27	-36.69	-13.00	23.69
5552.10	V	47.11	-46.69	13.96	1.27	-34.00	-13.00	21.00
750.80	H	35.96	-64.06	0.00	0.93	-64.99	-13.00	51.99
825.20	V	36.10	-65.49	0.00	0.96	-66.45	-13.00	53.45
QPSK,Frequency:1880 MHz								
3760.00	H	44.79	-52.85	13.76	1.63	-40.72	-13.00	27.72
3760.00	V	42.99	-54.51	13.76	1.63	-42.38	-13.00	29.38
5640.00	H	38.83	-54.76	14.02	1.31	-42.05	-13.00	29.05
5640.00	V	39.86	-53.62	14.02	1.31	-40.91	-13.00	27.91
707.30	H	36.60	-64.63	0.00	0.94	-65.57	-13.00	52.57
812.60	V	36.58	-65.42	0.00	0.95	-66.37	-13.00	53.37
QPSK,Frequency:1909.3 MHz								
3818.60	H	46.67	-50.59	13.56	1.50	-38.53	-13.00	25.53
3818.60	V	47.95	-49.12	13.56	1.50	-37.06	-13.00	24.06
5727.90	H	47.01	-46.71	13.96	1.31	-34.06	-13.00	21.06
5727.90	V	46.15	-47.54	13.96	1.31	-34.89	-13.00	21.89
821.00	H	35.77	-62.56	0.00	0.96	-63.52	-13.00	50.52
762.10	V	36.26	-66.71	0.00	0.93	-67.64	-13.00	54.64

LTE Band 4 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK,Frequency:1710.7 MHz								
3421.40	H	37.49	-61.91	14.04	1.63	-49.50	-13.00	36.50
3421.40	V	37.35	-62.13	14.04	1.63	-49.72	-13.00	36.72
5132.10	H	36.84	-57.84	13.93	1.37	-45.28	-13.00	32.28
5132.10	V	44.31	-50.28	13.93	1.37	-37.72	-13.00	24.72
6842.80	H	44.68	-46.28	13.64	1.79	-34.43	-13.00	21.43
6842.80	V	45.57	-45.30	13.64	1.79	-33.45	-13.00	20.45
680.60	H	36.42	-65.15	0.00	0.91	-66.06	-13.00	53.06
690.50	V	36.92	-67.12	0.00	0.92	-68.04	-13.00	55.04
QPSK,Frequency:1732.5 MHz								
3465.00	H	37.46	-61.73	13.91	1.62	-49.44	-13.00	36.44
3465.00	V	36.84	-62.38	13.91	1.62	-50.09	-13.00	37.09
5197.50	H	44.25	-50.44	14.00	1.52	-37.96	-13.00	24.96
5197.50	V	36.24	-58.52	14.00	1.52	-46.04	-13.00	33.04
6930.00	H	48.16	-42.53	13.64	1.81	-30.70	-13.00	17.70
6930.00	V	39.86	-50.70	13.64	1.81	-38.87	-13.00	25.87
801.40	H	36.24	-62.39	0.00	0.93	-63.32	-13.00	50.32
812.60	V	36.26	-65.74	0.00	0.95	-66.69	-13.00	53.69
QPSK,Frequency:1754.3 MHz								
3508.60	H	39.36	-59.65	13.83	1.60	-47.42	-13.00	34.42
3508.60	V	37.87	-61.14	13.83	1.60	-48.91	-13.00	35.91
5262.90	H	36.18	-58.91	14.19	1.29	-46.01	-13.00	33.01
5262.90	V	48.68	-46.49	14.19	1.29	-33.59	-13.00	20.59
7017.20	H	47.46	-42.96	13.45	1.81	-31.32	-13.00	18.32
7017.20	V	39.56	-50.71	13.45	1.81	-39.07	-13.00	26.07
715.70	H	36.20	-64.79	0.00	0.94	-65.73	-13.00	52.73
762.10	V	36.83	-66.14	0.00	0.93	-67.07	-13.00	54.07

LTE Band 5(30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 824.7 MHz								
1649.40	H	41.11	-63.06	10.45	0.71	-53.32	-13.00	40.32
1649.40	V	39.12	-65.65	10.45	0.71	-55.91	-13.00	42.91
2474.10	H	56.25	-46.54	12.89	1.25	-34.90	-13.00	21.90
2474.10	V	46.28	-56.56	12.89	1.25	-44.92	-13.00	31.92
3298.80	H	37.24	-62.57	13.60	1.59	-50.56	-13.00	37.56
3298.80	V	35.46	-64.35	13.60	1.59	-52.34	-13.00	39.34
635.80	H	35.88	-66.00	0.00	0.82	-66.82	-13.00	53.82
757.90	V	36.37	-66.67	0.00	0.93	-67.60	-13.00	54.60
QPSK, Frequency: 836.5 MHz								
1673.00	H	37.83	-66.11	10.61	0.73	-56.23	-13.00	43.23
1673.00	V	36.89	-67.65	10.61	0.73	-57.77	-13.00	44.77
2509.50	H	36.46	-66.45	13.11	1.25	-54.59	-13.00	41.59
2509.50	V	36.29	-66.65	13.11	1.25	-54.79	-13.00	41.79
3346.00	H	36.02	-63.66	13.83	1.61	-51.44	-13.00	38.44
3346.00	V	36.74	-62.98	13.83	1.61	-50.76	-13.00	37.76
717.20	H	35.45	-65.50	0.00	0.94	-66.44	-13.00	53.44
773.30	V	35.53	-67.28	0.00	0.93	-68.21	-13.00	55.21
QPSK, Frequency: 848.3 MHz								
1696.60	H	37.47	-66.24	10.78	0.75	-56.21	-13.00	43.21
1696.60	V	41.19	-63.12	10.78	0.75	-53.09	-13.00	40.09
2544.90	H	35.64	-67.31	13.14	1.27	-55.44	-13.00	42.44
2544.90	V	35.62	-67.46	13.14	1.27	-55.59	-13.00	42.59
3393.20	H	36.76	-62.77	14.07	1.64	-50.34	-13.00	37.34
3393.20	V	36.33	-63.29	14.07	1.64	-50.86	-13.00	37.86
762.10	H	35.46	-64.24	0.00	0.93	-65.17	-13.00	52.17
680.70	V	35.72	-68.47	0.00	0.91	-69.38	-13.00	56.38

LTE Band 7(30MHz-26.5GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2502.5 MHz								
5005.00	H	36.82	-59.25	14.00	1.43	-46.68	-25.00	21.68
5005.00	V	36.25	-59.58	14.00	1.43	-47.01	-25.00	22.01
7507.50	H	41.15	-47.49	13.20	1.33	-35.62	-25.00	10.62
7507.50	V	35.73	-53.39	13.20	1.33	-41.52	-25.00	16.52
738.20	H	35.70	-64.67	0.00	0.94	-65.61	-25.00	40.61
776.10	V	35.91	-66.86	0.00	0.93	-67.79	-25.00	42.79
QPSK, Frequency: 2535 MHz								
5070.00	H	36.97	-58.14	13.93	1.34	-45.55	-25.00	20.55
5070.00	V	37.35	-57.57	13.93	1.34	-44.98	-25.00	19.98
7605.00	H	37.56	-51.32	13.21	1.40	-39.51	-25.00	14.51
7605.00	V	35.86	-53.42	13.21	1.40	-41.61	-25.00	16.61
822.40	H	36.09	-62.22	0.00	0.96	-63.18	-25.00	38.18
760.70	V	35.90	-67.10	0.00	0.93	-68.03	-25.00	43.03
QPSK, Frequency: 2567.5 MHz								
5135.00	H	37.02	-57.66	13.94	1.38	-45.10	-25.00	20.10
5135.00	V	36.61	-57.98	13.94	1.38	-45.42	-25.00	20.42
7702.50	H	41.45	-47.67	13.40	1.47	-35.74	-25.00	10.74
7702.50	V	37.01	-52.43	13.40	1.47	-40.50	-25.00	15.50
672.20	H	36.90	-64.72	0.00	0.89	-65.61	-25.00	40.61
826.60	V	35.85	-65.69	0.00	0.96	-66.65	-25.00	41.65

LTE Band 17(30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 706.5 MHz								
1413.00	H	42.35	-61.23	9.07	1.22	-53.38	-13.00	40.38
1413.00	V	50.36	-53.75	9.07	1.22	-45.90	-13.00	32.90
2119.50	H	37.98	-64.04	11.28	1.11	-53.87	-13.00	40.87
2119.50	V	49.11	-52.89	11.28	1.11	-42.72	-13.00	29.72
2826.00	H	36.46	-65.00	13.31	1.36	-53.05	-13.00	40.05
2826.00	V	36.91	-64.78	13.31	1.36	-52.83	-13.00	39.83
792.90	H	35.63	-63.22	0.00	0.93	-64.15	-13.00	51.15
860.30	V	34.99	-65.45	0.00	1.00	-66.45	-13.00	53.45
QPSK, Frequency:710 MHz								
1420.00	H	47.61	-56.07	9.10	1.23	-48.20	-13.00	35.20
1420.00	V	51.11	-53.07	9.10	1.23	-45.20	-13.00	32.20
2130.00	H	38.08	-63.92	11.22	1.11	-53.81	-13.00	40.81
2130.00	V	36.94	-65.03	11.22	1.11	-54.92	-13.00	41.92
2840.00	H	36.71	-64.61	13.42	1.36	-52.55	-13.00	39.55
2840.00	V	36.82	-64.74	13.42	1.36	-52.68	-13.00	39.68
835.10	H	35.57	-62.55	0.00	0.97	-63.52	-13.00	50.52
644.10	V	36.13	-68.60	0.00	0.84	-69.44	-13.00	56.44
QPSK, Frequency:713.5 MHz								
1427.00	H	44.23	-59.55	9.14	1.24	-51.65	-13.00	38.65
1427.00	V	46.28	-57.97	9.14	1.24	-50.07	-13.00	37.07
2140.50	H	37.41	-64.56	11.16	1.12	-54.52	-13.00	41.52
2140.50	V	36.06	-65.87	11.16	1.12	-55.83	-13.00	42.83
2854.00	H	37.63	-63.55	13.53	1.35	-51.37	-13.00	38.37
2854.00	V	37.18	-64.25	13.53	1.35	-52.07	-13.00	39.07
785.90	H	35.29	-63.75	0.00	0.93	-64.68	-13.00	51.68
780.30	V	35.46	-67.24	0.00	0.93	-68.17	-13.00	55.17

LTE Band 38(30MHz-26.5GHz):

ETP Band 36(30MHz 26.5GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2572.5 MHz								
5145.00	H	25.77	-68.91	13.95	1.40	-56.36	-25.00	31.36
5145.00	V	36.11	-58.51	13.95	1.40	-45.96	-25.00	20.96
7717.50	H	33.89	-55.27	13.38	1.48	-43.37	-25.00	18.37
7717.50	V	34.66	-54.80	13.38	1.48	-42.90	-25.00	17.90
635.70	H	36.22	-65.66	0.00	0.82	-66.48	-25.00	41.48
785.90	V	36.20	-66.42	0.00	0.93	-67.35	-25.00	42.35
QPSK, Frequency: 2595 MHz								
5190.00	H	26.36	-68.33	13.99	1.51	-55.85	-25.00	30.85
5190.00	V	35.92	-58.82	13.99	1.51	-46.34	-25.00	21.34
7785.00	H	30.72	-58.60	13.32	1.53	-46.81	-25.00	21.81
7785.00	V	35.23	-54.34	13.32	1.53	-42.55	-25.00	17.55
694.70	H	36.64	-64.83	0.00	0.93	-65.76	-25.00	40.76
621.70	V	37.08	-67.99	0.00	0.80	-68.79	-25.00	43.79
QPSK, Frequency: 2617.5 MHz								
5235.00	H	26.57	-68.34	14.11	1.40	-55.63	-25.00	30.63
5235.00	V	36.31	-58.68	14.11	1.40	-45.97	-25.00	20.97
7852.50	H	30.25	-59.24	13.25	1.58	-47.57	-25.00	22.57
7852.50	V	35.68	-54.00	13.25	1.58	-42.33	-25.00	17.33
773.30	H	36.31	-63.08	0.00	0.93	-64.01	-25.00	39.01
735.40	V	36.15	-67.22	0.00	0.94	-68.16	-25.00	43.16

LTE Band 40 Lower(30MHz-25GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2307.5 MHz								
4615.00	H	27.71	-69.38	14.23	1.82	-56.97	-40.00	16.97
4615.00	V	28.84	-68.35	14.23	1.82	-55.94	-40.00	15.94
6922.50	H	37.12	-53.60	13.66	1.81	-41.75	-40.00	1.75
6922.50	V	31.68	-58.91	13.66	1.81	-47.06	-40.00	7.06
721.40	H	35.32	-65.52	0.00	0.94	-66.46	-40.00	26.46
771.90	V	36.86	-65.97	0.00	0.93	-66.90	-40.00	26.90
QPSK, Frequency: 2312.5 MHz								
4625.00	H	28.22	-68.89	14.25	1.81	-56.45	-40.00	16.45
4625.00	V	29.16	-68.05	14.25	1.81	-55.61	-40.00	15.61
6937.50	H	36.57	-54.10	13.63	1.81	-42.28	-40.00	2.28
6937.50	V	30.91	-59.62	13.63	1.81	-47.80	-40.00	7.80
770.50	H	35.93	-63.54	0.00	0.93	-64.47	-40.00	24.47
833.70	V	35.65	-65.66	0.00	0.97	-66.63	-40.00	26.63

LTE Band 40 Upper(30MHz-25GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2352.5 MHz								
4705.00	H	26.51	-70.67	14.40	1.67	-57.94	-40.00	17.94
4705.00	V	27.68	-69.59	14.40	1.67	-56.86	-40.00	16.86
7057.50	H	35.22	-55.05	13.33	1.77	-43.49	-40.00	3.49
7057.50	V	30.12	-60.05	13.33	1.77	-48.49	-40.00	8.49
749.40	H	35.97	-64.09	0.00	0.94	-65.03	-40.00	25.03
752.20	V	35.36	-67.76	0.00	0.93	-68.69	-40.00	28.69
QPSK, Frequency: 2357.5 MHz								
4715.00	H	25.85	-71.22	14.39	1.66	-58.49	-40.00	18.49
4715.00	V	26.17	-70.99	14.39	1.66	-58.26	-40.00	18.26
7072.50	H	35.33	-54.88	13.28	1.76	-43.36	-40.00	3.36
7072.50	V	29.75	-60.39	13.28	1.76	-48.87	-40.00	8.87
697.50	H	36.11	-65.34	0.00	0.94	-66.28	-40.00	26.28
644.10	V	36.93	-67.80	0.00	0.84	-68.64	-40.00	28.64

LTE Band 41(30MHz-27GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2537.5 MHz								
5075.00	H	38.42	-56.62	13.93	1.34	-44.03	-25.00	19.03
5075.00	V	37.49	-57.36	13.93	1.34	-44.77	-25.00	19.77
7612.50	H	35.67	-53.23	13.23	1.40	-41.40	-25.00	16.40
7612.50	V	36.24	-53.05	13.23	1.40	-41.22	-25.00	16.22
762.10	H	36.22	-63.48	0.00	0.93	-64.41	-25.00	39.41
736.80	V	35.93	-67.42	0.00	0.94	-68.36	-25.00	43.36
QPSK, Frequency:2595 MHz								
5190.00	H	37.56	-57.13	13.99	1.51	-44.65	-25.00	19.65
5190.00	V	38.41	-56.33	13.99	1.51	-43.85	-25.00	18.85
7785.00	H	24.83	-64.49	13.32	1.53	-52.70	-25.00	27.70
7785.00	V	35.16	-54.41	13.32	1.53	-42.62	-25.00	17.62
807.00	H	36.06	-62.48	0.00	0.94	-63.42	-25.00	38.42
832.30	V	37.69	-63.67	0.00	0.97	-64.64	-25.00	39.64
QPSK, Frequency: 2652.5 MHz								
5305.00	H	36.57	-58.68	14.29	1.17	-45.56	-25.00	20.56
5305.00	V	37.41	-57.92	14.29	1.17	-44.80	-25.00	19.80
7957.50	H	36.85	-52.90	13.32	1.66	-41.24	-25.00	16.24
7957.50	V	36.22	-53.63	13.32	1.66	-41.97	-25.00	16.97
819.70	H	36.29	-62.06	0.00	0.95	-63.01	-25.00	38.01
725.60	V	35.82	-67.70	0.00	0.94	-68.64	-25.00	43.64

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level + Antenna Gain
- 3) Margin = Limit-Absolute Level

FCC §22.917(a) & §24.238(a) & §27.53 - BAND EDGES


Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSP 38	100478	2020-07-07	2021-07-07
R&S	Spectrum Analyzer	FSV40	101474	2021-01-09	2022-01-09
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41010012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each Time	N/A
E-Microwave	Blocking Control	EMDCB-00036	0E01201047	Each time	N/A
Unknown	Attenuator	UNAT-3+	15529	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	24.2~27.5 °C
Relative Humidity:	47~70 %
ATM Pressure:	100~100.8kPa
Tester:	Lay Lei
Test Date:	2021.05.22~2021-06-30

Test Mode: Transmitting

Test Result: Compliance. Please refer to the following plots.