

## **XH-02 Nano Wireless Mouse User Manual**

### Product Features

1. 2.4GHz wireless mouse with nano receiver
2. Working range of up to 10 meters
3. Powered by 1×AA battery supplied
4. Compatible with both Windows and Mac operating systems

### 1) Battery Installation

- Please remove battery cover by pushing your finger towards the rear of the mouse.
- Insert 1×AA battery correctly according to the polarity marks of the battery grooves.
- Return the battery cover so it locks in place.
- 

### 2) Receiver Installation

- Please remove battery cover by pushing your finger towards the rear of the mouse.
- Remove the SUB Nano receiver from the mouse.
- Push directly into a USB port on your computer.

### 3) Connection

- Place the mouse on the desk and move around while pressing the scroll wheel.
- The mouse will connect to your computer.

**Product Features**

1. 2.4 GHz wireless optical mouse with nano receiver
2. Power save mode
3. Adjustable resolution button
4. Working range of up to 10 metres
5. Powered by 2 x AAA batteries supplied
6. Compatible with both Windows and Mac operating systems.



**1) Battery Installation**

- Please remove battery cover by pushing your finger towards the rear of the mouse
- Insert the 2 x AAA batteries correctly according to the polarity marks of the battery grooves.
- Return the battery cover so it locks in place.

**2) Receiver Installation**

- Remove the USB Nano receiver from the mouse.
- Push directly into a USB port on your computer.

**3) Connection**

- Switch the mouse "ON"
- Place the mouse on the desk and move around while pressing the scroll wheel.
- The mouse will connect to your computer.

**Product Features**

1. 2.4 GHz wireless optical mouse with nano receiver
2. Power save mode
3. Adjustable resolution button
4. Working range of up to 10 metres
5. Powered by 2 x AAA batteries supplied
6. Compatible with both Windows and Mac operating systems.



**1) Battery Installation**

- Please remove battery cover by pushing your finger towards the rear of the mouse
- Insert the 2 x AAA batteries correctly according to the polarity marks of the battery grooves.
- Return the battery cover so it locks in place.

**2) Receiver Installation**

- Remove the USB Nano receiver from the mouse.
- Push directly into a USB port on your computer.

**3) Connection**

- Switch the mouse "ON"
- Place the mouse on the desk and move around while pressing the scroll wheel.
- The mouse will connect to your computer.

## FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.