


Instruction Manual of TM58621



START

1. Remove the weighing platform from the plastic case and place it on a hard, flat, level surface.
2. Empty the platform. Turn on the weighing platform by pressing the "ON/OFF" button found on the side. The blue LED (power indicator) will be turned on.
3. Press the "ON" button on the remote display. It will display "0.000kg" after a few seconds. Use the switch at the back to select LED backlight ON/OFF.
4. Use the "UNIT" button to select display modes: lb:oz (pounds and ounces), kg (kilograms) or lb (pounds).

CHARGING REFRIGERANT TO THE AIR CONDITIONING SYSTEM

WEIGHT HAS BEEN TAKEN OFF FROM REFRIGERANT CYLINDER ON TM58621 PLATFORM

USE "TARE"

For Example : Charging 3.75LB/1.7KG from 30LB/ 13.6KG Refrigerant Cylinder

1. Place cylinder on weighing platform.
2. Press "TARE" button on the remote display. Wait for "BUSY" completed. Then it will zero out the display.
3. As the system is being charged and refrigerant is being removed from the cylinder, the numbers on the display will show how much refrigerant has been charged.
4. When it shows -3.75LB/1.7KG, stop charging.
5. Turn off the remote display by pressing the "OFF" button on it. Turn off the weighing platform by pressing and holding the "ON/OFF" button on it for 3 seconds. The blue LED (power indicator) will be turned off.

DON'T USE "TARE"

For Example : Charging 3.75LB/1.7KG from 30LB/ 13.6KG Refrigerant Cylinder

1. Place cylinder on weighing platform. It shows the weight of 30LB/ 13.6KG on the remote display.
Subtract 3.75LB/1.7KG from 30LB/13.6KG = 26.25LB/11.9KG
2. As the system is being charged and refrigerant is being removed from the cylinder, the numbers on the display will show how much refrigerant has been charged.
3. When it shows 26.25LB/11.9KG, stop charging.
4. Turn off the remote display by pressing the "OFF" button on it. Turn off the weighing platform by pressing and holding the "ON/OFF" button on it for 3 seconds. The blue LED (power indicator) will be turned off.

POWER SOURCE:

Weighing Platform : 3 x AAA BATTERY

Remote Display : 3 x AAA BATTERY

WORKING RANGE: 5 meters max.**SHOCK WARNING:**

Carefully place Cylinder on platform center to avoid the scale to mechanical Shock.

CAUTION: If the weight is over 220LB/100KG, it will damage the scale.

WARNING MESSAGES :

[----] : No wireless signal :

Make sure the weighing platform is turned on (blue power indicator is turned on).

Make sure the distance between the weighing platform and remote display is less than 5m.

[EEEEEE] : Loading exceeds max. capacity :

Remove the loading immediately. Overloading will permanently damage the scale.

[Lo1] : Weighing Platform battery low :

Replace batteries of the weighing platform.

[Lo2] : Remote Display battery low :

Replace batteries of the remote display.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Manufacturer name : Gamela Enterprise Co., Ltd.

Manufacturer address: 5F., No.657-1, Zhongzheng Rd., Xinzhuang Dist.,

New Taipei City 242051, Taiwan

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

-- Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.