

Test Report


EUT Information

EUT: SKD Antenna
 Operating mode: 914.2 MHz
 Sample position: Vertical

AziChart MinMax Eval

Frequency (MHz)	Max. Value (dBm)	Azimuth max. (deg)	Pol max.	Min. Value (dBm)	Azimuth min. (deg)	Pol min.
914.200000	-4.99	307	V	-26.84	28	V

Azimuth Chart: Horizontal




AziChart hor f1

Azimuth (deg)	Frequency 914.200 MHz (dBm)
0.0	-16.72
2.0	-18.58
5.0	-20.72
10.0	-16.15
16.0	-12.55
23.0	-10.41
31.0	-9.33
39.0	-9.14
47.0	-9.32
55.0	-10.57
63.0	-11.23
71.0	-10.39
79.0	-10.23
87.0	-10.87

Azimuth (deg)	Frequency 914.200 MHz (dBm)
97.0	-12.87
105.0	-16.17
112.0	-19.01
120.0	-17.09
128.0	-17.09
136.0	-20.27
144.0	-17.07
152.0	-12.44
160.0	-11.19
168.0	-10.52
176.0	-8.02
184.0	-6.17
191.0	-6.16
199.0	-8.00
207.0	-13.30
215.0	-9.61
223.0	-9.13
231.0	-10.00
239.0	-6.98
247.0	-5.57
258.0	-6.70
266.0	-10.20
277.0	-9.65
285.0	-10.35
294.0	-14.59
302.0	-19.72
311.0	-18.02
319.0	-19.72
327.0	-13.75
336.0	-10.44
344.0	-10.22
350.0	-11.32
355.0	-13.49
359.0	-15.98

Azimuth Chart: Vertical

**AziChart ver f1**

Azimuth (deg)	Frequency 914.200 MHz (dBm)
0.0	-13.18
1.0	-13.17
4.0	-13.57
8.0	-14.88
13.0	-17.30
20.0	-22.00
28.0	-26.84
36.0	-22.05
44.0	-18.16
52.0	-15.33
60.0	-13.79
68.0	-13.29
75.0	-13.44
83.0	-14.61
91.0	-16.95
99.0	-20.80
107.0	-18.38
115.0	-13.31
123.0	-9.61
131.0	-7.58
139.0	-6.97
149.0	-7.01
157.0	-8.01
165.0	-10.18
172.0	-13.87
180.0	-11.38
188.0	-8.61
196.0	-7.80
204.0	-7.76
212.0	-7.15
220.0	-6.81

Azimuth (deg)	Frequency 914.200 MHz (dBm)
228.0	-6.75
236.0	-6.77
244.0	-6.98
251.0	-7.68
259.0	-8.97
267.0	-10.35
275.0	-9.57
283.0	-7.33
291.0	-5.84
299.0	-5.07
307.0	-4.99
315.0	-5.43
323.0	-6.93
330.0	-10.15
338.0	-14.10
346.0	-11.79
351.0	-11.49
356.0	-11.81
358.0	-12.85
360.0	-13.79