














Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-15.67	1.69	-13.98	11	Pass
NVNT	a	5280	Ant1	-14.72	1.7	-13.02	11	Pass
NVNT	a	5320	Ant1	-15.41	1.71	-13.7	11	Pass
NVNT	a	5260	Ant2	-15.76	1.56	-14.2	11	Pass
NVNT	a	5280	Ant2	-15.83	1.54	-14.29	11	Pass
NVNT	a	5320	Ant2	-16.52	0.23	-16.29	11	Pass
NVNT	n20	5260	Ant1	-16.79	1.79	-15	11	Pass
NVNT	n20	5280	Ant1	-17.28	1.79	-15.49	11	Pass
NVNT	n20	5320	Ant1	-13.37	1.8	-11.57	11	Pass
NVNT	n20	5260	Ant2	-16.9	1.66	-15.24	11	Pass
NVNT	n20	5280	Ant2	-17	1.76	-15.24	11	Pass
NVNT	n20	5320	Ant2	-18.26	0.25	-18.01	11	Pass
NVNT	n40	5270	Ant1	-23.81	2.59	-21.22	11	Pass
NVNT	n40	5310	Ant1	-24.97	2.6	-22.37	11	Pass
NVNT	n40	5270	Ant2	-26.13	2.57	-23.56	11	Pass
NVNT	n40	5310	Ant2	-25.12	2.57	-22.55	11	Pass
NVNT	ac20	5260	Ant1	-15.73	1.94	-13.79	11	Pass
NVNT	ac20	5280	Ant1	-18.7	1.95	-16.75	11	Pass
NVNT	ac20	5320	Ant1	-17.83	1.94	-15.89	11	Pass
NVNT	ac20	5260	Ant2	-19.21	1.78	-17.43	11	Pass
NVNT	ac20	5280	Ant2	-17.44	1.75	-15.69	11	Pass
NVNT	ac20	5320	Ant2	-16.48	0.24	-16.24	11	Pass
NVNT	ac40	5270	Ant1	-25.42	2.82	-22.6	11	Pass
NVNT	ac40	5310	Ant1	-25.95	2.83	-23.12	11	Pass
NVNT	ac40	5270	Ant2	-28.31	2.8	-25.51	11	Pass
NVNT	ac40	5310	Ant2	-28.03	0.41	-27.62	11	Pass
NVNT	ac80	5290	Ant1	-28.62	3.46	-25.16	11	Pass
NVNT	ac80	5290	Ant2	-29.48	3.37	-26.11	11	Pass
NVNT	ax20	5260	Ant1	-19.24	2.24	-17	11	Pass
NVNT	ax20	5280	Ant1	-18.68	2.23	-16.45	11	Pass
NVNT	ax20	5320	Ant1	-20.4	2.23	-18.17	11	Pass
NVNT	ax20	5260	Ant2	-21.25	2.07	-19.18	11	Pass
NVNT	ax20	5280	Ant2	-22.26	2.05	-20.21	11	Pass
NVNT	ax20	5320	Ant2	-21.74	0.3	-21.44	11	Pass
NVNT	ax40	5270	Ant1	-25.6	2.51	-23.09	11	Pass
NVNT	ax40	5310	Ant1	-25.65	2.52	-23.13	11	Pass
NVNT	ax40	5270	Ant2	-27.07	2.51	-24.56	11	Pass
NVNT	ax40	5310	Ant2	-28.17	2.52	-25.65	11	Pass
NVNT	ax80	5290	Ant1	-25.86	2.95	-22.91	11	Pass
NVNT	ax80	5290	Ant2	-26.01	2.95	-23.06	11	Pass


Test Graphs


PSD NVNT a 5260MHz Ant1





PSD NVNT a 5280MHz Ant1
























































Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-37.82	-27	Pass
NVNT	a	5320	Ant1	-32.93	-27	Pass
NVNT	a	5260	Ant2	-37.08	-27	Pass
NVNT	a	5320	Ant2	-28.82	-27	Pass
NVNT	n20	5260	Ant1	-37.89	-27	Pass
NVNT	n20	5320	Ant1	-35	-27	Pass
NVNT	n20	5260	Ant2	-37.4	-27	Pass
NVNT	n20	5320	Ant2	-34.19	-27	Pass
NVNT	n40	5270	Ant1	-37.59	-27	Pass
NVNT	n40	5310	Ant1	-29.95	-27	Pass
NVNT	n40	5270	Ant2	-37.32	-27	Pass
NVNT	n40	5310	Ant2	-28.96	-27	Pass
NVNT	ac20	5260	Ant1	-36.89	-27	Pass
NVNT	ac20	5320	Ant1	-35.18	-27	Pass
NVNT	ac20	5260	Ant2	-37.13	-27	Pass
NVNT	ac20	5320	Ant2	-34.26	-27	Pass
NVNT	ac40	5270	Ant1	-37.83	-27	Pass
NVNT	ac40	5310	Ant1	-30.3	-27	Pass
NVNT	ac40	5270	Ant2	-37.69	-27	Pass
NVNT	ac40	5310	Ant2	-31.66	-27	Pass
NVNT	ac80	5290	Ant1	-36.64	-27	Pass
NVNT	ac80	5290	Ant1	-31.76	-27	Pass
NVNT	ac80	5290	Ant2	-37.63	-27	Pass
NVNT	ac80	5290	Ant2	-29.34	-27	Pass
NVNT	ax20	5260	Ant1	-37.56	-27	Pass
NVNT	ax20	5320	Ant1	-34.51	-27	Pass
NVNT	ax20	5260	Ant2	-36.57	-27	Pass
NVNT	ax20	5320	Ant2	-31.19	-27	Pass
NVNT	ax40	5270	Ant1	-37.64	-27	Pass
NVNT	ax40	5310	Ant1	-29.75	-27	Pass
NVNT	ax40	5270	Ant2	-37.24	-27	Pass
NVNT	ax40	5310	Ant2	-32.56	-27	Pass
NVNT	ax80	5290	Ant1	-37.38	-27	Pass
NVNT	ax80	5290	Ant1	-29.82	-27	Pass
NVNT	ax80	5290	Ant2	-28.07	-27	Pass
NVNT	ax80	5290	Ant2	-37.42	-27	Pass


Test Graphs

Band Edge NVNT a 5260MHz Low Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.24 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.25892 GHz	15.98 dBm		
M2	1		5.15 GHz	-42.29 dBm		
M3	1		5.1434 GHz	-37.83 dBm		

Band Edge NVNT a 5320MHz High Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.28 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100


1Pk Max




Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.32488 GHz	15.64 dBm		
M2	1		5.35 GHz	-35.44 dBm		
M3	1		5.3504 GHz	-32.93 dBm		

Band Edge NVNT a 5260MHz Low Ant2




Band Edge NVNT a 5320MHz High Ant2







Band Edge NVNT n20 5260MHz Low Ant2




Band Edge NVNT n20 5320MHz High Ant2








Band Edge NVNT n40 5270MHz Low Ant2




Band Edge NVNT n40 5310MHz High Ant2













Band Edge NVNT ac40 5270MHz Low Ant2




Band Edge NVNT ac40 5310MHz High Ant2







Band Edge NVNT ax20 5260MHz Low Ant1



Band Edge NVNT ax20 5320MHz High Ant1

