














8.2.4 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 2M	2402	Ant1	1.987
NVNT	BLE 2M	2440	Ant1	2.012
NVNT	BLE 2M	2480	Ant1	1.995
NVNT	BLE 2M	2402	Ant2	2.033
NVNT	BLE 2M	2440	Ant2	2.037
NVNT	BLE 2M	2480	Ant2	2.044












8.2.5 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE 2M	2402	Ant1	-11.04	8	Pass
NVNT	BLE 2M	2440	Ant1	-11.57	8	Pass
NVNT	BLE 2M	2480	Ant1	-11.09	8	Pass
NVNT	BLE 2M	2402	Ant2	-13.89	7.66	Pass
NVNT	BLE 2M	2440	Ant2	-14.67	7.66	Pass
NVNT	BLE 2M	2480	Ant2	-13.92	7.66	Pass














8.2.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-66.18	-20	Pass
NVNT	BLE 2M	2480	Ant1	-56.34	-20	Pass
NVNT	BLE 2M	2402	Ant2	-63.25	-20	Pass
NVNT	BLE 2M	2480	Ant2	-54.68	-20	Pass













8.2.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-57.23	-20	Pass
NVNT	BLE 2M	2440	Ant1	-54.98	-20	Pass
NVNT	BLE 2M	2480	Ant1	-53.91	-20	Pass
NVNT	BLE 2M	2402	Ant2	-53.27	-20	Pass
NVNT	BLE 2M	2440	Ant2	-52.48	-20	Pass
NVNT	BLE 2M	2480	Ant2	-51.4	-20	Pass










Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Ref





Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Emission









END OF REPORT