





Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2363.36	56.09	49.58	-6.51	74.00	24.42	PK	Vertical	PASS
2	2465.47	72.20	65.83	-6.37	74.00	8.17	PK	Vertical	PASS
3	2511.51	54.65	48.36	-6.29	74.00	25.64	PK	Vertical	PASS
4	2643.64	55.19	49.29	-5.90	74.00	24.71	PK	Vertical	PASS
5	2751.75	54.69	49.14	-5.55	74.00	24.86	PK	Vertical	PASS
6	2811.81	54.55	49.17	-5.38	74.00	24.83	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

8.9. SPURIOUS EMISSIONS(3 GHZ~18 GHZ)-ANT1 FPC EXTERNAL ANTENNA




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	54.81	50.42	-4.39	74.00	23.58	PK	Horizontal	PASS
2	4823.41	53.26	50.02	-3.24	74.00	23.98	PK	Horizontal	PASS
3	7232.12	49.23	50.39	1.16	74.00	23.61	PK	Horizontal	PASS
4	14203.10	42.86	51.74	8.88	74.00	22.26	PK	Horizontal	PASS
5	16881.94	42.02	52.85	10.83	74.00	21.15	PK	Horizontal	PASS
6	17609.80	39.95	52.44	12.49	74.00	21.56	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4823.41	53.72	50.48	-3.24	74.00	23.52	PK	Vertical	PASS
2	9400.70	44.86	48.73	3.87	74.00	25.27	PK	Vertical	PASS
3	13355.18	43.51	51.63	8.12	74.00	22.37	PK	Vertical	PASS
4	14300.65	43.45	51.95	8.50	74.00	22.05	PK	Vertical	PASS
5	16326.66	42.46	52.19	9.73	74.00	21.81	PK	Vertical	PASS
6	17639.82	39.91	52.35	12.44	74.00	21.65	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	53.35	48.89	-4.46	74.00	25.11	PK	Horizontal	PASS
2	10578.79	45.36	49.76	4.40	74.00	24.24	PK	Horizontal	PASS
3	12177.09	45.02	51.63	6.61	74.00	22.37	PK	Horizontal	PASS
4	14120.56	43.37	51.88	8.51	74.00	22.12	PK	Horizontal	PASS
5	16356.68	42.66	52.50	9.84	74.00	21.50	PK	Horizontal	PASS
6	17617.31	39.33	51.80	12.47	74.00	22.20	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4868.43	51.36	48.36	-3.00	74.00	25.64	PK	Vertical	PASS
2	9985.99	44.82	49.28	4.46	74.00	24.72	PK	Vertical	PASS
3	14188.09	43.13	51.98	8.85	74.00	22.02	PK	Vertical	PASS
4	15081.04	43.62	51.37	7.75	74.00	22.63	PK	Vertical	PASS
5	16499.25	42.23	52.58	10.35	74.00	21.42	PK	Vertical	PASS
6	17234.62	40.31	51.85	11.54	74.00	22.15	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	52.67	48.16	-4.51	74.00	25.84	PK	Horizontal	PASS
2	4920.96	51.36	48.63	-2.73	74.00	25.37	PK	Horizontal	PASS
3	7382.19	47.17	48.54	1.37	74.00	25.46	PK	Horizontal	PASS
4	12709.85	45.23	51.90	6.67	74.00	22.10	PK	Horizontal	PASS
5	13595.30	44.96	52.00	7.04	74.00	22.00	PK	Horizontal	PASS
6	16836.92	41.81	52.47	10.66	74.00	21.53	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4920.96	50.25	47.52	-2.73	74.00	26.48	PK	Vertical	PASS
2	9993.50	44.72	49.23	4.51	74.00	24.77	PK	Vertical	PASS
3	12244.62	45.49	52.01	6.52	74.00	21.99	PK	Vertical	PASS
4	14900.95	44.14	52.00	7.86	74.00	22.00	PK	Vertical	PASS
5	16004.00	42.77	52.45	9.68	74.00	21.55	PK	Vertical	PASS
6	17654.83	39.10	51.51	12.41	74.00	22.49	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	53.84	49.45	-4.39	74.00	24.55	PK	Horizontal	PASS
2	7232.12	48.62	49.78	1.16	74.00	24.22	PK	Horizontal	PASS
3	9978.49	45.17	49.58	4.41	74.00	24.42	PK	Horizontal	PASS
4	14308.15	43.08	51.55	8.47	74.00	22.45	PK	Horizontal	PASS
5	16446.72	42.02	52.18	10.16	74.00	21.82	PK	Horizontal	PASS
6	17617.31	39.22	51.69	12.47	74.00	22.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4148.07	50.42	47.32	-3.10	74.00	26.68	PK	Vertical	PASS
2	7359.68	46.94	48.27	1.33	74.00	25.73	PK	Vertical	PASS
3	12199.60	45.38	52.04	6.66	74.00	21.96	PK	Vertical	PASS
4	14173.09	43.10	51.86	8.76	74.00	22.14	PK	Vertical	PASS
5	16011.51	42.10	51.77	9.67	74.00	22.23	PK	Vertical	PASS
6	17677.34	39.16	51.54	12.38	74.00	22.46	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4388.19	49.57	46.83	-2.74	74.00	27.17	PK	Horizontal	PASS
2	7389.69	46.94	48.32	1.38	74.00	25.68	PK	Horizontal	PASS
3	11584.29	45.09	50.85	5.76	74.00	23.15	PK	Horizontal	PASS
4	14210.61	43.12	51.98	8.86	74.00	22.02	PK	Horizontal	PASS
5	16829.41	41.12	51.76	10.64	74.00	22.24	PK	Horizontal	PASS
6	17722.36	38.95	51.25	12.30	74.00	22.75	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8312.66	45.60	48.87	3.27	74.00	25.13	PK	Vertical	PASS
2	12199.60	45.60	52.26	6.66	74.00	21.74	PK	Vertical	PASS
3	13295.15	43.19	51.41	8.22	74.00	22.59	PK	Vertical	PASS
4	16296.65	42.39	52.02	9.63	74.00	21.98	PK	Vertical	PASS
5	17167.08	40.88	52.52	11.64	74.00	21.48	PK	Vertical	PASS
6	17669.83	39.32	51.71	12.39	74.00	22.29	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9295.65	45.69	49.34	3.65	74.00	24.66	PK	Horizontal	PASS
2	12184.59	45.41	52.04	6.63	74.00	21.96	PK	Horizontal	PASS
3	13025.01	44.04	51.66	7.62	74.00	22.34	PK	Horizontal	PASS
4	14225.61	43.19	52.00	8.81	74.00	22.00	PK	Horizontal	PASS
5	16236.62	42.76	52.18	9.42	74.00	21.82	PK	Horizontal	PASS
6	17587.29	39.00	51.39	12.39	74.00	22.61	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8800.40	45.49	48.68	3.19	74.00	25.32	PK	Vertical	PASS
2	12222.11	45.41	51.99	6.58	74.00	22.01	PK	Vertical	PASS
3	14218.11	43.29	52.12	8.83	74.00	21.88	PK	Vertical	PASS
4	15981.49	42.97	52.50	9.53	74.00	21.50	PK	Vertical	PASS
5	16461.73	42.32	52.53	10.21	74.00	21.47	PK	Vertical	PASS
6	17677.34	39.34	51.72	12.38	74.00	22.28	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	53.67	49.28	-4.39	74.00	24.72	PK	Horizontal	PASS
2	12237.12	44.18	50.72	6.54	74.00	23.28	PK	Horizontal	PASS
3	13212.61	42.79	51.17	8.38	74.00	22.83	PK	Horizontal	PASS
4	14945.97	43.66	51.66	8.00	74.00	22.34	PK	Horizontal	PASS
5	16664.33	41.65	52.29	10.64	74.00	21.71	PK	Horizontal	PASS
6	17669.83	38.92	51.31	12.39	74.00	22.69	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9273.14	45.65	49.25	3.60	74.00	24.75	PK	Vertical	PASS
2	12087.04	44.55	50.94	6.39	74.00	23.06	PK	Vertical	PASS
3	14263.13	42.77	51.41	8.64	74.00	22.59	PK	Vertical	PASS
4	16026.51	42.57	52.22	9.65	74.00	21.78	PK	Vertical	PASS
5	16776.89	41.28	51.83	10.55	74.00	22.17	PK	Vertical	PASS
6	17632.32	38.99	51.44	12.45	74.00	22.56	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	52.42	47.96	-4.46	74.00	26.04	PK	Horizontal	PASS
2	8245.12	46.04	48.81	2.77	74.00	25.19	PK	Horizontal	PASS
3	12289.64	45.85	52.21	6.36	74.00	21.79	PK	Horizontal	PASS
4	14368.18	44.18	52.41	8.23	74.00	21.59	PK	Horizontal	PASS
5	16079.04	42.44	51.98	9.54	74.00	22.02	PK	Horizontal	PASS
6	17587.29	39.29	51.68	12.39	74.00	22.32	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11997.00	45.44	51.60	6.16	74.00	22.40	PK	Vertical	PASS
2	13220.11	43.42	51.78	8.36	74.00	22.22	PK	Vertical	PASS
3	14900.95	43.74	51.60	7.86	74.00	22.40	PK	Vertical	PASS
4	16049.02	42.37	51.97	9.60	74.00	22.03	PK	Vertical	PASS
5	16949.47	40.68	51.76	11.08	74.00	22.24	PK	Vertical	PASS
6	17677.34	39.33	51.71	12.38	74.00	22.29	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10526.26	44.85	49.34	4.49	74.00	24.66	PK	Horizontal	PASS
2	12214.61	45.12	51.73	6.61	74.00	22.27	PK	Horizontal	PASS
3	14173.09	42.98	51.74	8.76	74.00	22.26	PK	Horizontal	PASS
4	16424.21	42.23	52.30	10.07	74.00	21.70	PK	Horizontal	PASS
5	17234.62	40.26	51.80	11.54	74.00	22.20	PK	Horizontal	PASS
6	17587.29	39.20	51.59	12.39	74.00	22.41	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8320.16	45.41	48.74	3.33	74.00	25.26	PK	Vertical	PASS
2	12162.08	44.88	51.45	6.57	74.00	22.55	PK	Vertical	PASS
3	13400.20	43.28	51.31	8.03	74.00	22.69	PK	Vertical	PASS
4	15036.02	43.37	51.34	7.97	74.00	22.66	PK	Vertical	PASS
5	16769.38	41.34	51.90	10.56	74.00	22.10	PK	Vertical	PASS
6	17564.78	39.38	51.56	12.18	74.00	22.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10736.37	46.04	50.33	4.29	74.00	23.67	PK	Horizontal	PASS
2	12237.12	44.84	51.38	6.54	74.00	22.62	PK	Horizontal	PASS
3	14060.53	43.56	51.77	8.21	74.00	22.23	PK	Horizontal	PASS
4	15981.49	42.98	52.51	9.53	74.00	21.49	PK	Horizontal	PASS
5	16851.93	41.76	52.48	10.72	74.00	21.52	PK	Horizontal	PASS
6	17617.31	38.86	51.33	12.47	74.00	22.67	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4230.62	49.36	46.82	-2.54	74.00	27.18	PK	Vertical	PASS
2	9963.48	45.09	49.40	4.31	74.00	24.60	PK	Vertical	PASS
3	12154.58	45.62	52.17	6.55	74.00	21.83	PK	Vertical	PASS
4	14128.06	43.40	51.95	8.55	74.00	22.05	PK	Vertical	PASS
5	16176.59	42.39	51.73	9.34	74.00	22.27	PK	Vertical	PASS
6	17639.82	39.82	52.26	12.44	74.00	21.74	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12087.04	44.84	51.23	6.39	74.00	22.77	PK	Horizontal	PASS
2	14225.61	42.20	51.01	8.81	74.00	22.99	PK	Horizontal	PASS
3	14945.97	42.95	50.95	8.00	74.00	23.05	PK	Horizontal	PASS
4	16221.61	42.66	52.02	9.36	74.00	21.98	PK	Horizontal	PASS
5	16634.32	40.88	51.54	10.66	74.00	22.46	PK	Horizontal	PASS
6	17549.77	39.48	51.52	12.04	74.00	22.48	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5393.70	49.11	47.27	-1.84	74.00	26.73	PK	Vertical	PASS
2	10061.03	45.20	49.41	4.21	74.00	24.59	PK	Vertical	PASS
3	11441.72	46.23	51.30	5.07	74.00	22.70	PK	Vertical	PASS
4	14180.59	42.69	51.50	8.81	74.00	22.50	PK	Vertical	PASS
5	16086.54	42.59	52.12	9.53	74.00	21.88	PK	Vertical	PASS
6	17707.35	39.50	51.83	12.33	74.00	22.17	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12154.58	45.05	51.60	6.55	74.00	22.40	PK	Horizontal	PASS
2	14210.61	43.10	51.96	8.86	74.00	22.04	PK	Horizontal	PASS
3	14915.96	44.23	52.13	7.90	74.00	21.87	PK	Horizontal	PASS
4	15996.50	42.91	52.58	9.67	74.00	21.42	PK	Horizontal	PASS
5	16356.68	42.76	52.60	9.84	74.00	21.40	PK	Horizontal	PASS
6	17654.83	39.28	51.69	12.41	74.00	22.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9160.58	46.41	49.66	3.25	74.00	24.34	PK	Vertical	PASS
2	12702.35	45.63	52.26	6.63	74.00	21.74	PK	Vertical	PASS
3	14338.17	44.17	52.53	8.36	74.00	21.47	PK	Vertical	PASS
4	14923.46	44.23	52.15	7.92	74.00	21.85	PK	Vertical	PASS
5	16476.74	41.93	52.20	10.27	74.00	21.80	PK	Vertical	PASS
6	17534.77	39.80	51.70	11.90	74.00	22.30	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	53.34	48.95	-4.39	74.00	25.05	PK	Horizontal	PASS
2	7232.12	47.64	48.80	1.16	74.00	25.20	PK	Horizontal	PASS
3	14248.12	43.45	52.16	8.71	74.00	21.84	PK	Horizontal	PASS
4	15988.99	42.08	51.67	9.59	74.00	22.33	PK	Horizontal	PASS
5	16731.87	41.40	51.99	10.59	74.00	22.01	PK	Horizontal	PASS
6	17684.84	39.49	51.86	12.37	74.00	22.14	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9978.49	44.70	49.11	4.41	74.00	24.89	PK	Vertical	PASS
2	12349.67	45.46	51.63	6.17	74.00	22.37	PK	Vertical	PASS
3	14263.13	42.86	51.50	8.64	74.00	22.50	PK	Vertical	PASS
4	15936.47	42.43	51.53	9.10	74.00	22.47	PK	Vertical	PASS
5	16679.34	41.20	51.82	10.62	74.00	22.18	PK	Vertical	PASS
6	17654.83	39.14	51.55	12.41	74.00	22.45	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11449.22	46.12	51.21	5.09	74.00	22.79	PK	Horizontal	PASS
2	12417.21	45.26	51.26	6.00	74.00	22.74	PK	Horizontal	PASS
3	14218.11	42.39	51.22	8.83	74.00	22.78	PK	Horizontal	PASS
4	15973.99	42.48	51.94	9.46	74.00	22.06	PK	Horizontal	PASS
5	16821.91	41.83	52.44	10.61	74.00	21.56	PK	Horizontal	PASS
6	17654.83	39.31	51.72	12.41	74.00	22.28	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9978.49	45.00	49.41	4.41	74.00	24.59	PK	Vertical	PASS
2	12297.15	45.44	51.78	6.34	74.00	22.22	PK	Vertical	PASS
3	14293.15	42.79	51.32	8.53	74.00	22.68	PK	Vertical	PASS
4	14960.98	43.83	51.87	8.04	74.00	22.13	PK	Vertical	PASS
5	16041.52	42.27	51.89	9.62	74.00	22.11	PK	Vertical	PASS
6	17287.14	40.26	51.55	11.29	74.00	22.45	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5746.37	49.07	47.45	-1.62	74.00	26.55	PK	Horizontal	PASS
2	10526.26	45.98	50.47	4.49	74.00	23.53	PK	Horizontal	PASS
3	12222.11	45.58	52.16	6.58	74.00	21.84	PK	Horizontal	PASS
4	14210.61	43.57	52.43	8.86	74.00	21.57	PK	Horizontal	PASS
5	16476.74	41.62	51.89	10.27	74.00	22.11	PK	Horizontal	PASS
6	17662.33	39.52	51.91	12.39	74.00	22.09	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8365.18	44.90	48.56	3.66	74.00	25.44	PK	Vertical	PASS
2	10023.51	44.39	48.81	4.42	74.00	25.19	PK	Vertical	PASS
3	12169.58	45.70	52.29	6.59	74.00	21.71	PK	Vertical	PASS
4	14210.61	42.62	51.48	8.86	74.00	22.52	PK	Vertical	PASS
5	16439.22	42.45	52.59	10.14	74.00	21.41	PK	Vertical	PASS
6	17729.86	39.56	51.86	12.30	74.00	22.14	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

8.10. SPURIOUS EMISSIONS(3 GHZ~18 GHZ)-ANT2 FPC EXTERNAL ANTENNA




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	51.73	47.34	-4.39	74.00	26.66	PK	Horizontal	PASS
2	4823.41	50.54	47.30	-3.24	74.00	26.70	PK	Horizontal	PASS
3	8837.92	46.35	49.40	3.05	74.00	24.60	PK	Horizontal	PASS
4	14420.71	43.42	51.42	8.00	74.00	22.58	PK	Horizontal	PASS
5	16004.00	42.23	51.91	9.68	74.00	22.09	PK	Horizontal	PASS
6	17684.84	39.56	51.93	12.37	74.00	22.07	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	55.82	51.43	-4.39	74.00	22.57	PK	Vertical	PASS
2	4823.41	51.36	48.12	-3.24	74.00	25.88	PK	Vertical	PASS
3	10038.52	45.51	49.86	4.35	74.00	24.14	PK	Vertical	PASS
4	12904.95	43.94	51.24	7.30	74.00	22.76	PK	Vertical	PASS
5	14960.98	43.52	51.56	8.04	74.00	22.44	PK	Vertical	PASS
6	16454.23	41.93	52.11	10.18	74.00	21.89	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	53.91	49.45	-4.46	74.00	24.55	PK	Horizontal	PASS
2	4868.43	53.80	50.80	-3.00	74.00	23.20	PK	Horizontal	PASS
3	7307.15	49.82	51.09	1.27	74.00	22.91	PK	Horizontal	PASS
4	12162.08	44.90	51.47	6.57	74.00	22.53	PK	Horizontal	PASS
5	14968.48	43.51	51.57	8.06	74.00	22.43	PK	Horizontal	PASS
6	17624.81	39.21	51.67	12.46	74.00	22.33	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	56.32	51.86	-4.46	74.00	22.14	PK	Vertical	PASS
2	4868.43	53.71	50.71	-3.00	74.00	23.29	PK	Vertical	PASS
3	7307.15	51.90	53.17	1.27	74.00	20.83	PK	Vertical	PASS
4	12237.12	44.41	50.95	6.54	74.00	23.05	PK	Vertical	PASS
5	16034.02	42.33	51.96	9.63	74.00	22.04	PK	Vertical	PASS
6	17677.34	40.19	52.57	12.38	74.00	21.43	PK	Vertical	PASS

Final Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Pol	Verdict
1	7307.20	1.27	40.86	42.13	54.00	11.87	Vertical	PASS


Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	54.03	49.52	-4.51	74.00	24.48	PK	Horizontal	PASS
2	4920.96	56.54	53.81	-2.73	74.00	20.19	PK	Horizontal	PASS
3	7382.19	48.65	50.02	1.37	74.00	23.98	PK	Horizontal	PASS
4	12237.12	44.57	51.11	6.54	74.00	22.89	PK	Horizontal	PASS
5	14300.65	43.07	51.57	8.50	74.00	22.43	PK	Horizontal	PASS
6	16296.65	42.36	51.99	9.63	74.00	22.01	PK	Horizontal	PASS

Final Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Pol	Verdict
1	4920.96	-2.73	38.31	35.58	54.00	18.42	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	55.30	50.79	-4.51	74.00	23.21	PK	Vertical	PASS
2	4920.96	54.61	51.88	-2.73	74.00	22.12	PK	Vertical	PASS
3	7382.19	52.46	53.83	1.37	74.00	20.17	PK	Vertical	PASS
4	14975.99	43.77	51.87	8.10	74.00	22.13	PK	Vertical	PASS
5	16446.72	41.84	52.00	10.16	74.00	22.00	PK	Vertical	PASS
6	17707.35	39.94	52.27	12.33	74.00	21.73	PK	Vertical	PASS


Final Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Pol	Verdict
1	7382.24	1.37	40.88	42.25	54.00	11.75	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	51.97	47.58	-4.39	74.00	26.42	PK	Horizontal	PASS
2	7749.87	46.26	48.07	1.81	74.00	25.93	PK	Horizontal	PASS
3	11074.04	45.11	49.39	4.28	74.00	24.61	PK	Horizontal	PASS
4	14983.49	42.30	50.41	8.11	74.00	23.59	PK	Horizontal	PASS
5	16559.28	41.77	52.32	10.55	74.00	21.68	PK	Horizontal	PASS
6	17617.31	39.21	51.68	12.47	74.00	22.32	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	53.97	49.58	-4.39	74.00	24.42	PK	Vertical	PASS
2	8320.16	45.25	48.58	3.33	74.00	25.42	PK	Vertical	PASS
3	13092.55	43.67	51.59	7.92	74.00	22.41	PK	Vertical	PASS
4	15043.52	43.36	51.30	7.94	74.00	22.70	PK	Vertical	PASS
5	15981.49	42.39	51.92	9.53	74.00	22.08	PK	Vertical	PASS
6	17197.10	39.93	51.63	11.70	74.00	22.37	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	52.91	48.45	-4.46	74.00	25.55	PK	Horizontal	PASS
2	7307.15	48.98	50.25	1.27	74.00	23.75	PK	Horizontal	PASS
3	14323.16	43.10	51.51	8.41	74.00	22.49	PK	Horizontal	PASS
4	14945.97	43.65	51.65	8.00	74.00	22.35	PK	Horizontal	PASS
5	15958.98	42.78	52.10	9.32	74.00	21.90	PK	Horizontal	PASS
6	17609.80	39.54	52.03	12.49	74.00	21.97	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	55.26	50.80	-4.46	74.00	23.20	PK	Vertical	PASS
2	7299.65	49.07	50.32	1.25	74.00	23.68	PK	Vertical	PASS
3	11644.32	44.88	50.51	5.63	74.00	23.49	PK	Vertical	PASS
4	15028.51	43.26	51.28	8.02	74.00	22.72	PK	Vertical	PASS
5	16176.59	42.59	51.93	9.34	74.00	22.07	PK	Vertical	PASS
6	17632.32	39.20	51.65	12.45	74.00	22.35	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	52.80	48.29	-4.51	74.00	25.71	PK	Horizontal	PASS
2	4920.96	52.08	49.35	-2.73	74.00	24.65	PK	Horizontal	PASS
3	10563.78	45.53	49.95	4.42	74.00	24.05	PK	Horizontal	PASS
4	14338.17	43.17	51.53	8.36	74.00	22.47	PK	Horizontal	PASS
5	16821.91	41.55	52.16	10.61	74.00	21.84	PK	Horizontal	PASS
6	17654.83	39.87	52.28	12.41	74.00	21.72	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	54.92	50.41	-4.51	74.00	23.59	PK	Vertical	PASS
2	7382.19	50.95	52.32	1.37	74.00	21.68	PK	Vertical	PASS
3	11644.32	45.25	50.88	5.63	74.00	23.12	PK	Vertical	PASS
4	14398.20	43.23	51.35	8.12	74.00	22.65	PK	Vertical	PASS
5	16559.28	41.38	51.93	10.55	74.00	22.07	PK	Vertical	PASS
6	17587.29	39.90	52.29	12.39	74.00	21.71	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4808.40	50.45	47.14	-3.31	74.00	26.86	PK	Horizontal	PASS
2	7802.40	46.72	48.79	2.07	74.00	25.21	PK	Horizontal	PASS
3	10526.26	45.80	50.29	4.49	74.00	23.71	PK	Horizontal	PASS
4	14915.96	43.32	51.22	7.90	74.00	22.78	PK	Horizontal	PASS
5	15921.46	43.69	52.66	8.97	74.00	21.34	PK	Horizontal	PASS
6	17512.26	40.14	51.84	11.70	74.00	22.16	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	54.08	49.69	-4.39	74.00	24.31	PK	Vertical	PASS
2	7232.12	47.93	49.09	1.16	74.00	24.91	PK	Vertical	PASS
3	12274.64	44.51	50.92	6.41	74.00	23.08	PK	Vertical	PASS
4	14375.69	43.07	51.29	8.22	74.00	22.71	PK	Vertical	PASS
5	16469.23	41.71	51.95	10.24	74.00	22.05	PK	Vertical	PASS
6	17647.32	40.09	52.51	12.42	74.00	21.49	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	52.82	48.36	-4.46	74.00	25.64	PK	Horizontal	PASS
2	8822.91	45.99	49.10	3.11	74.00	24.90	PK	Horizontal	PASS
3	12529.76	43.93	50.00	6.07	74.00	24.00	PK	Horizontal	PASS
4	14398.20	43.55	51.67	8.12	74.00	22.33	PK	Horizontal	PASS
5	14975.99	43.82	51.92	8.10	74.00	22.08	PK	Horizontal	PASS
6	17602.30	39.05	51.54	12.49	74.00	22.46	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	55.35	50.89	-4.46	74.00	23.11	PK	Vertical	PASS
2	4868.43	50.66	47.66	-3.00	74.00	26.34	PK	Vertical	PASS
3	7314.66	48.31	49.58	1.27	74.00	24.42	PK	Vertical	PASS
4	10788.89	45.50	49.77	4.27	74.00	24.23	PK	Vertical	PASS
5	13325.16	42.98	51.14	8.16	74.00	22.86	PK	Vertical	PASS
6	17249.62	40.13	51.59	11.46	74.00	22.41	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9430.72	45.75	49.46	3.71	74.00	24.54	PK	Horizontal	PASS
2	12222.11	45.05	51.63	6.58	74.00	22.37	PK	Horizontal	PASS
3	13452.73	44.30	52.05	7.75	74.00	21.95	PK	Horizontal	PASS
4	14413.21	43.82	51.86	8.04	74.00	22.14	PK	Horizontal	PASS
5	16566.78	42.02	52.59	10.57	74.00	21.41	PK	Horizontal	PASS
6	17557.28	39.64	51.75	12.11	74.00	22.25	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4260.63	50.74	48.16	-2.58	74.00	25.84	PK	Vertical	PASS
2	7389.69	48.78	50.16	1.38	74.00	23.84	PK	Vertical	PASS
3	12289.64	44.97	51.33	6.36	74.00	22.67	PK	Vertical	PASS
4	14975.99	43.49	51.59	8.10	74.00	22.41	PK	Vertical	PASS
5	16199.10	42.69	51.98	9.29	74.00	22.02	PK	Vertical	PASS
6	17617.31	39.99	52.46	12.47	74.00	21.54	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5468.73	49.82	47.93	-1.89	74.00	26.07	PK	Horizontal	PASS
2	8320.16	46.59	49.92	3.33	74.00	24.08	PK	Horizontal	PASS
3	11629.31	45.43	51.13	5.70	74.00	22.87	PK	Horizontal	PASS
4	14330.67	42.89	51.28	8.39	74.00	22.72	PK	Horizontal	PASS
5	16581.79	41.32	51.95	10.63	74.00	22.05	PK	Horizontal	PASS
6	17594.80	39.56	52.02	12.46	74.00	21.98	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3225.11	54.01	49.59	-4.42	74.00	24.41	PK	Vertical	PASS
2	8357.68	45.60	49.21	3.61	74.00	24.79	PK	Vertical	PASS
3	12117.06	44.74	51.19	6.45	74.00	22.81	PK	Vertical	PASS
4	14270.64	42.83	51.45	8.62	74.00	22.55	PK	Vertical	PASS
5	14960.98	43.46	51.50	8.04	74.00	22.50	PK	Vertical	PASS
6	17662.33	39.85	52.24	12.39	74.00	21.76	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9333.17	45.59	49.33	3.74	74.00	24.67	PK	Horizontal	PASS
2	10953.98	46.32	50.38	4.06	74.00	23.62	PK	Horizontal	PASS
3	13227.61	43.07	51.42	8.35	74.00	22.58	PK	Horizontal	PASS
4	15051.03	43.58	51.49	7.91	74.00	22.51	PK	Horizontal	PASS
5	15943.97	43.73	52.90	9.17	74.00	21.10	PK	Horizontal	PASS
6	17557.28	40.07	52.18	12.11	74.00	21.82	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	53.48	49.02	-4.46	74.00	24.98	PK	Vertical	PASS
2	8732.87	45.77	48.74	2.97	74.00	25.26	PK	Vertical	PASS
3	13602.80	43.96	50.98	7.02	74.00	23.02	PK	Vertical	PASS
4	14975.99	43.99	52.09	8.10	74.00	21.91	PK	Vertical	PASS
5	16589.29	41.67	52.32	10.65	74.00	21.68	PK	Vertical	PASS
6	17662.33	39.61	52.00	12.39	74.00	22.00	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3262.63	52.76	48.27	-4.49	74.00	25.73	PK	Horizontal	PASS
2	6691.85	47.48	47.66	0.18	74.00	26.34	PK	Horizontal	PASS
3	11636.82	43.62	49.29	5.67	74.00	24.71	PK	Horizontal	PASS
4	14270.64	42.85	51.47	8.62	74.00	22.53	PK	Horizontal	PASS
5	16679.34	41.48	52.10	10.62	74.00	21.90	PK	Horizontal	PASS
6	17684.84	39.56	51.93	12.37	74.00	22.07	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3262.63	54.42	49.93	-4.49	74.00	24.07	PK	Vertical	PASS
2	8357.68	45.49	49.10	3.61	74.00	24.90	PK	Vertical	PASS
3	12222.11	44.71	51.29	6.58	74.00	22.71	PK	Vertical	PASS
4	14323.16	43.06	51.47	8.41	74.00	22.53	PK	Vertical	PASS
5	16251.63	42.49	51.96	9.47	74.00	22.04	PK	Vertical	PASS
6	16881.94	41.74	52.57	10.83	74.00	21.43	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8335.17	45.19	48.63	3.44	74.00	25.37	PK	Horizontal	PASS
2	11614.31	43.66	49.44	5.78	74.00	24.56	PK	Horizontal	PASS
3	13152.58	43.07	51.26	8.19	74.00	22.74	PK	Horizontal	PASS
4	14938.47	43.02	50.99	7.97	74.00	23.01	PK	Horizontal	PASS
5	16574.29	41.20	51.81	10.61	74.00	22.19	PK	Horizontal	PASS
6	17632.32	39.22	51.67	12.45	74.00	22.33	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	52.94	48.55	-4.39	74.00	25.45	PK	Vertical	PASS
2	4598.30	50.85	47.79	-3.06	74.00	26.21	PK	Vertical	PASS
3	13205.10	43.01	51.41	8.40	74.00	22.59	PK	Vertical	PASS
4	14263.13	43.17	51.81	8.64	74.00	22.19	PK	Vertical	PASS
5	16544.27	41.98	52.49	10.51	74.00	21.51	PK	Vertical	PASS
6	17647.32	39.25	51.67	12.42	74.00	22.33	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	52.74	48.28	-4.46	74.00	25.72	PK	Horizontal	PASS
2	7307.15	47.38	48.65	1.27	74.00	25.35	PK	Horizontal	PASS
3	11606.80	44.30	50.12	5.82	74.00	23.88	PK	Horizontal	PASS
4	13385.19	43.08	51.13	8.05	74.00	22.87	PK	Horizontal	PASS
5	16476.74	42.20	52.47	10.27	74.00	21.53	PK	Horizontal	PASS
6	17617.31	39.10	51.57	12.47	74.00	22.43	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3247.62	54.26	49.80	-4.46	74.00	24.20	PK	Vertical	PASS
2	7299.65	48.47	49.72	1.25	74.00	24.28	PK	Vertical	PASS
3	12267.13	44.86	51.29	6.43	74.00	22.71	PK	Vertical	PASS
4	14188.09	42.72	51.57	8.85	74.00	22.43	PK	Vertical	PASS
5	16401.70	42.34	52.33	9.99	74.00	21.67	PK	Vertical	PASS
6	17624.81	39.17	51.63	12.46	74.00	22.37	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	52.73	48.22	-4.51	74.00	25.78	PK	Horizontal	PASS
2	9970.99	45.26	49.62	4.36	74.00	24.38	PK	Horizontal	PASS
3	14420.71	43.71	51.71	8.00	74.00	22.29	PK	Horizontal	PASS
4	15988.99	43.01	52.60	9.59	74.00	21.40	PK	Horizontal	PASS
5	16874.44	41.19	52.00	10.81	74.00	22.00	PK	Horizontal	PASS
6	17557.28	39.82	51.93	12.11	74.00	22.07	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	52.53	48.02	-4.51	74.00	25.98	PK	Vertical	PASS
2	7382.19	48.79	50.16	1.37	74.00	23.84	PK	Vertical	PASS
3	14285.64	43.18	51.75	8.57	74.00	22.25	PK	Vertical	PASS
4	15081.04	43.78	51.53	7.75	74.00	22.47	PK	Vertical	PASS
5	16446.72	41.51	51.67	10.16	74.00	22.33	PK	Vertical	PASS
6	17662.33	39.59	51.98	12.39	74.00	22.02	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

8.11. SPURIOUS EMISSIONS(3 GHZ~18 GHZ)-ANT1 PCB ONBOARD ANTENNA




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12259.63	45.09	51.55	6.46	74.00	22.45	PK	Horizontal	PASS
2	13167.58	42.91	51.17	8.26	74.00	22.83	PK	Horizontal	PASS
3	14975.99	43.01	51.11	8.10	74.00	22.89	PK	Horizontal	PASS
4	16139.07	42.49	51.91	9.42	74.00	22.09	PK	Horizontal	PASS
5	16589.29	42.05	52.70	10.65	74.00	21.30	PK	Horizontal	PASS
6	17587.29	39.64	52.59	12.95	74.00	21.41	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	13085.04	43.44	51.32	7.88	74.00	22.68	PK	Vertical	PASS
2	14323.16	43.07	51.48	8.41	74.00	22.52	PK	Vertical	PASS
3	14968.48	42.63	50.69	8.06	74.00	23.31	PK	Vertical	PASS
4	16334.17	42.08	51.83	9.75	74.00	22.17	PK	Vertical	PASS
5	17084.54	40.42	51.88	11.46	74.00	22.12	PK	Vertical	PASS
6	17662.33	39.46	52.52	13.06	74.00	21.48	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11644.32	44.99	50.62	5.63	74.00	23.38	PK	Horizontal	PASS
2	13257.63	43.39	51.68	8.29	74.00	22.32	PK	Horizontal	PASS
3	14405.70	43.40	51.48	8.08	74.00	22.52	PK	Horizontal	PASS
4	15996.50	42.47	52.14	9.67	74.00	21.86	PK	Horizontal	PASS
5	16806.90	41.34	51.90	10.56	74.00	22.10	PK	Horizontal	PASS
6	17609.80	38.44	51.54	13.10	74.00	22.46	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8357.68	45.27	48.88	3.61	74.00	25.12	PK	Vertical	PASS
2	12214.61	43.87	50.48	6.61	74.00	23.52	PK	Vertical	PASS
3	13205.10	43.49	51.89	8.40	74.00	22.11	PK	Vertical	PASS
4	14405.70	43.73	51.81	8.08	74.00	22.19	PK	Vertical	PASS
5	16776.89	41.81	52.36	10.55	74.00	21.64	PK	Vertical	PASS
6	17624.81	39.18	52.26	13.08	74.00	21.74	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9160.58	46.30	49.55	3.25	74.00	24.45	PK	Horizontal	PASS
2	9993.50	46.12	50.63	4.51	74.00	23.37	PK	Horizontal	PASS
3	13265.13	43.29	51.57	8.28	74.00	22.43	PK	Horizontal	PASS
4	14945.97	42.71	50.71	8.00	74.00	23.29	PK	Horizontal	PASS
5	16544.27	41.50	52.01	10.51	74.00	21.99	PK	Horizontal	PASS
6	17617.31	39.42	51.89	12.47	74.00	22.11	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10548.77	45.22	49.67	4.45	74.00	24.33	PK	Vertical	PASS
2	11336.67	43.92	48.74	4.82	74.00	25.26	PK	Vertical	PASS
3	13205.10	43.32	51.72	8.40	74.00	22.28	PK	Vertical	PASS
4	14413.21	44.16	52.20	8.04	74.00	21.80	PK	Vertical	PASS
5	16416.71	42.17	52.23	10.06	74.00	21.77	PK	Vertical	PASS
6	17677.34	39.97	52.35	12.38	74.00	21.65	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11651.83	44.15	49.74	5.59	74.00	24.26	PK	Horizontal	PASS
2	13317.66	43.51	51.70	8.19	74.00	22.30	PK	Horizontal	PASS
3	14983.49	42.28	50.39	8.11	74.00	23.61	PK	Horizontal	PASS
4	15988.99	41.62	51.21	9.59	74.00	22.79	PK	Horizontal	PASS
5	16611.81	41.96	52.64	10.68	74.00	21.36	PK	Horizontal	PASS
6	17647.32	39.82	52.24	12.42	74.00	21.76	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9978.49	45.49	49.90	4.41	74.00	24.10	PK	Vertical	PASS
2	13250.13	43.13	51.44	8.31	74.00	22.56	PK	Vertical	PASS
3	14488.24	43.84	51.50	7.66	74.00	22.50	PK	Vertical	PASS
4	14991.00	43.45	51.58	8.13	74.00	22.42	PK	Vertical	PASS
5	16596.80	41.11	51.79	10.68	74.00	22.21	PK	Vertical	PASS
6	17564.78	40.44	52.62	12.18	74.00	21.38	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11644.32	44.66	50.29	5.63	74.00	23.71	PK	Horizontal	PASS
2	13302.65	43.21	51.42	8.21	74.00	22.58	PK	Horizontal	PASS
3	14293.15	42.80	51.33	8.53	74.00	22.67	PK	Horizontal	PASS
4	14998.50	42.22	50.38	8.16	74.00	23.62	PK	Horizontal	PASS
5	16754.38	41.26	51.82	10.56	74.00	22.18	PK	Horizontal	PASS
6	17744.87	39.90	52.17	12.27	74.00	21.83	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10331.17	44.86	49.11	4.25	74.00	24.89	PK	Vertical	PASS
2	12207.10	42.99	49.63	6.64	74.00	24.37	PK	Vertical	PASS
3	13265.13	43.84	52.12	8.28	74.00	21.88	PK	Vertical	PASS
4	14405.70	44.11	52.19	8.08	74.00	21.81	PK	Vertical	PASS
5	16289.14	42.93	52.53	9.60	74.00	21.47	PK	Vertical	PASS
6	17609.80	39.67	52.16	12.49	74.00	21.84	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9438.22	45.62	49.28	3.66	74.00	24.72	PK	Horizontal	PASS
2	11689.34	44.96	50.37	5.41	74.00	23.63	PK	Horizontal	PASS
3	13257.63	43.44	51.73	8.29	74.00	22.27	PK	Horizontal	PASS
4	14983.49	43.31	51.42	8.11	74.00	22.58	PK	Horizontal	PASS
5	16566.78	41.58	52.15	10.57	74.00	21.85	PK	Horizontal	PASS
6	17639.82	39.97	52.41	12.44	74.00	21.59	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12319.66	43.83	50.10	6.27	74.00	23.90	PK	Vertical	PASS
2	13392.70	43.47	51.52	8.05	74.00	22.48	PK	Vertical	PASS
3	14975.99	42.82	50.92	8.10	74.00	23.08	PK	Vertical	PASS
4	16116.56	42.42	51.88	9.46	74.00	22.12	PK	Vertical	PASS
5	16866.93	41.64	52.41	10.77	74.00	21.59	PK	Vertical	PASS
6	17654.83	40.16	52.57	12.41	74.00	21.43	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12252.13	43.91	50.40	6.49	74.00	23.60	PK	Horizontal	PASS
2	12912.46	43.93	51.26	7.33	74.00	22.74	PK	Horizontal	PASS
3	14300.65	42.72	51.22	8.50	74.00	22.78	PK	Horizontal	PASS
4	14991.00	43.44	51.57	8.13	74.00	22.43	PK	Horizontal	PASS
5	16746.87	41.54	52.11	10.57	74.00	21.89	PK	Horizontal	PASS
6	17669.83	39.67	52.06	12.39	74.00	21.94	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10368.68	45.06	49.55	4.49	74.00	24.45	PK	Vertical	PASS
2	12897.45	43.10	50.40	7.30	74.00	23.60	PK	Vertical	PASS
3	14263.13	43.66	52.30	8.64	74.00	21.70	PK	Vertical	PASS
4	16259.13	43.02	52.51	9.49	74.00	21.49	PK	Vertical	PASS
5	16934.47	41.76	52.79	11.03	74.00	21.21	PK	Vertical	PASS
6	17602.30	39.96	52.45	12.49	74.00	21.55	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12214.61	43.75	50.36	6.61	74.00	23.64	PK	Horizontal	PASS
2	13347.67	42.68	50.80	8.12	74.00	23.20	PK	Horizontal	PASS
3	14885.94	42.40	50.21	7.81	74.00	23.79	PK	Horizontal	PASS
4	15853.93	43.37	51.72	8.35	74.00	22.28	PK	Horizontal	PASS
5	16829.41	41.39	52.03	10.64	74.00	21.97	PK	Horizontal	PASS
6	17647.32	40.32	52.74	12.42	74.00	21.26	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	13265.13	43.82	52.10	8.28	74.00	21.90	PK	Vertical	PASS
2	14195.60	43.36	52.24	8.88	74.00	21.76	PK	Vertical	PASS
3	14998.50	43.15	51.31	8.16	74.00	22.69	PK	Vertical	PASS
4	16364.18	42.57	52.43	9.86	74.00	21.57	PK	Vertical	PASS
5	16806.90	41.85	52.41	10.56	74.00	21.59	PK	Vertical	PASS
6	17587.29	40.06	52.45	12.39	74.00	21.55	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11074.04	46.04	50.32	4.28	74.00	23.68	PK	Horizo	PAS
2	13265.13	42.94	51.22	8.28	74.00	22.78	PK	Horizo	PAS
3	14428.21	41.62	49.59	7.97	74.00	24.41	PK	Horizo	PAS
4	16034.02	42.57	52.20	9.63	74.00	21.80	PK	Horizo	PAS
5	16589.29	41.54	52.19	10.65	74.00	21.81	PK	Horizo	PAS
6	17617.31	39.54	52.01	12.47	74.00	21.99	PK	Horizo	PAS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12199.60	44.13	50.79	6.66	74.00	23.21	PK	Vertical	PASS
2	13385.19	44.02	52.07	8.05	74.00	21.93	PK	Vertical	PASS
3	14188.09	43.57	52.42	8.85	74.00	21.58	PK	Vertical	PASS
4	15036.02	43.68	51.65	7.97	74.00	22.35	PK	Vertical	PASS
5	16364.18	42.19	52.05	9.86	74.00	21.95	PK	Vertical	PASS
6	17692.35	39.98	52.33	12.35	74.00	21.67	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11636.82	45.36	51.03	5.67	74.00	22.97	PK	Horizontal	PASS
2	13160.08	43.10	51.32	8.22	74.00	22.68	PK	Horizontal	PASS
3	14398.20	42.33	50.45	8.12	74.00	23.55	PK	Horizontal	PASS
4	16566.78	41.79	52.36	10.57	74.00	21.64	PK	Horizontal	PASS
5	17092.05	40.71	52.17	11.46	74.00	21.83	PK	Horizontal	PASS
6	17714.86	40.18	52.49	12.31	74.00	21.51	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	14488.24	43.82	51.48	7.66	74.00	22.52	PK	Vertical	PASS
2	14975.99	43.08	51.18	8.10	74.00	22.82	PK	Vertical	PASS
3	16559.28	42.07	52.62	10.55	74.00	21.38	PK	Vertical	PASS
4	17594.80	40.49	52.95	12.46	74.00	21.05	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12199.60	44.03	50.69	6.66	74.00	23.31	PK	Horizontal	PASS
2	13340.17	42.41	50.55	8.14	74.00	23.45	PK	Horizontal	PASS
3	14218.11	43.70	52.53	8.83	74.00	21.47	PK	Horizontal	PASS
4	15996.50	41.92	51.59	9.67	74.00	22.41	PK	Horizontal	PASS
5	16716.86	41.93	52.53	10.60	74.00	21.47	PK	Horizontal	PASS
6	17654.83	38.27	50.68	12.41	74.00	23.32	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12282.14	43.77	50.17	6.40	74.00	23.83	PK	Vertical	PASS
2	14263.13	42.69	51.33	8.64	74.00	22.67	PK	Vertical	PASS
3	14930.97	43.30	51.25	7.95	74.00	22.75	PK	Vertical	PASS
4	16034.02	42.90	52.53	9.63	74.00	21.47	PK	Vertical	PASS
5	16484.24	42.22	52.51	10.29	74.00	21.49	PK	Vertical	PASS
6	17654.83	38.39	50.80	12.41	74.00	23.20	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level