






Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12252.13	44.68	51.17	6.49	74.00	22.83	PK	Horizontal	PASS
2	14180.59	42.73	51.54	8.81	74.00	22.46	PK	Horizontal	PASS
3	14908.45	43.45	51.33	7.88	74.00	22.67	PK	Horizontal	PASS
4	16011.51	42.34	52.01	9.67	74.00	21.99	PK	Horizontal	PASS
5	16731.87	40.80	51.39	10.59	74.00	22.61	PK	Horizontal	PASS
6	17752.38	39.02	51.28	12.26	74.00	22.72	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	13212.61	42.39	50.77	8.38	74.00	23.23	PK	Vertical	PASS
2	14345.67	43.22	51.55	8.33	74.00	22.45	PK	Vertical	PASS
3	14863.43	43.57	51.31	7.74	74.00	22.69	PK	Vertical	PASS
4	16401.70	42.49	52.48	9.99	74.00	21.52	PK	Vertical	PASS
5	16866.93	41.16	51.93	10.77	74.00	22.07	PK	Vertical	PASS
6	17624.81	39.56	52.02	12.46	74.00	21.98	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	12282.14	44.67	51.07	6.40	74.00	22.93	PK	Horizontal	PASS
2	14210.61	42.84	51.70	8.86	74.00	22.30	PK	Horizontal	PASS
3	14991.00	42.46	50.59	8.13	74.00	23.41	PK	Horizontal	PASS
4	16491.75	42.22	52.54	10.32	74.00	21.46	PK	Horizontal	PASS
5	16754.38	41.83	52.39	10.56	74.00	21.61	PK	Horizontal	PASS
6	17647.32	39.97	52.39	12.42	74.00	21.61	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	13400.20	43.44	51.47	8.03	74.00	22.53	PK	Vertical	PASS
2	14225.61	42.47	51.28	8.81	74.00	22.72	PK	Vertical	PASS
3	14863.43	43.38	51.12	7.74	74.00	22.88	PK	Vertical	PASS
4	16056.53	41.97	51.56	9.59	74.00	22.44	PK	Vertical	PASS
5	16844.42	41.06	51.76	10.70	74.00	22.24	PK	Vertical	PASS
6	17654.83	39.13	51.54	12.41	74.00	22.46	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	13017.51	43.08	50.68	7.60	74.00	23.32	PK	Horizontal	PASS
2	14195.60	43.07	51.95	8.88	74.00	22.05	PK	Horizontal	PASS
3	14998.50	43.85	52.01	8.16	74.00	21.99	PK	Horizontal	PASS
4	16581.79	41.39	52.02	10.63	74.00	21.98	PK	Horizontal	PASS
5	17137.07	40.19	51.77	11.58	74.00	22.23	PK	Horizontal	PASS
6	17602.30	39.54	52.03	12.49	74.00	21.97	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8305.15	45.30	48.52	3.22	74.00	25.48	PK	Vertical	PASS
2	11561.78	45.25	50.90	5.65	74.00	23.10	PK	Vertical	PASS
3	14300.65	43.34	51.84	8.50	74.00	22.16	PK	Vertical	PASS
4	16011.51	42.65	52.32	9.67	74.00	21.68	PK	Vertical	PASS
5	16439.22	42.32	52.46	10.14	74.00	21.54	PK	Vertical	PASS
6	17624.81	39.66	52.12	12.46	74.00	21.88	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9978.49	45.40	49.81	4.41	74.00	24.19	PK	Horizontal	PASS
2	11576.79	44.76	50.49	5.73	74.00	23.51	PK	Horizontal	PASS
3	13392.70	43.42	51.47	8.05	74.00	22.53	PK	Horizontal	PASS
4	14210.61	43.67	52.53	8.86	74.00	21.47	PK	Horizontal	PASS
5	16874.44	41.34	52.15	10.81	74.00	21.85	PK	Horizontal	PASS
6	17654.83	39.57	51.98	12.41	74.00	22.02	PK	Horizontal	PASS


Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11959.48	44.31	50.22	5.91	74.00	23.78	PK	Vertical	PASS
2	13265.13	42.82	51.10	8.28	74.00	22.90	PK	Vertical	PASS
3	15036.02	43.18	51.15	7.97	74.00	22.85	PK	Vertical	PASS
4	15921.46	42.90	51.87	8.97	74.00	22.13	PK	Vertical	PASS
5	16746.87	41.15	51.72	10.57	74.00	22.28	PK	Vertical	PASS
6	17602.30	39.83	52.32	12.49	74.00	21.68	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

8.12. SPURIOUS EMISSIONS(3 GHZ~18 GHZ)-ANT2 FPC EXTERNAL ANTENNA(PD513)




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3217.61	51.61	47.21	-4.40	74.00	26.79	PK	Horizontal	PASS
2	8327.66	45.83	49.21	3.38	74.00	24.79	PK	Horizontal	PASS
3	12154.58	44.96	51.51	6.55	74.00	22.49	PK	Horizontal	PASS
4	14240.62	43.03	51.77	8.74	74.00	22.23	PK	Horizontal	PASS
5	15966.48	43.14	52.53	9.39	74.00	21.47	PK	Horizontal	PASS
6	17609.80	39.32	51.81	12.49	74.00	22.19	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	54.39	50.00	-4.39	74.00	24.00	PK	Vertical	PASS
2	9985.99	45.32	49.78	4.46	74.00	24.22	PK	Vertical	PASS
3	12229.61	44.92	51.48	6.56	74.00	22.52	PK	Vertical	PASS
4	13190.10	43.32	51.68	8.36	74.00	22.32	PK	Vertical	PASS
5	14195.60	43.19	52.07	8.88	74.00	21.93	PK	Vertical	PASS
6	16709.35	42.15	52.76	10.61	74.00	21.24	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5341.17	49.09	46.93	-2.16	74.00	27.07	PK	Horizontal	PASS
2	9333.17	45.55	49.29	3.74	74.00	24.71	PK	Horizontal	PASS
3	11576.79	45.16	50.89	5.73	74.00	23.11	PK	Horizontal	PASS
4	14210.61	43.15	52.01	8.86	74.00	21.99	PK	Horizontal	PASS
5	16094.05	43.35	52.85	9.50	74.00	21.15	PK	Horizontal	PASS
6	16461.73	42.61	52.82	10.21	74.00	21.18	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4388.19	50.52	47.78	-2.74	74.00	26.22	PK	Vertical	PASS
2	7314.66	47.07	48.34	1.27	74.00	25.66	PK	Vertical	PASS
3	10983.99	46.19	50.22	4.03	74.00	23.78	PK	Vertical	PASS
4	12177.09	44.35	50.96	6.61	74.00	23.04	PK	Vertical	PASS
5	14248.12	43.35	52.06	8.71	74.00	21.94	PK	Vertical	PASS
6	16439.22	41.97	52.11	10.14	74.00	21.89	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4920.96	49.65	46.92	-2.73	74.00	27.08	PK	Horizontal	PASS
2	7389.69	47.88	49.26	1.38	74.00	24.74	PK	Horizontal	PASS
3	10863.93	45.98	50.17	4.19	74.00	23.83	PK	Horizontal	PASS
4	13197.60	43.06	51.45	8.39	74.00	22.55	PK	Horizontal	PASS
5	16341.67	42.36	52.15	9.79	74.00	21.85	PK	Horizontal	PASS
6	17249.62	41.20	52.66	11.46	74.00	21.34	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	56.41	51.90	-4.51	74.00	22.10	PK	Vertical	PASS
2	4920.96	53.26	50.53	-2.73	74.00	23.47	PK	Vertical	PASS
3	7382.19	49.80	51.17	1.37	74.00	22.83	PK	Vertical	PASS
4	12237.12	44.95	51.49	6.54	74.00	22.51	PK	Vertical	PASS
5	14270.64	43.80	52.42	8.62	74.00	21.58	PK	Vertical	PASS
6	16476.74	41.86	52.13	10.27	74.00	21.87	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	51.65	47.26	-4.39	74.00	26.74	PK	Horizontal	PASS
2	8342.67	44.97	48.47	3.50	74.00	25.53	PK	Horizontal	PASS
3	11089.04	45.70	50.04	4.34	74.00	23.96	PK	Horizontal	PASS
4	12222.11	44.79	51.37	6.58	74.00	22.63	PK	Horizontal	PASS
5	14353.18	43.64	51.93	8.29	74.00	22.07	PK	Horizontal	PASS
6	16716.86	41.87	52.47	10.60	74.00	21.53	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3210.11	53.01	48.62	-4.39	74.00	25.38	PK	Vertical	PASS
2	4493.25	50.38	47.60	-2.78	74.00	26.40	PK	Vertical	PASS
3	10586.29	45.33	49.70	4.37	74.00	24.30	PK	Vertical	PASS
4	12222.11	45.12	51.70	6.58	74.00	22.30	PK	Vertical	PASS
5	14368.18	43.40	51.63	8.23	74.00	22.37	PK	Vertical	PASS
6	16176.59	43.37	52.71	9.34	74.00	21.29	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4530.77	50.13	47.26	-2.87	74.00	26.74	PK	Horizontal	PASS
2	8852.93	46.62	49.61	2.99	74.00	24.39	PK	Horizontal	PASS
3	12214.61	45.47	52.08	6.61	74.00	21.92	PK	Horizontal	PASS
4	13377.69	44.08	52.15	8.07	74.00	21.85	PK	Horizontal	PASS
5	14150.58	42.96	51.62	8.66	74.00	22.38	PK	Horizontal	PASS
6	16416.71	42.25	52.31	10.06	74.00	21.69	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4493.25	49.74	46.96	-2.78	74.00	27.04	PK	Vertical	PASS
2	7824.91	47.17	49.24	2.07	74.00	24.76	PK	Vertical	PASS
3	10931.47	46.33	50.43	4.10	74.00	23.57	PK	Vertical	PASS
4	14180.59	42.74	51.55	8.81	74.00	22.45	PK	Vertical	PASS
5	15973.99	42.71	52.17	9.46	74.00	21.83	PK	Vertical	PASS
6	17219.61	39.88	51.49	11.61	74.00	22.51	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	6871.94	47.88	48.66	0.78	74.00	25.34	PK	Horizontal	PASS
2	10938.97	46.30	50.39	4.09	74.00	23.61	PK	Horizontal	PASS
3	12222.11	45.98	52.56	6.58	74.00	21.44	PK	Horizontal	PASS
4	14210.61	42.87	51.73	8.86	74.00	22.27	PK	Horizontal	PASS
5	16334.17	42.39	52.14	9.75	74.00	21.86	PK	Horizontal	PASS
6	17624.81	39.91	52.37	12.46	74.00	21.63	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	55.15	50.64	-4.51	74.00	23.36	PK	Vertical	PASS
2	7382.19	47.61	48.98	1.37	74.00	25.02	PK	Vertical	PASS
3	12237.12	45.29	51.83	6.54	74.00	22.17	PK	Vertical	PASS
4	14128.06	43.93	52.48	8.55	74.00	21.52	PK	Vertical	PASS
5	16281.64	42.68	52.25	9.57	74.00	21.75	PK	Vertical	PASS
6	17692.35	39.25	51.60	12.35	74.00	22.40	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5071.04	49.87	47.32	-2.55	74.00	26.68	PK	Horizontal	PASS
2	11614.31	45.33	51.11	5.78	74.00	22.89	PK	Horizontal	PASS
3	13460.23	44.01	51.72	7.71	74.00	22.28	PK	Horizontal	PASS
4	14233.12	43.51	52.28	8.77	74.00	21.72	PK	Horizontal	PASS
5	16544.27	41.27	51.78	10.51	74.00	22.22	PK	Horizontal	PASS
6	17219.61	40.44	52.05	11.61	74.00	21.95	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10091.05	45.16	49.20	4.04	74.00	24.80	PK	Vertical	PASS
2	12012.01	44.75	50.96	6.21	74.00	23.04	PK	Vertical	PASS
3	13370.19	43.46	51.55	8.09	74.00	22.45	PK	Vertical	PASS
4	14218.11	42.76	51.59	8.83	74.00	22.41	PK	Vertical	PASS
5	14938.47	43.28	51.25	7.97	74.00	22.75	PK	Vertical	PASS
6	16266.63	42.39	51.92	9.53	74.00	22.08	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	7832.42	46.35	48.42	2.07	74.00	25.58	PK	Horizontal	PASS
2	9985.99	44.88	49.34	4.46	74.00	24.66	PK	Horizontal	PASS
3	11006.50	46.38	50.41	4.03	74.00	23.59	PK	Horizontal	PASS
4	12169.58	46.16	52.75	6.59	74.00	21.25	PK	Horizontal	PASS
5	14150.58	42.98	51.64	8.66	74.00	22.36	PK	Horizontal	PASS
6	16484.24	41.95	52.24	10.29	74.00	21.76	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5326.16	49.89	47.64	-2.25	74.00	26.36	PK	Vertical	PASS
2	8365.18	44.73	48.39	3.66	74.00	25.61	PK	Vertical	PASS
3	10578.79	46.28	50.68	4.40	74.00	23.32	PK	Vertical	PASS
4	12162.08	44.79	51.36	6.57	74.00	22.64	PK	Vertical	PASS
5	14233.12	42.52	51.29	8.77	74.00	22.71	PK	Vertical	PASS
6	16401.70	41.83	51.82	9.99	74.00	22.18	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	7382.19	47.21	48.58	1.37	74.00	25.42	PK	Horizontal	PASS
2	11584.29	45.12	50.88	5.76	74.00	23.12	PK	Horizontal	PASS
3	12214.61	44.44	51.05	6.61	74.00	22.95	PK	Horizontal	PASS
4	13340.17	43.05	51.19	8.14	74.00	22.81	PK	Horizontal	PASS
5	14413.21	43.06	51.10	8.04	74.00	22.90	PK	Horizontal	PASS
6	16874.44	41.49	52.30	10.81	74.00	21.70	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3277.64	54.91	50.40	-4.51	74.00	23.60	PK	Vertical	PASS
2	10953.98	46.05	50.11	4.06	74.00	23.89	PK	Vertical	PASS
3	11606.80	45.34	51.16	5.82	74.00	22.84	PK	Vertical	PASS
4	12177.09	45.38	51.99	6.61	74.00	22.01	PK	Vertical	PASS
5	14120.56	43.23	51.74	8.51	74.00	22.26	PK	Vertical	PASS
6	16896.95	41.57	52.46	10.89	74.00	21.54	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	6864.43	47.52	48.27	0.75	74.00	25.73	PK	Horizontal	PASS
2	10428.71	45.06	49.71	4.65	74.00	24.29	PK	Horizontal	PASS
3	12229.61	45.09	51.65	6.56	74.00	22.35	PK	Horizontal	PASS
4	13190.10	43.53	51.89	8.36	74.00	22.11	PK	Horizontal	PASS
5	14188.09	42.91	51.76	8.85	74.00	22.24	PK	Horizontal	PASS
6	16364.18	42.44	52.30	9.86	74.00	21.70	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9835.92	46.64	50.04	3.40	74.00	23.96	PK	Vertical	PASS
2	12244.62	44.79	51.31	6.52	74.00	22.69	PK	Vertical	PASS
3	14300.65	43.16	51.66	8.50	74.00	22.34	PK	Vertical	PASS
4	16034.02	42.54	52.17	9.63	74.00	21.83	PK	Vertical	PASS
5	16784.39	41.43	51.98	10.55	74.00	22.02	PK	Vertical	PASS
6	17654.83	39.28	51.69	12.41	74.00	22.31	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8357.68	46.11	49.72	3.61	74.00	24.28	PK	Horizontal	PASS
2	12162.08	44.72	51.29	6.57	74.00	22.71	PK	Horizontal	PASS
3	14255.63	43.69	52.37	8.68	74.00	21.63	PK	Horizontal	PASS
4	15988.99	42.63	52.22	9.59	74.00	21.78	PK	Horizontal	PASS
5	16896.95	41.48	52.37	10.89	74.00	21.63	PK	Horizontal	PASS
6	17204.60	40.25	51.94	11.69	74.00	22.06	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8335.17	45.89	49.33	3.44	74.00	24.67	PK	Vertical	PASS
2	12252.13	45.33	51.82	6.49	74.00	22.18	PK	Vertical	PASS
3	14143.07	43.37	51.99	8.62	74.00	22.01	PK	Vertical	PASS
4	15028.51	43.65	51.67	8.02	74.00	22.33	PK	Vertical	PASS
5	16469.23	42.36	52.60	10.24	74.00	21.40	PK	Vertical	PASS
6	17197.10	39.80	51.50	11.70	74.00	22.50	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8275.14	45.89	48.89	3.00	74.00	25.11	PK	Horizontal	PASS
2	9333.17	45.66	49.40	3.74	74.00	24.60	PK	Horizontal	PASS
3	12229.61	44.99	51.55	6.56	74.00	22.45	PK	Horizontal	PASS
4	14203.10	42.65	51.53	8.88	74.00	22.47	PK	Horizontal	PASS
5	16139.07	42.47	51.89	9.42	74.00	22.11	PK	Horizontal	PASS
6	17159.58	40.46	52.08	11.62	74.00	21.92	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8357.68	45.41	49.02	3.61	74.00	24.98	PK	Vertical	PASS
2	11764.38	46.45	51.49	5.04	74.00	22.51	PK	Vertical	PASS
3	12237.12	45.26	51.80	6.54	74.00	22.20	PK	Vertical	PASS
4	14353.18	43.87	52.16	8.29	74.00	21.84	PK	Vertical	PASS
5	16769.38	41.80	52.36	10.56	74.00	21.64	PK	Vertical	PASS
6	17654.83	39.63	52.04	12.41	74.00	21.96	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10803.90	45.40	49.66	4.26	74.00	24.34	PK	Horizontal	PASS
2	12162.08	45.26	51.83	6.57	74.00	22.17	PK	Horizontal	PASS
3	14323.16	43.53	51.94	8.41	74.00	22.06	PK	Horizontal	PASS
4	15816.41	43.68	51.67	7.99	74.00	22.33	PK	Horizontal	PASS
5	16589.29	41.11	51.76	10.65	74.00	22.24	PK	Horizontal	PASS
6	17714.86	39.75	52.06	12.31	74.00	21.94	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	9985.99	45.56	50.02	4.46	74.00	23.98	PK	Vertical	PASS
2	11576.79	45.49	51.22	5.73	74.00	22.78	PK	Vertical	PASS
3	13317.66	42.94	51.13	8.19	74.00	22.87	PK	Vertical	PASS
4	14203.10	42.76	51.64	8.88	74.00	22.36	PK	Vertical	PASS
5	16026.51	42.31	51.96	9.65	74.00	22.04	PK	Vertical	PASS
6	16776.89	42.20	52.75	10.55	74.00	21.25	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11734.37	45.91	51.09	5.18	74.00	22.91	PK	Horizontal	PASS
2	12207.10	44.63	51.27	6.64	74.00	22.73	PK	Horizontal	PASS
3	13377.69	43.35	51.42	8.07	74.00	22.58	PK	Horizontal	PASS
4	14218.11	42.96	51.79	8.83	74.00	22.21	PK	Horizontal	PASS
5	16799.40	41.54	52.07	10.53	74.00	21.93	PK	Horizontal	PASS
6	17729.86	38.87	51.17	12.30	74.00	22.83	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10653.83	45.94	50.26	4.32	74.00	23.74	PK	Vertical	PASS
2	12177.09	44.73	51.34	6.61	74.00	22.66	PK	Vertical	PASS
3	13280.14	43.13	51.38	8.25	74.00	22.62	PK	Vertical	PASS
4	14893.45	43.59	51.43	7.84	74.00	22.57	PK	Vertical	PASS
5	16716.86	42.08	52.68	10.60	74.00	21.32	PK	Vertical	PASS
6	17317.16	40.78	51.91	11.13	74.00	22.09	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	8702.85	45.88	48.74	2.86	74.00	25.26	PK	Horizontal	PASS
2	12237.12	44.93	51.47	6.54	74.00	22.53	PK	Horizontal	PASS
3	13280.14	43.65	51.90	8.25	74.00	22.10	PK	Horizontal	PASS
4	14203.10	43.90	52.78	8.88	74.00	21.22	PK	Horizontal	PASS
5	16559.28	41.89	52.44	10.55	74.00	21.56	PK	Horizontal	PASS
6	17167.08	39.77	51.41	11.64	74.00	22.59	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	3427.71	56.62	51.85	-4.77	74.00	22.15	PK	Vertical	PASS
2	9460.73	46.04	49.58	3.54	74.00	24.42	PK	Vertical	PASS
3	12244.62	45.11	51.63	6.52	74.00	22.37	PK	Vertical	PASS
4	13272.64	43.31	51.58	8.27	74.00	22.42	PK	Vertical	PASS
5	14315.66	43.23	51.67	8.44	74.00	22.33	PK	Vertical	PASS
6	16071.54	42.55	52.10	9.55	74.00	21.90	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


8.13. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	20240.000	49.82	-5.61	44.21	74.00	-29.79	peak
2	20880.000	49.57	-5.00	44.57	74.00	-29.43	peak
3	21968.000	48.12	-4.46	43.66	74.00	-30.34	peak
4	22944.000	47.18	-3.49	43.69	74.00	-30.31	peak
5	24568.000	46.60	-2.33	44.27	74.00	-29.73	peak
6	25688.000	44.81	-0.90	43.91	74.00	-30.09	peak


Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18592.000	49.25	-5.31	43.94	74.00	-30.06	peak
2	20128.000	49.62	-5.53	44.09	74.00	-29.91	peak
3	21600.000	49.52	-4.54	44.98	74.00	-29.02	peak
4	23064.000	47.49	-3.42	44.07	74.00	-29.93	peak
5	23744.000	48.15	-3.20	44.95	74.00	-29.05	peak
6	25072.000	46.67	-1.97	44.70	74.00	-29.30	peak


8.14. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0100	77.22	-101.40	-24.18	47.60	-75.68	-3.90	-71.78	peak
2	0.0134	73.46	-101.39	-27.93	45.06	-79.43	-6.44	-72.99	peak
3	0.0206	69.92	-101.35	-31.43	41.32	-82.93	-10.18	-72.75	peak
4	0.0362	64.88	-101.42	-36.54	36.43	-88.04	-15.07	-72.97	peak
5	0.0675	61.14	-101.56	-40.42	31.02	-91.92	-20.48	-71.44	peak
6	0.0911	59.61	-101.72	-42.11	28.41	-93.61	-23.09	-70.52	peak

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1595	77.86	-101.65	-23.79	23.55	-75.29	-27.95	-47.34	peak
2	0.1917	73.04	-101.70	-28.66	21.95	-80.16	-29.55	-50.61	peak
3	0.2421	67.04	-101.78	-34.74	19.92	-86.24	-31.58	-54.66	peak
4	0.2782	64.79	-101.83	-37.04	18.71	-88.54	-32.79	-55.75	peak
5	0.3163	63.70	-101.87	-38.17	17.60	-89.67	-33.90	-55.77	peak
6	0.3684	60.48	-101.93	-41.45	16.27	-92.95	-35.23	-57.72	peak


Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5682	64.37	-62.07	2.30	32.51	-49.20	-18.99	-30.21	peak
2	0.7671	63.41	-62.12	1.29	29.90	-50.21	-21.60	-28.61	peak
3	1.9516	56.61	-61.84	-5.23	29.54	-56.73	-21.96	-34.77	peak
4	3.7100	54.20	-61.41	-7.21	29.54	-58.71	-21.96	-36.75	peak
5	6.2445	53.63	-61.32	-7.69	29.54	-59.19	-21.96	-37.23	peak
6	11.8513	52.56	-60.88	-8.32	29.54	-59.82	-21.96	-37.86	peak


8.15. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	48.4300	30.63	-15.04	15.59	40.00	-24.41	QP
2	127.0000	37.69	-14.49	23.20	43.50	-20.30	QP
3	289.9600	33.82	-12.12	21.70	46.00	-24.30	QP
4	398.6000	33.39	-9.61	23.78	46.00	-22.22	QP
5	822.4900	27.24	-2.03	25.21	46.00	-20.79	QP
6	999.0300	27.55	-0.15	27.40	54.00	-26.60	QP

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	48.4300	43.25	-15.04	28.21	40.00	-11.79	QP
2	126.0300	43.80	-14.52	29.28	43.50	-14.22	QP
3	208.4800	38.58	-12.64	25.94	43.50	-17.56	QP
4	588.7199	26.35	-6.03	20.32	46.00	-25.68	QP
5	881.6600	28.04	-0.75	27.29	46.00	-18.71	QP
6	997.0900	26.55	-0.17	26.38	54.00	-27.62	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISSED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


*Decreases with the logarithm of the frequency.

TEST PROCEDURE

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	24.2°C	Relative Humidity	60%
Atmosphere Pressure	101kPa	Test Voltage	AC 120V 60Hz

TEST DATE / ENGINEER

Test Date	July 25, 2025	Test By	Deacon Tan
-----------	---------------	---------	------------

TEST RESULTS

Test Mode:	802.11b	Frequency(MHz):	2412
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1779	39.94	9.68	49.62	64.58	-14.96	QP
2	0.1779	26.77	9.68	36.45	54.58	-18.13	AVG
3	0.4171	27.52	9.64	37.16	57.51	-20.35	QP
4	0.4171	20.33	9.64	29.97	47.51	-17.54	AVG
5	2.0551	19.93	9.74	29.67	56.00	-26.33	QP
6	2.0551	12.97	9.74	22.71	46.00	-23.29	AVG
7	3.9472	19.77	9.73	29.50	56.00	-26.50	QP
8	3.9472	10.87	9.73	20.60	46.00	-25.40	AVG
9	7.2326	17.01	9.73	26.74	60.00	-33.26	QP
10	7.2326	2.03	9.73	11.76	50.00	-38.24	AVG
11	17.8553	22.60	9.74	32.34	60.00	-27.66	QP
12	17.8553	17.26	9.74	27.00	50.00	-23.00	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the models and modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11b	Frequency(MHz):	2412
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1794	39.39	9.64	49.03	64.51	-15.48	QP
2	0.1794	25.19	9.64	34.83	54.51	-19.68	AVG
3	0.3009	28.04	9.64	37.68	60.22	-22.54	QP
4	0.3009	18.95	9.64	28.59	50.22	-21.63	AVG
5	0.4180	26.21	9.64	35.85	57.49	-21.64	QP
6	0.4180	16.57	9.64	26.21	47.49	-21.28	AVG
7	4.0549	17.93	9.63	27.56	56.00	-28.44	QP
8	4.0549	9.71	9.63	19.34	46.00	-26.66	AVG
9	8.3619	18.08	9.73	27.81	60.00	-32.19	QP
10	8.3619	12.39	9.73	22.12	50.00	-27.88	AVG
11	17.8487	20.83	9.74	30.57	60.00	-29.43	QP
12	17.8487	15.45	9.74	25.19	50.00	-24.81	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the models and modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.247(b)(4)

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA-Ant1

11.1. APPENDIX A1: DUTY CYCLE

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
b	1.01	1.09	0.9266	92.66	0.33	0.99	1
g	0.617	0.653	0.9449	94.49	0.25	1.62	2
n20	0.613	0.649	0.9445	94.45	0.25	1.63	2
n40	0.612	0.65	0.9415	94.15	0.26	1.63	2
ax20	0.74	0.776	0.9536	95.36	0.21	1.35	2


Note:


Duty Cycle Correction Factor= $10\log(1/x)$.

Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.





11.2. APPENDIX B1: MAXIMUM CONDUCTED OUTPUT POWER

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	18.85	0.33	19.18	≤29.31	Pass
NVNT	b	2437	Ant1	19.34	0.33	19.67	≤29.31	Pass
NVNT	b	2462	Ant1	19.78	0.33	20.11	≤29.31	Pass
NVNT	g	2412	Ant1	14.45	0.25	14.7	≤29.31	Pass
NVNT	g	2437	Ant1	14.89	0.25	15.14	≤29.31	Pass
NVNT	g	2462	Ant1	15.3	0.25	15.55	≤29.31	Pass
NVNT	n20	2412	Ant1	13.47	0.25	13.72	≤29.31	Pass
NVNT	n20	2437	Ant1	13.69	0.25	13.94	≤29.31	Pass
NVNT	n20	2462	Ant1	14.25	0.25	14.5	≤29.31	Pass
NVNT	n40	2422	Ant1	12.68	0.26	12.94	≤29.31	Pass
NVNT	n40	2437	Ant1	12.99	0.26	13.25	≤29.31	Pass
NVNT	n40	2452	Ant1	13.15	0.26	13.41	≤29.31	Pass
NVNT	ax20	2412	Ant1	12.34	0.21	12.55	≤29.31	Pass
NVNT	ax20	2437	Ant1	12.6	0.21	12.81	≤29.31	Pass
NVNT	ax20	2462	Ant1	12.95	0.21	13.16	≤29.31	Pass


11.3. APPENDIX C1: -6DB BANDWIDTH

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.071	≥0.5	Pass
NVNT	b	2437	Ant1	9.068	≥0.5	Pass
NVNT	b	2462	Ant1	9.074	≥0.5	Pass
NVNT	g	2412	Ant1	16.33	≥0.5	Pass
NVNT	g	2437	Ant1	16.276	≥0.5	Pass
NVNT	g	2462	Ant1	16.311	≥0.5	Pass
NVNT	n20	2412	Ant1	16.678	≥0.5	Pass
NVNT	n20	2437	Ant1	17.53	≥0.5	Pass
NVNT	n20	2462	Ant1	16.67	≥0.5	Pass
NVNT	n40	2422	Ant1	35.076	≥0.5	Pass
NVNT	n40	2437	Ant1	35.089	≥0.5	Pass
NVNT	n40	2452	Ant1	35.075	≥0.5	Pass
NVNT	ax20	2412	Ant1	18.858	≥0.5	Pass
NVNT	ax20	2437	Ant1	18.86	≥0.5	Pass
NVNT	ax20	2462	Ant1	18.866	≥0.5	Pass











11.4. APPENDIX D1: OCCUPIED CHANNEL BANDWIDTH

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	13.077
NVNT	b	2437	Ant1	13.109
NVNT	b	2462	Ant1	13.165
NVNT	g	2412	Ant1	16.596
NVNT	g	2437	Ant1	16.62
NVNT	g	2462	Ant1	16.604
NVNT	n20	2412	Ant1	17.659
NVNT	n20	2437	Ant1	17.705
NVNT	n20	2462	Ant1	17.691
NVNT	n40	2422	Ant1	36.143
NVNT	n40	2437	Ant1	36.185
NVNT	n40	2452	Ant1	36.14
NVNT	ax20	2412	Ant1	18.94
NVNT	ax20	2437	Ant1	18.954
NVNT	ax20	2462	Ant1	18.944



