


Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11377.790	38.82	8.34	47.16	74.00	-26.84	peak	
2	*	11377.823	26.58	8.34	34.92	54.00	-19.08	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	41.64	12.53	54.17	74.00	-19.83	Peak	
2	5460.0000	36.54	12.53	49.07	54.00	-4.93	AVG	
3	5470.0000	41.79	12.56	54.35	68.20	-13.85	Peak	
4 *	5558.4000	94.18	12.81	106.99	68.20	38.79	Peak	No Limit
5	5593.2000	84.74	12.92	97.66	999.00	-901.34	AVG	No Limit
6	5725.0000	43.97	13.33	57.30	68.20	-10.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11154.6000	27.50	8.69	36.19	54.00	-17.81	AVG	
2	11229.8000	37.78	8.76	46.54	74.00	-27.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	49.28	13.30	62.58	109.40	-46.82	Peak	
2	5725.0000	70.07	13.33	83.40	122.20	-38.80	Peak	
3 *	5742.0000	106.17	13.39	119.56	122.20	-2.64	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11486.5250	37.43	8.45	45.88	74.00	-28.12	Peak	
2 *	11486.8000	39.33	8.45	47.78	54.00	-6.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11565.2500	29.08	8.40	37.48	54.00	-16.52	AVG	
2	11570.7750	38.27	8.40	46.67	74.00	-27.33	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5818.0000	104.90	13.63	118.53	122.20	-3.67	Peak	No Limit
2	5850.0000	50.57	13.73	64.30	122.20	-57.90	Peak	
3	5860.0000	45.12	13.76	58.88	109.40	-50.52	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11654.0250	38.20	8.32	46.52	74.00	-27.48	Peak	
2 *	11655.0250	28.92	8.32	37.24	54.00	-16.76	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	47.84	13.30	61.14	109.40	-48.26	Peak	
2	5725.0000	62.18	13.33	75.51	122.20	-46.69	Peak	
3 *	5748.4000	104.87	13.41	118.28	122.20	-3.92	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11486.0250	39.31	8.45	47.76	74.00	-26.24	Peak	
2 *	11491.0750	28.53	8.46	36.99	54.00	-17.01	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11556.3750	38.21	8.41	46.62	74.00	-27.38	Peak	
2 *	11571.2250	28.39	8.40	36.79	54.00	-17.21	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5823.5000	104.69	13.64	118.33	122.20	-3.87	Peak	No Limit
2	5850.0000	55.91	13.73	69.64	122.20	-52.56	Peak	
3	5860.0000	50.01	13.76	63.77	109.40	-45.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11652.5750	28.01	8.32	36.33	54.00	-17.67	AVG	
2	11653.7750	38.51	8.32	46.83	74.00	-27.17	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	68.69	13.30	81.99	109.40	-27.41	Peak	
2	5725.0000	72.45	13.33	85.78	122.20	-36.42	Peak	
3 *	5748.8000	105.41	13.41	118.82	122.20	-3.38	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11497.9500	40.23	8.46	48.69	74.00	-25.31	Peak	
2 *	11502.9250	30.59	8.46	39.05	54.00	-14.95	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5788.9000	104.87	13.53	118.40	122.20	-3.80	Peak	No Limit
2	5850.0000	54.96	13.73	68.69	122.20	-53.51	Peak	
3	5860.0000	55.43	13.76	69.19	109.40	-40.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11587.7750	29.04	8.38	37.42	54.00	-16.58	AVG	
2	11592.3750	38.40	8.38	46.78	74.00	-27.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	74.93	13.30	88.23	109.40	-21.17	Peak	
2	5725.0000	74.91	13.33	88.24	122.20	-33.96	Peak	
3 *	5763.8000	102.63	13.46	116.09	122.20	-6.11	Peak	No Limit
4	5850.0000	70.55	13.73	84.28	122.20	-37.92	Peak	
5	5860.0000	66.62	13.76	80.38	109.40	-29.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11549.0500	37.99	8.42	46.41	74.00	-27.59	Peak	
2 *	11563.4500	28.75	8.40	37.15	54.00	-16.85	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	51.61	13.30	64.91	109.40	-44.49	Peak	
2	5725.0000	67.05	13.33	80.38	122.20	-41.82	Peak	
3 *	5750.9000	105.56	13.42	118.98	122.20	-3.22	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11484.5500	38.59	8.45	47.04	74.00	-26.96	Peak	
2 *	11491.3000	28.60	8.46	37.06	54.00	-16.94	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11561.6750	37.60	8.41	46.01	74.00	-27.99	Peak	
2 *	11571.3500	28.27	8.40	36.67	54.00	-17.33	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5834.0000	105.49	13.68	119.17	122.20	-3.03	Peak	No Limit
2	5850.0000	60.05	13.73	73.78	122.20	-48.42	Peak	
3	5860.0000	52.28	13.76	66.04	109.40	-43.36	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11631.8500	37.38	8.34	45.72	74.00	-28.28	Peak	
2 *	11651.3750	27.81	8.32	36.13	54.00	-17.87	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	69.65	13.30	82.95	109.40	-26.45	Peak	
2	5725.0000	69.39	13.33	82.72	122.20	-39.48	Peak	
3 *	5748.3000	105.52	13.41	118.93	122.20	-3.27	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11502.9000	28.98	8.46	37.44	54.00	-16.56	AVG	
2	11511.3500	38.04	8.45	46.49	74.00	-27.51	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5801.2000	105.59	13.57	119.16	122.20	-3.04	Peak	No Limit
2	5850.0000	54.30	13.73	68.03	122.20	-54.17	Peak	
3	5860.0000	51.78	13.76	65.54	109.40	-43.86	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11582.8500	27.94	8.39	36.33	54.00	-17.67	AVG	
2	11585.7000	37.44	8.38	45.82	74.00	-28.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	73.64	13.30	86.94	109.40	-22.46	Peak	
2	5725.0000	76.03	13.33	89.36	122.20	-32.84	Peak	
3 *	5776.2000	105.39	13.49	118.88	122.20	-3.32	Peak	No Limit
4	5850.0000	70.48	13.73	84.21	122.20	-37.99	Peak	
5	5860.0000	67.29	13.76	81.05	109.40	-28.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11542.8000	28.74	8.42	37.16	54.00	-16.84	AVG	
2	11572.4500	39.38	8.40	47.78	74.00	-26.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39604.000	53.73	11.96	65.69	83.50	-17.81	peak	
2	*	39604.000	43.48	11.96	55.44	63.50	-8.06	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39593.000	52.81	11.96	64.77	83.50	-18.73	peak	
2	*	39593.000	42.15	11.96	54.11	63.50	-9.39	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	36.589	17.800
40	5200	33.889	17.800
48	5240	27.890	17.600

CH36




Date: 1.FEB.2024 06:00:29

CH40
26 dB Bandwidth




Date: 1.FEB.2024 06:01:38

CH48




Date: 1.FEB.2024 06:03:46


99 % Occupied Bandwidth



Date: 1.FEB.2024 06:00:04



Date: 1.FEB.2024 06:00:56




Date: 1.FEB.2024 06:02:59

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	27.288	18.500
40	5200	29.350	18.600
48	5240	25.090	18.500

CH36




Date: 1.FEB.2024 06:34:10

CH40
26 dB Bandwidth




Date: 1.FEB.2024 06:35:24

CH48




Date: 1.FEB.2024 06:36:55


99 % Occupied Bandwidth



Date: 1.FEB.2024 06:33:41



Date: 1.FEB.2024 06:34:54




Date: 1.FEB.2024 06:36:12

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	97.796	76.400

CH42 26 dB Bandwidth



Date: 14.JUN.2024 17:52:36

99 % Occupied Bandwidth




Date: 14.JUN.2024 17:51:11

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	31.249	19.300
40	5200	29.490	19.400
48	5240	24.199	19.200

CH36




Date: 14.JUN.2024 18:46:21

CH40
26 dB Bandwidth




Date: 14.JUN.2024 18:47:11

CH48




Date: 14.JUN.2024 18:49:25


99 % Occupied Bandwidth



Date: 14.JUN.2024 18:45:59



Date: 14.JUN.2024 18:46:49




Date: 14.JUN.2024 18:48:55

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	47.597	38.200
46	5230	42.790	38.200

CH38




Date: 14.JUN.2024 19:06:27

CH46 26 dB Bandwidth




Date: 14.JUN.2024 19:07:39

99 % Occupied Bandwidth



Date: 14.JUN.2024 19:05:52




Date: 14.JUN.2024 19:07:07

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	107.190	77.600

CH42 26 dB Bandwidth



Date: 14.JUN.2024 19:17:58

99 % Occupied Bandwidth




Date: 14.JUN.2024 19:17:29

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.850	17.300
60	5300	21.650	17.300
64	5320	21.750	17.300

CH52




Date: 1.FEB.2024 06:05:17

CH60
26 dB Bandwidth




Date: 1.FEB.2024 06:06:29

CH64




Date: 1.FEB.2024 06:07:39


99 % Occupied Bandwidth



Date: 1.FEB.2024 06:04:38



Date: 1.FEB.2024 06:05:49




Date: 1.FEB.2024 06:07:01

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.190	37.200
62	5310	40.400	37.200

CH54




Date: 1.FEB.2024 07:11:39

CH62
26 dB Bandwidth




Date: 1.FEB.2024 07:13:02

99 % Occupied Bandwidth



Date: 1.FEB.2024 07:10:56




Date: 1.FEB.2024 07:12:21

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	83.000	76.000

CH58 26 dB Bandwidth



Date: 14.JUN.2024 17:54:31

99 % Occupied Bandwidth




Date: 14.JUN.2024 17:54:02

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.950	19.200
60	5300	21.809	19.200
64	5320	21.790	19.300

CH52




Date: 14.JUN.2024 18:50:68

CH60
26 dB Bandwidth




Date: 14.JUN.2024 18:54:38

CH64




Date: 14.JUN.2024 18:55:36


99 % Occupied Bandwidth



Date: 14.JUN.2024 18:50:26



Date: 14.JUN.2024 18:54:15




Date: 14.JUN.2024 18:55:13

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.100	38.000
62	5310	39.900	38.200

CH54




Date: 14.JUN.2024 19:09:03

CH62
26 dB Bandwidth




Date: 14.JUN.2024 19:10:15

99 % Occupied Bandwidth



Date: 14.JUN.2024 19:08:30




Date: 14.JUN.2024 19:09:41

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.600	77.600

CH58 26 dB Bandwidth



Date: 14.JUN.2024 19:19:03

99 % Occupied Bandwidth




Date: 14.JUN.2024 19:18:34

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	163.996	157.600

CH50 26 dB Bandwidth




Date: 14.JUN.2024 19:28:32

99 % Occupied Bandwidth




Date: 14.JUN.2024 19:23:45

CH100




Date: 1.FEB.2024 06:08:28

99 % Occupied Bandwidth




Date: 1.FEB.2024 06:09:46

CH140



Date: 1.FEB.2024 06:11:07

CH144




Date: 17.JUN.2024 10:45:39

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.150	18.300
116	5580	21.989	18.300
140	5700	22.100	18.300
144	5720	15.850	17.300

26 dB Bandwidth CH116

CH100




Date: 1.FEB.2024 06:45:01




Date: 1.FEB.2024 06:46:37

CH140




Date: 1.FEB.2024 06:48:16

CH144




Date: 17.JUN.2024 11:12:40


99 % Occupied Bandwidth CH116




Date: 1.FEB.2024 06:44:21



Date: 1.FEB.2024 06:45:57



Date: 1.FEB.2024 06:47:37




Date: 17.JUN.2024 11:08:29

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.100	37.200
110	5550	40.100	37.200
134	5670	40.100	37.200
142	5710	35.100	37.200


26 dB Bandwidth

CH102




Date: 1.FEB.2024 07:14:17

CH110




Date: 1.FEB.2024 07:15:33

CH134




Date: 1.FEB.2024 07:16:57

CH142




Date: 17.JUN.2024 11:27:45

CH102




Date: 1.FEB.2024 07:13:34

99 % Occupied Bandwidth
CH110




Date: 1.FEB.2024 07:14:52

CH134



Date: 1.FEB.2024 07:16:15

CH142




Date: 17.JUN.2024 11:23:23

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.600	76.400
122	5610	82.000	76.000
138	5690	78.006	78.800

CH106




Date: 14.JUN.2024 17:55:55

CH122
26 dB Bandwidth




Date: 14.JUN.2024 17:57:11

CH138




Date: 17.JUN.2024 11:45:11


99 % Occupied Bandwidth



Date: 14.JUN.2024 17:55:25



Date: 14.JUN.2024 17:56:40




Date: 17.JUN.2024 11:49:53


Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.790	19.200
116	5580	21.849	19.200
140	5700	21.989	19.300
144	5720	15.850	19.300


26 dB Bandwidth
CH116




Date: 14.JUN.2024 18:57:25



Date: 14.JUN.2024 18:59:12




Date: 14.JUN.2024 19:00:26




Date: 17.JUN.2024 11:20:42

CH100




Date: 14.JUN.2024 18:57:03

99 % Occupied Bandwidth CH116




Date: 14.JUN.2024 18:58:50

CH140



Date: 14.JUN.2024 19:00:04

CH144




Date: 17.JUN.2024 11:16:24


Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.200	38.000
110	5550	40.200	38.000
134	5670	40.200	38.200
142	5710	35.900	38.200


26 dB Bandwidth
CH110




Date: 14.JUN.2024 19:11:22



Date: 14.JUN.2024 19:12:22



Date: 14.JUN.2024 19:13:21



Date: 17.JUN.2024 11:35:15