



Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
195	6925	41.53	38.017	320	Complies
211	7005	41.56	38.107	320	Complies
227	7085	45.24	38.069	320	Complies


CH195






CH211
26 dB Bandwidth



CH227




99 % Occupied Bandwidth




Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
199	6945	83.62	77.892	320	Complies
215	7025	83.23	77.859	320	Complies



CH199



CH215
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
207	6985	164.80	157.250	320	Complies

CH207 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
185	6875	24.23	19.324	320	Complies

CH185 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
187	6885	41.38	37.945	320	Complies

CH187 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
183	6865	82.70	77.683	320	Complies

CH183 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
175	6825	164.30	156.680	320	Complies

CH175 26 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM E.I.R.P.

Non Beamforming

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	-0.94	0.00	8.57	30.00	1.000	Complies
45	6175	-0.52	0.00	8.99	30.00	1.000	Complies
93	6415	0.73	0.00	10.24	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	0.66	0.00	10.17	30.00	1.000	Complies
45	6175	-1.24	0.00	8.27	30.00	1.000	Complies
93	6415	-2.51	0.00	7.00	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	3.39	0.00	12.9	30.00	1.000	Complies
45	6175	4.51	0.00	14.02	30.00	1.000	Complies
93	6415	4.81	0.00	14.32	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	-2.23	0.00	7.28	30.00	1.000	Complies
45	6175	-3.03	0.00	6.48	30.00	1.000	Complies
93	6415	-2.59	0.00	6.92	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	16.28	30.00	1.000	Complies
45	6175	16.47	30.00	1.000	Complies
93	6415	16.77	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	0.94	0.16	10.45	30.00	1.000	Complies
43	6165	1.87	0.16	11.38	30.00	1.000	Complies
91	6405	2.99	0.16	12.50	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	2.56	0.16	12.07	30.00	1.000	Complies
43	6165	1.49	0.16	11.00	30.00	1.000	Complies
91	6405	-0.11	0.16	9.40	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	5.19	0.16	14.70	30.00	1.000	Complies
43	6165	6.88	0.16	16.39	30.00	1.000	Complies
91	6405	6.81	0.16	16.32	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	-0.38	0.16	9.13	30.00	1.000	Complies
43	6165	-0.38	0.16	9.13	30.00	1.000	Complies
91	6405	-0.46	0.16	9.05	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	18.44	30.00	1.000	Complies
43	6165	19.24	30.00	1.000	Complies
91	6405	19.20	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	0.86	0.30	10.37	30.00	1.000	Complies
39	6145	2.60	0.30	12.11	30.00	1.000	Complies
87	6385	3.48	0.30	12.99	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	2.34	0.30	11.85	30.00	1.000	Complies
39	6145	2.36	0.30	11.87	30.00	1.000	Complies
87	6385	0.63	0.30	10.14	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	5.25	0.30	14.76	30.00	1.000	Complies
39	6145	7.39	0.30	16.90	30.00	1.000	Complies
87	6385	7.85	0.30	17.36	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	-0.33	0.30	9.18	30.00	1.000	Complies
39	6145	0.37	0.30	9.88	30.00	1.000	Complies
87	6385	0.22	0.30	9.73	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	18.68	30.00	1.000	Complies
39	6145	20.15	30.00	1.000	Complies
87	6385	20.33	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	1.07	0.50	10.58	30.00	1.000	Complies
47	6185	2.43	0.50	11.94	30.00	1.000	Complies
79	6345	2.85	0.50	12.36	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	2.34	0.50	11.85	30.00	1.000	Complies
47	6185	1.85	0.50	11.36	30.00	1.000	Complies
79	6345	0.60	0.50	10.11	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	5.59	0.50	15.1	30.00	1.000	Complies
47	6185	7.31	0.50	16.82	30.00	1.000	Complies
79	6345	7.49	0.50	17.00	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	-0.25	0.50	9.26	30.00	1.000	Complies
47	6185	0.09	0.50	9.60	30.00	1.000	Complies
79	6345	-0.21	0.50	9.30	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	19.29	30.00	1.000	Complies
47	6185	20.37	30.00	1.000	Complies
79	6345	20.35	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	0.50	0.00	10.01	30.00	1.000	Complies
105	6475	1.03	0.00	10.54	30.00	1.000	Complies
113	6515	0.80	0.00	10.31	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-2.94	0.00	6.57	30.00	1.000	Complies
105	6475	-2.78	0.00	6.73	30.00	1.000	Complies
113	6515	-3.32	0.00	6.19	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	4.24	0.00	13.75	30.00	1.000	Complies
105	6475	4.21	0.00	13.72	30.00	1.000	Complies
113	6515	3.28	0.00	12.79	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-2.97	0.00	6.54	30.00	1.000	Complies
105	6475	-2.41	0.00	7.10	30.00	1.000	Complies
113	6515	-2.76	0.00	6.75	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	16.31	30.00	1.000	Complies
105	6475	16.50	30.00	1.000	Complies
113	6515	15.87	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-2.78	0.16	6.73	30.00	1.000	Complies
107	6485	3.63	0.16	13.14	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-0.21	0.16	9.30	30.00	1.000	Complies
107	6485	-0.12	0.16	9.39	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	6.72	0.16	16.23	30.00	1.000	Complies
107	6485	6.61	0.16	16.12	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-0.32	0.16	9.19	30.00	1.000	Complies
107	6485	0.16	0.16	9.67	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	18.34	30.00	1.000	Complies
107	6485	19.32	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	3.92	0.30	13.43	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	0.31	0.30	9.82	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	7.09	0.30	16.6	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	0.43	0.30	9.94	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	20.00	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.90	0.00	10.41	30.00	1.000	Complies
149	6695	2.59	0.00	12.10	30.00	1.000	Complies
181	6855	2.31	0.00	11.82	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-3.29	0.00	6.22	30.00	1.000	Complies
149	6695	-2.25	0.00	7.26	30.00	1.000	Complies
181	6855	-1.69	0.00	7.82	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	3.16	0.00	12.67	30.00	1.000	Complies
149	6695	2.09	0.00	11.60	30.00	1.000	Complies
181	6855	0.59	0.00	10.10	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-2.48	0.00	7.03	30.00	1.000	Complies
149	6695	-0.18	0.00	9.33	30.00	1.000	Complies
181	6855	0.88	0.00	10.39	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	15.88	30.00	1.000	Complies
149	6695	16.49	30.00	1.000	Complies
181	6855	16.28	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	4.13	0.16	13.64	30.00	1.000	Complies
147	6685	4.33	0.16	13.84	30.00	1.000	Complies
179	6845	5.11	0.16	14.62	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-0.24	0.16	9.27	30.00	1.000	Complies
147	6685	-0.42	0.16	9.09	30.00	1.000	Complies
179	6845	1.17	0.16	10.68	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	5.64	0.16	15.15	30.00	1.000	Complies
147	6685	3.98	0.16	13.49	30.00	1.000	Complies
179	6845	3.36	0.16	12.87	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	0.68	0.16	10.19	30.00	1.000	Complies
147	6685	1.57	0.16	11.08	30.00	1.000	Complies
179	6845	3.64	0.16	13.15	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	19.05	30.00	1.000	Complies
147	6685	18.61	30.00	1.000	Complies
179	6845	19.39	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	5.05	0.30	14.56	30.00	1.000	Complies
151	6705	5.75	0.30	15.26	30.00	1.000	Complies
167	6785	6.23	0.30	15.74	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.43	0.30	9.94	30.00	1.000	Complies
151	6705	1.03	0.30	10.54	30.00	1.000	Complies
167	6785	1.66	0.30	11.17	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	5.55	0.30	15.06	30.00	1.000	Complies
151	6705	5.17	0.30	14.68	30.00	1.000	Complies
167	6785	4.65	0.30	14.16	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	1.86	0.30	11.37	30.00	1.000	Complies
151	6705	3.14	0.30	12.65	30.00	1.000	Complies
167	6785	4.06	0.30	13.57	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	19.85	30.00	1.000	Complies
151	6705	20.27	30.00	1.000	Complies
167	6785	20.57	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	4.84	0.50	14.35	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	0.28	0.50	9.79	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	4.95	0.50	14.46	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	2.03	0.50	11.54	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	19.97	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	3.27	0.16	12.78	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-0.80	0.16	8.71	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	5.49	0.16	15.00	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-0.14	0.16	9.37	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	18.56	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	4.10	0.30	13.61	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.04	0.30	9.47	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.12	0.30	15.63	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	0.73	0.30	10.24	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	19.57	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	3.07	0.50	12.58	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	-0.71	0.50	8.80	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	5.79	0.50	15.30	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	-0.34	0.50	9.17	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	19.31	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.91	0.00	12.42	30.00	1.000	Complies
213	7015	3.13	0.00	12.64	30.00	1.000	Complies
233	7115	1.79	0.00	11.30	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-0.53	0.00	8.98	30.00	1.000	Complies
213	7015	1.02	0.00	10.53	30.00	1.000	Complies
233	7115	0.79	0.00	10.30	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	1.14	0.00	10.65	30.00	1.000	Complies
213	7015	1.54	0.00	11.05	30.00	1.000	Complies
233	7115	0.75	0.00	10.26	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	1.74	0.00	11.25	30.00	1.000	Complies
213	7015	2.41	0.00	11.92	30.00	1.000	Complies
233	7115	1.38	0.00	10.89	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	17.02	30.00	1.000	Complies
213	7015	17.63	30.00	1.000	Complies
233	7115	16.73	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	6.28	0.16	15.79	30.00	1.000	Complies
211	7005	5.49	0.16	15.00	30.00	1.000	Complies
227	7085	4.74	0.16	14.25	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	3.06	0.16	12.57	30.00	1.000	Complies
211	7005	3.32	0.16	12.83	30.00	1.000	Complies
227	7085	3.64	0.16	13.15	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.35	0.16	13.86	30.00	1.000	Complies
211	7005	3.87	0.16	13.38	30.00	1.000	Complies
227	7085	3.64	0.16	13.15	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	5.13	0.16	14.64	30.00	1.000	Complies
211	7005	4.86	0.16	14.37	30.00	1.000	Complies
227	7085	3.59	0.16	13.10	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	20.71	30.00	1.000	Complies
211	7005	20.31	30.00	1.000	Complies
227	7085	19.78	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	5.97	0.30	15.48	30.00	1.000	Complies
215	7025	5.69	0.30	15.20	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	3.01	0.30	12.52	30.00	1.000	Complies
215	7025	3.85	0.30	13.36	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	4.05	0.30	13.56	30.00	1.000	Complies
215	7025	4.23	0.30	13.74	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	4.95	0.30	14.46	30.00	1.000	Complies
215	7025	5.36	0.30	14.87	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	20.76	30.00	1.000	Complies
215	7025	20.98	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	9.33	0.50	18.84	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	9.59	0.50	19.10	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	9.76	0.50	19.27	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	8.88	0.50	18.39	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	25.93	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	2.36	0.00	11.87	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-1.34	0.00	8.17	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	0.65	0.00	10.16	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	1.05	0.00	10.56	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	16.40	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	5.17	0.16	14.68	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	1.65	0.16	11.16	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	3.37	0.16	12.88	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	3.92	0.16	13.43	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	19.55	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	5.95	0.30	15.46	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	2.18	0.30	11.69	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	4.16	0.30	13.67	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	4.59	0.30	14.10	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	20.55	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	8.69	0.50	18.20	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	8.82	0.50	18.33	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	8.38	0.50	17.89	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	7.85	0.50	17.36	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	24.98	30.00	1.000	Complies

Note: Output power = Measure result + Cable loss

Beamforming

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	-1.21	0.00	8.29	30.00	1.000	Complies
45	6175	-0.70	0.00	8.80	30.00	1.000	Complies
93	6415	0.52	0.00	10.02	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	0.42	0.00	9.92	30.00	1.000	Complies
45	6175	-1.57	0.00	7.93	30.00	1.000	Complies
93	6415	-2.86	0.00	6.64	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	3.21	0.00	12.71	30.00	1.000	Complies
45	6175	4.28	0.00	13.78	30.00	1.000	Complies
93	6415	4.57	0.00	14.07	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	-2.39	0.00	7.11	30.00	1.000	Complies
45	6175	-3.34	0.00	6.16	30.00	1.000	Complies
93	6415	-2.79	0.00	6.71	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	16.08	30.00	1.000	Complies
45	6175	16.23	30.00	1.000	Complies
93	6415	16.54	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	0.71	0.16	10.37	30.00	1.000	Complies
43	6165	1.54	0.16	11.20	30.00	1.000	Complies
91	6405	2.75	0.16	12.41	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	2.35	0.16	12.01	30.00	1.000	Complies
43	6165	1.33	0.16	10.99	30.00	1.000	Complies
91	6405	-0.39	0.16	9.27	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	5.00	0.16	14.66	30.00	1.000	Complies
43	6165	6.64	0.16	16.30	30.00	1.000	Complies
91	6405	6.64	0.16	16.30	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	-0.69	0.16	8.97	30.00	1.000	Complies
43	6165	-0.58	0.16	9.08	30.00	1.000	Complies
91	6405	-0.69	0.16	8.97	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	18.23	30.00	1.000	Complies
43	6165	19.01	30.00	1.000	Complies
91	6405	19.01	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	0.67	0.30	10.47	30.00	1.000	Complies
39	6145	2.44	0.30	12.24	30.00	1.000	Complies
87	6385	3.15	0.30	12.95	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	1.99	0.30	11.79	30.00	1.000	Complies
39	6145	2.01	0.30	11.81	30.00	1.000	Complies
87	6385	0.35	0.30	10.15	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	4.95	0.30	14.75	30.00	1.000	Complies
39	6145	7.15	0.30	16.95	30.00	1.000	Complies
87	6385	7.61	0.30	17.41	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	-0.62	0.30	9.18	30.00	1.000	Complies
39	6145	0.18	0.30	9.98	30.00	1.000	Complies
87	6385	-0.13	0.30	9.67	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	18.40	30.00	1.000	Complies
39	6145	19.93	30.00	1.000	Complies
87	6385	20.07	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	0.88	0.50	10.88	30.00	1.000	Complies
47	6185	2.10	0.50	12.10	30.00	1.000	Complies
79	6345	2.52	0.50	12.52	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	2.19	0.50	12.19	30.00	1.000	Complies
47	6185	1.68	0.50	11.68	30.00	1.000	Complies
79	6345	0.38	0.50	10.38	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	5.30	0.50	15.30	30.00	1.000	Complies
47	6185	7.05	0.50	17.05	30.00	1.000	Complies
79	6345	7.18	0.50	17.18	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	-0.44	0.50	9.56	30.00	1.000	Complies
47	6185	-0.11	0.50	9.89	30.00	1.000	Complies
79	6345	-0.49	0.50	9.51	30.00	1.000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	19.07	30.00	1.000	Complies
47	6185	20.13	30.00	1.000	Complies
79	6345	20.06	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	0.27	0.00	9.77	30.00	1.000	Complies
105	6475	0.82	0.00	10.32	30.00	1.000	Complies
113	6515	0.52	0.00	10.02	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-3.22	0.00	6.28	30.00	1.000	Complies
105	6475	-3.03	0.00	6.47	30.00	1.000	Complies
113	6515	-3.49	0.00	6.01	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	4.00	0.00	13.50	30.00	1.000	Complies
105	6475	3.89	0.00	13.39	30.00	1.000	Complies
113	6515	3.03	0.00	12.53	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	-3.17	0.00	6.33	30.00	1.000	Complies
105	6475	-2.68	0.00	6.82	30.00	1.000	Complies
113	6515	-2.92	0.00	6.58	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	16.09	30.00	1.000	Complies
105	6475	16.24	30.00	1.000	Complies
113	6515	15.64	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-3.06	0.16	6.60	30.00	1.000	Complies
107	6485	3.38	0.16	13.04	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-0.43	0.16	9.23	30.00	1.000	Complies
107	6485	-0.41	0.16	9.25	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	6.49	0.16	16.15	30.00	1.000	Complies
107	6485	6.39	0.16	16.05	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	-0.63	0.16	9.03	30.00	1.000	Complies
107	6485	-0.14	0.16	9.52	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	18.11	30.00	1.000	Complies
107	6485	19.09	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	3.66	0.30	13.46	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	0.01	0.30	9.81	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.82	0.30	16.62	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	0.14	0.30	9.94	30.00	1.000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	19.74	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	0.69	0.00	10.19	30.00	1.000	Complies
149	6695	2.34	0.00	11.84	30.00	1.000	Complies
181	6855	2.07	0.00	11.57	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-3.63	0.00	5.87	30.00	1.000	Complies
149	6695	-2.52	0.00	6.98	30.00	1.000	Complies
181	6855	-1.94	0.00	7.56	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	2.88	0.00	12.38	30.00	1.000	Complies
149	6695	1.90	0.00	11.40	30.00	1.000	Complies
181	6855	0.43	0.00	9.93	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	-2.77	0.00	6.73	30.00	1.000	Complies
149	6695	-0.49	0.00	9.01	30.00	1.000	Complies
181	6855	0.60	0.00	10.10	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	15.62	30.00	1.000	Complies
149	6695	16.26	30.00	1.000	Complies
181	6855	16.05	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	3.97	0.16	13.63	30.00	1.000	Complies
147	6685	4.02	0.16	13.68	30.00	1.000	Complies
179	6845	4.85	0.16	14.51	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	-0.53	0.16	9.13	30.00	1.000	Complies
147	6685	-0.69	0.16	8.97	30.00	1.000	Complies
179	6845	0.98	0.16	10.64	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	5.33	0.16	14.99	30.00	1.000	Complies
147	6685	3.76	0.16	13.42	30.00	1.000	Complies
179	6845	3.12	0.16	12.78	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	0.43	0.16	10.09	30.00	1.000	Complies
147	6685	1.35	0.16	11.01	30.00	1.000	Complies
179	6845	3.33	0.16	12.99	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	18.81	30.00	1.000	Complies
147	6685	18.36	30.00	1.000	Complies
179	6845	19.14	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	4.90	0.30	14.70	30.00	1.000	Complies
151	6705	5.57	0.30	15.37	30.00	1.000	Complies
167	6785	6.01	0.30	15.81	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	0.25	0.30	10.05	30.00	1.000	Complies
151	6705	0.71	0.30	10.51	30.00	1.000	Complies
167	6785	1.40	0.30	11.20	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	5.33	0.30	15.13	30.00	1.000	Complies
151	6705	4.98	0.30	14.78	30.00	1.000	Complies
167	6785	4.47	0.30	14.27	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	1.69	0.30	11.49	30.00	1.000	Complies
151	6705	2.88	0.30	12.68	30.00	1.000	Complies
167	6785	3.89	0.30	13.69	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	19.68	30.00	1.000	Complies
151	6705	20.06	30.00	1.000	Complies
167	6785	20.38	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	4.52	0.50	14.52	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	0.13	0.50	10.13	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	4.62	0.50	14.62	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	1.76	0.50	11.76	30.00	1.000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	19.69	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	2.94	0.16	12.60	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-1.10	0.16	8.56	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	5.16	0.16	14.82	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	-0.48	0.16	9.18	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	18.24	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	3.77	0.30	13.57	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	-0.32	0.30	9.48	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	5.77	0.30	15.57	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	0.42	0.30	10.22	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	19.25	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	2.82	0.50	12.82	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	-0.99	0.50	9.01	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	5.46	0.50	15.46	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	-0.57	0.50	9.43	30.00	1.000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	19.03	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.71	0.00	12.21	30.00	1.000	Complies
213	7015	2.87	0.00	12.37	30.00	1.000	Complies
233	7115	1.64	0.00	11.14	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	-0.85	0.00	8.65	30.00	1.000	Complies
213	7015	0.81	0.00	10.31	30.00	1.000	Complies
233	7115	0.46	0.00	9.96	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	0.84	0.00	10.34	30.00	1.000	Complies
213	7015	1.21	0.00	10.71	30.00	1.000	Complies
233	7115	0.44	0.00	9.94	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	1.40	0.00	10.90	30.00	1.000	Complies
213	7015	2.23	0.00	11.73	30.00	1.000	Complies
233	7115	1.10	0.00	10.60	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	16.75	30.00	1.000	Complies
213	7015	17.40	30.00	1.000	Complies
233	7115	16.48	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	6.04	0.16	15.70	30.00	1.000	Complies
211	7005	5.25	0.16	14.91	30.00	1.000	Complies
227	7085	4.41	0.16	14.07	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	2.84	0.16	12.50	30.00	1.000	Complies
211	7005	3.07	0.16	12.73	30.00	1.000	Complies
227	7085	3.46	0.16	13.12	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.17	0.16	13.83	30.00	1.000	Complies
211	7005	3.57	0.16	13.23	30.00	1.000	Complies
227	7085	3.44	0.16	13.10	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	4.86	0.16	14.52	30.00	1.000	Complies
211	7005	4.52	0.16	14.18	30.00	1.000	Complies
227	7085	3.28	0.16	12.94	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	20.49	30.00	1.000	Complies
211	7005	20.04	30.00	1.000	Complies
227	7085	19.53	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	5.67	0.30	15.47	30.00	1.000	Complies
215	7025	5.40	0.30	15.20	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	2.76	0.30	12.56	30.00	1.000	Complies
215	7025	3.57	0.30	13.37	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	3.87	0.30	13.67	30.00	1.000	Complies
215	7025	4.00	0.30	13.80	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	4.75	0.30	14.55	30.00	1.000	Complies
215	7025	5.02	0.30	14.82	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	20.53	30.00	1.000	Complies
215	7025	20.70	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	9.06	0.50	19.06	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	9.32	0.50	19.32	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	9.46	0.50	19.46	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	8.65	0.50	18.65	30.00	1.000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	25.67	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	2.13	0.00	11.63	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	-1.64	0.00	7.86	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	0.44	0.00	9.94	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	0.75	0.00	10.25	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	16.16	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	4.90	0.16	14.56	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	1.35	0.16	11.01	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	3.06	0.16	12.72	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	3.70	0.16	13.36	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	19.29	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	5.64	0.30	15.44	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	1.85	0.30	11.65	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	3.90	0.30	13.70	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	4.29	0.30	14.09	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	20.26	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	8.37	0.50	18.37	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	8.51	0.50	18.51	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	8.05	0.50	18.05	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	7.67	0.50	17.67	30.00	1.000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	24.70	30.00	1.000	Complies


Note: Output power = Measure result + Cable loss

APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)


Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-12.542	0	-3.032	5	Complies
45	6175	-12.122	0	-2.590	5	Complies
93	6415	-12.820	0	-3.310	5	Complies


CH01



CH45




CH93




Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-10.651	0	-1.140	5	Complies
45	6175	-12.700	0	-3.190	5	Complies
93	6415	-13.861	0	-4.350	5	Complies


CH01



CH45




CH93




Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-8.088	0	1.430	5	Complies
45	6175	-7.025	0	2.490	5	Complies
93	6415	-6.775	0	2.735	5	Complies



Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-13.388	0	-3.878	5	Complies
45	6175	-14.564	0	-5.050	5	Complies
93	6415	-13.962	0	-4.452	5	Complies




Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	4.866	5	Complies
45	6175	4.938	5	Complies
93	6415	4.871	5	Complies


Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-12.921	0.16	-3.252	5	Complies
43	6165	-14.973	0.16	-5.301	5	Complies
91	6405	-11.032	0.16	-1.363	5	


CH03



CH43




CH91




Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-11.386	0.16	-1.717	5	Complies
43	6165	-13.220	0.16	-3.551	5	Complies
91	6405	-13.988	0.16	-4.319	5	


CH03



CH43




CH91




Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-8.823	0.16	0.846	5	Complies
43	6165	-7.511	0.16	2.158	5	Complies
91	6405	-7.401	0.16	2.269	5	



Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-14.395	0.16	-4.726	5	Complies
43	6165	-14.444	0.16	-4.771	5	Complies
91	6405	-14.694	0.16	-5.025	5	




Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	4.310	5	Complies
43	6165	4.335	5	Complies
91	6405	4.915	5	Complies


Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-15.630	0.30	-5.822	5	Complies
39	6145	-16.555	0.30	-6.742	5	Complies
87	6385	-16.558	0.30	-6.750	5	Complies


CH07



CH39




CH87




Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-14.082	0.30	-4.274	5	Complies
39	6145	-9.631	0.30	0.177	5	Complies
87	6385	-9.055	0.30	0.753	5	Complies

CH07



CH39



CH87

