





Test Graphs


11A_Ant2_Low_5180_AV




11A_Ant2_Low_5180_Peak




11A_Ant2_High_5240_AV



11A_Ant2_High_5240_Peak




11N20SISO_Ant2_Low_5180_AV







11N20SISO_Ant2_Low_5180_Peak




11N20SISO_Ant2_High_5240_AV




11N20SISO_Ant2_High_5240_Peak



11N40SISO_Ant2_Low_5190_AV




11N40SISO_Ant2_Low_5190_Peak







11N40SISO_Ant2_High_5230_AV




11N40SISO_Ant2_High_5230_Peak




11AC20SISO_Ant2_Low_5180_AV



11AC20SISO_Ant2_Low_5180_Peak




11AC20SISO_Ant2_High_5240_AV







11AC20SISO_Ant2_High_5240_Peak




11AC40SISO_Ant2_Low_5190_AV




11AC40SISO_Ant2_Low_5190_Peak



11AC40SISO_Ant2_High_5230_AV




11AC40SISO_Ant2_High_5230_Peak







11AC80SISO_Ant2_Low_5210_AV




11AC80SISO_Ant2_Low_5210_Peak



11AC80SISO_Ant2_High_5210_AV



11AC80SISO_Ant2_High_5210_Peak





ANT3

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant3	Low	5180	AV	4500.000	-49.37	≤-41.20	45.83	≤54	PASS
				AV	4849.300	-47.3	≤-41.20	47.90	≤54	PASS
				AV	5150.000	-47.6	≤-41.20	47.60	≤54	PASS
				Peak	4500.000	-41.38	≤-21.20	53.82	≤74	PASS
				Peak	4812.200	-37.21	≤-21.20	57.99	≤74	PASS
				Peak	5150.000	-40.79	≤-21.20	54.41	≤74	PASS
		High	5240	AV	5350.000	-47.4	≤-41.20	47.80	≤54	PASS
				AV	5380.320	-47.25	≤-41.20	47.95	≤54	PASS
				AV	5460.000	-48.01	≤-41.20	47.19	≤54	PASS
				Peak	5350.000	-41.5	≤-21.20	53.70	≤74	PASS
				Peak	5371.680	-37.99	≤-21.20	57.21	≤74	PASS
				Peak	5460.000	-39.85	≤-21.20	55.35	≤74	PASS
11N20SIS O	Ant3	Low	5180	AV	4500.000	-49.4	≤-41.20	45.80	≤54	PASS
				AV	4833.900	-47.29	≤-41.20	47.91	≤54	PASS
				AV	5150.000	-47.48	≤-41.20	47.72	≤54	PASS
				Peak	4500.000	-42.79	≤-21.20	52.41	≤74	PASS
				Peak	4799.600	-37.67	≤-21.20	57.53	≤74	PASS
				Peak	5150.000	-40.11	≤-21.20	55.09	≤74	PASS
		High	5240	AV	5350.000	-47.43	≤-41.20	47.77	≤54	PASS
				AV	5351.280	-47.23	≤-41.20	47.97	≤54	PASS
				AV	5460.000	-47.9	≤-41.20	47.30	≤54	PASS
				Peak	5350.000	-40.59	≤-21.20	54.61	≤74	PASS
				Peak	5350.560	-37.73	≤-21.20	57.47	≤74	PASS
				Peak	5460.000	-41.21	≤-21.20	53.99	≤74	PASS
11N40SIS O	Ant3	Low	5190	AV	4500.000	-49.04	≤-41.20	46.16	≤54	PASS
				AV	5149.600	-43.57	≤-41.20	51.63	≤54	PASS
				AV	5150.000	-42.93	≤-41.20	52.27	≤54	PASS
				Peak	4500.000	-39.95	≤-21.20	55.25	≤74	PASS
				Peak	5148.900	-34.05	≤-21.20	61.15	≤74	PASS
				Peak	5150.000	-33.67	≤-21.20	61.53	≤74	PASS
		High	5230	AV	5350.000	-47.3	≤-41.20	47.90	≤54	PASS
				AV	5360.420	-47.12	≤-41.20	48.08	≤54	PASS
				AV	5460.000	-47.44	≤-41.20	47.76	≤54	PASS
				Peak	5350.000	-41.27	≤-21.20	53.93	≤74	PASS
				Peak	5424.120	-38.04	≤-21.20	57.16	≤74	PASS
				Peak	5460.000	-38.86	≤-21.20	56.34	≤74	PASS
11AC20SI SO	Ant3	Low	5180	AV	4500.000	-49.25	≤-41.20	45.95	≤54	PASS
				AV	4834.600	-47.27	≤-41.20	47.93	≤54	PASS
				AV	5150.000	-47.37	≤-41.20	47.83	≤54	PASS
				Peak	4500.000	-39.41	≤-21.20	55.79	≤74	PASS



		High	5240	Peak	4996.300	-37.99	≤-21.20	57.21	≤74	PASS
				Peak	5150.000	-39.41	≤-21.20	55.79	≤74	PASS
				AV	5350.000	-47.41	≤-41.20	47.79	≤54	PASS
				AV	5354.400	-47.18	≤-41.20	48.02	≤54	PASS
				AV	5460.000	-48.05	≤-41.20	47.15	≤54	PASS
				Peak	5350.000	-40.77	≤-21.20	54.43	≤74	PASS
				Peak	5379.840	-37.72	≤-21.20	57.48	≤74	PASS
				Peak	5460.000	-41.7	≤-21.20	53.50	≤74	PASS
11AC40SI SO	Ant3	Low	5190	AV	4500.000	-48.99	≤-41.20	46.21	≤54	PASS
				AV	5149.600	-43.4	≤-41.20	51.80	≤54	PASS
				AV	5150.000	-43.03	≤-41.20	52.17	≤54	PASS
				Peak	4500.000	-42.5	≤-21.20	52.70	≤74	PASS
				Peak	5148.200	-33.69	≤-21.20	61.51	≤74	PASS
				Peak	5150.000	-35.24	≤-21.20	59.96	≤74	PASS
		High	5230	AV	5350.000	-47.22	≤-41.20	47.98	≤54	PASS
				AV	5352.620	-47.07	≤-41.20	48.13	≤54	PASS
				AV	5460.000	-47.54	≤-41.20	47.66	≤54	PASS
				Peak	5350.000	-41.7	≤-21.20	53.50	≤74	PASS
				Peak	5360.420	-37.39	≤-21.20	57.81	≤74	PASS
				Peak	5460.000	-41.13	≤-21.20	54.07	≤74	PASS
11AC80SI SO	Ant3	Low	5210	AV	4500.000	-48.67	≤-41.20	46.53	≤54	PASS
				AV	5149.500	-43.08	≤-41.20	52.12	≤54	PASS
				AV	5150.000	-42.93	≤-41.20	52.27	≤54	PASS
				Peak	4500.000	-41.15	≤-21.20	54.05	≤74	PASS
				Peak	5148.750	-34.08	≤-21.20	61.12	≤74	PASS
				Peak	5150.000	-37.52	≤-21.20	57.68	≤74	PASS
		High	5210	AV	5350.000	-47.12	≤-41.20	48.08	≤54	PASS
				AV	5449.920	-46.68	≤-41.20	48.52	≤54	PASS
				AV	5460.000	-47.42	≤-41.20	47.78	≤54	PASS
				Peak	5350.000	-40.71	≤-21.20	54.49	≤74	PASS
				Peak	5394.480	-37.54	≤-21.20	57.66	≤74	PASS
				Peak	5460.000	-41.65	≤-21.20	53.55	≤74	PASS


Note:

- The Antenna Gain is compensated in the graph.
- For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


11A_Ant3_Low_5180_AV




11A_Ant3_Low_5180_Peak




11A_Ant3_High_5240_AV



11A_Ant3_High_5240_Peak




11N20SISO_Ant3_Low_5180_AV






11N20SISO_Ant3_Low_5180_Peak



11N20SISO_Ant3_High_5240_AV



11N20SISO_Ant3_High_5240_Peak