


Pulsar LED 8K Dongle

Model No.:PLEDDG01

pulsar

Function layout



- ① LED BUTTON
- ② DPI button
- ③ connection led

- ④ DPI led
- ⑤ RGB strip
- ⑥ Type-c connector

Instruction

Mouse instruction:

1. Take out the Pulsar LED 8K Dongle from package.
2. Plug the Dongle into your computer USB port by type-c cable.
3. Turn on the mouse power by switching the power switch on the bottom of the mouse.
4. Waiting for computer installation finished.

DPI setting and indication:

1. DPI level: 400-800-1600-3200-6400-12800, total 6 levels DPI.
2. Press DPI button to change DPI.

3. The indicator color will indicate the DPI level as below:
400DPI:cyan color blink. 800DPI:blue color. 1600DPI:green color.
3200DPI:yellow color. 6400DPI:orange color 12800DPI:purple color

Note:
1).DPI can be set by software , MAX DPI is 30000dpi
2).DPI led effects can be set by software and can turn off the DPI led to save power

4. user can choose the led indication function bu software

Main Specification

Size: 56x18mm
Weight: 34g

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement.