






Band5-4182-1-0.15~30MHz-PASS




Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4182-2-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4182-4-0.15~30MHz-PASS




Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Band5-4182-5-0.009~0.15MHz-PASS




Band5-4182-5-0.15~30MHz-PASS




Band5-4182-5-30~1000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4182-5-1000~10000MHz-PASS




Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4233-2-0.15~30MHz-PASS



Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4233-3-0.009~0.15MHz-PASS




Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4233-3-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-0.15~30MHz-PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-6010.00	-3.244440	±NA	PASS
Band2	9262	VL	NT	-5720.00	-3.087886	±NA	PASS
Band2	9262	VH	NT	-2280.00	-1.230836	±NA	PASS
Band2	9400	VN	NT	-8200.00	-4.361702	±NA	PASS
Band2	9400	VL	NT	-8090.00	-4.303191	±NA	PASS
Band2	9400	VH	NT	-4680.00	-2.489362	±NA	PASS
Band2	9538	VN	NT	-3770.00	-1.976305	±NA	PASS
Band2	9538	VL	NT	-4890.00	-2.563430	±NA	PASS
Band2	9538	VH	NT	-2650.00	-1.389180	±NA	PASS
Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VN	NT	5280.00	3.083392	±NA	PASS
Band4	1312	VL	NT	5250.00	3.065872	±NA	PASS
Band4	1312	VH	NT	560.00	0.327026	±NA	PASS
Band4	1413	VN	NT	3750.00	2.164377	±NA	PASS
Band4	1413	VL	NT	-1780.00	-1.027358	±NA	PASS
Band4	1413	VH	NT	-2650.00	-1.529493	±NA	PASS
Band4	1513	VN	NT	1980.00	1.129750	±NA	PASS
Band4	1513	VL	NT	-1420.00	-0.810225	±NA	PASS
Band4	1513	VH	NT	2060.00	1.175397	±NA	PASS
Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-9.01	-0.010903	±2.5	PASS
Band5	4132	VL	NT	-9.13	-0.011048	±2.5	PASS
Band5	4132	VH	NT	-10.41	-0.012597	±2.5	PASS
Band5	4182	VN	NT	-6.86	-0.008202	±2.5	PASS
Band5	4182	VL	NT	-6.64	-0.007939	±2.5	PASS
Band5	4182	VH	NT	-11.21	-0.013403	±2.5	PASS
Band5	4233	VN	NT	-10.85	-0.012816	±2.5	PASS
Band5	4233	VL	NT	-7.77	-0.009178	±2.5	PASS
Band5	4233	VH	NT	-10.31	-0.012178	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-4450.00	-2.402289	±NA	PASS
Band2	9262	NV	-20	-7860.00	-4.243144	±NA	PASS
Band2	9262	NV	-10	-9920.00	-5.355215	±NA	PASS
Band2	9262	NV	0	-7250.00	-3.913842	±NA	PASS
Band2	9262	NV	10	-3720.00	-2.008206	±NA	PASS
Band2	9262	NV	20	-7580.00	-4.091989	±NA	PASS
Band2	9262	NV	30	-6920.00	-3.735694	±NA	PASS
Band2	9262	NV	40	-6070.00	-3.276830	±NA	PASS
Band2	9262	NV	50	-2760.00	-1.489959	±NA	PASS
Band2	9400	NV	-30	-5390.00	-2.867021	±NA	PASS
Band2	9400	NV	-20	-7690.00	-4.090426	±NA	PASS
Band2	9400	NV	-10	-7280.00	-3.872340	±NA	PASS
Band2	9400	NV	0	-4100.00	-2.180851	±NA	PASS
Band2	9400	NV	10	-6010.00	-3.196809	±NA	PASS
Band2	9400	NV	20	-4250.00	-2.260638	±NA	PASS
Band2	9400	NV	30	-11100.00	-5.904255	±NA	PASS
Band2	9400	NV	40	-8800.00	-4.680851	±NA	PASS
Band2	9400	NV	50	-6280.00	-3.340426	±NA	PASS
Band2	9538	NV	-30	890.00	0.466555	±NA	PASS
Band2	9538	NV	-20	-4030.00	-2.112602	±NA	PASS
Band2	9538	NV	-10	-2670.00	-1.399664	±NA	PASS
Band2	9538	NV	0	-4220.00	-2.212204	±NA	PASS
Band2	9538	NV	10	-2820.00	-1.478297	±NA	PASS
Band2	9538	NV	20	-4880.00	-2.558188	±NA	PASS
Band2	9538	NV	30	-2470.00	-1.294821	±NA	PASS
Band2	9538	NV	40	-5660.00	-2.967079	±NA	PASS
Band2	9538	NV	50	-2050.00	-1.074649	±NA	PASS
Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	3550.00	2.073114	±NA	PASS
Band4	1312	NV	-20	1900.00	1.109554	±NA	PASS
Band4	1312	NV	-10	4880.00	2.849801	±NA	PASS
Band4	1312	NV	0	3160.00	1.845363	±NA	PASS
Band4	1312	NV	10	7010.00	4.093670	±NA	PASS
Band4	1312	NV	20	3260.00	1.903761	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1312	NV	30	3550.00	2.073114	±NA	PASS
Band4	1312	NV	40	1490.00	0.870124	±NA	PASS
Band4	1312	NV	50	6330.00	3.696566	±NA	PASS
Band4	1413	NV	-30	-6000.00	-3.463004	±NA	PASS
Band4	1413	NV	-20	-5340.00	-3.082073	±NA	PASS
Band4	1413	NV	-10	-3400.00	-1.962369	±NA	PASS
Band4	1413	NV	0	-3470.00	-2.002770	±NA	PASS
Band4	1413	NV	10	-3250.00	-1.875794	±NA	PASS
Band4	1413	NV	20	-2430.00	-1.402516	±NA	PASS
Band4	1413	NV	30	-6170.00	-3.561122	±NA	PASS
Band4	1413	NV	40	-7650.00	-4.415330	±NA	PASS
Band4	1413	NV	50	-800.00	-0.461734	±NA	PASS
Band4	1513	NV	-30	-1870.00	-1.066986	±NA	PASS
Band4	1513	NV	-20	-2270.00	-1.295219	±NA	PASS
Band4	1513	NV	-10	-860.00	-0.490700	±NA	PASS
Band4	1513	NV	0	-630.00	-0.359466	±NA	PASS
Band4	1513	NV	10	930.00	0.530640	±NA	PASS
Band4	1513	NV	20	-1180.00	-0.673285	±NA	PASS
Band4	1513	NV	30	2050.00	1.169691	±NA	PASS
Band4	1513	NV	40	2560.00	1.460687	±NA	PASS
Band4	1513	NV	50	-470.00	-0.268173	±NA	PASS
Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-11.34	-0.013722	±2.5	PASS
Band5	4132	NV	-20	-12.11	-0.014654	±2.5	PASS
Band5	4132	NV	-10	-14.04	-0.016989	±2.5	PASS
Band5	4132	NV	0	-11.41	-0.013807	±2.5	PASS
Band5	4132	NV	10	-14.53	-0.017582	±2.5	PASS
Band5	4132	NV	20	-15.84	-0.019167	±2.5	PASS
Band5	4132	NV	30	-14.93	-0.018066	±2.5	PASS
Band5	4132	NV	40	-13.55	-0.016396	±2.5	PASS
Band5	4132	NV	50	-10.57	-0.012790	±2.5	PASS
Band5	4182	NV	-30	-12.69	-0.015172	±2.5	PASS
Band5	4182	NV	-20	-12.77	-0.015268	±2.5	PASS
Band5	4182	NV	-10	-11.10	-0.013271	±2.5	PASS
Band5	4182	NV	0	-9.75	-0.011657	±2.5	PASS
Band5	4182	NV	10	-9.14	-0.010928	±2.5	PASS
Band5	4182	NV	20	-7.34	-0.008776	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	NV	30	-12.81	-0.015316	±2.5	PASS
Band5	4182	NV	40	-10.85	-0.012972	±2.5	PASS
Band5	4182	NV	50	-8.78	-0.010497	±2.5	PASS
Band5	4233	NV	-30	-16.20	-0.019135	±2.5	PASS
Band5	4233	NV	-20	-14.70	-0.017364	±2.5	PASS
Band5	4233	NV	-10	-6.89	-0.008138	±2.5	PASS
Band5	4233	NV	0	-6.59	-0.007784	±2.5	PASS
Band5	4233	NV	10	-6.90	-0.008150	±2.5	PASS
Band5	4233	NV	20	-11.16	-0.013182	±2.5	PASS
Band5	4233	NV	30	-10.81	-0.012769	±2.5	PASS
Band5	4233	NV	40	-12.04	-0.014222	±2.5	PASS
Band5	4233	NV	50	-10.81	-0.012769	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-10590.00	-5.716908	±NA	PASS
Band2	9262	1	VL	NT	-6490.00	-3.503563	±NA	PASS
Band2	9262	1	VH	NT	-4610.00	-2.488663	±NA	PASS
Band2	9262	2	VN	NT	-7240.00	-3.908443	±NA	PASS
Band2	9262	2	VL	NT	-12400.00	-6.694019	±NA	PASS
Band2	9262	2	VH	NT	-7330.00	-3.957029	±NA	PASS
Band2	9262	3	VN	NT	-12120.00	-6.542863	±NA	PASS
Band2	9262	3	VL	NT	-10680.00	-5.765493	±NA	PASS
Band2	9262	3	VH	NT	-5970.00	-3.222846	±NA	PASS
Band2	9262	4	VN	NT	-9150.00	-4.939538	±NA	PASS
Band2	9262	4	VL	NT	-11520.00	-6.218959	±NA	PASS
Band2	9262	4	VH	NT	-13660.00	-7.374217	±NA	PASS
Band2	9400	1	VN	NT	-6570.00	-3.494681	±NA	PASS
Band2	9400	1	VL	NT	-8960.00	-4.765957	±NA	PASS
Band2	9400	1	VH	NT	-7990.00	-4.250000	±NA	PASS
Band2	9400	2	VN	NT	-12760.00	-6.787234	±NA	PASS
Band2	9400	2	VL	NT	-10880.00	-5.787234	±NA	PASS
Band2	9400	2	VH	NT	-8720.00	-4.638298	±NA	PASS
Band2	9400	3	VN	NT	-14230.00	-7.569149	±NA	PASS
Band2	9400	3	VL	NT	-10880.00	-5.787234	±NA	PASS
Band2	9400	3	VH	NT	-10730.00	-5.707447	±NA	PASS
Band2	9400	4	VN	NT	-11170.00	-5.941489	±NA	PASS
Band2	9400	4	VL	NT	-13420.00	-7.138298	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9400	4	VH	NT	-11800.00	-6.276596	±NA	PASS
Band2	9538	1	VN	NT	-4660.00	-2.442860	±NA	PASS
Band2	9538	1	VL	NT	-7550.00	-3.957853	±NA	PASS
Band2	9538	1	VH	NT	-5380.00	-2.820298	±NA	PASS
Band2	9538	2	VN	NT	-10430.00	-5.467603	±NA	PASS
Band2	9538	2	VL	NT	-6200.00	-3.250157	±NA	PASS
Band2	9538	2	VH	NT	-9290.00	-4.869994	±NA	PASS
Band2	9538	3	VN	NT	-7060.00	-3.700986	±NA	PASS
Band2	9538	3	VL	NT	-9040.00	-4.738939	±NA	PASS
Band2	9538	3	VH	NT	-9260.00	-4.854267	±NA	PASS
Band2	9538	4	VN	NT	-8710.00	-4.565947	±NA	PASS
Band2	9538	4	VL	NT	-7790.00	-4.083665	±NA	PASS
Band2	9538	4	VH	NT	-8610.00	-4.513525	±NA	PASS
Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-2640.00	-1.541696	±NA	PASS
Band4	1312	1	VL	NT	-4260.00	-2.487737	±NA	PASS
Band4	1312	1	VH	NT	350.00	0.204391	±NA	PASS
Band4	1312	2	VN	NT	-3160.00	-1.845363	±NA	PASS
Band4	1312	2	VL	NT	-5730.00	-3.346181	±NA	PASS
Band4	1312	2	VH	NT	-8130.00	-4.747722	±NA	PASS
Band4	1312	3	VN	NT	-4460.00	-2.604532	±NA	PASS
Band4	1312	3	VL	NT	-2750.00	-1.605933	±NA	PASS
Band4	1312	3	VH	NT	-1250.00	-0.729970	±NA	PASS
Band4	1312	4	VN	NT	-4390.00	-2.563653	±NA	PASS
Band4	1312	4	VL	NT	-2380.00	-1.389862	±NA	PASS
Band4	1312	4	VH	NT	-2990.00	-1.746087	±NA	PASS
Band4	1413	1	VN	NT	-9340.00	-5.390742	±NA	PASS
Band4	1413	1	VL	NT	-6710.00	-3.872792	±NA	PASS
Band4	1413	1	VH	NT	-10510.00	-6.066028	±NA	PASS
Band4	1413	2	VN	NT	-9020.00	-5.206049	±NA	PASS
Band4	1413	2	VL	NT	-13520.00	-7.803301	±NA	PASS
Band4	1413	2	VH	NT	-6370.00	-3.676555	±NA	PASS
Band4	1413	3	VN	NT	-12430.00	-7.174189	±NA	PASS
Band4	1413	3	VL	NT	-12660.00	-7.306938	±NA	PASS
Band4	1413	3	VH	NT	-12250.00	-7.070299	±NA	PASS
Band4	1413	4	VN	NT	-15830.00	-9.136558	±NA	PASS
Band4	1413	4	VL	NT	-11410.00	-6.585478	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1413	4	VH	NT	-12330.00	-7.116472	±NA	PASS
Band4	1513	1	VN	NT	-6510.00	-3.714481	±NA	PASS
Band4	1513	1	VL	NT	-1040.00	-0.593404	±NA	PASS
Band4	1513	1	VH	NT	-3190.00	-1.820153	±NA	PASS
Band4	1513	2	VN	NT	-9800.00	-5.591692	±NA	PASS
Band4	1513	2	VL	NT	-9090.00	-5.186580	±NA	PASS
Band4	1513	2	VH	NT	-8540.00	-4.872760	±NA	PASS
Band4	1513	3	VN	NT	-8290.00	-4.730115	±NA	PASS
Band4	1513	3	VL	NT	-11560.00	-6.595915	±NA	PASS
Band4	1513	3	VH	NT	-10130.00	-5.779984	±NA	PASS
Band4	1513	4	VN	NT	-9590.00	-5.471870	±NA	PASS
Band4	1513	4	VL	NT	-7830.00	-4.467648	±NA	PASS
Band4	1513	4	VH	NT	-8120.00	-4.633117	±NA	PASS
Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-6.90	-0.008349	±2.5	PASS
Band5	4132	1	VL	NT	-10.26	-0.012415	±2.5	PASS
Band5	4132	1	VH	NT	-8.60	-0.010407	±2.5	PASS
Band5	4132	2	VN	NT	-8.73	-0.010564	±2.5	PASS
Band5	4132	2	VL	NT	-7.46	-0.009027	±2.5	PASS
Band5	4132	2	VH	NT	-5.79	-0.007006	±2.5	PASS
Band5	4132	3	VN	NT	-6.22	-0.007527	±2.5	PASS
Band5	4132	3	VL	NT	-5.99	-0.007248	±2.5	PASS
Band5	4132	3	VH	NT	-12.40	-0.015005	±2.5	PASS
Band5	4132	4	VN	NT	-8.48	-0.010261	±2.5	PASS
Band5	4132	4	VL	NT	-6.95	-0.008410	±2.5	PASS
Band5	4132	4	VH	NT	-5.41	-0.006546	±2.5	PASS
Band5	4182	1	VN	NT	-8.31	-0.009935	±2.5	PASS
Band5	4182	1	VL	NT	-11.13	-0.013307	±2.5	PASS
Band5	4182	1	VH	NT	-10.66	-0.012745	±2.5	PASS
Band5	4182	2	VN	NT	-11.28	-0.013486	±2.5	PASS
Band5	4182	2	VL	NT	-9.75	-0.011657	±2.5	PASS
Band5	4182	2	VH	NT	-7.54	-0.009015	±2.5	PASS
Band5	4182	3	VN	NT	-7.65	-0.009146	±2.5	PASS
Band5	4182	3	VL	NT	-8.81	-0.010533	±2.5	PASS
Band5	4182	3	VH	NT	-8.03	-0.009601	±2.5	PASS
Band5	4182	4	VN	NT	-9.15	-0.010940	±2.5	PASS
Band5	4182	4	VL	NT	-6.18	-0.007389	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	4	VH	NT	-12.48	-0.014921	±2.5	PASS
Band5	4233	1	VN	NT	-11.42	-0.013489	±2.5	PASS
Band5	4233	1	VL	NT	-8.93	-0.010548	±2.5	PASS
Band5	4233	1	VH	NT	-13.33	-0.015745	±2.5	PASS
Band5	4233	2	VN	NT	-12.52	-0.014789	±2.5	PASS
Band5	4233	2	VL	NT	-5.82	-0.006875	±2.5	PASS
Band5	4233	2	VH	NT	-6.04	-0.007134	±2.5	PASS
Band5	4233	3	VN	NT	-6.95	-0.008209	±2.5	PASS
Band5	4233	3	VL	NT	-7.22	-0.008528	±2.5	PASS
Band5	4233	3	VH	NT	-9.86	-0.011647	±2.5	PASS
Band5	4233	4	VN	NT	-10.38	-0.012261	±2.5	PASS
Band5	4233	4	VL	NT	-8.65	-0.010217	±2.5	PASS
Band5	4233	4	VH	NT	-13.25	-0.015651	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-2440.00	-1.317210	±NA	PASS
Band2	9262	1	NV	-20	-6480.00	-3.498165	±NA	PASS
Band2	9262	1	NV	-10	-7640.00	-4.124379	±NA	PASS
Band2	9262	1	NV	0	-8020.00	-4.329518	±NA	PASS
Band2	9262	1	NV	10	-9890.00	-5.339020	±NA	PASS
Band2	9262	1	NV	20	-3700.00	-1.997409	±NA	PASS
Band2	9262	1	NV	30	-7650.00	-4.129778	±NA	PASS
Band2	9262	1	NV	40	-6000.00	-3.239041	±NA	PASS
Band2	9262	1	NV	50	-6430.00	-3.471173	±NA	PASS
Band2	9262	2	NV	-30	-8260.00	-4.459080	±NA	PASS
Band2	9262	2	NV	-20	-11350.00	-6.127186	±NA	PASS
Band2	9262	2	NV	-10	-8080.00	-4.361909	±NA	PASS
Band2	9262	2	NV	0	-10860.00	-5.862665	±NA	PASS
Band2	9262	2	NV	10	-12970.00	-7.001727	±NA	PASS
Band2	9262	2	NV	20	-11360.00	-6.132585	±NA	PASS
Band2	9262	2	NV	30	-10020.00	-5.409199	±NA	PASS
Band2	9262	2	NV	40	-6390.00	-3.449579	±NA	PASS
Band2	9262	2	NV	50	-7400.00	-3.994818	±NA	PASS
Band2	9262	3	NV	-30	-10030.00	-5.414597	±NA	PASS
Band2	9262	3	NV	-20	-11290.00	-6.094796	±NA	PASS
Band2	9262	3	NV	-10	-9700.00	-5.236450	±NA	PASS
Band2	9262	3	NV	0	-8020.00	-4.329518	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9262	3	NV	10	-10280.00	-5.549557	±NA	PASS
Band2	9262	3	NV	20	-10380.00	-5.603541	±NA	PASS
Band2	9262	3	NV	30	-11420.00	-6.164975	±NA	PASS
Band2	9262	3	NV	40	-10460.00	-5.646729	±NA	PASS
Band2	9262	3	NV	50	-13210.00	-7.131289	±NA	PASS
Band2	9262	4	NV	-30	-11490.00	-6.202764	±NA	PASS
Band2	9262	4	NV	-20	-11200.00	-6.046210	±NA	PASS
Band2	9262	4	NV	-10	-10660.00	-5.754697	±NA	PASS
Band2	9262	4	NV	0	-9300.00	-5.020514	±NA	PASS
Band2	9262	4	NV	10	-13000.00	-7.017923	±NA	PASS
Band2	9262	4	NV	20	-12410.00	-6.699417	±NA	PASS
Band2	9262	4	NV	30	-9380.00	-5.063701	±NA	PASS
Band2	9262	4	NV	40	-11280.00	-6.089398	±NA	PASS
Band2	9262	4	NV	50	-11090.00	-5.986828	±NA	PASS
Band2	9400	1	NV	-30	-8810.00	-4.686170	±NA	PASS
Band2	9400	1	NV	-20	-6020.00	-3.202128	±NA	PASS
Band2	9400	1	NV	-10	-9030.00	-4.803191	±NA	PASS
Band2	9400	1	NV	0	-4770.00	-2.537234	±NA	PASS
Band2	9400	1	NV	10	-7600.00	-4.042553	±NA	PASS
Band2	9400	1	NV	20	-8790.00	-4.675532	±NA	PASS
Band2	9400	1	NV	30	-5940.00	-3.159574	±NA	PASS
Band2	9400	1	NV	40	-9550.00	-5.079787	±NA	PASS
Band2	9400	1	NV	50	-10870.00	-5.781915	±NA	PASS
Band2	9400	2	NV	-30	-9640.00	-5.127660	±NA	PASS
Band2	9400	2	NV	-20	-12890.00	-6.856383	±NA	PASS
Band2	9400	2	NV	-10	-8470.00	-4.505319	±NA	PASS
Band2	9400	2	NV	0	-11550.00	-6.143617	±NA	PASS
Band2	9400	2	NV	10	-12770.00	-6.792553	±NA	PASS
Band2	9400	2	NV	20	-12240.00	-6.510638	±NA	PASS
Band2	9400	2	NV	30	-10130.00	-5.388298	±NA	PASS
Band2	9400	2	NV	40	-8060.00	-4.287234	±NA	PASS
Band2	9400	2	NV	50	-10950.00	-5.824468	±NA	PASS
Band2	9400	3	NV	-30	-12260.00	-6.521277	±NA	PASS
Band2	9400	3	NV	-20	-10210.00	-5.430851	±NA	PASS
Band2	9400	3	NV	-10	-12220.00	-6.500000	±NA	PASS
Band2	9400	3	NV	0	-10560.00	-5.617021	±NA	PASS
Band2	9400	3	NV	10	-9740.00	-5.180851	±NA	PASS
Band2	9400	3	NV	20	-10600.00	-5.638298	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9400	3	NV	30	-14550.00	-7.739362	±NA	PASS
Band2	9400	3	NV	40	-11380.00	-6.053191	±NA	PASS
Band2	9400	3	NV	50	-10470.00	-5.569149	±NA	PASS
Band2	9400	4	NV	-30	-13280.00	-7.063830	±NA	PASS
Band2	9400	4	NV	-20	-13030.00	-6.930851	±NA	PASS
Band2	9400	4	NV	-10	-12320.00	-6.553191	±NA	PASS
Band2	9400	4	NV	0	-11970.00	-6.367021	±NA	PASS
Band2	9400	4	NV	10	-13610.00	-7.239362	±NA	PASS
Band2	9400	4	NV	20	-12190.00	-6.484043	±NA	PASS
Band2	9400	4	NV	30	-10020.00	-5.329787	±NA	PASS
Band2	9400	4	NV	40	-12760.00	-6.787234	±NA	PASS
Band2	9400	4	NV	50	-12820.00	-6.819149	±NA	PASS
Band2	9538	1	NV	-30	-1210.00	-0.634305	±NA	PASS
Band2	9538	1	NV	-20	-4810.00	-2.521493	±NA	PASS
Band2	9538	1	NV	-10	-6630.00	-3.475571	±NA	PASS
Band2	9538	1	NV	0	-7020.00	-3.680017	±NA	PASS
Band2	9538	1	NV	10	-3900.00	-2.044454	±NA	PASS
Band2	9538	1	NV	20	-5710.00	-2.993290	±NA	PASS
Band2	9538	1	NV	30	-8190.00	-4.293353	±NA	PASS
Band2	9538	1	NV	40	-5440.00	-2.851751	±NA	PASS
Band2	9538	1	NV	50	-4400.00	-2.306563	±NA	PASS
Band2	9538	2	NV	-30	-6380.00	-3.344517	±NA	PASS
Band2	9538	2	NV	-20	-9630.00	-5.048228	±NA	PASS
Band2	9538	2	NV	-10	-6150.00	-3.223946	±NA	PASS
Band2	9538	2	NV	0	-3510.00	-1.840008	±NA	PASS
Band2	9538	2	NV	10	-4510.00	-2.364227	±NA	PASS
Band2	9538	2	NV	20	-7040.00	-3.690501	±NA	PASS
Band2	9538	2	NV	30	-7090.00	-3.716712	±NA	PASS
Band2	9538	2	NV	40	-4710.00	-2.469071	±NA	PASS
Band2	9538	2	NV	50	-6970.00	-3.653806	±NA	PASS
Band2	9538	3	NV	-30	-11370.00	-5.960369	±NA	PASS
Band2	9538	3	NV	-20	-6210.00	-3.255399	±NA	PASS
Band2	9538	3	NV	-10	-8460.00	-4.434892	±NA	PASS
Band2	9538	3	NV	0	-10970.00	-5.750681	±NA	PASS
Band2	9538	3	NV	10	-8210.00	-4.303837	±NA	PASS
Band2	9538	3	NV	20	-7100.00	-3.721954	±NA	PASS
Band2	9538	3	NV	30	-10650.00	-5.582931	±NA	PASS
Band2	9538	3	NV	40	-7740.00	-4.057454	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9538	3	NV	50	-10650.00	-5.582931	±NA	PASS
Band2	9538	4	NV	-30	-8140.00	-4.267142	±NA	PASS
Band2	9538	4	NV	-20	-8510.00	-4.461103	±NA	PASS
Band2	9538	4	NV	-10	-8600.00	-4.508283	±NA	PASS
Band2	9538	4	NV	0	-7960.00	-4.172783	±NA	PASS
Band2	9538	4	NV	10	-9870.00	-5.174041	±NA	PASS
Band2	9538	4	NV	20	-7540.00	-3.952611	±NA	PASS
Band2	9538	4	NV	30	-11550.00	-6.054728	±NA	PASS
Band2	9538	4	NV	40	-9020.00	-4.728455	±NA	PASS
Band2	9538	4	NV	50	-8930.00	-4.681275	±NA	PASS
Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	200.00	0.116795	±NA	PASS
Band4	1312	1	NV	-20	-2120.00	-1.238028	±NA	PASS
Band4	1312	1	NV	-10	1040.00	0.607335	±NA	PASS
Band4	1312	1	NV	0	-3160.00	-1.845363	±NA	PASS
Band4	1312	1	NV	10	-3610.00	-2.108152	±NA	PASS
Band4	1312	1	NV	20	-870.00	-0.508059	±NA	PASS
Band4	1312	1	NV	30	70.00	0.040878	±NA	PASS
Band4	1312	1	NV	40	410.00	0.239430	±NA	PASS
Band4	1312	1	NV	50	-860.00	-0.502219	±NA	PASS
Band4	1312	2	NV	-30	3880.00	2.265826	±NA	PASS
Band4	1312	2	NV	-20	-4040.00	-2.359262	±NA	PASS
Band4	1312	2	NV	-10	-1790.00	-1.045317	±NA	PASS
Band4	1312	2	NV	0	2770.00	1.617613	±NA	PASS
Band4	1312	2	NV	10	-1100.00	-0.642373	±NA	PASS
Band4	1312	2	NV	20	-2290.00	-1.337304	±NA	PASS
Band4	1312	2	NV	30	-4990.00	-2.914039	±NA	PASS
Band4	1312	2	NV	40	590.00	0.344546	±NA	PASS
Band4	1312	2	NV	50	-2820.00	-1.646811	±NA	PASS
Band4	1312	3	NV	-30	-1100.00	-0.642373	±NA	PASS
Band4	1312	3	NV	-20	-6950.00	-4.058631	±NA	PASS
Band4	1312	3	NV	-10	-5510.00	-3.217706	±NA	PASS
Band4	1312	3	NV	0	-2600.00	-1.518337	±NA	PASS
Band4	1312	3	NV	10	-3010.00	-1.757767	±NA	PASS
Band4	1312	3	NV	20	-4910.00	-2.867321	±NA	PASS
Band4	1312	3	NV	30	-3120.00	-1.822004	±NA	PASS
Band4	1312	3	NV	40	-6740.00	-3.935996	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1312	3	NV	50	-4250.00	-2.481897	±NA	PASS
Band4	1312	4	NV	-30	-5330.00	-3.112591	±NA	PASS
Band4	1312	4	NV	-20	-4250.00	-2.481897	±NA	PASS
Band4	1312	4	NV	-10	-3030.00	-1.769446	±NA	PASS
Band4	1312	4	NV	0	-7460.00	-4.356459	±NA	PASS
Band4	1312	4	NV	10	-5080.00	-2.966597	±NA	PASS
Band4	1312	4	NV	20	-3300.00	-1.927120	±NA	PASS
Band4	1312	4	NV	30	-5510.00	-3.217706	±NA	PASS
Band4	1312	4	NV	40	-3950.00	-2.306704	±NA	PASS
Band4	1312	4	NV	50	-4330.00	-2.528615	±NA	PASS
Band4	1413	1	NV	-30	-5730.00	-3.307168	±NA	PASS
Band4	1413	1	NV	-20	-5850.00	-3.376428	±NA	PASS
Band4	1413	1	NV	-10	-6650.00	-3.838162	±NA	PASS
Band4	1413	1	NV	0	-8590.00	-4.957867	±NA	PASS
Band4	1413	1	NV	10	-7570.00	-4.369156	±NA	PASS
Band4	1413	1	NV	20	-7840.00	-4.524991	±NA	PASS
Band4	1413	1	NV	30	-8200.00	-4.732772	±NA	PASS
Band4	1413	1	NV	40	-4760.00	-2.747316	±NA	PASS
Band4	1413	1	NV	50	-10420.00	-6.014083	±NA	PASS
Band4	1413	2	NV	-30	-7730.00	-4.461503	±NA	PASS
Band4	1413	2	NV	-20	-9060.00	-5.229135	±NA	PASS
Band4	1413	2	NV	-10	-9670.00	-5.581207	±NA	PASS
Band4	1413	2	NV	0	-9290.00	-5.361884	±NA	PASS
Band4	1413	2	NV	10	-8320.00	-4.802032	±NA	PASS
Band4	1413	2	NV	20	-6830.00	-3.942052	±NA	PASS
Band4	1413	2	NV	30	-6850.00	-3.953596	±NA	PASS
Band4	1413	2	NV	40	-4890.00	-2.822348	±NA	PASS
Band4	1413	2	NV	50	-9030.00	-5.211820	±NA	PASS
Band4	1413	3	NV	-30	-10650.00	-6.146831	±NA	PASS
Band4	1413	3	NV	-20	-11830.00	-6.827889	±NA	PASS
Band4	1413	3	NV	-10	-9890.00	-5.708184	±NA	PASS
Band4	1413	3	NV	0	-10940.00	-6.314210	±NA	PASS
Band4	1413	3	NV	10	-9500.00	-5.483089	±NA	PASS
Band4	1413	3	NV	20	-7670.00	-4.426873	±NA	PASS
Band4	1413	3	NV	30	-7710.00	-4.449960	±NA	PASS
Band4	1413	3	NV	40	-8600.00	-4.963638	±NA	PASS
Band4	1413	3	NV	50	-11040.00	-6.371927	±NA	PASS
Band4	1413	4	NV	-30	-12350.00	-7.128016	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1413	4	NV	-20	-9420.00	-5.436916	±NA	PASS
Band4	1413	4	NV	-10	-11960.00	-6.902920	±NA	PASS
Band4	1413	4	NV	0	-8510.00	-4.911693	±NA	PASS
Band4	1413	4	NV	10	-8390.00	-4.842433	±NA	PASS
Band4	1413	4	NV	20	-11360.00	-6.556620	±NA	PASS
Band4	1413	4	NV	30	-11680.00	-6.741314	±NA	PASS
Band4	1413	4	NV	40	-10000.00	-5.771673	±NA	PASS
Band4	1413	4	NV	50	-13130.00	-7.578206	±NA	PASS
Band4	1513	1	NV	-30	-3550.00	-2.025562	±NA	PASS
Band4	1513	1	NV	-20	-4650.00	-2.653201	±NA	PASS
Band4	1513	1	NV	-10	-8410.00	-4.798585	±NA	PASS
Band4	1513	1	NV	0	-4300.00	-2.453498	±NA	PASS
Band4	1513	1	NV	10	-840.00	-0.479288	±NA	PASS
Band4	1513	1	NV	20	-5060.00	-2.887139	±NA	PASS
Band4	1513	1	NV	30	-6120.00	-3.491955	±NA	PASS
Band4	1513	1	NV	40	-5680.00	-3.240899	±NA	PASS
Band4	1513	1	NV	50	-7130.00	-4.068241	±NA	PASS
Band4	1513	2	NV	-30	-8330.00	-4.752938	±NA	PASS
Band4	1513	2	NV	-20	-7020.00	-4.005478	±NA	PASS
Band4	1513	2	NV	-10	-4960.00	-2.830081	±NA	PASS
Band4	1513	2	NV	0	-8210.00	-4.684469	±NA	PASS
Band4	1513	2	NV	10	-7620.00	-4.347826	±NA	PASS
Band4	1513	2	NV	20	-8620.00	-4.918407	±NA	PASS
Band4	1513	2	NV	30	-8520.00	-4.861349	±NA	PASS
Band4	1513	2	NV	40	-6690.00	-3.817186	±NA	PASS
Band4	1513	2	NV	50	-6970.00	-3.976949	±NA	PASS
Band4	1513	3	NV	-30	-6020.00	-3.434897	±NA	PASS
Band4	1513	3	NV	-20	-9740.00	-5.557457	±NA	PASS
Band4	1513	3	NV	-10	-5560.00	-3.172430	±NA	PASS
Band4	1513	3	NV	0	-8520.00	-4.861349	±NA	PASS
Band4	1513	3	NV	10	-9280.00	-5.294990	±NA	PASS
Band4	1513	3	NV	20	-11040.00	-6.299213	±NA	PASS
Band4	1513	3	NV	30	-6180.00	-3.526190	±NA	PASS
Band4	1513	3	NV	40	-8260.00	-4.712998	±NA	PASS
Band4	1513	3	NV	50	-6950.00	-3.965537	±NA	PASS
Band4	1513	4	NV	-30	-9570.00	-5.460459	±NA	PASS
Band4	1513	4	NV	-20	-9390.00	-5.357754	±NA	PASS
Band4	1513	4	NV	-10	-10160.00	-5.797101	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1513	4	NV	0	-9610.00	-5.483282	±NA	PASS
Band4	1513	4	NV	10	-7480.00	-4.267945	±NA	PASS
Band4	1513	4	NV	20	-9350.00	-5.334931	±NA	PASS
Band4	1513	4	NV	30	-9700.00	-5.534634	±NA	PASS
Band4	1513	4	NV	40	-12950.00	-7.389022	±NA	PASS
Band4	1513	4	NV	50	-9240.00	-5.272167	±NA	PASS
Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-10.57	-0.012790	±2.5	PASS
Band5	4132	1	NV	-20	-8.54	-0.010334	±2.5	PASS
Band5	4132	1	NV	-10	-8.18	-0.009898	±2.5	PASS
Band5	4132	1	NV	0	-4.76	-0.005760	±2.5	PASS
Band5	4132	1	NV	10	-4.59	-0.005554	±2.5	PASS
Band5	4132	1	NV	20	-9.66	-0.011689	±2.5	PASS
Band5	4132	1	NV	30	-10.06	-0.012173	±2.5	PASS
Band5	4132	1	NV	40	-7.84	-0.009487	±2.5	PASS
Band5	4132	1	NV	50	-12.08	-0.014618	±2.5	PASS
Band5	4132	2	NV	-30	-11.99	-0.014509	±2.5	PASS
Band5	4132	2	NV	-20	-9.39	-0.011363	±2.5	PASS
Band5	4132	2	NV	-10	-6.80	-0.008228	±2.5	PASS
Band5	4132	2	NV	0	-12.62	-0.015271	±2.5	PASS
Band5	4132	2	NV	10	-6.24	-0.007551	±2.5	PASS
Band5	4132	2	NV	20	-13.24	-0.016021	±2.5	PASS
Band5	4132	2	NV	30	-8.36	-0.010116	±2.5	PASS
Band5	4132	2	NV	40	-12.56	-0.015198	±2.5	PASS
Band5	4132	2	NV	50	-8.05	-0.009741	±2.5	PASS
Band5	4132	3	NV	-30	-8.59	-0.010394	±2.5	PASS
Band5	4132	3	NV	-20	-10.08	-0.012197	±2.5	PASS
Band5	4132	3	NV	-10	-8.98	-0.010866	±2.5	PASS
Band5	4132	3	NV	0	-7.25	-0.008773	±2.5	PASS
Band5	4132	3	NV	10	-9.48	-0.011471	±2.5	PASS
Band5	4132	3	NV	20	-5.99	-0.007248	±2.5	PASS
Band5	4132	3	NV	30	-10.13	-0.012258	±2.5	PASS
Band5	4132	3	NV	40	-4.71	-0.005699	±2.5	PASS
Band5	4132	3	NV	50	-8.26	-0.009995	±2.5	PASS
Band5	4132	4	NV	-30	-10.86	-0.013141	±2.5	PASS
Band5	4132	4	NV	-20	-8.33	-0.010080	±2.5	PASS
Band5	4132	4	NV	-10	-12.83	-0.015525	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4132	4	NV	0	-9.16	-0.011084	±2.5	PASS
Band5	4132	4	NV	10	-13.34	-0.016142	±2.5	PASS
Band5	4132	4	NV	20	-6.73	-0.008144	±2.5	PASS
Band5	4132	4	NV	30	-13.71	-0.016590	±2.5	PASS
Band5	4132	4	NV	40	-6.64	-0.008035	±2.5	PASS
Band5	4132	4	NV	50	-11.79	-0.014267	±2.5	PASS
Band5	4182	1	NV	-30	-8.73	-0.010438	±2.5	PASS
Band5	4182	1	NV	-20	-7.40	-0.008847	±2.5	PASS
Band5	4182	1	NV	-10	-6.59	-0.007879	±2.5	PASS
Band5	4182	1	NV	0	-12.01	-0.014359	±2.5	PASS
Band5	4182	1	NV	10	-7.51	-0.008979	±2.5	PASS
Band5	4182	1	NV	20	-4.87	-0.005823	±2.5	PASS
Band5	4182	1	NV	30	-12.97	-0.015507	±2.5	PASS
Band5	4182	1	NV	40	-5.92	-0.007078	±2.5	PASS
Band5	4182	1	NV	50	-12.53	-0.014981	±2.5	PASS
Band5	4182	2	NV	-30	-6.22	-0.007437	±2.5	PASS
Band5	4182	2	NV	-20	-12.43	-0.014861	±2.5	PASS
Band5	4182	2	NV	-10	-7.33	-0.008764	±2.5	PASS
Band5	4182	2	NV	0	-12.75	-0.015244	±2.5	PASS
Band5	4182	2	NV	10	-9.14	-0.010928	±2.5	PASS
Band5	4182	2	NV	20	-5.50	-0.006576	±2.5	PASS
Band5	4182	2	NV	30	-11.39	-0.013618	±2.5	PASS
Band5	4182	2	NV	40	-13.02	-0.015567	±2.5	PASS
Band5	4182	2	NV	50	-5.23	-0.006253	±2.5	PASS
Band5	4182	3	NV	-30	-6.01	-0.007186	±2.5	PASS
Band5	4182	3	NV	-20	-9.51	-0.011370	±2.5	PASS
Band5	4182	3	NV	-10	-13.74	-0.016428	±2.5	PASS
Band5	4182	3	NV	0	-7.29	-0.008716	±2.5	PASS
Band5	4182	3	NV	10	-12.64	-0.015112	±2.5	PASS
Band5	4182	3	NV	20	-11.09	-0.013259	±2.5	PASS
Band5	4182	3	NV	30	-6.75	-0.008070	±2.5	PASS
Band5	4182	3	NV	40	-10.56	-0.012626	±2.5	PASS
Band5	4182	3	NV	50	-11.14	-0.013319	±2.5	PASS
Band5	4182	4	NV	-30	-7.05	-0.008429	±2.5	PASS
Band5	4182	4	NV	-20	-12.25	-0.014646	±2.5	PASS
Band5	4182	4	NV	-10	-9.57	-0.011442	±2.5	PASS
Band5	4182	4	NV	0	-12.96	-0.015495	±2.5	PASS
Band5	4182	4	NV	10	-8.26	-0.009876	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	4	NV	20	-12.08	-0.014443	±2.5	PASS
Band5	4182	4	NV	30	-6.44	-0.007700	±2.5	PASS
Band5	4182	4	NV	40	-10.03	-0.011992	±2.5	PASS
Band5	4182	4	NV	50	-5.90	-0.007054	±2.5	PASS
Band5	4233	1	NV	-30	-9.59	-0.011328	±2.5	PASS
Band5	4233	1	NV	-20	-10.89	-0.012863	±2.5	PASS
Band5	4233	1	NV	-10	-13.62	-0.016088	±2.5	PASS
Band5	4233	1	NV	0	-14.36	-0.016962	±2.5	PASS
Band5	4233	1	NV	10	-7.11	-0.008398	±2.5	PASS
Band5	4233	1	NV	20	-6.64	-0.007843	±2.5	PASS
Band5	4233	1	NV	30	-9.71	-0.011469	±2.5	PASS
Band5	4233	1	NV	40	-11.15	-0.013170	±2.5	PASS
Band5	4233	1	NV	50	-11.47	-0.013548	±2.5	PASS
Band5	4233	2	NV	-30	-10.44	-0.012332	±2.5	PASS
Band5	4233	2	NV	-20	-9.01	-0.010643	±2.5	PASS
Band5	4233	2	NV	-10	-7.25	-0.008564	±2.5	PASS
Band5	4233	2	NV	0	-8.21	-0.009698	±2.5	PASS
Band5	4233	2	NV	10	-12.99	-0.015344	±2.5	PASS
Band5	4233	2	NV	20	-9.64	-0.011387	±2.5	PASS
Band5	4233	2	NV	30	-10.36	-0.012237	±2.5	PASS
Band5	4233	2	NV	40	-6.57	-0.007760	±2.5	PASS
Band5	4233	2	NV	50	-9.70	-0.011458	±2.5	PASS
Band5	4233	3	NV	-30	-8.24	-0.009733	±2.5	PASS
Band5	4233	3	NV	-20	-8.30	-0.009804	±2.5	PASS
Band5	4233	3	NV	-10	-6.34	-0.007489	±2.5	PASS
Band5	4233	3	NV	0	-15.10	-0.017836	±2.5	PASS
Band5	4233	3	NV	10	-11.14	-0.013159	±2.5	PASS
Band5	4233	3	NV	20	-7.58	-0.008953	±2.5	PASS
Band5	4233	3	NV	30	-6.34	-0.007489	±2.5	PASS
Band5	4233	3	NV	40	-11.24	-0.013277	±2.5	PASS
Band5	4233	3	NV	50	-6.41	-0.007571	±2.5	PASS
Band5	4233	4	NV	-30	-9.18	-0.010843	±2.5	PASS
Band5	4233	4	NV	-20	-11.32	-0.013371	±2.5	PASS
Band5	4233	4	NV	-10	-9.94	-0.011741	±2.5	PASS
Band5	4233	4	NV	0	-14.75	-0.017423	±2.5	PASS
Band5	4233	4	NV	10	-11.18	-0.013206	±2.5	PASS
Band5	4233	4	NV	20	-14.69	-0.017352	±2.5	PASS
Band5	4233	4	NV	30	-8.01	-0.009461	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4233	4	NV	40	-11.63	-0.013737	±2.5	PASS
Band5	4233	4	NV	50	-4.52	-0.005339	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-9480.00	-5.117685	±NA	PASS
Band2	9262	1	VL	NT	-5000.00	-2.699201	±NA	PASS
Band2	9262	1	VH	NT	-8950.00	-4.831570	±NA	PASS
Band2	9262	2	VN	NT	-6160.00	-3.325416	±NA	PASS
Band2	9262	2	VL	NT	-3780.00	-2.040596	±NA	PASS
Band2	9262	2	VH	NT	-5610.00	-3.028504	±NA	PASS
Band2	9262	3	VN	NT	-3720.00	-2.008206	±NA	PASS
Band2	9262	3	VL	NT	-8290.00	-4.475275	±NA	PASS
Band2	9262	3	VH	NT	-3760.00	-2.029799	±NA	PASS
Band2	9262	4	VN	NT	-5110.00	-2.758583	±NA	PASS
Band2	9262	4	VL	NT	-8690.00	-4.691211	±NA	PASS
Band2	9262	4	VH	NT	-7420.00	-4.005614	±NA	PASS
Band2	9262	5	VN	NT	-2850.00	-1.538545	±NA	PASS
Band2	9262	5	VL	NT	-2680.00	-1.446772	±NA	PASS
Band2	9262	5	VH	NT	-3690.00	-1.992010	±NA	PASS
Band2	9400	1	VN	NT	-6350.00	-3.377660	±NA	PASS
Band2	9400	1	VL	NT	-5350.00	-2.845745	±NA	PASS
Band2	9400	1	VH	NT	-7040.00	-3.744681	±NA	PASS
Band2	9400	2	VN	NT	-6690.00	-3.558511	±NA	PASS
Band2	9400	2	VL	NT	-10340.00	-5.500000	±NA	PASS
Band2	9400	2	VH	NT	-4910.00	-2.611702	±NA	PASS
Band2	9400	3	VN	NT	-3430.00	-1.824468	±NA	PASS
Band2	9400	3	VL	NT	-9840.00	-5.234043	±NA	PASS
Band2	9400	3	VH	NT	-6930.00	-3.686170	±NA	PASS
Band2	9400	4	VN	NT	-9270.00	-4.930851	±NA	PASS
Band2	9400	4	VL	NT	-9090.00	-4.835106	±NA	PASS
Band2	9400	4	VH	NT	-10400.00	-5.531915	±NA	PASS
Band2	9400	5	VN	NT	-2570.00	-1.367021	±NA	PASS
Band2	9400	5	VL	NT	-4650.00	-2.473404	±NA	PASS
Band2	9400	5	VH	NT	-7710.00	-4.101064	±NA	PASS
Band2	9538	1	VN	NT	-840.00	-0.440344	±NA	PASS
Band2	9538	1	VL	NT	-3740.00	-1.960579	±NA	PASS
Band2	9538	1	VH	NT	360.00	0.188719	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9538	2	VN	NT	-1690.00	-0.885930	±NA	PASS
Band2	9538	2	VL	NT	-3030.00	-1.588383	±NA	PASS
Band2	9538	2	VH	NT	-5590.00	-2.930384	±NA	PASS
Band2	9538	3	VN	NT	-6500.00	-3.407423	±NA	PASS
Band2	9538	3	VL	NT	-4080.00	-2.138813	±NA	PASS
Band2	9538	3	VH	NT	210.00	0.110086	±NA	PASS
Band2	9538	4	VN	NT	-1130.00	-0.592367	±NA	PASS
Band2	9538	4	VL	NT	-6200.00	-3.250157	±NA	PASS
Band2	9538	4	VH	NT	-5810.00	-3.045712	±NA	PASS
Band2	9538	5	VN	NT	280.00	0.146781	±NA	PASS
Band2	9538	5	VL	NT	-3530.00	-1.850493	±NA	PASS
Band2	9538	5	VH	NT	-240.00	-0.125813	±NA	PASS
Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	2680.00	1.565055	±NA	PASS
Band4	1312	1	VL	NT	-3320.00	-1.938799	±NA	PASS
Band4	1312	1	VH	NT	1390.00	0.811726	±NA	PASS
Band4	1312	2	VN	NT	700.00	0.408783	±NA	PASS
Band4	1312	2	VL	NT	1020.00	0.595655	±NA	PASS
Band4	1312	2	VH	NT	-770.00	-0.449661	±NA	PASS
Band4	1312	3	VN	NT	80.00	0.046718	±NA	PASS
Band4	1312	3	VL	NT	-1890.00	-1.103714	±NA	PASS
Band4	1312	3	VH	NT	3800.00	2.219108	±NA	PASS
Band4	1312	4	VN	NT	-3740.00	-2.184069	±NA	PASS
Band4	1312	4	VL	NT	-5720.00	-3.340341	±NA	PASS
Band4	1312	4	VH	NT	-370.00	-0.216071	±NA	PASS
Band4	1312	5	VN	NT	300.00	0.175193	±NA	PASS
Band4	1312	5	VL	NT	340.00	0.198552	±NA	PASS
Band4	1312	5	VH	NT	2260.00	1.319785	±NA	PASS
Band4	1413	1	VN	NT	-3470.00	-2.002770	±NA	PASS
Band4	1413	1	VL	NT	-4440.00	-2.562623	±NA	PASS
Band4	1413	1	VH	NT	-2910.00	-1.679557	±NA	PASS
Band4	1413	2	VN	NT	-6940.00	-4.005541	±NA	PASS
Band4	1413	2	VL	NT	-4930.00	-2.845435	±NA	PASS
Band4	1413	2	VH	NT	-5830.00	-3.364885	±NA	PASS
Band4	1413	3	VN	NT	-8820.00	-5.090615	±NA	PASS
Band4	1413	3	VL	NT	-5170.00	-2.983955	±NA	PASS
Band4	1413	3	VH	NT	-6570.00	-3.791989	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1413	4	VN	NT	-4000.00	-2.308669	±NA	PASS
Band4	1413	4	VL	NT	-5510.00	-3.180192	±NA	PASS
Band4	1413	4	VH	NT	-9340.00	-5.390742	±NA	PASS
Band4	1413	5	VN	NT	-3610.00	-2.083574	±NA	PASS
Band4	1413	5	VL	NT	-4720.00	-2.724229	±NA	PASS
Band4	1413	5	VH	NT	-2480.00	-1.431375	±NA	PASS
Band4	1513	1	VN	NT	-130.00	-0.074176	±NA	PASS
Band4	1513	1	VL	NT	-580.00	-0.330937	±NA	PASS
Band4	1513	1	VH	NT	-1060.00	-0.604816	±NA	PASS
Band4	1513	2	VN	NT	-6160.00	-3.514778	±NA	PASS
Band4	1513	2	VL	NT	-8330.00	-4.752938	±NA	PASS
Band4	1513	2	VH	NT	-1330.00	-0.758873	±NA	PASS
Band4	1513	3	VN	NT	-8060.00	-4.598882	±NA	PASS
Band4	1513	3	VL	NT	-4230.00	-2.413557	±NA	PASS
Band4	1513	3	VH	NT	-5060.00	-2.887139	±NA	PASS
Band4	1513	4	VN	NT	-6560.00	-3.743010	±NA	PASS
Band4	1513	4	VL	NT	-1160.00	-0.661874	±NA	PASS
Band4	1513	4	VH	NT	-7020.00	-4.005478	±NA	PASS
Band4	1513	5	VN	NT	-3870.00	-2.208148	±NA	PASS
Band4	1513	5	VL	NT	-5080.00	-2.898551	±NA	PASS
Band4	1513	5	VH	NT	-1640.00	-0.935753	±NA	PASS
Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-11.13	-0.013468	±2.5	PASS
Band5	4132	1	VL	NT	-7.24	-0.008761	±2.5	PASS
Band5	4132	1	VH	NT	-14.03	-0.016977	±2.5	PASS
Band5	4132	2	VN	NT	-6.21	-0.007515	±2.5	PASS
Band5	4132	2	VL	NT	-6.34	-0.007672	±2.5	PASS
Band5	4132	2	VH	NT	-8.65	-0.010467	±2.5	PASS
Band5	4132	3	VN	NT	-9.03	-0.010927	±2.5	PASS
Band5	4132	3	VL	NT	-9.73	-0.011774	±2.5	PASS
Band5	4132	3	VH	NT	-4.89	-0.005917	±2.5	PASS
Band5	4132	4	VN	NT	-11.24	-0.013601	±2.5	PASS
Band5	4132	4	VL	NT	-11.41	-0.013807	±2.5	PASS
Band5	4132	4	VH	NT	-15.10	-0.018272	±2.5	PASS
Band5	4132	5	VN	NT	-11.01	-0.013323	±2.5	PASS
Band5	4132	5	VL	NT	-10.79	-0.013057	±2.5	PASS
Band5	4132	5	VH	NT	-8.48	-0.010261	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	1	VN	NT	-11.72	-0.014012	±2.5	PASS
Band5	4182	1	VL	NT	-6.66	-0.007963	±2.5	PASS
Band5	4182	1	VH	NT	-12.54	-0.014993	±2.5	PASS
Band5	4182	2	VN	NT	-8.88	-0.010617	±2.5	PASS
Band5	4182	2	VL	NT	-7.66	-0.009158	±2.5	PASS
Band5	4182	2	VH	NT	-10.81	-0.012924	±2.5	PASS
Band5	4182	3	VN	NT	-10.06	-0.012028	±2.5	PASS
Band5	4182	3	VL	NT	-6.88	-0.008226	±2.5	PASS
Band5	4182	3	VH	NT	-14.93	-0.017850	±2.5	PASS
Band5	4182	4	VN	NT	-9.62	-0.011502	±2.5	PASS
Band5	4182	4	VL	NT	-13.17	-0.015746	±2.5	PASS
Band5	4182	4	VH	NT	-12.11	-0.014479	±2.5	PASS
Band5	4182	5	VN	NT	-13.65	-0.016320	±2.5	PASS
Band5	4182	5	VL	NT	-9.03	-0.010796	±2.5	PASS
Band5	4182	5	VH	NT	-11.71	-0.014000	±2.5	PASS
Band5	4233	1	VN	NT	-14.13	-0.016690	±2.5	PASS
Band5	4233	1	VL	NT	-9.91	-0.011706	±2.5	PASS
Band5	4233	1	VH	NT	-6.24	-0.007371	±2.5	PASS
Band5	4233	2	VN	NT	-9.62	-0.011363	±2.5	PASS
Band5	4233	2	VL	NT	-9.29	-0.010973	±2.5	PASS
Band5	4233	2	VH	NT	-6.03	-0.007123	±2.5	PASS
Band5	4233	3	VN	NT	-13.85	-0.016360	±2.5	PASS
Band5	4233	3	VL	NT	-11.69	-0.013808	±2.5	PASS
Band5	4233	3	VH	NT	-11.20	-0.013229	±2.5	PASS
Band5	4233	4	VN	NT	-11.08	-0.013088	±2.5	PASS
Band5	4233	4	VL	NT	-11.62	-0.013725	±2.5	PASS
Band5	4233	4	VH	NT	-7.12	-0.008410	±2.5	PASS
Band5	4233	5	VN	NT	-9.07	-0.010713	±2.5	PASS
Band5	4233	5	VL	NT	-9.68	-0.011434	±2.5	PASS
Band5	4233	5	VH	NT	-13.07	-0.015438	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-5750.00	-3.104081	±NA	PASS
Band2	9262	1	NV	-20	-5490.00	-2.963723	±NA	PASS
Band2	9262	1	NV	-10	-4500.00	-2.429281	±NA	PASS
Band2	9262	1	NV	0	-5850.00	-3.158065	±NA	PASS
Band2	9262	1	NV	10	-4290.00	-2.315914	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9262	1	NV	20	-8520.00	-4.599439	±NA	PASS
Band2	9262	1	NV	30	-780.00	-0.421075	±NA	PASS
Band2	9262	1	NV	40	-4880.00	-2.634420	±NA	PASS
Band2	9262	1	NV	50	-6910.00	-3.730296	±NA	PASS
Band2	9262	2	NV	-30	-7690.00	-4.151371	±NA	PASS
Band2	9262	2	NV	-20	-4090.00	-2.207946	±NA	PASS
Band2	9262	2	NV	-10	-3290.00	-1.776074	±NA	PASS
Band2	9262	2	NV	0	-8980.00	-4.847765	±NA	PASS
Band2	9262	2	NV	10	-2680.00	-1.446772	±NA	PASS
Band2	9262	2	NV	20	-9160.00	-4.944936	±NA	PASS
Band2	9262	2	NV	30	-12600.00	-6.801987	±NA	PASS
Band2	9262	2	NV	40	-5520.00	-2.979918	±NA	PASS
Band2	9262	2	NV	50	-5380.00	-2.904340	±NA	PASS
Band2	9262	3	NV	-30	-6600.00	-3.562945	±NA	PASS
Band2	9262	3	NV	-20	-6490.00	-3.503563	±NA	PASS
Band2	9262	3	NV	-10	-12660.00	-6.834377	±NA	PASS
Band2	9262	3	NV	0	-8300.00	-4.480674	±NA	PASS
Band2	9262	3	NV	10	-7830.00	-4.226949	±NA	PASS
Band2	9262	3	NV	20	-8590.00	-4.637227	±NA	PASS
Band2	9262	3	NV	30	-6960.00	-3.757288	±NA	PASS
Band2	9262	3	NV	40	-3780.00	-2.040596	±NA	PASS
Band2	9262	3	NV	50	-7050.00	-3.805873	±NA	PASS
Band2	9262	4	NV	-30	-8710.00	-4.702008	±NA	PASS
Band2	9262	4	NV	-20	-5080.00	-2.742388	±NA	PASS
Band2	9262	4	NV	-10	-9670.00	-5.220255	±NA	PASS
Band2	9262	4	NV	0	-9800.00	-5.290434	±NA	PASS
Band2	9262	4	NV	10	-10090.00	-5.446988	±NA	PASS
Band2	9262	4	NV	20	-9870.00	-5.328223	±NA	PASS
Band2	9262	4	NV	30	-5630.00	-3.039300	±NA	PASS
Band2	9262	4	NV	40	-6740.00	-3.638523	±NA	PASS
Band2	9262	4	NV	50	-9090.00	-4.907147	±NA	PASS
Band2	9262	5	NV	-30	-4690.00	-2.531851	±NA	PASS
Band2	9262	5	NV	-20	-6350.00	-3.427985	±NA	PASS
Band2	9262	5	NV	-10	-2370.00	-1.279421	±NA	PASS
Band2	9262	5	NV	0	-5880.00	-3.174260	±NA	PASS
Band2	9262	5	NV	10	-1000.00	-0.539840	±NA	PASS
Band2	9262	5	NV	20	-7470.00	-4.032606	±NA	PASS
Band2	9262	5	NV	30	-1250.00	-0.674800	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9262	5	NV	40	-5520.00	-2.979918	±NA	PASS
Band2	9262	5	NV	50	-4220.00	-2.278126	±NA	PASS
Band2	9400	1	NV	-30	-12080.00	-6.425532	±NA	PASS
Band2	9400	1	NV	-20	-3860.00	-2.053191	±NA	PASS
Band2	9400	1	NV	-10	-6460.00	-3.436170	±NA	PASS
Band2	9400	1	NV	0	-10850.00	-5.771277	±NA	PASS
Band2	9400	1	NV	10	-7270.00	-3.867021	±NA	PASS
Band2	9400	1	NV	20	-6960.00	-3.702128	±NA	PASS
Band2	9400	1	NV	30	-6680.00	-3.553191	±NA	PASS
Band2	9400	1	NV	40	-9380.00	-4.989362	±NA	PASS
Band2	9400	1	NV	50	-8020.00	-4.265957	±NA	PASS
Band2	9400	2	NV	-30	-6510.00	-3.462766	±NA	PASS
Band2	9400	2	NV	-20	-5570.00	-2.962766	±NA	PASS
Band2	9400	2	NV	-10	-9940.00	-5.287234	±NA	PASS
Band2	9400	2	NV	0	-7750.00	-4.122340	±NA	PASS
Band2	9400	2	NV	10	-8820.00	-4.691489	±NA	PASS
Band2	9400	2	NV	20	-7050.00	-3.750000	±NA	PASS
Band2	9400	2	NV	30	-9730.00	-5.175532	±NA	PASS
Band2	9400	2	NV	40	-4060.00	-2.159574	±NA	PASS
Band2	9400	2	NV	50	-9090.00	-4.835106	±NA	PASS
Band2	9400	3	NV	-30	-8690.00	-4.622340	±NA	PASS
Band2	9400	3	NV	-20	-10010.00	-5.324468	±NA	PASS
Band2	9400	3	NV	-10	-9120.00	-4.851064	±NA	PASS
Band2	9400	3	NV	0	-5290.00	-2.813830	±NA	PASS
Band2	9400	3	NV	10	-4850.00	-2.579787	±NA	PASS
Band2	9400	3	NV	20	-1870.00	-0.994681	±NA	PASS
Band2	9400	3	NV	30	-7250.00	-3.856383	±NA	PASS
Band2	9400	3	NV	40	-10700.00	-5.691489	±NA	PASS
Band2	9400	3	NV	50	-7400.00	-3.936170	±NA	PASS
Band2	9400	4	NV	-30	-9290.00	-4.941489	±NA	PASS
Band2	9400	4	NV	-20	-10310.00	-5.484043	±NA	PASS
Band2	9400	4	NV	-10	-9680.00	-5.148936	±NA	PASS
Band2	9400	4	NV	0	-9180.00	-4.882979	±NA	PASS
Band2	9400	4	NV	10	-10080.00	-5.361702	±NA	PASS
Band2	9400	4	NV	20	-4490.00	-2.388298	±NA	PASS
Band2	9400	4	NV	30	360.00	0.191489	±NA	PASS
Band2	9400	4	NV	40	-11720.00	-6.234043	±NA	PASS
Band2	9400	4	NV	50	-8250.00	-4.388298	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9400	5	NV	-30	-6640.00	-3.531915	±NA	PASS
Band2	9400	5	NV	-20	-4580.00	-2.436170	±NA	PASS
Band2	9400	5	NV	-10	-2060.00	-1.095745	±NA	PASS
Band2	9400	5	NV	0	-4720.00	-2.510638	±NA	PASS
Band2	9400	5	NV	10	-860.00	-0.457447	±NA	PASS
Band2	9400	5	NV	20	-1020.00	-0.542553	±NA	PASS
Band2	9400	5	NV	30	-4580.00	-2.436170	±NA	PASS
Band2	9400	5	NV	40	-3510.00	-1.867021	±NA	PASS
Band2	9400	5	NV	50	-2850.00	-1.515957	±NA	PASS
Band2	9538	1	NV	-30	-3700.00	-1.939610	±NA	PASS
Band2	9538	1	NV	-20	-2830.00	-1.483540	±NA	PASS
Band2	9538	1	NV	-10	-3180.00	-1.667016	±NA	PASS
Band2	9538	1	NV	0	-1710.00	-0.896414	±NA	PASS
Band2	9538	1	NV	10	-5730.00	-3.003774	±NA	PASS
Band2	9538	1	NV	20	-6290.00	-3.297337	±NA	PASS
Band2	9538	1	NV	30	-640.00	-0.335500	±NA	PASS
Band2	9538	1	NV	40	0.00	0.000000	±NA	PASS
Band2	9538	1	NV	50	-2680.00	-1.404907	±NA	PASS
Band2	9538	2	NV	-30	-4850.00	-2.542462	±NA	PASS
Band2	9538	2	NV	-20	-2470.00	-1.294821	±NA	PASS
Band2	9538	2	NV	-10	-5830.00	-3.056196	±NA	PASS
Band2	9538	2	NV	0	-2350.00	-1.231914	±NA	PASS
Band2	9538	2	NV	10	-3810.00	-1.997274	±NA	PASS
Band2	9538	2	NV	20	-1340.00	-0.702453	±NA	PASS
Band2	9538	2	NV	30	-3190.00	-1.672258	±NA	PASS
Band2	9538	2	NV	40	-1590.00	-0.833508	±NA	PASS
Band2	9538	2	NV	50	-3050.00	-1.598868	±NA	PASS
Band2	9538	3	NV	-30	-1290.00	-0.676242	±NA	PASS
Band2	9538	3	NV	-20	-1040.00	-0.545188	±NA	PASS
Band2	9538	3	NV	-10	-8030.00	-4.209478	±NA	PASS
Band2	9538	3	NV	0	-320.00	-0.167750	±NA	PASS
Band2	9538	3	NV	10	-3490.00	-1.829524	±NA	PASS
Band2	9538	3	NV	20	-6160.00	-3.229189	±NA	PASS
Band2	9538	3	NV	30	-2510.00	-1.315789	±NA	PASS
Band2	9538	3	NV	40	-130.00	-0.068148	±NA	PASS
Band2	9538	3	NV	50	-4820.00	-2.526735	±NA	PASS
Band2	9538	4	NV	-30	-1210.00	-0.634305	±NA	PASS
Band2	9538	4	NV	-20	-2150.00	-1.127071	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band2	9538	4	NV	-10	-6100.00	-3.197735	±NA	PASS
Band2	9538	4	NV	0	-6310.00	-3.307821	±NA	PASS
Band2	9538	4	NV	10	-5930.00	-3.108618	±NA	PASS
Band2	9538	4	NV	20	-7030.00	-3.685259	±NA	PASS
Band2	9538	4	NV	30	-9620.00	-5.042986	±NA	PASS
Band2	9538	4	NV	40	-5520.00	-2.893688	±NA	PASS
Band2	9538	4	NV	50	-8800.00	-4.613126	±NA	PASS
Band2	9538	5	NV	-30	-690.00	-0.361711	±NA	PASS
Band2	9538	5	NV	-20	-1710.00	-0.896414	±NA	PASS
Band2	9538	5	NV	-10	810.00	0.424617	±NA	PASS
Band2	9538	5	NV	0	-3850.00	-2.018243	±NA	PASS
Band2	9538	5	NV	10	-5080.00	-2.663032	±NA	PASS
Band2	9538	5	NV	20	-1320.00	-0.691969	±NA	PASS
Band2	9538	5	NV	30	-330.00	-0.172992	±NA	PASS
Band2	9538	5	NV	40	-2390.00	-1.252883	±NA	PASS
Band2	9538	5	NV	50	870.00	0.456070	±NA	PASS
Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	2030.00	1.185471	±NA	PASS
Band4	1312	1	NV	-20	-2700.00	-1.576734	±NA	PASS
Band4	1312	1	NV	-10	320.00	0.186872	±NA	PASS
Band4	1312	1	NV	0	-980.00	-0.572296	±NA	PASS
Band4	1312	1	NV	10	4740.00	2.768045	±NA	PASS
Band4	1312	1	NV	20	-2660.00	-1.553375	±NA	PASS
Band4	1312	1	NV	30	-4400.00	-2.569493	±NA	PASS
Band4	1312	1	NV	40	3850.00	2.248306	±NA	PASS
Band4	1312	1	NV	50	4260.00	2.487737	±NA	PASS
Band4	1312	2	NV	-30	-900.00	-0.525578	±NA	PASS
Band4	1312	2	NV	-20	-190.00	-0.110955	±NA	PASS
Band4	1312	2	NV	-10	-3190.00	-1.862883	±NA	PASS
Band4	1312	2	NV	0	-3140.00	-1.833684	±NA	PASS
Band4	1312	2	NV	10	-90.00	-0.052558	±NA	PASS
Band4	1312	2	NV	20	3100.00	1.810325	±NA	PASS
Band4	1312	2	NV	30	-5450.00	-3.182668	±NA	PASS
Band4	1312	2	NV	40	-1230.00	-0.718290	±NA	PASS
Band4	1312	2	NV	50	-270.00	-0.157673	±NA	PASS
Band4	1312	3	NV	-30	-1200.00	-0.700771	±NA	PASS
Band4	1312	3	NV	-20	-4620.00	-2.697968	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1312	3	NV	-10	200.00	0.116795	±NA	PASS
Band4	1312	3	NV	0	-3830.00	-2.236627	±NA	PASS
Band4	1312	3	NV	10	2200.00	1.284747	±NA	PASS
Band4	1312	3	NV	20	980.00	0.572296	±NA	PASS
Band4	1312	3	NV	30	-5760.00	-3.363700	±NA	PASS
Band4	1312	3	NV	40	-2270.00	-1.325625	±NA	PASS
Band4	1312	3	NV	50	-3680.00	-2.149031	±NA	PASS
Band4	1312	4	NV	-30	760.00	0.443822	±NA	PASS
Band4	1312	4	NV	-20	-4470.00	-2.610371	±NA	PASS
Band4	1312	4	NV	-10	-3560.00	-2.078954	±NA	PASS
Band4	1312	4	NV	0	-2920.00	-1.705209	±NA	PASS
Band4	1312	4	NV	10	-6090.00	-3.556412	±NA	PASS
Band4	1312	4	NV	20	-2580.00	-1.506657	±NA	PASS
Band4	1312	4	NV	30	-1840.00	-1.074515	±NA	PASS
Band4	1312	4	NV	40	-5100.00	-2.978276	±NA	PASS
Band4	1312	4	NV	50	-1300.00	-0.759168	±NA	PASS
Band4	1312	5	NV	-30	3490.00	2.038075	±NA	PASS
Band4	1312	5	NV	-20	1240.00	0.724130	±NA	PASS
Band4	1312	5	NV	-10	2690.00	1.570895	±NA	PASS
Band4	1312	5	NV	0	-410.00	-0.239430	±NA	PASS
Band4	1312	5	NV	10	-1330.00	-0.776688	±NA	PASS
Band4	1312	5	NV	20	1430.00	0.835085	±NA	PASS
Band4	1312	5	NV	30	930.00	0.543097	±NA	PASS
Band4	1312	5	NV	40	1660.00	0.969400	±NA	PASS
Band4	1312	5	NV	50	4310.00	2.516935	±NA	PASS
Band4	1413	1	NV	-30	-7730.00	-4.461503	±NA	PASS
Band4	1413	1	NV	-20	-6640.00	-3.832391	±NA	PASS
Band4	1413	1	NV	-10	-9280.00	-5.356112	±NA	PASS
Band4	1413	1	NV	0	-4110.00	-2.372157	±NA	PASS
Band4	1413	1	NV	10	-6510.00	-3.757359	±NA	PASS
Band4	1413	1	NV	20	-9890.00	-5.708184	±NA	PASS
Band4	1413	1	NV	30	-10110.00	-5.835161	±NA	PASS
Band4	1413	1	NV	40	-7510.00	-4.334526	±NA	PASS
Band4	1413	1	NV	50	-10140.00	-5.852476	±NA	PASS
Band4	1413	2	NV	-30	-4640.00	-2.678056	±NA	PASS
Band4	1413	2	NV	-20	-8560.00	-4.940552	±NA	PASS
Band4	1413	2	NV	-10	-9400.00	-5.425372	±NA	PASS
Band4	1413	2	NV	0	-6070.00	-3.503405	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1413	2	NV	10	-6490.00	-3.745816	±NA	PASS
Band4	1413	2	NV	20	-10370.00	-5.985225	±NA	PASS
Band4	1413	2	NV	30	320.00	0.184694	±NA	PASS
Band4	1413	2	NV	40	-5720.00	-3.301397	±NA	PASS
Band4	1413	2	NV	50	-7980.00	-4.605795	±NA	PASS
Band4	1413	3	NV	-30	-5690.00	-3.284082	±NA	PASS
Band4	1413	3	NV	-20	-2290.00	-1.321713	±NA	PASS
Band4	1413	3	NV	-10	-6580.00	-3.797761	±NA	PASS
Band4	1413	3	NV	0	-7340.00	-4.236408	±NA	PASS
Band4	1413	3	NV	10	-6450.00	-3.722729	±NA	PASS
Band4	1413	3	NV	20	-6530.00	-3.768902	±NA	PASS
Band4	1413	3	NV	30	-4050.00	-2.337527	±NA	PASS
Band4	1413	3	NV	40	-5410.00	-3.122475	±NA	PASS
Band4	1413	3	NV	50	-2570.00	-1.483320	±NA	PASS
Band4	1413	4	NV	-30	-9130.00	-5.269537	±NA	PASS
Band4	1413	4	NV	-20	-9080.00	-5.240679	±NA	PASS
Band4	1413	4	NV	-10	-10860.00	-6.268036	±NA	PASS
Band4	1413	4	NV	0	-8400.00	-4.848205	±NA	PASS
Band4	1413	4	NV	10	-10650.00	-6.146831	±NA	PASS
Band4	1413	4	NV	20	-8390.00	-4.842433	±NA	PASS
Band4	1413	4	NV	30	-8430.00	-4.865520	±NA	PASS
Band4	1413	4	NV	40	-4610.00	-2.660741	±NA	PASS
Band4	1413	4	NV	50	-5630.00	-3.249452	±NA	PASS
Band4	1413	5	NV	-30	-2680.00	-1.546808	±NA	PASS
Band4	1413	5	NV	-20	-6810.00	-3.930509	±NA	PASS
Band4	1413	5	NV	-10	-5400.00	-3.116703	±NA	PASS
Band4	1413	5	NV	0	-5630.00	-3.249452	±NA	PASS
Band4	1413	5	NV	10	820.00	0.473277	±NA	PASS
Band4	1413	5	NV	20	-5690.00	-3.284082	±NA	PASS
Band4	1413	5	NV	30	-3940.00	-2.274039	±NA	PASS
Band4	1413	5	NV	40	-1910.00	-1.102389	±NA	PASS
Band4	1413	5	NV	50	-1450.00	-0.836893	±NA	PASS
Band4	1513	1	NV	-30	980.00	0.559169	±NA	PASS
Band4	1513	1	NV	-20	-5070.00	-2.892845	±NA	PASS
Band4	1513	1	NV	-10	-910.00	-0.519229	±NA	PASS
Band4	1513	1	NV	0	-220.00	-0.125528	±NA	PASS
Band4	1513	1	NV	10	-710.00	-0.405112	±NA	PASS
Band4	1513	1	NV	20	-6380.00	-3.640306	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1513	1	NV	30	610.00	0.348054	±NA	PASS
Band4	1513	1	NV	40	-1810.00	-1.032751	±NA	PASS
Band4	1513	1	NV	50	-380.00	-0.216821	±NA	PASS
Band4	1513	2	NV	-30	-2140.00	-1.221043	±NA	PASS
Band4	1513	2	NV	-20	-1610.00	-0.918635	±NA	PASS
Band4	1513	2	NV	-10	-1500.00	-0.855871	±NA	PASS
Band4	1513	2	NV	0	-6250.00	-3.566130	±NA	PASS
Band4	1513	2	NV	10	-4230.00	-2.413557	±NA	PASS
Band4	1513	2	NV	20	-5350.00	-3.052608	±NA	PASS
Band4	1513	2	NV	30	-5290.00	-3.018373	±NA	PASS
Band4	1513	2	NV	40	-2850.00	-1.626155	±NA	PASS
Band4	1513	2	NV	50	-480.00	-0.273879	±NA	PASS
Band4	1513	3	NV	-30	-7010.00	-3.999772	±NA	PASS
Band4	1513	3	NV	-20	-2110.00	-1.203926	±NA	PASS
Band4	1513	3	NV	-10	-5130.00	-2.927080	±NA	PASS
Band4	1513	3	NV	0	-3710.00	-2.116855	±NA	PASS
Band4	1513	3	NV	10	-7170.00	-4.091065	±NA	PASS
Band4	1513	3	NV	20	-8730.00	-4.981171	±NA	PASS
Band4	1513	3	NV	30	-1860.00	-1.061280	±NA	PASS
Band4	1513	3	NV	40	-1410.00	-0.804519	±NA	PASS
Band4	1513	3	NV	50	-3010.00	-1.717448	±NA	PASS
Band4	1513	4	NV	-30	-6230.00	-3.554719	±NA	PASS
Band4	1513	4	NV	-20	-7020.00	-4.005478	±NA	PASS
Band4	1513	4	NV	-10	-8790.00	-5.015406	±NA	PASS
Band4	1513	4	NV	0	-4080.00	-2.327970	±NA	PASS
Band4	1513	4	NV	10	-8080.00	-4.610293	±NA	PASS
Band4	1513	4	NV	20	-7400.00	-4.222298	±NA	PASS
Band4	1513	4	NV	30	-5030.00	-2.870022	±NA	PASS
Band4	1513	4	NV	40	-8860.00	-5.055346	±NA	PASS
Band4	1513	4	NV	50	-4450.00	-2.539085	±NA	PASS
Band4	1513	5	NV	-30	-6250.00	-3.566130	±NA	PASS
Band4	1513	5	NV	-20	-970.00	-0.553463	±NA	PASS
Band4	1513	5	NV	-10	-4050.00	-2.310852	±NA	PASS
Band4	1513	5	NV	0	-3830.00	-2.185325	±NA	PASS
Band4	1513	5	NV	10	-2000.00	-1.141162	±NA	PASS
Band4	1513	5	NV	20	-1620.00	-0.924341	±NA	PASS
Band4	1513	5	NV	30	-3360.00	-1.917152	±NA	PASS
Band4	1513	5	NV	40	730.00	0.416524	±NA	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band4	1513	5	NV	50	-3680.00	-2.099738	±NA	PASS
Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-5.26	-0.006365	±2.5	PASS
Band5	4132	1	NV	-20	-9.68	-0.011713	±2.5	PASS
Band5	4132	1	NV	-10	-9.53	-0.011532	±2.5	PASS
Band5	4132	1	NV	0	-8.64	-0.010455	±2.5	PASS
Band5	4132	1	NV	10	-6.25	-0.007563	±2.5	PASS
Band5	4132	1	NV	20	-14.82	-0.017933	±2.5	PASS
Band5	4132	1	NV	30	-10.37	-0.012548	±2.5	PASS
Band5	4132	1	NV	40	-6.49	-0.007853	±2.5	PASS
Band5	4132	1	NV	50	-9.99	-0.012089	±2.5	PASS
Band5	4132	2	NV	-30	-8.75	-0.010588	±2.5	PASS
Band5	4132	2	NV	-20	-14.96	-0.018103	±2.5	PASS
Band5	4132	2	NV	-10	-8.40	-0.010165	±2.5	PASS
Band5	4132	2	NV	0	-13.26	-0.016045	±2.5	PASS
Band5	4132	2	NV	10	-7.79	-0.009426	±2.5	PASS
Band5	4132	2	NV	20	-10.04	-0.012149	±2.5	PASS
Band5	4132	2	NV	30	-9.98	-0.012076	±2.5	PASS
Band5	4132	2	NV	40	-11.89	-0.014388	±2.5	PASS
Band5	4132	2	NV	50	-15.19	-0.018381	±2.5	PASS
Band5	4132	3	NV	-30	-12.09	-0.014630	±2.5	PASS
Band5	4132	3	NV	-20	-9.86	-0.011931	±2.5	PASS
Band5	4132	3	NV	-10	-11.06	-0.013383	±2.5	PASS
Band5	4132	3	NV	0	-13.36	-0.016167	±2.5	PASS
Band5	4132	3	NV	10	-6.29	-0.007611	±2.5	PASS
Band5	4132	3	NV	20	-8.54	-0.010334	±2.5	PASS
Band5	4132	3	NV	30	-9.21	-0.011145	±2.5	PASS
Band5	4132	3	NV	40	-12.54	-0.015174	±2.5	PASS
Band5	4132	3	NV	50	-11.31	-0.013686	±2.5	PASS
Band5	4132	4	NV	-30	-5.92	-0.007164	±2.5	PASS
Band5	4132	4	NV	-20	-5.69	-0.006885	±2.5	PASS
Band5	4132	4	NV	-10	-7.46	-0.009027	±2.5	PASS
Band5	4132	4	NV	0	-8.94	-0.010818	±2.5	PASS
Band5	4132	4	NV	10	-6.04	-0.007309	±2.5	PASS
Band5	4132	4	NV	20	-8.93	-0.010806	±2.5	PASS
Band5	4132	4	NV	30	-7.56	-0.009148	±2.5	PASS
Band5	4132	4	NV	40	-8.80	-0.010649	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4132	4	NV	50	-6.55	-0.007926	±2.5	PASS
Band5	4132	5	NV	-30	-11.36	-0.013746	±2.5	PASS
Band5	4132	5	NV	-20	-7.69	-0.009305	±2.5	PASS
Band5	4132	5	NV	-10	-6.69	-0.008095	±2.5	PASS
Band5	4132	5	NV	0	-10.23	-0.012379	±2.5	PASS
Band5	4132	5	NV	10	-10.71	-0.012960	±2.5	PASS
Band5	4132	5	NV	20	-9.64	-0.011665	±2.5	PASS
Band5	4132	5	NV	30	-9.13	-0.011048	±2.5	PASS
Band5	4132	5	NV	40	-8.35	-0.010104	±2.5	PASS
Band5	4132	5	NV	50	-9.61	-0.011629	±2.5	PASS
Band5	4182	1	NV	-30	-10.73	-0.012829	±2.5	PASS
Band5	4182	1	NV	-20	-5.04	-0.006026	±2.5	PASS
Band5	4182	1	NV	-10	-7.49	-0.008955	±2.5	PASS
Band5	4182	1	NV	0	-7.37	-0.008812	±2.5	PASS
Band5	4182	1	NV	10	-5.69	-0.006803	±2.5	PASS
Band5	4182	1	NV	20	-6.62	-0.007915	±2.5	PASS
Band5	4182	1	NV	30	-5.71	-0.006827	±2.5	PASS
Band5	4182	1	NV	40	-13.02	-0.015567	±2.5	PASS
Band5	4182	1	NV	50	-9.88	-0.011813	±2.5	PASS
Band5	4182	2	NV	-30	-8.24	-0.009852	±2.5	PASS
Band5	4182	2	NV	-20	-6.26	-0.007484	±2.5	PASS
Band5	4182	2	NV	-10	-6.22	-0.007437	±2.5	PASS
Band5	4182	2	NV	0	-7.61	-0.009099	±2.5	PASS
Band5	4182	2	NV	10	-6.52	-0.007795	±2.5	PASS
Band5	4182	2	NV	20	-5.55	-0.006636	±2.5	PASS
Band5	4182	2	NV	30	-10.56	-0.012626	±2.5	PASS
Band5	4182	2	NV	40	-13.11	-0.015674	±2.5	PASS
Band5	4182	2	NV	50	-10.86	-0.012984	±2.5	PASS
Band5	4182	3	NV	-30	-6.09	-0.007281	±2.5	PASS
Band5	4182	3	NV	-20	-12.09	-0.014455	±2.5	PASS
Band5	4182	3	NV	-10	-11.74	-0.014036	±2.5	PASS
Band5	4182	3	NV	0	-12.04	-0.014395	±2.5	PASS
Band5	4182	3	NV	10	-13.60	-0.016260	±2.5	PASS
Band5	4182	3	NV	20	-11.94	-0.014275	±2.5	PASS
Band5	4182	3	NV	30	-10.59	-0.012661	±2.5	PASS
Band5	4182	3	NV	40	-7.17	-0.008572	±2.5	PASS
Band5	4182	3	NV	50	-9.84	-0.011765	±2.5	PASS
Band5	4182	4	NV	-30	-14.09	-0.016846	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4182	4	NV	-20	-12.43	-0.014861	±2.5	PASS
Band5	4182	4	NV	-10	-9.67	-0.011561	±2.5	PASS
Band5	4182	4	NV	0	-6.76	-0.008082	±2.5	PASS
Band5	4182	4	NV	10	-6.55	-0.007831	±2.5	PASS
Band5	4182	4	NV	20	-12.90	-0.015423	±2.5	PASS
Band5	4182	4	NV	30	-9.45	-0.011298	±2.5	PASS
Band5	4182	4	NV	40	-5.44	-0.006504	±2.5	PASS
Band5	4182	4	NV	50	-11.27	-0.013474	±2.5	PASS
Band5	4182	5	NV	-30	-8.32	-0.009947	±2.5	PASS
Band5	4182	5	NV	-20	-6.67	-0.007975	±2.5	PASS
Band5	4182	5	NV	-10	-5.60	-0.006695	±2.5	PASS
Band5	4182	5	NV	0	-8.51	-0.010175	±2.5	PASS
Band5	4182	5	NV	10	-5.39	-0.006444	±2.5	PASS
Band5	4182	5	NV	20	-4.23	-0.005057	±2.5	PASS
Band5	4182	5	NV	30	-11.27	-0.013474	±2.5	PASS
Band5	4182	5	NV	40	-13.80	-0.016499	±2.5	PASS
Band5	4182	5	NV	50	-11.69	-0.013977	±2.5	PASS
Band5	4233	1	NV	-30	-11.07	-0.013076	±2.5	PASS
Band5	4233	1	NV	-20	-11.42	-0.013489	±2.5	PASS
Band5	4233	1	NV	-10	-5.71	-0.006745	±2.5	PASS
Band5	4233	1	NV	0	-7.47	-0.008824	±2.5	PASS
Band5	4233	1	NV	10	-7.85	-0.009272	±2.5	PASS
Band5	4233	1	NV	20	-6.83	-0.008068	±2.5	PASS
Band5	4233	1	NV	30	-7.82	-0.009237	±2.5	PASS
Band5	4233	1	NV	40	-7.47	-0.008824	±2.5	PASS
Band5	4233	1	NV	50	-11.43	-0.013501	±2.5	PASS
Band5	4233	2	NV	-30	-11.84	-0.013985	±2.5	PASS
Band5	4233	2	NV	-20	-10.70	-0.012639	±2.5	PASS
Band5	4233	2	NV	-10	-7.07	-0.008351	±2.5	PASS
Band5	4233	2	NV	0	-7.67	-0.009060	±2.5	PASS
Band5	4233	2	NV	10	-7.12	-0.008410	±2.5	PASS
Band5	4233	2	NV	20	-8.10	-0.009568	±2.5	PASS
Band5	4233	2	NV	30	-7.22	-0.008528	±2.5	PASS
Band5	4233	2	NV	40	-6.31	-0.007453	±2.5	PASS
Band5	4233	2	NV	50	-10.73	-0.012674	±2.5	PASS
Band5	4233	3	NV	-30	-8.09	-0.009556	±2.5	PASS
Band5	4233	3	NV	-20	-12.65	-0.014942	±2.5	PASS
Band5	4233	3	NV	-10	-7.77	-0.009178	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Band5	4233	3	NV	0	-6.68	-0.007890	±2.5	PASS
Band5	4233	3	NV	10	-9.42	-0.011127	±2.5	PASS
Band5	4233	3	NV	20	-9.46	-0.011174	±2.5	PASS
Band5	4233	3	NV	30	-10.80	-0.012757	±2.5	PASS
Band5	4233	3	NV	40	-8.78	-0.010371	±2.5	PASS
Band5	4233	3	NV	50	-8.33	-0.009839	±2.5	PASS
Band5	4233	4	NV	-30	-3.58	-0.004229	±2.5	PASS
Band5	4233	4	NV	-20	-12.61	-0.014895	±2.5	PASS
Band5	4233	4	NV	-10	-11.41	-0.013477	±2.5	PASS
Band5	4233	4	NV	0	-8.18	-0.009662	±2.5	PASS
Band5	4233	4	NV	10	-14.38	-0.016986	±2.5	PASS
Band5	4233	4	NV	20	-8.55	-0.010099	±2.5	PASS
Band5	4233	4	NV	30	-7.55	-0.008918	±2.5	PASS
Band5	4233	4	NV	40	-9.90	-0.011694	±2.5	PASS
Band5	4233	4	NV	50	-5.91	-0.006981	±2.5	PASS
Band5	4233	5	NV	-30	-5.01	-0.005918	±2.5	PASS
Band5	4233	5	NV	-20	-8.60	-0.010158	±2.5	PASS
Band5	4233	5	NV	-10	-12.19	-0.014399	±2.5	PASS
Band5	4233	5	NV	0	-16.00	-0.018899	±2.5	PASS
Band5	4233	5	NV	10	-9.89	-0.011682	±2.5	PASS
Band5	4233	5	NV	20	-4.79	-0.005658	±2.5	PASS
Band5	4233	5	NV	30	-9.03	-0.010666	±2.5	PASS
Band5	4233	5	NV	40	-7.91	-0.009343	±2.5	PASS
Band5	4233	5	NV	50	-9.93	-0.011729	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.