



14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.5	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	836.1	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	960.1	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1672	-49.35	-13	36.35	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	814	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	836.1	18.88	60	41.12	Pass	461
860	1000	0.1	RMS	906.1	-65.1	-13	52.1	Pass	1401
1000	3000	1	RMS	1672	-50.19	-13	37.19	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	59.88	Pass	2986
30	814	0.1	RMS	796.2	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	847.9	19.69	60	40.31	Pass	461
860	1000	0.1	RMS	864.9	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1695	-46.16	-13	33.16	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.2	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	780.8	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	847.9	18.92	60	41.08	Pass	461
860	1000	0.1	RMS	863.8	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1695	-47.17	-13	34.17	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.18	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	813.5	-64.74	-13	51.74	Pass	7841
814	860	0.1	RMS	824.2	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	871.7	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1648	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.5	-64.66	-13	51.66	Pass	7841
814	860	0.1	RMS	824.2	19	60	41	Pass	461
860	1000	0.1	RMS	987.1	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1648	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001



14.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	794.4	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	835.2	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	977.2	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1670	-47.65	-13	34.65	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001



14.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	811.5	-63.78	-13	50.78	Pass	7841
814	860	0.1	RMS	835.2	19.02	60	40.98	Pass	461
860	1000	0.1	RMS	861.4	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1670	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001



14.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	812.7	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	846.2	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	931.9	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1692	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001



14.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	814	0.1	RMS	812.6	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	846.2	19.13	60	40.87	Pass	461
860	1000	0.1	RMS	922.9	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1692	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001



14.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	58.67	Pass	2986
30	814	0.1	RMS	813.6	-64.72	-13	51.72	Pass	7841
814	860	0.1	RMS	824.3	19.76	60	40.24	Pass	461
860	1000	0.1	RMS	872.3	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1648	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	6803	-45.59	-13	32.59	Pass	7001



14.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	813.7	-65.05	-13	52.05	Pass	7841
814	860	0.1	RMS	824.3	18.82	60	41.18	Pass	461
860	1000	0.1	RMS	873.4	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-48.8	-13	35.8	Pass	2001
3000	10000	1	RMS	6799	-45.52	-13	32.52	Pass	7001



14.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.7	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	834.3	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	975.1	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1668	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6798	-45.54	-13	32.54	Pass	7001



14.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.18	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	813.4	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	834.3	19.13	60	40.87	Pass	461
860	1000	0.1	RMS	868.6	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1668	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6801	-45.48	-13	32.48	Pass	7001



14.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	813.8	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	844.3	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	892.8	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1688	-46.58	-13	33.58	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001



14.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	807.4	-65.42	-13	52.42	Pass	7841
814	860	0.1	RMS	844.3	19.1	60	40.9	Pass	461
860	1000	0.1	RMS	958.2	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1688	-47.5	-13	34.5	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001



14.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.9	-61.38	-13	48.38	Pass	7841
814	860	0.1	RMS	824.6	20.38	60	39.62	Pass	461
860	1000	0.1	RMS	886.9	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1649	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001



14.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	813.9	-61.79	-13	48.79	Pass	7841
814	860	0.1	RMS	824.6	19.46	60	40.54	Pass	461
860	1000	0.1	RMS	977.1	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001



14.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	812.5	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	832.1	20.45	60	39.55	Pass	461
860	1000	0.1	RMS	976.4	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1664	-47.52	-13	34.52	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



14.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	814	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	832.1	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	860.7	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1664	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



14.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	814	0.1	RMS	798.9	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	839.6	20.45	60	39.55	Pass	461
860	1000	0.1	RMS	988.1	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1679	-48.1	-13	35.1	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001



14.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-13	58.36	Pass	2986
30	814	0.1	RMS	812	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	839.6	19.57	60	40.43	Pass	461
860	1000	0.1	RMS	912.8	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1679	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	6801	-45.44	-13	32.44	Pass	7001



14.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	811.6	-52.41	-13	39.41	Pass	7841
814	860	0.1	RMS	824.8	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	871	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1649	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	6802	-45.58	-13	32.58	Pass	7001



14.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.18	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	811.5	-53.17	-13	40.17	Pass	7841
814	860	0.1	RMS	824.8	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	968.7	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1649	-48.59	-13	35.59	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



14.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.2	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	814	-62.29	-13	49.29	Pass	7841
814	860	0.1	RMS	829.8	19.85	60	40.15	Pass	461
860	1000	0.1	RMS	976.9	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1659	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	6798	-45.54	-13	32.54	Pass	7001



14.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.64	-13	60.64	Pass	401
0.15	30	0.01	RMS	0.19	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	814	-62.26	-13	49.26	Pass	7841
814	860	0.1	RMS	829.8	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	979.9	-64.93	-13	51.93	Pass	1401
1000	3000	1	RMS	1659	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6803	-45.54	-13	32.54	Pass	7001



14.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	811.8	-63.51	-13	50.51	Pass	7841
814	860	0.1	RMS	834.8	19.62	60	40.38	Pass	461
860	1000	0.1	RMS	864.9	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1669	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001



14.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	814	0.1	RMS	811.8	-63.88	-13	50.88	Pass	7841
814	860	0.1	RMS	834.8	19.01	60	40.99	Pass	461
860	1000	0.1	RMS	949.9	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1669	-49.11	-13	36.11	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001



15. LTE_Band26(part90)


15.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.35	-13	53.35	Pass	401
0.15	30	0.01	Peak	0.22	-64.96	-13	51.96	Pass	2986
30	809	0.1	Peak	797	-54.68	-13	41.68	Pass	7791
809	829	0.1	Peak	814.25	25.41	60	34.59	Pass	401
829	1000	0.1	Peak	868.3	-54.4	-13	41.4	Pass	1711
1000	3000	1	Peak	1628	-36.78	-13	23.78	Pass	2001
3000	10000	1	Peak	8699	-32.55	-13	19.55	Pass	7001




**15.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.85	-13	52.85	Pass	401
0.15	30	0.01	Peak	0.17	-64.7	-13	51.7	Pass	2986
30	809	0.1	Peak	566.4	-54.43	-13	41.43	Pass	7791
809	829	0.1	Peak	814.2	25.99	60	34.01	Pass	401
829	1000	0.1	Peak	941	-53.99	-13	40.99	Pass	1711
1000	3000	1	Peak	1629	-37.5	-13	24.5	Pass	2001
3000	10000	1	Peak	6926	-32.52	-13	19.52	Pass	7001




15.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.81	-13	52.81	Pass	401
0.15	30	0.01	Peak	0.16	-63.71	-13	50.71	Pass	2986
30	809	0.1	Peak	738.6	-54.33	-13	41.33	Pass	7791
809	829	0.1	Peak	818.55	25.66	60	34.34	Pass	401
829	1000	0.1	Peak	983.1	-54.09	-13	41.09	Pass	1711
1000	3000	1	Peak	1637	-37.08	-13	24.08	Pass	2001
3000	10000	1	Peak	7492	-32.34	-13	19.34	Pass	7001




**15.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.83	-13	52.83	Pass	401
0.15	30	0.01	Peak	0.15	-64.71	-13	51.71	Pass	2986
30	809	0.1	Peak	727.6	-54.46	-13	41.46	Pass	7791
809	829	0.1	Peak	818.6	25.41	60	34.59	Pass	401
829	1000	0.1	Peak	998.4	-54.51	-13	41.51	Pass	1711
1000	3000	1	Peak	1637	-36.78	-13	23.78	Pass	2001
3000	10000	1	Peak	8711	-32.1	-13	19.1	Pass	7001




**15.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.08	-13	53.08	Pass	401
0.15	30	0.01	Peak	0.87	-64.39	-13	51.39	Pass	2986
30	809	0.1	Peak	769.7	-54.9	-13	41.9	Pass	7791
809	829	0.1	Peak	822.85	25.31	60	34.69	Pass	401
829	1000	0.1	Peak	829.1	-52.64	-13	39.64	Pass	1711
1000	3000	1	Peak	1646	-37.59	-13	24.59	Pass	2001
3000	10000	1	Peak	7991	-32.09	-13	19.09	Pass	7001




**15.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.57	-13	52.57	Pass	401
0.15	30	0.01	Peak	0.16	-64.15	-13	51.15	Pass	2986
30	809	0.1	Peak	619.9	-53.55	-13	40.55	Pass	7791
809	829	0.1	Peak	822.8	25.59	60	34.41	Pass	401
829	1000	0.1	Peak	908.1	-54.69	-13	41.69	Pass	1711
1000	3000	1	Peak	1645	-38.93	-13	25.93	Pass	2001
3000	10000	1	Peak	9282	-32.39	-13	19.39	Pass	7001




**15.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.49	-13	52.49	Pass	401
0.15	30	0.01	Peak	0.67	-64.67	-13	51.67	Pass	2986
30	809	0.1	Peak	808.6	-32.11	-13	19.11	Pass	7791
809	829	0.1	Peak	814.3	25.68	60	34.32	Pass	401
829	1000	0.1	Peak	950.8	-54.09	-13	41.09	Pass	1711
1000	3000	1	Peak	1629	-36.98	-13	23.98	Pass	2001
3000	10000	1	Peak	9302	-32.22	-13	19.22	Pass	7001




**15.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.42	-13	51.42	Pass	401
0.15	30	0.01	Peak	0.15	-64.23	-13	51.23	Pass	2986
30	809	0.1	Peak	808.8	-31.14	-13	18.14	Pass	7791
809	829	0.1	Peak	814.2	26.1	60	33.9	Pass	401
829	1000	0.1	Peak	829.1	-27.72	-13	14.72	Pass	1711
1000	3000	1	Peak	1628	-36.67	-13	23.67	Pass	2001
3000	10000	1	Peak	6994	-32.03	-13	19.03	Pass	7001




**15.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.15	-13	53.15	Pass	401
0.15	30	0.01	Peak	0.16	-64.18	-13	51.18	Pass	2986
30	809	0.1	Peak	477	-54.25	-13	41.25	Pass	7791
809	829	0.1	Peak	817.75	25.97	60	34.03	Pass	401
829	1000	0.1	Peak	892.3	-53.68	-13	40.68	Pass	1711
1000	3000	1	Peak	1636	-36.87	-13	23.87	Pass	2001
3000	10000	1	Peak	7960	-32.17	-13	19.17	Pass	7001




**15.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.29	-13	52.29	Pass	401
0.15	30	0.01	Peak	0.15	-63.97	-13	50.97	Pass	2986
30	809	0.1	Peak	791.6	-54.91	-13	41.91	Pass	7791
809	829	0.1	Peak	817.7	25.51	60	34.49	Pass	401
829	1000	0.1	Peak	855.8	-53.76	-13	40.76	Pass	1711
1000	3000	1	Peak	1635	-38.08	-13	25.08	Pass	2001
3000	10000	1	Peak	7300	-31.67	-13	18.67	Pass	7001




**15.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.97	-13	51.97	Pass	401
0.15	30	0.01	Peak	0.15	-64.13	-13	51.13	Pass	2986
30	809	0.1	Peak	664.3	-54.2	-13	41.2	Pass	7791
809	829	0.1	Peak	821.25	25.88	60	34.12	Pass	401
829	1000	0.1	Peak	829	-45.89	-13	32.89	Pass	1711
1000	3000	1	Peak	1642	-37.78	-13	24.78	Pass	2001
3000	10000	1	Peak	8671	-31.66	-13	18.66	Pass	7001




15.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.19	-13	52.19	Pass	401
0.15	30	0.01	Peak	0.24	-63.69	-13	50.69	Pass	2986
30	809	0.1	Peak	374	-54.66	-13	41.66	Pass	7791
809	829	0.1	Peak	821.25	26.33	60	33.67	Pass	401
829	1000	0.1	Peak	829.3	-45.1	-13	32.1	Pass	1711
1000	3000	1	Peak	1642	-37.01	-13	24.01	Pass	2001
3000	10000	1	Peak	7312	-32.14	-13	19.14	Pass	7001




**15.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.58	-13	53.58	Pass	401
0.15	30	0.01	Peak	0.15	-63.84	-13	50.84	Pass	2986
30	809	0.1	Peak	809	-51.54	-13	38.54	Pass	7791
809	829	0.1	Peak	814.35	26.12	60	33.88	Pass	401
829	1000	0.1	Peak	831.6	-52.85	-13	39.85	Pass	1711
1000	3000	1	Peak	1629	-36.26	-13	23.26	Pass	2001
3000	10000	1	Peak	9038	-31.73	-13	18.73	Pass	7001




**15.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.4	-13	52.4	Pass	401
0.15	30	0.01	Peak	0.15	-64.99	-13	51.99	Pass	2986
30	809	0.1	Peak	809	-52.74	-13	39.74	Pass	7791
809	829	0.1	Peak	814.3	26.13	60	33.87	Pass	401
829	1000	0.1	Peak	831.8	-54.1	-13	41.1	Pass	1711
1000	3000	1	Peak	1629	-37.42	-13	24.42	Pass	2001
3000	10000	1	Peak	7283	-32.06	-13	19.06	Pass	7001




**15.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.5	-13	53.5	Pass	401
0.15	30	0.01	Peak	0.17	-63.88	-13	50.88	Pass	2986
30	809	0.1	Peak	756.1	-53.46	-13	40.46	Pass	7791
809	829	0.1	Peak	816.85	25.45	60	34.55	Pass	401
829	1000	0.1	Peak	993.6	-54.21	-13	41.21	Pass	1711
1000	3000	1	Peak	1634	-37.79	-13	24.79	Pass	2001
3000	10000	1	Peak	8654	-31.88	-13	18.88	Pass	7001




**15.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.74	-13	52.74	Pass	401
0.15	30	0.01	Peak	0.17	-64.19	-13	51.19	Pass	2986
30	809	0.1	Peak	806.8	-54.24	-13	41.24	Pass	7791
809	829	0.1	Peak	816.8	25.64	60	34.36	Pass	401
829	1000	0.1	Peak	834	-53.36	-13	40.36	Pass	1711
1000	3000	1	Peak	1634	-37.67	-13	24.67	Pass	2001
3000	10000	1	Peak	7320	-32.08	-13	19.08	Pass	7001




**15.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.59	-13	52.59	Pass	401
0.15	30	0.01	Peak	0.36	-63.94	-13	50.94	Pass	2986
30	809	0.1	Peak	755.1	-54.91	-13	41.91	Pass	7791
809	829	0.1	Peak	819.4	25.4	60	34.6	Pass	401
829	1000	0.1	Peak	829	-48.34	-13	35.34	Pass	1711
1000	3000	1	Peak	1639	-38.05	-13	25.05	Pass	2001
3000	10000	1	Peak	8735	-32.2	-13	19.2	Pass	7001




**15.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66	-13	53	Pass	401
0.15	30	0.01	Peak	0.17	-64.42	-13	51.42	Pass	2986
30	809	0.1	Peak	805.1	-54.53	-13	41.53	Pass	7791
809	829	0.1	Peak	819.3	25.68	60	34.32	Pass	401
829	1000	0.1	Peak	829.2	-47.29	-13	34.29	Pass	1711
1000	3000	1	Peak	1638	-37.24	-13	24.24	Pass	2001
3000	10000	1	Peak	7297	-32.44	-13	19.44	Pass	7001




**15.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.08	-13	53.08	Pass	401
0.15	30	0.01	Peak	0.24	-63.55	-13	50.55	Pass	2986
30	809	0.1	Peak	809	-51.81	-13	38.81	Pass	7791
809	829	0.1	Peak	814.55	25.87	60	34.13	Pass	401
829	1000	0.1	Peak	829.9	-38.35	-13	25.35	Pass	1711
1000	3000	1	Peak	1629	-36.94	-13	23.94	Pass	2001
3000	10000	1	Peak	7303	-31.88	-13	18.88	Pass	7001



**15.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.9	-13	51.9	Pass	401
0.15	30	0.01	Peak	0.16	-64.07	-13	51.07	Pass	2986
30	809	0.1	Peak	809	-51.73	-13	38.73	Pass	7791
809	829	0.1	Peak	814.55	25.99	60	34.01	Pass	401
829	1000	0.1	Peak	829.9	-38.23	-13	25.23	Pass	1711
1000	3000	1	Peak	1629	-36.9	-13	23.9	Pass	2001
3000	10000	1	Peak	8460	-32.02	-13	19.02	Pass	7001



16. LTE_Band38


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.22	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	970.681	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2556	-47.4	-25	22.4	Pass	1561
2560	2630	1	RMS	2570.325	23.49	60	36.51	Pass	401
2630	3000	1	RMS	2999.075	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11981	-47.87	-25	22.87	Pass	9002
12000	26500	1	RMS	25500	-43.12	-25	18.12	Pass	14502




16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.15	-67.48	-25	42.48	Pass	2986
30	1000	0.1	RMS	932.555	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2560	-47.18	-25	22.18	Pass	1561
2560	2630	1	RMS	2570.325	22.72	60	37.28	Pass	401
2630	3000	1	RMS	3000	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11994	-47.89	-25	22.89	Pass	9002
12000	26500	1	RMS	25494	-43.09	-25	18.09	Pass	14502




16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.11	-25	44.11	Pass	401
0.15	30	0.01	RMS	0.19	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	987.792	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2505	-47.63	-25	22.63	Pass	1561
2560	2630	1	RMS	2592.725	23.54	60	36.46	Pass	401
2630	3000	1	RMS	3000	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11970	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25502	-43.02	-25	18.02	Pass	14502




16.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	0.25	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	979.286	-61.02	-25	36.02	Pass	9701
1000	2560	1	RMS	2506	-47.67	-25	22.67	Pass	1561
2560	2630	1	RMS	2592.9	22.99	60	37.01	Pass	401
2630	3000	1	RMS	2998.15	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11995	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25508	-43.04	-25	18.04	Pass	14502




16.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.17	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	988.993	-61.08	-25	36.08	Pass	9701
1000	2560	1	RMS	2558	-47.66	-25	22.66	Pass	1561
2560	2630	1	RMS	2615.3	23.73	60	36.27	Pass	401
2630	3000	1	RMS	2996.3	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	12000	-47.87	-25	22.87	Pass	9002
12000	26500	1	RMS	25507	-43.06	-25	18.06	Pass	14502




16.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.17	-68.87	-25	43.87	Pass	2986
30	1000	0.1	RMS	849.8	-61.12	-25	36.12	Pass	9701
1000	2560	1	RMS	2507	-47.68	-25	22.68	Pass	1561
2560	2630	1	RMS	2615.125	22.6	60	37.4	Pass	401
2630	3000	1	RMS	3000	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11981	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25500	-43.02	-25	18.02	Pass	14502




**16.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.32	-25	44.32	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	914.243	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2553	-42.24	-25	17.24	Pass	1561
2560	2630	1	RMS	2570.67 5	23.48	60	36.52	Pass	401
2630	3000	1	RMS	3000	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	11998	-47.85	-25	22.85	Pass	9002
12000	26500	1	RMS	25497	-42.98	-25	17.98	Pass	14502




16.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.37	-25	42.37	Pass	401
0.15	30	0.01	RMS	0.16	-67.88	-25	42.88	Pass	2986
30	1000	0.1	RMS	889.127	-60.97	-25	35.97	Pass	9701
1000	2560	1	RMS	2553	-43.55	-25	18.55	Pass	1561
2560	2630	1	RMS	2570.325	23.01	60	36.99	Pass	401
2630	3000	1	RMS	2999.075	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11999	-47.85	-25	22.85	Pass	9002
12000	26500	1	RMS	25490	-43.07	-25	18.07	Pass	14502



**16.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	963.176	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2549	-47.46	-25	22.46	Pass	1561
2560	2630	1	RMS	2590.45	24.17	60	35.83	Pass	401
2630	3000	1	RMS	3000	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	11997	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25497	-43.02	-25	18.02	Pass	14502



16.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	839.1	-61.06	-25	36.06	Pass	9701
1000	2560	1	RMS	2557	-47.63	-25	22.63	Pass	1561
2560	2630	1	RMS	2590.625	22.36	60	37.64	Pass	401
2630	3000	1	RMS	2839.05	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	11993	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25513	-43	-25	18	Pass	14502



16.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.19	-25	44.19	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	980.187	-61.05	-25	36.05	Pass	9701
1000	2560	1	RMS	2560	-47.55	-25	22.55	Pass	1561
2560	2630	1	RMS	2610.4	23.43	60	36.57	Pass	401
2630	3000	1	RMS	3000	-46.5	-25	21.5	Pass	401
3000	12000	1	RMS	11993	-47.82	-25	22.82	Pass	9002
12000	26500	1	RMS	25501	-42.94	-25	17.94	Pass	14502



16.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	927.552	-60.84	-25	35.84	Pass	9701
1000	2560	1	RMS	2463	-47.5	-25	22.5	Pass	1561
2560	2630	1	RMS	2610.575	23.31	60	36.69	Pass	401
2630	3000	1	RMS	3000	-46.47	-25	21.47	Pass	401
3000	12000	1	RMS	11987	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25509	-43.03	-25	18.03	Pass	14502

