

EIRP for LTE Band 41

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
2498.5	5	QPSK	1/0	12.26	V	8.23	1.12	19.37	33
2593.0	5	QPSK	1/0	11.06	V	8.23	1.12	18.17	33
2687.5	5	QPSK	1/24	12.74	V	8.23	1.12	19.85	33
2498.5	5	QPSK	1/0	13.39	H	8.23	1.12	20.50	33
2593.0	5	QPSK	1/0	13.39	H	8.23	1.12	20.50	33
2687.5	5	QPSK	1/24	13.74	H	8.23	1.12	20.85	33
2498.5	5	16-QAM	1/0	10.75	V	8.23	1.12	17.86	33
2593.0	5	16-QAM	1/0	10.44	V	8.23	1.12	17.55	33
2687.5	5	16-QAM	1/24	11.08	V	8.23	1.12	18.19	33
2498.5	5	16-QAM	1/0	11.78	H	8.23	1.12	18.89	33
2593.0	5	16-QAM	1/0	12.33	H	8.23	1.12	19.44	33
2687.5	5	16-QAM	1/24	13.32	H	8.23	1.12	20.43	33
2501.0	10	QPSK	1/0	11.00	V	8.23	1.12	18.11	33
2593.0	10	QPSK	1/49	10.57	V	8.23	1.12	17.68	33
2685.0	10	QPSK	1/0	11.16	V	8.23	1.12	18.27	33
2501.0	10	QPSK	1/0	13.58	H	8.23	1.12	20.69	33
2593.0	10	QPSK	1/49	13.26	H	8.23	1.12	20.37	33
2685.0	10	QPSK	1/0	12.17	H	8.23	1.12	19.28	33
2501.0	10	16-QAM	1/0	10.32	V	8.23	1.12	17.43	33
2593.0	10	16-QAM	1/49	10.36	V	8.23	1.12	17.47	33
2685.0	10	16-QAM	1/0	10.09	V	8.23	1.12	17.20	33
2501.0	10	16-QAM	1/0	12.17	H	8.23	1.12	19.28	33
2593.0	10	16-QAM	1/49	12.47	H	8.23	1.12	19.58	33
2685.0	10	16-QAM	1/0	12.14	H	8.23	1.12	19.25	33
2503.5	15	QPSK	1/0	10.88	V	8.23	1.12	17.99	33
2593.0	15	QPSK	1/74	12.69	V	8.23	1.12	19.80	33
2682.5	15	QPSK	1/0	12.82	V	8.23	1.12	19.93	33
2503.5	15	QPSK	1/0	12.93	H	8.23	1.12	20.04	33
2593.0	15	QPSK	1/74	14.85	H	8.23	1.12	21.96	33
2682.5	15	QPSK	1/0	14.89	H	8.23	1.12	22.00	33
2503.5	15	16-QAM	1/0	10.31	V	8.23	1.12	17.42	33
2593.0	15	16-QAM	1/74	10.23	V	8.23	1.12	17.34	33
2682.5	15	16-QAM	1/0	10.17	V	8.23	1.12	17.28	33
2503.5	15	16-QAM	1/0	12.89	H	8.23	1.12	20.00	33
2593.0	15	16-QAM	1/74	12.92	H	8.23	1.12	20.03	33
2682.5	15	16-QAM	1/0	12.28	H	8.23	1.12	19.39	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



2506.0	20	QPSK	1/99	10.90	V	8.23	1.12	18.01	33
2593.0	20	QPSK	1/99	10.88	V	8.23	1.12	17.99	33
2680.0	20	QPSK	1/0	10.04	V	8.23	1.12	17.15	33
2506.0	20	QPSK	1/99	11.93	H	8.23	1.12	19.04	33
2593.0	20	QPSK	1/99	11.89	H	8.23	1.12	19.00	33
2680.0	20	QPSK	1/0	11.24	H	8.23	1.12	18.35	33
2506.0	20	16-QAM	1/99	11.69	V	8.23	1.12	18.80	33
2593.0	20	16-QAM	1/99	11.72	V	8.23	1.12	18.83	33
2680.0	20	16-QAM	1/0	11.13	V	8.23	1.12	18.24	33
2506.0	20	16-QAM	1/99	12.73	H	8.23	1.12	19.84	33
2593.0	20	16-QAM	1/99	12.70	H	8.23	1.12	19.81	33
2680.0	20	16-QAM	1/0	12.23	H	8.23	1.12	19.34	33

Note: Above is the worst mode data.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



9. PEAK-TO-AVERAGE RATIO

9.1 PROVISIONS APPLICABLE

① CCDF Procedure for PAPR :

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Set the measurement interval as follows:
 - for continuous transmissions, set to 1 ms,
 - or burst transmissions, employ an external trigger that is synchronized with the EUT burst timing sequence, or use the internal burst trigger with a trigger level that allows the burst to stabilize and set the measurement interval to a time that is less than or equal to the burst duration.
4. Record the maximum PAPR level associated with a probability of 0.1%.

② Alternate Procedure for PAPR:

Use one of the procedures presented in 5.2(ANSI C63.26-2015) to measure the total peak power and record as PPk. Use one of the applicable procedures presented 5.2(ANSI C63.26-2015) to measure the total average power and record as PAvg. Determine the P.A.R. from:

$$\text{P.A.R(dB)} = \text{PPk (dBm)} - \text{PAvg (dBm)} \quad (\text{PAvg} = \text{Average Power} + \text{Duty cycle Factor})$$

9.2 MEASUREMENT METHOD

Test Settings(Peak Power):


The measurement instrument must have a RBW that is greater than or equal to the OBW of the signal to be measured and a VBW $\geq 3 \times$ RBW.

1. Set the RBW $\geq$ OBW.
2. Set VBW $\geq 3 \times$ RBW.
3. Set span $\geq 2 \times$ OBW.
4. Sweep time $\geq 10 \times$ (number of points in sweep) $\times$ (transmission symbol period).
5. Detector = peak.
6. Trace mode = max hold.
7. Allow trace to fully stabilize.
8. Use the peak marker function to determine the peak amplitude level.

Test Settings(Average Power)

1. Set span to $2 \times$ to $3 \times$ the OBW.
2. Set RBW $\geq$ OBW.
3. Set VBW $\geq 3 \times$ RBW.
4. Set number of measurement points in sweep $\geq 2 \times$ span / RBW.
5. Sweep time: Set $\geq [10 \times (\text{number of points in sweep}) \times (\text{transmission period})]$ for single sweep (automation-compatible) measurement. The transmission period is the (on + off) time.
6. Detector = power averaging (rms).
7. Set sweep trigger to "free run."
8. Trace average at least 100 traces in power averaging (rms) mode if sweep is set to auto-couple. (To accurately determine the average power over the on and off period of the transmitter, it can be necessary to increase the number of traces to be averaged above 100 or, if using a manually configured sweep time, increase the sweep time.)
9. Use the peak marker function to determine the maximum amplitude level.
10. Add $[10 \log (1/\text{duty cycle})]$ to the measured maximum power level to compute the average power during continuous transmission. For example, add $[10 \log (1/0.25)] = 6 \text{ dB}$ if the duty cycle is a constant 25%.

9.3 MEASUREMENT SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



9.4 MEASUREMENT RESULT

LTE Band 2

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	4.45	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.01	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.09	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	5.38	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.90	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	5.98	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	4.40	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.07	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.13	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	5.34	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	5.89	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	5.99	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.44	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.10	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.18	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	5.33	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.89	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	5.96	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	4.51	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.10	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.17	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	5.40	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	5.93	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.00	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	4.94	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.43	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.43	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	5.71	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.08	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.07	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.12	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.29	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.33	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	5.88	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.08	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.07	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 4

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band4	1.4MHz	QPSK	19957	6RB#0	5.30	13	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	5.23	13	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	5.13	13	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	6.12	13	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	6.13	13	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	6.00	13	PASS
Band4	3MHz	QPSK	19965	15RB#0	5.34	13	PASS
Band4	3MHz	QPSK	20175	15RB#0	5.34	13	PASS
Band4	3MHz	QPSK	20385	15RB#0	5.23	13	PASS
Band4	3MHz	16QAM	19965	15RB#0	6.23	13	PASS
Band4	3MHz	16QAM	20175	15RB#0	6.20	13	PASS
Band4	3MHz	16QAM	20385	15RB#0	5.99	13	PASS
Band4	5MHz	QPSK	19975	25RB#0	5.44	13	PASS
Band4	5MHz	QPSK	20175	25RB#0	5.44	13	PASS
Band4	5MHz	QPSK	20375	25RB#0	5.27	13	PASS
Band4	5MHz	16QAM	19975	25RB#0	6.15	13	PASS
Band4	5MHz	16QAM	20175	25RB#0	6.15	13	PASS
Band4	5MHz	16QAM	20375	25RB#0	6.03	13	PASS
Band4	10MHz	QPSK	20000	50RB#0	5.47	13	PASS
Band4	10MHz	QPSK	20175	50RB#0	5.44	13	PASS
Band4	10MHz	QPSK	20350	50RB#0	5.29	13	PASS
Band4	10MHz	16QAM	20000	50RB#0	6.23	13	PASS
Band4	10MHz	16QAM	20175	50RB#0	6.15	13	PASS
Band4	10MHz	16QAM	20350	50RB#0	6.12	13	PASS
Band4	15MHz	QPSK	20025	75RB#0	5.85	13	PASS
Band4	15MHz	QPSK	20175	75RB#0	5.73	13	PASS
Band4	15MHz	QPSK	20325	75RB#0	5.61	13	PASS
Band4	15MHz	16QAM	20025	75RB#0	6.37	13	PASS
Band4	15MHz	16QAM	20175	75RB#0	6.29	13	PASS
Band4	15MHz	16QAM	20325	75RB#0	6.20	13	PASS
Band4	20MHz	QPSK	20050	100RB#0	5.63	13	PASS
Band4	20MHz	QPSK	20175	100RB#0	5.49	13	PASS
Band4	20MHz	QPSK	20300	100RB#0	5.47	13	PASS
Band4	20MHz	16QAM	20050	100RB#0	6.33	13	PASS
Band4	20MHz	16QAM	20175	100RB#0	6.27	13	PASS
Band4	20MHz	16QAM	20300	100RB#0	6.18	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 5

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	5.56	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.55	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	5.33	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.40	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.42	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	6.20	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.67	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.59	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.50	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.47	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.43	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.30	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.74	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.64	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.57	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.43	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.36	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	6.34	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.74	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.65	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.65	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.46	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.42	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.45	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 7

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.77	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.02	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.85	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	5.58	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	5.81	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	5.63	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	4.86	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.00	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	4.90	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	5.68	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	5.86	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	5.70	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.19	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.35	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.21	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	5.88	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	5.99	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	5.87	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.09	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.37	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.12	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	5.89	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	6.03	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	5.93	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 12

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band12	1.4MHz	QPSK	23017	6RB#0	5.26	13	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	5.42	13	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	5.21	13	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	6.10	13	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	6.26	13	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	6.04	13	PASS
Band12	3MHz	QPSK	23025	15RB#0	5.37	13	PASS
Band12	3MHz	QPSK	23095	15RB#0	5.47	13	PASS
Band12	3MHz	QPSK	23165	15RB#0	5.41	13	PASS
Band12	3MHz	16QAM	23025	15RB#0	6.23	13	PASS
Band12	3MHz	16QAM	23095	15RB#0	6.28	13	PASS
Band12	3MHz	16QAM	23165	15RB#0	6.24	13	PASS
Band12	5MHz	QPSK	23035	25RB#0	5.55	13	PASS
Band12	5MHz	QPSK	23095	25RB#0	5.57	13	PASS
Band12	5MHz	QPSK	23155	25RB#0	5.52	13	PASS
Band12	5MHz	16QAM	23035	25RB#0	6.28	13	PASS
Band12	5MHz	16QAM	23095	25RB#0	6.28	13	PASS
Band12	5MHz	16QAM	23155	25RB#0	6.30	13	PASS
Band12	10MHz	QPSK	23060	50RB#0	5.54	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.55	13	PASS
Band12	10MHz	QPSK	23130	50RB#0	5.61	13	PASS
Band12	10MHz	16QAM	23060	50RB#0	6.39	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.35	13	PASS
Band12	10MHz	16QAM	23130	50RB#0	6.38	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 17

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band17	5MHz	QPSK	23755	25RB#0	5.55	13	PASS
Band17	5MHz	QPSK	23790	25RB#0	5.64	13	PASS
Band17	5MHz	QPSK	23825	25RB#0	5.56	13	PASS
Band17	5MHz	16QAM	23755	25RB#0	6.29	13	PASS
Band17	5MHz	16QAM	23790	25RB#0	6.40	13	PASS
Band17	5MHz	16QAM	23825	25RB#0	6.32	13	PASS
Band17	10MHz	QPSK	23780	50RB#0	5.57	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	5.57	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	5.63	13	PASS
Band17	10MHz	16QAM	23780	50RB#0	6.36	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	6.35	13	PASS
Band17	10MHz	16QAM	23800	50RB#0	6.39	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 25

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	4.40	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	4.83	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	4.53	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	5.35	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	5.73	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	5.46	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	4.44	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	4.94	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	4.79	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	5.37	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	5.85	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	5.67	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.49	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.99	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.95	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	5.35	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	5.80	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	5.75	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	4.54	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	5.02	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	5.12	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	5.43	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	5.84	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	5.95	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	4.94	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	5.35	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	5.44	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	5.71	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	6.04	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	6.06	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	5.11	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.26	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	5.39	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	5.89	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	6.08	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	6.11	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 26A

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	5.65	13	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	5.68	13	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	5.49	13	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	6.49	13	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	6.52	13	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	6.37	13	PASS
Band26	3MHz	QPSK	26805	15RB#0	5.72	13	PASS
Band26	3MHz	QPSK	26915	15RB#0	5.73	13	PASS
Band26	3MHz	QPSK	27025	15RB#0	5.68	13	PASS
Band26	3MHz	16QAM	26805	15RB#0	6.55	13	PASS
Band26	3MHz	16QAM	26915	15RB#0	6.51	13	PASS
Band26	3MHz	16QAM	27025	15RB#0	6.48	13	PASS
Band26	5MHz	QPSK	26815	25RB#0	5.83	13	PASS
Band26	5MHz	QPSK	26915	25RB#0	5.84	13	PASS
Band26	5MHz	QPSK	27015	25RB#0	5.82	13	PASS
Band26	5MHz	16QAM	26815	25RB#0	6.49	13	PASS
Band26	5MHz	16QAM	26915	25RB#0	6.53	13	PASS
Band26	5MHz	16QAM	27015	25RB#0	6.52	13	PASS
Band26	10MHz	QPSK	26840	50RB#0	5.84	13	PASS
Band26	10MHz	QPSK	26915	50RB#0	5.84	13	PASS
Band26	10MHz	QPSK	26990	50RB#0	5.83	13	PASS
Band26	10MHz	16QAM	26840	50RB#0	6.63	13	PASS
Band26	10MHz	16QAM	26915	50RB#0	6.57	13	PASS
Band26	10MHz	16QAM	26990	50RB#0	6.61	13	PASS
Band26	15MHz	QPSK	26865	75RB#0	6.15	13	PASS
Band26	15MHz	QPSK	26915	75RB#0	6.19	13	PASS
Band26	15MHz	QPSK	26965	75RB#0	6.19	13	PASS
Band26	15MHz	16QAM	26865	75RB#0	6.66	13	PASS
Band26	15MHz	16QAM	26915	75RB#0	6.70	13	PASS
Band26	15MHz	16QAM	26965	75RB#0	6.67	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 26B

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	5.61	13	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	5.65	13	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	5.79	13	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	6.40	13	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	6.52	13	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	6.62	13	PASS
Band26	3MHz	QPSK	26705	15RB#0	5.63	13	PASS
Band26	3MHz	QPSK	26740	15RB#0	5.78	13	PASS
Band26	3MHz	QPSK	26775	15RB#0	5.85	13	PASS
Band26	3MHz	16QAM	26705	15RB#0	6.54	13	PASS
Band26	3MHz	16QAM	26740	15RB#0	6.57	13	PASS
Band26	3MHz	16QAM	26775	15RB#0	6.61	13	PASS
Band26	5MHz	QPSK	26715	25RB#0	5.81	13	PASS
Band26	5MHz	QPSK	26740	25RB#0	5.82	13	PASS
Band26	5MHz	QPSK	26765	25RB#0	5.90	13	PASS
Band26	5MHz	16QAM	26715	25RB#0	6.49	13	PASS
Band26	5MHz	16QAM	26740	25RB#0	6.47	13	PASS
Band26	5MHz	16QAM	26765	25RB#0	6.61	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	5.79	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	6.58	13	PASS
Band26	15MHz	QPSK	26765	75RB#0	6.12	13	PASS
Band26	15MHz	16QAM	26765	75RB#0	6.66	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 38

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band38	5MHz	QPSK	37775	25RB#0	5.70	13	PASS
Band38	5MHz	QPSK	38000	25RB#0	5.70	13	PASS
Band38	5MHz	QPSK	38225	25RB#0	5.59	13	PASS
Band38	5MHz	16QAM	37775	25RB#0	6.37	13	PASS
Band38	5MHz	16QAM	38000	25RB#0	6.48	13	PASS
Band38	5MHz	16QAM	38225	25RB#0	6.40	13	PASS
Band38	10MHz	QPSK	37800	50RB#0	5.51	13	PASS
Band38	10MHz	QPSK	38000	50RB#0	5.56	13	PASS
Band38	10MHz	QPSK	38200	50RB#0	5.51	13	PASS
Band38	10MHz	16QAM	37800	50RB#0	6.39	13	PASS
Band38	10MHz	16QAM	38000	50RB#0	6.34	13	PASS
Band38	10MHz	16QAM	38200	50RB#0	6.32	13	PASS
Band38	15MHz	QPSK	37825	75RB#0	5.57	13	PASS
Band38	15MHz	QPSK	38000	75RB#0	5.68	13	PASS
Band38	15MHz	QPSK	38175	75RB#0	5.59	13	PASS
Band38	15MHz	16QAM	37825	75RB#0	6.25	13	PASS
Band38	15MHz	16QAM	38000	75RB#0	6.32	13	PASS
Band38	15MHz	16QAM	38175	75RB#0	6.25	13	PASS
Band38	20MHz	QPSK	37850	100RB#0	5.33	13	PASS
Band38	20MHz	QPSK	38000	100RB#0	5.52	13	PASS
Band38	20MHz	QPSK	38150	100RB#0	5.28	13	PASS
Band38	20MHz	16QAM	37850	100RB#0	6.17	13	PASS
Band38	20MHz	16QAM	38000	100RB#0	6.27	13	PASS
Band38	20MHz	16QAM	38150	100RB#0	6.16	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 41

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	4.39	13	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.76	13	PASS
Band41	5MHz	QPSK	41565	25RB#0	4.53	13	PASS
Band41	5MHz	16QAM	39675	25RB#0	5.46	13	PASS
Band41	5MHz	16QAM	40620	25RB#0	5.80	13	PASS
Band41	5MHz	16QAM	41565	25RB#0	5.62	13	PASS
Band41	10MHz	QPSK	39700	50RB#0	4.41	13	PASS
Band41	10MHz	QPSK	40620	50RB#0	4.79	13	PASS
Band41	10MHz	QPSK	41540	50RB#0	4.55	13	PASS
Band41	10MHz	16QAM	39700	50RB#0	5.28	13	PASS
Band41	10MHz	16QAM	40620	50RB#0	5.64	13	PASS
Band41	10MHz	16QAM	41540	50RB#0	5.43	13	PASS
Band41	15MHz	QPSK	39725	75RB#0	4.48	13	PASS
Band41	15MHz	QPSK	40620	75RB#0	4.80	13	PASS
Band41	15MHz	QPSK	41515	75RB#0	4.69	13	PASS
Band41	15MHz	16QAM	39725	75RB#0	5.29	13	PASS
Band41	15MHz	16QAM	40620	75RB#0	5.63	13	PASS
Band41	15MHz	16QAM	41515	75RB#0	5.52	13	PASS
Band41	20MHz	QPSK	39750	100RB#0	4.48	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	4.82	13	PASS
Band41	20MHz	QPSK	41490	100RB#0	4.69	13	PASS
Band41	20MHz	16QAM	39750	100RB#0	5.27	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	5.57	13	PASS
Band41	20MHz	16QAM	41490	100RB#0	5.47	13	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



10. SPURIOUS AND HARMONIC EMISSIONS AT ANTENNA TERMINAL

10.1 PROVISIONS APPLICABLE

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

10.2 MEASUREMENT METHOD

For Band 2/Band 4/Band 5/Band 7/Band 12/ Band 17/ Band 25/Band 26/Band 38 /Band 41:

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P[\text{Watts}])$, where P is the transmitter power in Watts.

For Band 7:

- (i) $40 + 10 \log_{10} p$ from the channel edges to 5 MHz away
- (ii) $43 + 10 \log_{10} p$ between 5 MHz and X MHz from the channel edges, and
- (iii) $55 + 10 \log_{10} p$ at X MHz and beyond from the channel edges

For Band 14:

On all frequencies between 769-775 MHz and 799-805 MHz: $< 65 + 10 \log_{10} (P[\text{Watts}])$

For Band 38/41:

- 1. The attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge,
- 2. $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge.
- 3. $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge.
- 4. The attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz.
- 5. $55 + 10 \log (P)$ dB at or below 2490.5 MHz.
- 6. X is the greater of 6MHz or the actual emission bandwidth.

Test Settings

- 1. Start frequency was set to 30MHz and stop frequency was set to at least $10 \times$ the fundamental frequency (separated into at least two plots per channel)
- 1. RBW = 1 MHz
- 2. VBW $\geq$ 3 MHz
- 3. Detector = RMS
- 4. Trace Mode = Average
- 5. Sweep time = auto
- 6. Number of points in sweep $\geq 2 \times \text{Span} / \text{RBW}$

Test Note


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

10.3 MEASUREMENT SETUP



10.4 MEASUREMENT RESULT

Please refer to: appendix a test plots for spurious and harmonic emissions at antenna terminal

Note: 1. No transmission signal is found in standby or receiving mode, and the default value is lower than the limit of 20dB, which is not recorded in this report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



11. RADIATED SPURIOUS EMISSION

11.1 PROVISIONS APPLICABLE

(A) On any frequency outside a licensee's frequency block (e.g. A, D, B, etc.) within the USPCS spectrum, the power of any emission shall be attenuated below the transmitter power (P, in Watts) by at least $43+10\log(P)$ dB. The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log (P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm.

At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

(B) For specific criteria, please refer to the description in section 9.2 of the report for corresponding evaluation.

11.2 MEASUREMENT PROCEDURE

1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
6. For emissions above 1GHz, use 1MHz VBW and RBW for peak reading. Then 1MHz RBW and 10Hz VBW for average reading in spectrum analyzer. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High - Low scan is not required in this case.
11. For spurious emissions above 1GHz, a horn antenna is substituted in place of the EUT.
The substitute antenna is driven by a signal generator and the previously recorded signal was duplicated.
The spurious emissions is calculated by the following formula;

$$\text{Result(dBm)} = \text{Pg(dBm)} + \text{Factor(dB)}$$

$$\text{Factor(dB)} = \text{Ant Gain(dB)} - \text{Cable Loss(dB)} + \text{Power Splitter(dB)} \text{ (Above 1GHz)}$$

$$\text{Factor(dB)} = \text{Ant Gain(dB)} - \text{Cable Loss(dB)} \text{ (Below 1GHz)}$$

Where: P_g is the generator output power into the substitution antenna.

If the fundamental frequency is below 1GHz, RF output power has been converted to EIRP.

$$\text{EIRP(dBm)} = \text{ERP(dBm)} + 2.15$$

12. Examples of Factor parameters for testing radiation spurious:


Frequency Range(MHz)	Factor(dB)
30-500	6.18
500-1000	9.37
1000-1500	27.56
1500-2000	28.27
2000-3000	29.45
3000-5000	30.15
5000-10000	31.26
10000-15000	32.78
15000-20000	33.99
Above 20GHz	35.04

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




11.3 MEASUREMENT SETUP

Radiated Emissions 30MHz to 1GHz Test setup



Radiated Emissions Above 1GHz Test setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



11.4 MEASUREMENT RESULT

LTE Band 2_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5552.1	V	-41.40	-13	-28.40
3701.4	V	-40.50	-13	-27.50
695.5	V	-46.66	-13	-33.66
412.1	V	-50.71	-13	-37.71
5552.1	H	-39.63	-13	-26.63
3701.4	H	-40.63	-13	-27.63
678.3	H	-49.26	-13	-36.26
452.1	H	-49.69	-13	-36.69

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5640	V	-41.87	-13	-28.87
3760	V	-39.00	-13	-26.00
885.1	V	-48.46	-13	-35.46
618.7	V	-48.96	-13	-35.96
5640	H	-49.05	-13	-36.05
3760	H	-41.87	-13	-28.87
851.3	H	-45.84	-13	-32.84
732.5	H	-48.04	-13	-35.04

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5727.9	V	-41.38	-13	-28.38
3818.6	V	-41.87	-13	-28.87
664.5	V	-47.63	-13	-34.63
525.8	V	-47.47	-13	-34.47
5727.9	H	-39.18	-13	-26.18
3818.6	H	-39.79	-13	-26.79
669.8	H	-48.12	-13	-35.12
574.4	H	-47.89	-13	-34.89

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 4_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5132.1	V	-39.56	-13	-26.56
3421.4	V	-40.48	-13	-27.48
745.5	V	-44.32	-13	-31.32
528.1	V	-48.33	-13	-35.33
5132.1	H	-39.22	-13	-26.22
3421.4	H	-40.42	-13	-27.42
520.5	H	-48.21	-13	-35.21
395.8	H	-43.48	-13	-30.48

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5197.5	V	-38.72	-13	-25.72
3465	V	-39.32	-13	-26.32
669.4	V	-46.03	-13	-33.03
512.5	V	-48.33	-13	-35.33
5197.5	H	-38.81	-13	-25.81
3465	H	-40.75	-13	-27.75
569.4	H	-47.63	-13	-34.63
469.3	H	-46.53	-13	-33.53

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5262.9	V	-38.72	-13	-25.72
3508.6	V	-38.75	-13	-25.75
711.1	V	-47.73	-13	-34.73
528.7	V	-47.51	-13	-34.51
5262.9	H	-37.58	-13	-24.58
3508.6	H	-38.55	-13	-25.55
612.5	H	-45.11	-13	-32.11
553.9	H	-46.29	-13	-33.29

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 5_TX Mode
Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2474.1	V	-40.95	-13	-27.95
1649.4	V	-42.09	-13	-29.09
512.2	V	-46.91	-13	-33.91
365.5	V	-47.32	-13	-34.32
2474.1	H	-39.66	-13	-26.66
1649.4	H	-40.32	-13	-27.32
521.1	H	-45.05	-13	-32.05
336.5	H	-45.18	-13	-32.18

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2509.5	V	-42.64	-13	-29.64
1673	V	-42.33	-13	-29.33
725.8	V	-46.84	-13	-33.84
616.6	V	-46.85	-13	-33.85
2509.5	H	-40.11	-13	-27.11
1673	H	-42.40	-13	-29.40
705.5	H	-45.41	-13	-32.41
558.9	H	-45.53	-13	-32.53

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2544.9	V	-41.90	-13	-28.90
1696.6	V	-40.76	-13	-27.76
648.3	V	-46.86	-13	-33.86
482.7	V	-48.47	-13	-35.47
2544.9	H	-40.30	-13	-27.30
1696.6	H	-41.46	-13	-28.46
785.6	H	-46.98	-13	-33.98
615.7	H	-47.95	-13	-34.95

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 7_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
7507.5	V	-43.28	-25	-18.28
5005	V	-42.87	-25	-17.87
925.7	V	-49.46	-25	-24.46
678.9	V	-52.30	-25	-27.30
7507.5	H	-42.50	-25	-17.50
5005	H	-41.43	-25	-16.43
873.6	H	-49.88	-25	-24.88
662.7	H	-51.41	-25	-26.41

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBc)	Margin (dB)
7605	V	-43.19	-25	-18.19
5070	V	-41.22	-25	-16.22
833.7	V	-49.66	-25	-24.66
521.2	V	-51.32	-25	-26.32
7605	H	-40.70	-25	-15.70
5070	H	-42.24	-25	-17.24
819.6	H	-50.44	-25	-25.44
520.5	H	-48.43	-25	-23.43

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
7702.5	V	-42.94	-25	-17.94
5135	V	-44.17	-25	-19.17
752.6	V	-52.53	-25	-27.53
511.4	V	-52.01	-25	-27.01
7702.5	H	-41.22	-25	-16.22
5135	H	-42.92	-25	-17.92
701.1	H	-49.63	-25	-24.63
507.1	H	-48.78	-25	-23.78

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 12_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2099.1	V	-43.48	-13	-30.48
1399.4	V	-42.05	-13	-29.05
658.1	V	-51.19	-13	-38.19
516.9	V	-50.39	-13	-37.39
2099.1	H	-42.24	-13	-29.24
1399.4	H	-42.06	-13	-29.06
714.4	H	-49.09	-13	-36.09
669.5	H	-48.96	-13	-35.96

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2122.5	V	-44.55	-13	-31.55
1415	V	-43.93	-13	-30.93
651.5	V	-47.67	-13	-34.67
512.7	V	-50.29	-13	-37.29
2122.5	H	-42.60	-13	-29.60
1415	H	-44.28	-13	-31.28
525.4	H	-49.10	-13	-36.10
498.7	H	-49.29	-13	-36.29

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2145.9	V	-44.26	-13	-31.26
1430.6	V	-43.30	-13	-30.30
653.3	V	-46.84	-13	-33.84
592.7	V	-49.10	-13	-36.10
2145.9	H	-44.95	-13	-31.95
1430.6	H	-44.47	-13	-31.47
641.5	H	-51.60	-13	-38.60
558.3	H	-50.06	-13	-37.06

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 17_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2119.5	V	-41.08	-13	-28.08
1413	V	-45.80	-13	-32.80
652.8	V	-49.59	-13	-36.59
431.2	V	-46.55	-13	-33.55
2119.5	H	-41.19	-13	-28.19
1413	H	-51.01	-13	-38.01
547.1	H	-47.21	-13	-34.21
425.3	H	-44.76	-13	-31.76

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2130	V	-41.65	-13	-28.65
1420	V	-41.65	-13	-28.65
625.5	V	-47.55	-13	-34.55
498.3	V	-49.34	-13	-36.34
2130	H	-42.11	-13	-29.11
1420	H	-45.51	-13	-32.51
515.3	H	-49.46	-13	-36.46
412.5	H	-47.76	-13	-34.76

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2140.5	V	-40.34	-13	-27.34
1427	V	-46.29	-13	-33.29
577.8	V	-48.02	-13	-35.02
412.3	V	-43.97	-13	-30.97
2140.5	H	-38.97	-13	-25.97
1427	H	-47.14	-13	-34.14
505.6	H	-47.41	-13	-34.41
401.4	H	-48.06	-13	-35.06

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 25_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5552.1	V	-47.21	-13	-34.21
3701.4	V	-45.93	-13	-32.93
718.5	V	-48.33	-13	-35.33
523.6	V	-52.57	-13	-39.57
5552.1	H	-44.65	-13	-31.65
3701.4	H	-46.21	-13	-33.21
613.3	H	-54.94	-13	-41.94
352.9	H	-49.36	-13	-36.36

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5647.5	V	-45.00	-13	-32.00
3765	V	-46.68	-13	-33.68
596.4	V	-51.08	-13	-38.08
678.8	V	-54.55	-13	-41.55
5647.5	H	-44.01	-13	-31.01
3765	H	-48.59	-13	-35.59
655.8	H	-48.73	-13	-35.73
411.2	H	-51.48	-13	-38.48

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
5742.9	V	-46.15	-13	-33.15
3828.6	V	-45.19	-13	-32.19
486.3	V	-50.82	-13	-37.82
256.1	V	-53.40	-13	-40.40
5742.9	H	-45.52	-13	-32.52
3828.6	H	-44.06	-13	-31.06
574.3	H	-50.69	-13	-37.69
398.5	H	-51.03	-13	-38.03

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 26A_TX Mode
Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2474.1	V	-49.40	-13	-36.40
1663	V	-46.97	-13	-33.97
563.4	V	-50.64	-13	-37.64
315.0	V	-55.49	-13	-42.49
2494.5	H	-46.17	-13	-33.17
1663	H	-46.98	-13	-33.98
463.8	H	-55.52	-13	-42.52
367.5	H	-49.72	-13	-36.72

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2509.5	V	-47.97	-13	-34.97
1673	V	-48.14	-13	-35.14
654.5	V	-52.58	-13	-39.58
543.2	V	-55.27	-13	-42.27
2509.5	H	-46.31	-13	-33.31
1673	H	-48.46	-13	-35.46
615.8	H	-50.20	-13	-37.20
363.1	H	-55.09	-13	-42.09

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2544.9	V	-46.78	-13	-33.78
1696.6	V	-44.71	-13	-31.71
526.8	V	-48.83	-13	-35.83
364.5	V	-53.40	-13	-40.40
2544.9	H	-44.24	-13	-31.24
1696.6	H	-44.93	-13	-31.93
683.4	H	-51.50	-13	-38.50
475.9	H	-51.36	-13	-38.36

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 26B_TX Mode
Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2444.1	V	-50.42	-13	-37.42
1638	V	-48.86	-13	-35.86
842.3	V	-53.89	-13	-40.89
596.5	V	-55.49	-13	-42.49
2444.1	H	-48.29	-13	-35.29
1638	H	-47.39	-13	-34.39
774.5	H	-56.14	-13	-43.14
617.2	H	-51.14	-13	-38.14

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2457	V	-47.36	-13	-34.36
1638	V	-47.30	-13	-34.30
745.5	V	-54.47	-13	-41.47
512.8	V	-56.96	-13	-43.96
2457	H	-46.53	-13	-33.53
1638	H	-47.53	-13	-34.53
693.7	H	-50.42	-13	-37.42
497.2	H	-56.22	-13	-43.22

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
2469.9	V	-49.30	-13	-36.30
1646.6	V	-44.82	-13	-31.82
882.2	V	-50.69	-13	-37.69
694.7	V	-54.99	-13	-41.99
2469.9	H	-46.25	-13	-33.25
1646.6	H	-46.54	-13	-33.54
745.1	H	-52.20	-13	-39.20
569.3	H	-53.03	-13	-40.03

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 38_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
7717.5	V	-50.78	-25	-25.78
5145	V	-46.61	-25	-21.61
881.2	V	-49.65	-25	-24.65
594.3	V	-53.35	-25	-28.35
7717.5	H	-48.36	-25	-23.36
5145	H	-45.66	-25	-20.66
463.8	H	-55.50	-25	-30.50
367.5	H	-50.19	-25	-25.19

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
7785	V	-46.41	-25	-21.41
5190	V	-47.75	-25	-22.75
674.1	V	-53.97	-25	-28.97
493.2	V	-54.13	-25	-29.13
7785	H	-46.84	-25	-21.84
5190	H	-48.86	-25	-23.86
421.8	H	-49.53	-25	-24.53
203.1	H	-53.28	-25	-28.28

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
7851	V	-47.69	-25	-22.69
5235	V	-47.28	-25	-22.28
745.3	V	-49.87	-25	-24.87
582.6	V	-53.17	-25	-28.17
7851	H	-44.78	-25	-19.78
5235	H	-46.43	-25	-21.43
742.1	H	-53.14	-25	-28.14
652.7	H	-52.33	-25	-27.33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 41_TX Mode Low channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
7495.5	V	-47.59	-25	-22.59
4997	V	-44.62	-25	-19.62
612.1	V	-47.75	-25	-22.75
483.6	V	-53.37	-25	-28.37
7495.5	H	-44.73	-25	-19.73
4997	H	-45.16	-25	-20.16
742.8	H	-54.08	-25	-29.08
563.7	H	-48.53	-25	-23.53

Middle channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
7779	V	-45.10	-25	-20.10
5186	V	-46.03	-25	-21.03
568.2	V	-52.04	-25	-27.04
341.5	V	-54.22	-25	-29.22
7779	H	-43.99	-25	-18.99
5186	H	-46.88	-25	-21.88
552.7	H	-47.97	-25	-22.97
421.5	H	-52.95	-25	-27.95

High channel

Frequency (MHz)	Polarity (H/V)	Emission Level (dBm)	Limit (dBm)	Margin (dB)
8062.5	V	-45.01	-25	-20.01
5375	V	-45.58	-25	-20.58
642.9	V	-48.12	-25	-23.12
471.6	V	-52.07	-25	-27.07
8062.5	H	-42.63	-25	-17.63
5375	H	-44.67	-25	-19.67
363.2	H	-50.55	-25	-25.55
274.6	H	-50.26	-25	-25.26

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Note: 1. Margin (dB) = Emission Level(dBm) -Limit(dBm)

Emission Level(dBm)= Measurement Reading(dBm)+Factor(dB)

Factor(dB) = ANT Gain -Cable Loss + Power Splitter

2. The test refers to the value of Factor, please refer to the results listed in the test method in this section of the report.
3. The radiated spurious emission has been tested with maximum bandwidth QPSK modulation, resource block size 1 and resource block offset 0.
4. Below 30MHz, no spurious emission was found, and only the worst mode data above 30MHz is recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



12. FREQUENCY STABILITY / VARIATION OF AMBIENT TEMPERATURE

12.1 PROVISIONS APPLICABLE

12.1.1 For Hand carried battery powered equipment

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-E-2016. The frequency stability of the transmitter is measured by:

- a.) Temperature: The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) Primary Supply Voltage: The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency. For Part 24 and Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

12.1.2 For equipment powered by primary supply voltage

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

12.2 MEASUREMENT METHOD


In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of R&S CMW500 DIGITAL RADIO COMMUNICATION TESTER.

- 1 Measure the carrier frequency at room temperature.
- 2 Subject the EUT to overnight soak at -30°C. With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on channel 20175 for LTE band 4 measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
- 3 Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1 1/2 hours at each temperature, unpowered, before making measurements.
- 4 Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1 1/2 hours unpowered, to allow any self-heating to stabilize, before continuing.



- 5 Subject the EUT to overnight soak at +50°C.
- 6 With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
- 7 Repeat the above measurements at 10°C increments from +50°C to -30°C. Allow at least 1 1/2 hours at each temperature, unpowered, before making measurements.
- 8 At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

12.3 MEASUREMENT SETUP



12.4 MEASUREMENT RESULT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 2

Middle Channel, $f_0 = 1880$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-8.08	-0.004366
-20		-5.99	-0.003237
-10		-6.57	-0.003550
0		-7.95	-0.004229
10		-6.97	-0.003707
20		-9.57	-0.005090
30		-7.12	-0.003729
40		-5.99	-0.003137
50		-8.11	-0.004248
25	4.35	-4.58	-0.002475
	3.23	-10.36	-0.005598

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

LTE Band 4

Middle Channel, $f_0 = 1732.5$ MHz				
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)	Temperature (°C)
-30	3.80	-7.64	-0.004466	±2.5
-20		-4.28	-0.002502	±2.5
-10		-9.27	-0.005419	±2.5
0		-3.18	-0.001835	±2.5
10		-6.15	-0.003550	±2.5
20		-5.58	-0.003221	±2.5
30		-9.86	-0.005620	±2.5
40		-9.34	-0.005324	±2.5
50		-7.75	-0.004418	±2.5
25	4.35	-7.30	-0.004267	±2.5
	3.23	-9.06	-0.005296	±2.5

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 5

Middle Channel, $f_0 = 836.5$ MHz				
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)	Temperature (°C)
-30	3.80	-7.02	-0.008512	± 2.5
-20		-7.84	-0.009506	± 2.5
-10		-1.67	-0.002025	± 2.5
0		-9.13	-0.010915	± 2.5
10		-10.44	-0.012481	± 2.5
20		-9.91	-0.011847	± 2.5
30		-9.24	-0.010892	± 2.5
40		-10.21	-0.012036	± 2.5
50		-7.75	-0.009136	± 2.5
25	4.35	-10.74	-0.013023	± 2.5
	3.23	-9.13	-0.011071	± 2.5

LTE Band 7

Middle Channel, $f_0 = 2535$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-10.86	-0.004340
-20		-12.00	-0.004795
-10		-10.93	-0.004368
0		-6.65	-0.002623
10		-4.38	-0.001728
20		7.38	0.002911
30		-5.71	-0.002224
40		-4.73	-0.001842
50		-2.68	-0.001044
25	4.35	-6.47	-0.002585
	3.23	-13.56	-0.005419

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



LTE Band 12

Middle Channel, $f_0 = 707.5$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-9.08	-0.012977
-20		-6.65	-0.009504
-10		-8.93	-0.012763
0		-3.82	-0.005399
10		-6.35	-0.008975
20		-4.13	-0.005837
30		-9.87	-0.013798
40		-10.96	-0.015322
50		-10.49	-0.014665
25	4.35	-8.71	-0.012448
	3.23	-5.61	-0.008018

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

LTE Band 17

Middle Channel, $f_0 = 710$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-5.94	-0.008408
-20		-5.54	-0.007841
-10		-12.86	-0.018202
0		-7.35	-0.010352
10		-5.08	-0.007155
20		-10.07	-0.014183
30		-7.98	-0.011184
40		-12.27	-0.017197
50		-8.63	-0.012095
25	4.35	-8.83	-0.012498
	3.23	-11.22	-0.015881

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

LTE Band 25

Middle Channel, $f_0 = 1882.5$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-6.94	-0.003750
-20		-8.51	-0.004598
-10		-10.94	-0.005911
0		-10.70	-0.005684
10		-14.72	-0.007819
20		-5.26	-0.002794
30		-5.11	-0.002669
40		-10.89	-0.005689
50		-2.56	-0.001337
25	4.35	-7.24	-0.003912
	3.23	-10.96	-0.005922

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

LTE Band 26A

Middle Channel, $f_0 = 836.5$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-12.07	-0.014636
-20		-6.98	-0.008464
-10		-11.80	-0.014308
0		-5.39	-0.006444
10		-10.14	-0.012122
20		-8.98	-0.010735
30		-9.78	-0.011529
40		-7.42	-0.008747
50		-8.28	-0.009761
25	4.35	-5.75	-0.006972
	3.23	-5.44	-0.006596

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

LTE Band 26B

Middle Channel, $f_0 = 821.5$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-6.38	-0.007831
-20		-5.64	-0.006923
-10		-7.68	-0.009427
0		-5.18	-0.006325
10		-10.90	-0.013309
20		-6.18	-0.007546
30		-6.21	-0.007543
40		-8.55	-0.010385
50		-6.84	-0.008308
25	4.35	-9.81	-0.012041
	3.23	-8.37	-0.010274

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 38

Middle Channel, $f_0 = 2595.0$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-15.11	-0.005874
-20		-10.20	-0.003965
-10		-10.71	-0.004163
0		-22.54	-0.008686
10		-31.76	-0.012239
20		-24.48	-0.009434
30		-18.08	-0.006907
40		-17.97	-0.006865
50		-6.17	-0.002357
25	4.35	-12.40	-0.004820
	3.23	-11.89	-0.004622

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 41

Middle Channel, $f_0 = 2593.0$ MHz			
Temperature (°C)	Power Supplied (VDC)	Frequency Error (Hz)	Frequency Error (ppm)
-30	3.80	-26.28	-0.010518
-20		-24.43	-0.009778
-10		-21.23	-0.008497
0		-17.84	-0.006880
10		-22.27	-0.008589
20		-22.87	-0.008820
30		-10.90	-0.004056
40		-10.03	-0.003732
50		-15.54	-0.005782
25	4.35	-19.01	-0.007609
	3.23	-23.29	-0.009322

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

- Note:**1. The device under test maintains the minimum and maximum operating temperature and the required limit voltage according to the manufacturer's requirements.
2. Only the worst working mode data is recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



13. OCCUPIED BANDWIDTH

13.1 PROVISIONS APPLICABLE

The width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5 % of the total mean power of a given emission. The EUT makes a call to the communication simulator.


The conducted occupied bandwidth used the power splitter via EUT RF power connector between simulation base station and spectrum analyzer.

The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. Use OBW measurement function of Spectrum analyzer to measure 99 % occupied bandwidth

13.2 MEASUREMENT METHOD

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

13.3 MEASUREMENT SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



13.4 MEASUREMENT RESULT

LTE Band 2

Channel Bandwidth: 1.4 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	6	0	1.0916	1.269	PASS
	MCH	6	0	1.0904	1.250	PASS
	HCH	6	0	1.0874	1.251	PASS
16QAM	LCH	6	0	1.0892	1.262	PASS
	MCH	6	0	1.0869	1.267	PASS
	HCH	6	0	1.0896	1.259	PASS

Channel Bandwidth: 3 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	15	0	2.6843	2.857	PASS
	MCH	15	0	2.6949	2.855	PASS
	HCH	15	0	2.6918	2.850	PASS
16QAM	LCH	15	0	2.6868	2.841	PASS
	MCH	15	0	2.6872	2.862	PASS
	HCH	15	0	2.6885	2.855	PASS

Channel Bandwidth: 5 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	25	0	4.4979	4.825	PASS
	MCH	25	0	4.4957	4.795	PASS
	HCH	25	0	4.5051	4.798	PASS
16QAM	LCH	25	0	4.4989	4.812	PASS
	MCH	25	0	4.4962	4.816	PASS
	HCH	25	0	4.5027	4.802	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Channel Bandwidth: 10 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	50	0	8.9757	9.524	PASS
	MCH	50	0	8.9935	9.525	PASS
	HCH	50	0	8.9814	9.530	PASS
16QAM	LCH	50	0	8.9668	9.501	PASS
	MCH	50	0	8.9777	9.518	PASS
	HCH	50	0	8.9781	9.505	PASS

Channel Bandwidth: 15 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	75	0	13.457	14.26	PASS
	MCH	75	0	13.469	14.28	PASS
	HCH	75	0	13.463	14.24	PASS
16QAM	LCH	75	0	13.454	14.22	PASS
	MCH	75	0	13.454	14.27	PASS
	HCH	75	0	13.462	14.26	PASS

Channel Bandwidth: 20 MHz						
Modulation	Channel	RB Configuration		Occupied Bandwidth (MHz)	-26dB Bandwidth (MHz)	Verdict
		Size	Offset			
QPSK	LCH	100	0	17.940	18.96	PASS
	MCH	100	0	17.923	18.94	PASS
	HCH	100	0	17.953	18.96	PASS
16QAM	LCH	100	0	17.946	18.97	PASS
	MCH	100	0	17.938	18.96	PASS
	HCH	100	0	17.951	18.99	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/

