


12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.21	-72.89	-13	59.89	Pass	2986
30	689	0.1	RMS	494.1	-66.14	-13	53.14	Pass	6591
689	726	0.1	RMS	713.235	20.33	60	39.67	Pass	401
726	1000	0.1	RMS	871.5	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1426	-45.35	-13	32.35	Pass	2001
3000	10000	1	RMS	6800	-45.73	-13	32.73	Pass	7001



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.25	-73.04	-13	60.04	Pass	2986
30	689	0.1	RMS	488.2	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	713.235	19.44	60	40.56	Pass	401
726	1000	0.1	RMS	839.4	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1426	-46.34	-13	33.34	Pass	2001
3000	10000	1	RMS	6800	-45.72	-13	32.72	Pass	7001



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	689	0.1	RMS	688.6	-65.32	-13	52.32	Pass	6591
689	726	0.1	RMS	699.36	19.97	60	40.03	Pass	401
726	1000	0.1	RMS	901.8	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1398	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6798	-45.75	-13	32.75	Pass	7001



12.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	689	0.1	RMS	688.6	-65.92	-13	52.92	Pass	6591
689	726	0.1	RMS	699.36	19.24	60	40.76	Pass	401
726	1000	0.1	RMS	930.2	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1398	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001



12.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	689	0.1	RMS	517.4	-66.13	-13	53.13	Pass	6591
689	726	0.1	RMS	705.373	19.92	60	40.08	Pass	401
726	1000	0.1	RMS	944.2	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1410	-48.19	-13	35.19	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001



12.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	689	0.1	RMS	607.8	-66.12	-13	53.12	Pass	6591
689	726	0.1	RMS	705.373	19.09	60	40.91	Pass	401
726	1000	0.1	RMS	975.3	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1410	-49.12	-13	36.12	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001



12.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.18	-72.88	-13	59.88	Pass	2986
30	689	0.1	RMS	499.9	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	711.293	19.61	60	40.39	Pass	401
726	1000	0.1	RMS	852.3	-65.29	-13	52.29	Pass	2741
1000	3000	1	RMS	1422	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001



12.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	689	0.1	RMS	490	-66.2	-13	53.2	Pass	6591
689	726	0.1	RMS	711.293	18.85	60	41.15	Pass	401
726	1000	0.1	RMS	960.5	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1422	-46.6	-13	33.6	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	689	0.1	RMS	688.9	-65.59	-13	52.59	Pass	6591
689	726	0.1	RMS	699.545	19.79	60	40.21	Pass	401
726	1000	0.1	RMS	982.1	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1399	-47.69	-13	34.69	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	689	0.1	RMS	688.9	-65.91	-13	52.91	Pass	6591
689	726	0.1	RMS	699.638	18.91	60	41.09	Pass	401
726	1000	0.1	RMS	950.1	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1399	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	6800	-45.7	-13	32.7	Pass	7001



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	689	0.1	RMS	587.3	-66.15	-13	53.15	Pass	6591
689	726	0.1	RMS	703.06	20.08	60	39.92	Pass	401
726	1000	0.1	RMS	981.2	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1406	-47.97	-13	34.97	Pass	2001
3000	10000	1	RMS	6800	-45.7	-13	32.7	Pass	7001



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	59.94	Pass	2986
30	689	0.1	RMS	488.5	-66.13	-13	53.13	Pass	6591
689	726	0.1	RMS	703.06	19.13	60	40.87	Pass	401
726	1000	0.1	RMS	857.4	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1406	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



12.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	689	0.1	RMS	689	-62.51	-13	49.51	Pass	6591
689	726	0.1	RMS	706.575	20.2	60	39.8	Pass	401
726	1000	0.1	RMS	958	-65	-13	52	Pass	2741
1000	3000	1	RMS	1413	-48.59	-13	35.59	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



12.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	59.98	Pass	2986
30	689	0.1	RMS	689	-63.42	-13	50.42	Pass	6591
689	726	0.1	RMS	706.575	19.31	60	40.69	Pass	401
726	1000	0.1	RMS	843.1	-65.29	-13	52.29	Pass	2741
1000	3000	1	RMS	1413	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	6799	-45.69	-13	32.69	Pass	7001



13. LTE_Band17


13.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	694	0.1	RMS	693.6	-65.16	-13	52.16	Pass	6641
694	726	0.1	RMS	704.32	20.08	60	39.92	Pass	401
726	1000	0.1	RMS	863.3	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1408	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




13.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.26	-72.81	-13	59.81	Pass	2986
30	694	0.1	RMS	693.7	-65.49	-13	52.49	Pass	6641
694	726	0.1	RMS	704.32	19.19	60	40.81	Pass	401
726	1000	0.1	RMS	869.7	-65.23	-13	52.23	Pass	2741
1000	3000	1	RMS	1408	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6797	-45.56	-13	32.56	Pass	7001




13.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.23	-72.58	-13	59.58	Pass	2986
30	694	0.1	RMS	693.7	-66.01	-13	53.01	Pass	6641
694	726	0.1	RMS	707.84	20.29	60	39.71	Pass	401
726	1000	0.1	RMS	854.3	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1415	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6802	-45.71	-13	32.71	Pass	7001




13.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.2	-72.75	-13	59.75	Pass	2986
30	694	0.1	RMS	605.3	-66.14	-13	53.14	Pass	6641
694	726	0.1	RMS	707.84	19.49	60	40.51	Pass	401
726	1000	0.1	RMS	985.5	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1415	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




13.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	694	0.1	RMS	694	-65.95	-13	52.95	Pass	6641
694	726	0.1	RMS	711.36	20	60	40	Pass	401
726	1000	0.1	RMS	990.5	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1422	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




13.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	694	0.1	RMS	693.5	-65.99	-13	52.99	Pass	6641
694	726	0.1	RMS	711.36	19.35	60	40.65	Pass	401
726	1000	0.1	RMS	995	-65.33	-13	52.33	Pass	2741
1000	3000	1	RMS	1422	-46.62	-13	33.62	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




13.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.18	-72.78	-13	59.78	Pass	2986
30	694	0.1	RMS	694	-62.33	-13	49.33	Pass	6641
694	726	0.1	RMS	704.56	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	828.8	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1409	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




13.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-13	59.74	Pass	2986
30	694	0.1	RMS	693.9	-62.4	-13	49.4	Pass	6641
694	726	0.1	RMS	704.56	19.21	60	40.79	Pass	401
726	1000	0.1	RMS	976.7	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1409	-49.17	-13	36.17	Pass	2001
3000	10000	1	RMS	6799	-45.7	-13	32.7	Pass	7001



13.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	59.7	Pass	2986
30	694	0.1	RMS	694	-64.48	-13	51.48	Pass	6641
694	726	0.1	RMS	705.6	20.39	60	39.61	Pass	401
726	1000	0.1	RMS	933.6	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1411	-48.46	-13	35.46	Pass	2001
3000	10000	1	RMS	6801	-45.69	-13	32.69	Pass	7001



13.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.26	-73.16	-13	60.16	Pass	2986
30	694	0.1	RMS	693.9	-64.56	-13	51.56	Pass	6641
694	726	0.1	RMS	705.6	19.39	60	40.61	Pass	401
726	1000	0.1	RMS	842.4	-65.23	-13	52.23	Pass	2741
1000	3000	1	RMS	1411	-49.54	-13	36.54	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001



13.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.16	-73.16	-13	60.16	Pass	2986
30	694	0.1	RMS	689	-63.05	-13	50.05	Pass	6641
694	726	0.1	RMS	706.56	20.14	60	39.86	Pass	401
726	1000	0.1	RMS	873.9	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1413	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	6798	-45.65	-13	32.65	Pass	7001



13.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	59.13	Pass	2986
30	694	0.1	RMS	689	-63.77	-13	50.77	Pass	6641
694	726	0.1	RMS	706.56	19.24	60	40.76	Pass	401
726	1000	0.1	RMS	981.6	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1413	-49.49	-13	36.49	Pass	2001
3000	10000	1	RMS	6799	-45.74	-13	32.74	Pass	7001



14. LTE_Band25


14.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	845.1	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1840	-53.62	-13	40.62	Pass	841
1840	1925	1	RMS	1850.2	23.04	60	36.96	Pass	401
1925	3000	1	RMS	2994	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	11997	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13608	-39.91	-13	26.91	Pass	8001




14.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	853.403	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-53.75	-13	40.75	Pass	841
1840	1925	1	RMS	1850.2	22.07	60	37.93	Pass	401
1925	3000	1	RMS	2984	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11997	-44.42	-13	31.42	Pass	9002
12000	20000	1	RMS	13600	-39.92	-13	26.92	Pass	8001




14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	856.605	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1839	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1881.863	22.82	60	37.18	Pass	401
1925	3000	1	RMS	2997	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11995	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.91	-13	26.91	Pass	8001




14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	939.66	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1822	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1881.863	21.87	60	38.13	Pass	401
1925	3000	1	RMS	2990	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11997	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001




14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	847.1	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1838	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1913.738	22.79	60	37.21	Pass	401
1925	3000	1	RMS	2987	-51.54	-13	38.54	Pass	1076
3000	12000	1	RMS	11996	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001




14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	959.973	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1828	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1913.738	21.85	60	38.15	Pass	401
1925	3000	1	RMS	2998	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	11985	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001




14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	840.9	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-53.44	-13	40.44	Pass	841
1840	1925	1	RMS	1850.2	23.09	60	36.91	Pass	401
1925	3000	1	RMS	2984	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11999	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001




14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-13	59.85	Pass	2986
30	1000	0.1	RMS	843.5	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1840	-53.56	-13	40.56	Pass	841
1840	1925	1	RMS	1850.2	22.19	60	37.81	Pass	401
1925	3000	1	RMS	2995	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	12000	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13595	-39.97	-13	26.97	Pass	8001



14.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	849.6	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1835	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1881.225	22.88	60	37.12	Pass	401
1925	3000	1	RMS	2983	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	12000	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.89	-13	26.89	Pass	8001



14.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	938.96	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1840	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1881.225	21.91	60	38.09	Pass	401
1925	3000	1	RMS	2992	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13601	-39.9	-13	26.9	Pass	8001



14.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	844.6	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1838	-54	-13	41	Pass	841
1840	1925	1	RMS	1912.038	22.75	60	37.25	Pass	401
1925	3000	1	RMS	2984	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11995	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13600	-39.93	-13	26.93	Pass	8001



14.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	833.9	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1839	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1912.038	21.83	60	38.17	Pass	401
1925	3000	1	RMS	2930	-51.53	-13	38.53	Pass	1076
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.91	-13	26.91	Pass	8001



14.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	835.5	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.04	-13	40.04	Pass	841
1840	1925	1	RMS	1850.2	23	60	37	Pass	401
1925	3000	1	RMS	2994	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11996	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.9	-13	26.9	Pass	8001



14.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.26	-72.85	-13	59.85	Pass	2986
30	1000	0.1	RMS	849.2	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1840	-53.41	-13	40.41	Pass	841
1840	1925	1	RMS	1850.2	22.03	60	37.97	Pass	401
1925	3000	1	RMS	2984	-51.53	-13	38.53	Pass	1076
3000	12000	1	RMS	11999	-44.42	-13	31.42	Pass	9002
12000	20000	1	RMS	13605	-39.88	-13	26.88	Pass	8001



14.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	857.906	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1836	-54	-13	41	Pass	841
1840	1925	1	RMS	1880.163	22.76	60	37.24	Pass	401
1925	3000	1	RMS	2985	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11991	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



14.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	957.272	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1832	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1880.163	21.97	60	38.03	Pass	401
1925	3000	1	RMS	2993	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11987	-44.42	-13	31.42	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



14.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.2	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	860.407	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1681	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1910.125	22.64	60	37.36	Pass	401
1925	3000	1	RMS	2993	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11996	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13598	-39.94	-13	26.94	Pass	8001



14.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	984.39	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1825	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1910.338	21.92	60	38.08	Pass	401
1925	3000	1	RMS	2463	-51.54	-13	38.54	Pass	1076
3000	12000	1	RMS	11995	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13601	-39.91	-13	26.91	Pass	8001



14.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	923.149	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1833	-52.15	-13	39.15	Pass	841
1840	1925	1	RMS	1850.413	23.09	60	36.91	Pass	401
1925	3000	1	RMS	2977	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.94	-13	26.94	Pass	8001



14.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	844	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1833	-51.93	-13	38.93	Pass	841
1840	1925	1	RMS	1850.413	22.18	60	37.82	Pass	401
1925	3000	1	RMS	2994	-51.55	-13	38.55	Pass	1076
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001



14.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	839.7	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1878.038	22.95	60	37.05	Pass	401
1925	3000	1	RMS	2999	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	12000	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13603	-39.9	-13	26.9	Pass	8001



14.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	843.8	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1838	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1878.038	22.02	60	37.98	Pass	401
1925	3000	1	RMS	2989	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11990	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



14.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	837.5	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1839	-54	-13	41	Pass	841
1840	1925	1	RMS	1905.45	22.91	60	37.09	Pass	401
1925	3000	1	RMS	2987	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	11998	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13601	-39.89	-13	26.89	Pass	8001



14.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	847.9	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1905.45	21.98	60	38.02	Pass	401
1925	3000	1	RMS	2998	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11998	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13602	-39.96	-13	26.96	Pass	8001



14.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	977.685	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1837	-49.18	-13	36.18	Pass	841
1840	1925	1	RMS	1850.838	22.92	60	37.08	Pass	401
1925	3000	1	RMS	2959	-51.53	-13	38.53	Pass	1076
3000	12000	1	RMS	11898	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13601	-39.92	-13	26.92	Pass	8001



14.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	846.9	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1838	-49.84	-13	36.84	Pass	841
1840	1925	1	RMS	1850.838	22.04	60	37.96	Pass	401
1925	3000	1	RMS	2991	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11990	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13604	-39.87	-13	26.87	Pass	8001



14.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.2	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	999.7	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1838	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1875.7	22.92	60	37.08	Pass	401
1925	3000	1	RMS	2993	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	12000	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.92	-13	26.92	Pass	8001



14.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.19	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	819.7	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1839	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1875.7	21.96	60	38.04	Pass	401
1925	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11995	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



14.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	974.683	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1840	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1900.775	22.8	60	37.2	Pass	401
1925	3000	1	RMS	2984	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11998	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.88	-13	26.88	Pass	8001



14.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.24	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	875.417	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1832	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1900.775	21.99	60	38.01	Pass	401
1925	3000	1	RMS	2990	-51.53	-13	38.53	Pass	1076
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001



14.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	839.5	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1840	-51.64	-13	38.64	Pass	841
1840	1925	1	RMS	1851.05	22.87	60	37.13	Pass	401
1925	3000	1	RMS	2998	-51.53	-13	38.53	Pass	1076
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13606	-39.98	-13	26.98	Pass	8001



14.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	923.549	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1840	-51.68	-13	38.68	Pass	841
1840	1925	1	RMS	1851.05	21.99	60	38.01	Pass	401
1925	3000	1	RMS	2981	-51.53	-13	38.53	Pass	1076
3000	12000	1	RMS	11987	-44.42	-13	31.42	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001



14.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.24	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	850.201	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1838	-48.81	-13	35.81	Pass	841
1840	1925	1	RMS	1873.575	22.71	60	37.29	Pass	401
1925	3000	1	RMS	2981	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	11994	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13603	-39.92	-13	26.92	Pass	8001



14.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	862.209	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1838	-50.77	-13	37.77	Pass	841
1840	1925	1	RMS	1873.575	21.77	60	38.23	Pass	401
1925	3000	1	RMS	2985	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001



14.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	843.8	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1839	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1895.888	22.56	60	37.44	Pass	401
1925	3000	1	RMS	2989	-51.52	-13	38.52	Pass	1076
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13599	-39.88	-13	26.88	Pass	8001



14.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	843.8	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1822	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1895.888	21.61	60	38.39	Pass	401
1925	3000	1	RMS	2990	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.95	-13	26.95	Pass	8001



15. LTE_Band26(part22)


15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	813.5	-64.86	-13	51.86	Pass	7841
814	860	0.1	RMS	824.3	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	984.2	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1648	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001



15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	813.6	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	824.3	18.84	60	41.16	Pass	461
860	1000	0.1	RMS	958	-65.54	-13	52.54	Pass	1401
1000	3000	1	RMS	1648	-49.18	-13	36.18	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001




15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.2	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	810.8	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	836.1	19.81	60	40.19	Pass	461
860	1000	0.1	RMS	990.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1672	-49.8	-13	36.8	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001




15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	59.88	Pass	2986
30	814	0.1	RMS	813.8	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	836.1	18.9	60	41.1	Pass	461
860	1000	0.1	RMS	869.3	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1672	-50.69	-13	37.69	Pass	2001
3000	10000	1	RMS	6802	-45.71	-13	32.71	Pass	7001




15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	810.8	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	847.8	19.67	60	40.33	Pass	461
860	1000	0.1	RMS	954.9	-65.52	-13	52.52	Pass	1401
1000	3000	1	RMS	1695	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	6801	-45.7	-13	32.7	Pass	7001




15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-73.08	-13	60.08	Pass	2986
30	814	0.1	RMS	812.9	-65.68	-13	52.68	Pass	7841
814	860	0.1	RMS	847.9	18.73	60	41.27	Pass	461
860	1000	0.1	RMS	976.1	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1695	-49.22	-13	36.22	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.26	-72.78	-13	59.78	Pass	2986
30	814	0.1	RMS	813.6	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.2	19.96	60	40.04	Pass	461
860	1000	0.1	RMS	897.6	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1648	-48.27	-13	35.27	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.2	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	813.6	-64.62	-13	51.62	Pass	7841
814	860	0.1	RMS	824.2	19.12	60	40.88	Pass	461
860	1000	0.1	RMS	871.3	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1648	-49.03	-13	36.03	Pass	2001
3000	10000	1	RMS	6805	-45.75	-13	32.75	Pass	7001



15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.19	-72.97	-13	59.97	Pass	2986
30	814	0.1	RMS	809.4	-65.77	-13	52.77	Pass	7841
814	860	0.1	RMS	835.2	20.06	60	39.94	Pass	461
860	1000	0.1	RMS	861.6	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1670	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6802	-45.72	-13	32.72	Pass	7001



15.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	812.2	-65.75	-13	52.75	Pass	7841
814	860	0.1	RMS	835.2	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	975.1	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1670	-48.53	-13	35.53	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001



15.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	811.9	-65.75	-13	52.75	Pass	7841
814	860	0.1	RMS	846.2	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	979.1	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1692	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6801	-45.74	-13	32.74	Pass	7001



15.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	812.2	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	846.2	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	955.4	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1692	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	6798	-45.65	-13	32.65	Pass	7001



15.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.7	-65.08	-13	52.08	Pass	7841
814	860	0.1	RMS	824.3	19.81	60	40.19	Pass	461
860	1000	0.1	RMS	869.5	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1648	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	6797	-45.72	-13	32.72	Pass	7001



15.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	813.7	-64.88	-13	51.88	Pass	7841
814	860	0.1	RMS	824.3	18.88	60	41.12	Pass	461
860	1000	0.1	RMS	869.7	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-49.48	-13	36.48	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001



15.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.34	-72.84	-13	59.84	Pass	2986
30	814	0.1	RMS	810.5	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	834.3	19.94	60	40.06	Pass	461
860	1000	0.1	RMS	982.2	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1668	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	6801	-45.73	-13	32.73	Pass	7001



15.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	810.5	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	834.3	19.13	60	40.87	Pass	461
860	1000	0.1	RMS	880.9	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1668	-49.43	-13	36.43	Pass	2001
3000	10000	1	RMS	6799	-45.72	-13	32.72	Pass	7001



15.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.91	-13	59.91	Pass	2986
30	814	0.1	RMS	812.2	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	844.3	19.94	60	40.06	Pass	461
860	1000	0.1	RMS	891.7	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1688	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	6800	-45.73	-13	32.73	Pass	7001



15.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	59.82	Pass	2986
30	814	0.1	RMS	808	-65.81	-13	52.81	Pass	7841
814	860	0.1	RMS	844.3	19.21	60	40.79	Pass	461
860	1000	0.1	RMS	861.3	-65.52	-13	52.52	Pass	1401
1000	3000	1	RMS	1688	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001



15.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.9	-61.61	-13	48.61	Pass	7841
814	860	0.1	RMS	824.6	20.44	60	39.56	Pass	461
860	1000	0.1	RMS	870.2	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1649	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001



15.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.23	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	813.9	-61.83	-13	48.83	Pass	7841
814	860	0.1	RMS	824.6	19.6	60	40.4	Pass	461
860	1000	0.1	RMS	869.9	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1649	-49.44	-13	36.44	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001



15.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	810.5	-64.12	-13	51.12	Pass	7841
814	860	0.1	RMS	832.1	20.52	60	39.48	Pass	461
860	1000	0.1	RMS	864.4	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1664	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	6798	-45.7	-13	32.7	Pass	7001



15.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.28	-72.71	-13	59.71	Pass	2986
30	814	0.1	RMS	810.5	-64.26	-13	51.26	Pass	7841
814	860	0.1	RMS	832.1	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	879.7	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1664	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	6800	-45.73	-13	32.73	Pass	7001



15.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.28	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	813	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	839.6	20.44	60	39.56	Pass	461
860	1000	0.1	RMS	999.1	-65.51	-13	52.51	Pass	1401
1000	3000	1	RMS	1679	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6795	-45.74	-13	32.74	Pass	7001



15.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	800.9	-65.78	-13	52.78	Pass	7841
814	860	0.1	RMS	839.6	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	987.9	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1679	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



15.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-73.3	-13	60.3	Pass	2986
30	814	0.1	RMS	811.5	-53.87	-13	40.87	Pass	7841
814	860	0.1	RMS	824.8	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	938	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1649	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	6800	-45.73	-13	32.73	Pass	7001



15.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	0.16	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	811.5	-54.62	-13	41.62	Pass	7841
814	860	0.1	RMS	824.8	18.98	60	41.02	Pass	461
860	1000	0.1	RMS	984.1	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1649	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001



15.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	810.5	-59.77	-13	46.77	Pass	7841
814	860	0.1	RMS	829.8	19.94	60	40.06	Pass	461
860	1000	0.1	RMS	878.7	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1659	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	6799	-45.72	-13	32.72	Pass	7001



15.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	810.5	-60.14	-13	47.14	Pass	7841
814	860	0.1	RMS	829.8	18.96	60	41.04	Pass	461
860	1000	0.1	RMS	976.4	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1659	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001



15.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	811.8	-64.03	-13	51.03	Pass	7841
814	860	0.1	RMS	834.8	19.72	60	40.28	Pass	461
860	1000	0.1	RMS	935.8	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1669	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	6801	-45.72	-13	32.72	Pass	7001



15.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	811.8	-64.23	-13	51.23	Pass	7841
814	860	0.1	RMS	834.8	19.01	60	40.99	Pass	461
860	1000	0.1	RMS	998.6	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1669	-49.44	-13	36.44	Pass	2001
3000	10000	1	RMS	6797	-45.72	-13	32.72	Pass	7001



16. LTE_Band26(part90)


16.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.53	-13	52.53	Pass	401
0.15	30	0.01	Peak	0.15	-64.49	-13	51.49	Pass	2986
30	809	0.1	Peak	473.4	-54.47	-13	41.47	Pass	7791
809	829	0.1	Peak	814.25	25.39	60	34.61	Pass	401
829	1000	0.1	Peak	913	-54.48	-13	41.48	Pass	1711
1000	3000	1	Peak	1629	-38.2	-13	25.2	Pass	2001
3000	10000	1	Peak	10000	-31.58	-13	18.58	Pass	7001




16.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.92	-13	52.92	Pass	401
0.15	30	0.01	Peak	0.26	-64.91	-13	51.91	Pass	2986
30	809	0.1	Peak	722.3	-54.9	-13	41.9	Pass	7791
809	829	0.1	Peak	814.25	26.11	60	33.89	Pass	401
829	1000	0.1	Peak	892.2	-54.61	-13	41.61	Pass	1711
1000	3000	1	Peak	1629	-39	-13	26	Pass	2001
3000	10000	1	Peak	8715	-32.39	-13	19.39	Pass	7001




16.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65	-13	52	Pass	401
0.15	30	0.01	Peak	0.3	-64.61	-13	51.61	Pass	2986
30	809	0.1	Peak	781	-54.53	-13	41.53	Pass	7791
809	829	0.1	Peak	818.6	25.08	60	34.92	Pass	401
829	1000	0.1	Peak	832.4	-47.4	-13	34.4	Pass	1711
1000	3000	1	Peak	1637	-39.76	-13	26.76	Pass	2001
3000	10000	1	Peak	8652	-31.94	-13	18.94	Pass	7001




**16.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.29	-13	53.29	Pass	401
0.15	30	0.01	Peak	0.16	-65.18	-13	52.18	Pass	2986
30	809	0.1	Peak	771.3	-55.05	-13	42.05	Pass	7791
809	829	0.1	Peak	818.6	25.13	60	34.87	Pass	401
829	1000	0.1	Peak	913.6	-54.45	-13	41.45	Pass	1711
1000	3000	1	Peak	2934	-39.76	-13	26.76	Pass	2001
3000	10000	1	Peak	8736	-32.16	-13	19.16	Pass	7001




16.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.46	-13	53.46	Pass	401
0.15	30	0.01	Peak	0.16	-64.69	-13	51.69	Pass	2986
30	809	0.1	Peak	572.5	-54.68	-13	41.68	Pass	7791
809	829	0.1	Peak	822.9	25.28	60	34.72	Pass	401
829	1000	0.1	Peak	829.1	-54.53	-13	41.53	Pass	1711
1000	3000	1	Peak	1646	-39.02	-13	26.02	Pass	2001
3000	10000	1	Peak	7255	-32.57	-13	19.57	Pass	7001




**16.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.14	-13	52.14	Pass	401
0.15	30	0.01	Peak	0.32	-63.92	-13	50.92	Pass	2986
30	809	0.1	Peak	453.8	-54.95	-13	41.95	Pass	7791
809	829	0.1	Peak	822.9	25.57	60	34.43	Pass	401
829	1000	0.1	Peak	829.9	-42.04	-13	29.04	Pass	1711
1000	3000	1	Peak	2828	-39.5	-13	26.5	Pass	2001
3000	10000	1	Peak	8554	-32.71	-13	19.71	Pass	7001




**16.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.67	-13	51.67	Pass	401
0.15	30	0.01	Peak	0.15	-64.6	-13	51.6	Pass	2986
30	809	0.1	Peak	809	-53.4	-13	40.4	Pass	7791
809	829	0.1	Peak	814.2	25.6	60	34.4	Pass	401
829	1000	0.1	Peak	926.3	-54.43	-13	41.43	Pass	1711
1000	3000	1	Peak	1629	-38.05	-13	25.05	Pass	2001
3000	10000	1	Peak	8784	-32.31	-13	19.31	Pass	7001




**16.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.61	-13	52.61	Pass	401
0.15	30	0.01	Peak	0.15	-64.64	-13	51.64	Pass	2986
30	809	0.1	Peak	785.6	-53.94	-13	40.94	Pass	7791
809	829	0.1	Peak	814.2	26.07	60	33.93	Pass	401
829	1000	0.1	Peak	878	-54.04	-13	41.04	Pass	1711
1000	3000	1	Peak	2949	-39.07	-13	26.07	Pass	2001
3000	10000	1	Peak	8341	-32.2	-13	19.2	Pass	7001




**16.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.13	-13	52.13	Pass	401
0.15	30	0.01	Peak	0.17	-63.38	-13	50.38	Pass	2986
30	809	0.1	Peak	792.5	-53.96	-13	40.96	Pass	7791
809	829	0.1	Peak	817.75	25.47	60	34.53	Pass	401
829	1000	0.1	Peak	873.4	-54.3	-13	41.3	Pass	1711
1000	3000	1	Peak	1635	-38.94	-13	25.94	Pass	2001
3000	10000	1	Peak	8726	-32.63	-13	19.63	Pass	7001




16.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.99	-13	51.99	Pass	401
0.15	30	0.01	Peak	0.16	-63.9	-13	50.9	Pass	2986
30	809	0.1	Peak	719.9	-54.35	-13	41.35	Pass	7791
809	829	0.1	Peak	817.75	25.36	60	34.64	Pass	401
829	1000	0.1	Peak	947	-54.46	-13	41.46	Pass	1711
1000	3000	1	Peak	2939	-39.74	-13	26.74	Pass	2001
3000	10000	1	Peak	8686	-31.9	-13	18.9	Pass	7001




**16.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.92	-13	52.92	Pass	401
0.15	30	0.01	Peak	0.15	-65.03	-13	52.03	Pass	2986
30	809	0.1	Peak	657.2	-54.81	-13	41.81	Pass	7791
809	829	0.1	Peak	821.25	25.5	60	34.5	Pass	401
829	1000	0.1	Peak	829.1	-43.82	-13	30.82	Pass	1711
1000	3000	1	Peak	2922	-39.35	-13	26.35	Pass	2001
3000	10000	1	Peak	9247	-31.49	-13	18.49	Pass	7001




16.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.46	-13	51.46	Pass	401
0.15	30	0.01	Peak	0.26	-64.42	-13	51.42	Pass	2986
30	809	0.1	Peak	651.7	-54.11	-13	41.11	Pass	7791
809	829	0.1	Peak	821.25	25.82	60	34.18	Pass	401
829	1000	0.1	Peak	829.7	-39.14	-13	26.14	Pass	1711
1000	3000	1	Peak	1643	-39.43	-13	26.43	Pass	2001
3000	10000	1	Peak	8795	-32.48	-13	19.48	Pass	7001




**16.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.89	-13	49.89	Pass	401
0.15	30	0.01	Peak	0.15	-64.23	-13	51.23	Pass	2986
30	809	0.1	Peak	807	-54.8	-13	41.8	Pass	7791
809	829	0.1	Peak	814.35	25.92	60	34.08	Pass	401
829	1000	0.1	Peak	831.6	-51.19	-13	38.19	Pass	1711
1000	3000	1	Peak	1628	-37.39	-13	24.39	Pass	2001
3000	10000	1	Peak	7895	-32.6	-13	19.6	Pass	7001




16.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.46	-13	53.46	Pass	401
0.15	30	0.01	Peak	0.21	-64.31	-13	51.31	Pass	2986
30	809	0.1	Peak	809	-54.79	-13	41.79	Pass	7791
809	829	0.1	Peak	814.3	26.13	60	33.87	Pass	401
829	1000	0.1	Peak	831.5	-50.76	-13	37.76	Pass	1711
1000	3000	1	Peak	1629	-38.71	-13	25.71	Pass	2001
3000	10000	1	Peak	8744	-32.28	-13	19.28	Pass	7001




**16.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.98	-13	51.98	Pass	401
0.15	30	0.01	Peak	0.56	-63.08	-13	50.08	Pass	2986
30	809	0.1	Peak	475.2	-54.51	-13	41.51	Pass	7791
809	829	0.1	Peak	816.85	25.32	60	34.68	Pass	401
829	1000	0.1	Peak	834.1	-53.28	-13	40.28	Pass	1711
1000	3000	1	Peak	1634	-38.44	-13	25.44	Pass	2001
3000	10000	1	Peak	6976	-31.85	-13	18.85	Pass	7001




16.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.06	-13	53.06	Pass	401
0.15	30	0.01	Peak	0.35	-65.19	-13	52.19	Pass	2986
30	809	0.1	Peak	569.7	-54.95	-13	41.95	Pass	7791
809	829	0.1	Peak	816.8	25.52	60	34.48	Pass	401
829	1000	0.1	Peak	980.3	-54.07	-13	41.07	Pass	1711
1000	3000	1	Peak	1634	-39.16	-13	26.16	Pass	2001
3000	10000	1	Peak	7965	-32.23	-13	19.23	Pass	7001




**16.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.03	-13	54.03	Pass	401
0.15	30	0.01	Peak	0.16	-64.09	-13	51.09	Pass	2986
30	809	0.1	Peak	675.4	-54.64	-13	41.64	Pass	7791
809	829	0.1	Peak	819.3	25.08	60	34.92	Pass	401
829	1000	0.1	Peak	829	-48.67	-13	35.67	Pass	1711
1000	3000	1	Peak	2893	-39.86	-13	26.86	Pass	2001
3000	10000	1	Peak	7930	-31.62	-13	18.62	Pass	7001




**16.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.68	-13	51.68	Pass	401
0.15	30	0.01	Peak	0.17	-62.68	-13	49.68	Pass	2986
30	809	0.1	Peak	625.6	-54.8	-13	41.8	Pass	7791
809	829	0.1	Peak	819.3	25.21	60	34.79	Pass	401
829	1000	0.1	Peak	829.2	-48.74	-13	35.74	Pass	1711
1000	3000	1	Peak	2850	-39.86	-13	26.86	Pass	2001
3000	10000	1	Peak	8738	-32.29	-13	19.29	Pass	7001




**16.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.36	-13	52.36	Pass	401
0.15	30	0.01	Peak	0.17	-64.87	-13	51.87	Pass	2986
30	809	0.1	Peak	808.9	-52.53	-13	39.53	Pass	7791
809	829	0.1	Peak	814.6	25.9	60	34.1	Pass	401
829	1000	0.1	Peak	832.2	-37.24	-13	24.24	Pass	1711
1000	3000	1	Peak	1629	-38.28	-13	25.28	Pass	2001
3000	10000	1	Peak	8730	-32.45	-13	19.45	Pass	7001



16.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.97	-13	53.97	Pass	401
0.15	30	0.01	Peak	0.16	-64.83	-13	51.83	Pass	2986
30	809	0.1	Peak	809	-36.3	-13	23.3	Pass	7791
809	829	0.1	Peak	814.55	25.98	60	34.02	Pass	401
829	1000	0.1	Peak	832.3	-36.71	-13	23.71	Pass	1711
1000	3000	1	Peak	1629	-38.19	-13	25.19	Pass	2001
3000	10000	1	Peak	9967	-32.32	-13	19.32	Pass	7001



17. LTE_Band38


17.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.39	-69.07	-25	44.07	Pass	2986
30	1000	0.1	RMS	866.912	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2560	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2570.15	23.94	60	36.06	Pass	401
2630	3000	1	RMS	2998.15	-46.84	-25	21.84	Pass	401
3000	12000	1	RMS	11975	-47.97	-25	22.97	Pass	9002
12000	26500	1	RMS	25496	-43.13	-25	18.13	Pass	14502




17.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.89	-25	42.89	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-25	43.88	Pass	2986
30	1000	0.1	RMS	856.105	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2560	-47.51	-25	22.51	Pass	1561
2560	2630	1	RMS	2570.15	22.71	60	37.29	Pass	401
2630	3000	1	RMS	2998.15	-46.85	-25	21.85	Pass	401
3000	12000	1	RMS	11995	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25515	-43.16	-25	18.16	Pass	14502




17.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.1	-25	44.1	Pass	401
0.15	30	0.01	RMS	0.18	-68.75	-25	43.75	Pass	2986
30	1000	0.1	RMS	858.706	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2521	-47.99	-25	22.99	Pass	1561
2560	2630	1	RMS	2592.725	23.39	60	36.61	Pass	401
2630	3000	1	RMS	2990.75	-46.84	-25	21.84	Pass	401
3000	12000	1	RMS	12000	-48.01	-25	23.01	Pass	9002
12000	26500	1	RMS	25499	-43.17	-25	18.17	Pass	14502




17.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.3	-25	43.3	Pass	401
0.15	30	0.01	RMS	0.16	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	993.996	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2538	-48.02	-25	23.02	Pass	1561
2560	2630	1	RMS	2592.725	22.56	60	37.44	Pass	401
2630	3000	1	RMS	2987.975	-46.87	-25	21.87	Pass	401
3000	12000	1	RMS	11977	-48	-25	23	Pass	9002
12000	26500	1	RMS	25507	-43.04	-25	18.04	Pass	14502




17.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.71	-25	44.71	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	995.297	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2559	-47.73	-25	22.73	Pass	1561
2560	2630	1	RMS	2615.3	23.88	60	36.12	Pass	401
2630	3000	1	RMS	2630	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	11997	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25507	-43.06	-25	18.06	Pass	14502




17.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.15	-67.58	-25	42.58	Pass	2986
30	1000	0.1	RMS	863.71	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2543	-47.72	-25	22.72	Pass	1561
2560	2630	1	RMS	2615.3	22.88	60	37.12	Pass	401
2630	3000	1	RMS	2632.775	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11995	-48.02	-25	23.02	Pass	9002
12000	26500	1	RMS	25498	-43.16	-25	18.16	Pass	14502



17.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.16	-68.8	-25	43.8	Pass	2986
30	1000	0.1	RMS	609.9	-61.11	-25	36.11	Pass	9701
1000	2560	1	RMS	2553	-37.96	-25	12.96	Pass	1561
2560	2630	1	RMS	2570.675	23.89	60	36.11	Pass	401
2630	3000	1	RMS	3000	-46.83	-25	21.83	Pass	401
3000	12000	1	RMS	11987	-47.96	-25	22.96	Pass	9002
12000	26500	1	RMS	25497	-43.12	-25	18.12	Pass	14502




17.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.77	-25	42.77	Pass	401
0.15	30	0.01	RMS	0.19	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	832.2	-60.52	-25	35.52	Pass	9701
1000	2560	1	RMS	2553	-41.17	-25	16.17	Pass	1561
2560	2630	1	RMS	2570.325	22.57	60	37.43	Pass	401
2630	3000	1	RMS	2986.125	-46.85	-25	21.85	Pass	401
3000	12000	1	RMS	11999	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25509	-43.14	-25	18.14	Pass	14502



17.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.2	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	847.1	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2503	-48.02	-25	23.02	Pass	1561
2560	2630	1	RMS	2590.45	23.93	60	36.07	Pass	401
2630	3000	1	RMS	2997.225	-46.82	-25	21.82	Pass	401
3000	12000	1	RMS	11988	-48.01	-25	23.01	Pass	9002
12000	26500	1	RMS	25501	-43.12	-25	18.12	Pass	14502



17.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.16	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	871.715	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2554	-47.98	-25	22.98	Pass	1561
2560	2630	1	RMS	2590.625	22.91	60	37.09	Pass	401
2630	3000	1	RMS	2999.075	-46.82	-25	21.82	Pass	401
3000	12000	1	RMS	12000	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25497	-43.13	-25	18.13	Pass	14502



17.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	854.604	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2559	-47.53	-25	22.53	Pass	1561
2560	2630	1	RMS	2610.4	23.34	60	36.66	Pass	401
2630	3000	1	RMS	2632.775	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11996	-48.01	-25	23.01	Pass	9002
12000	26500	1	RMS	25496	-43.03	-25	18.03	Pass	14502



17.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.18	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	825.7	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2556	-47.74	-25	22.74	Pass	1561
2560	2630	1	RMS	2610.575	23.11	60	36.89	Pass	401
2630	3000	1	RMS	2630	-46.72	-25	21.72	Pass	401
3000	12000	1	RMS	12000	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25503	-43.1	-25	18.1	Pass	14502



17.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	610.1	-61.25	-25	36.25	Pass	9701
1000	2560	1	RMS	2558	-38.48	-25	13.48	Pass	1561
2560	2630	1	RMS	2570.675	23.39	60	36.61	Pass	401
2630	3000	1	RMS	2998.15	-46.85	-25	21.85	Pass	401
3000	12000	1	RMS	11999	-47.94	-25	22.94	Pass	9002
12000	26500	1	RMS	25501	-43.06	-25	18.06	Pass	14502



17.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	980.887	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2558	-39.53	-25	14.53	Pass	1561
2560	2630	1	RMS	2570.675	22.53	60	37.47	Pass	401
2630	3000	1	RMS	2993.525	-46.84	-25	21.84	Pass	401
3000	12000	1	RMS	11991	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25493	-43.05	-25	18.05	Pass	14502



17.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.74	-25	43.74	Pass	401
0.15	30	0.01	RMS	0.16	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	968.679	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2560	-47.85	-25	22.85	Pass	1561
2560	2630	1	RMS	2588.35	23.77	60	36.23	Pass	401
2630	3000	1	RMS	2998.15	-46.82	-25	21.82	Pass	401
3000	12000	1	RMS	11997	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25500	-43.06	-25	18.06	Pass	14502



17.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.2	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	842.9	-61.29	-25	36.29	Pass	9701
1000	2560	1	RMS	2553	-47.92	-25	22.92	Pass	1561
2560	2630	1	RMS	2588.35	22.87	60	37.13	Pass	401
2630	3000	1	RMS	2997.225	-46.85	-25	21.85	Pass	401
3000	12000	1	RMS	11999	-47.97	-25	22.97	Pass	9002
12000	26500	1	RMS	25502	-43.09	-25	18.09	Pass	14502



17.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	853.503	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2541	-47.89	-25	22.89	Pass	1561
2560	2630	1	RMS	2605.85	23.78	60	36.22	Pass	401
2630	3000	1	RMS	2631.85	-25.25	-25	0.25	Pass*	401
3000	12000	1	RMS	11995	-47.98	-25	22.98	Pass	9002
12000	26500	1	RMS	25499	-43.13	-25	18.13	Pass	14502



17.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.2	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	958.272	-61.29	-25	36.29	Pass	9701
1000	2560	1	RMS	2535	-47.98	-25	22.98	Pass	1561
2560	2630	1	RMS	2605.675	22.51	60	37.49	Pass	401
2630	3000	1	RMS	2631.85	-25.83	-25	0.83	Pass*	401
3000	12000	1	RMS	11996	-47.96	-25	22.96	Pass	9002
12000	26500	1	RMS	25479	-43.09	-25	18.09	Pass	14502



17.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.71	-25	42.71	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	990.194	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2560	-41.18	-25	16.18	Pass	1561
2560	2630	1	RMS	2571.025	23.65	60	36.35	Pass	401
2630	3000	1	RMS	2990.75	-46.83	-25	21.83	Pass	401
3000	12000	1	RMS	11999	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25509	-43.16	-25	18.16	Pass	14502



17.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.45	-25	42.45	Pass	401
0.15	30	0.01	RMS	0.16	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	928.553	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2559	-40.65	-25	15.65	Pass	1561
2560	2630	1	RMS	2570.85	22.44	60	37.56	Pass	401
2630	3000	1	RMS	2989.825	-46.8	-25	21.8	Pass	401
3000	12000	1	RMS	11999	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25492	-43.12	-25	18.12	Pass	14502



17.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.99	-25	42.99	Pass	401
0.15	30	0.01	RMS	0.2	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	962.675	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2551	-39.54	-25	14.54	Pass	1561
2560	2630	1	RMS	2586.075	23.23	60	36.77	Pass	401
2630	3000	1	RMS	2995.375	-46.82	-25	21.82	Pass	401
3000	12000	1	RMS	11998	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25503	-43.07	-25	18.07	Pass	14502



17.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	940.26	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2550	-44.3	-25	19.3	Pass	1561
2560	2630	1	RMS	2585.9	22.38	60	37.62	Pass	401
2630	3000	1	RMS	2992.6	-46.78	-25	21.78	Pass	401
3000	12000	1	RMS	11998	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25500	-42.99	-25	17.99	Pass	14502



17.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.17	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	974.783	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2557	-48	-25	23	Pass	1561
2560	2630	1	RMS	2601.125	23.57	60	36.43	Pass	401
2630	3000	1	RMS	2636.475	-25.07	-25	0.07	Pass*	401
3000	12000	1	RMS	11994	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25496	-43.06	-25	18.06	Pass	14502



17.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.01	-25	43.01	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	931.855	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2556	-48.01	-25	23.01	Pass	1561
2560	2630	1	RMS	2600.95	22.23	60	37.77	Pass	401
2630	3000	1	RMS	2636.475	-26.89	-25	1.89	Pass*	401
3000	12000	1	RMS	11989	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25500	-43.18	-25	18.18	Pass	14502



18. LTE_Band41 120M


18.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.21	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	997.899	-61.26	-25	36.26	Pass	9701
1000	2486	1	RMS	2484	-48.18	-25	23.18	Pass	1487
2486	2700	1	RMS	2535.22	22.85	60	37.15	Pass	401
2700	3000	1	RMS	2999.25	-46.83	-25	21.83	Pass	401
3000	12000	1	RMS	11982	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25501	-48.46	-25	23.46	Pass	14502




18.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	983.089	-61.39	-25	36.39	Pass	9701
1000	2486	1	RMS	2486	-48.14	-25	23.14	Pass	1487
2486	2700	1	RMS	2534.685	21.53	60	38.47	Pass	401
2700	3000	1	RMS	2999.25	-46.82	-25	21.82	Pass	401
3000	12000	1	RMS	11973	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25500	-48.38	-25	23.38	Pass	14502




18.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.23	-68.85	-25	43.85	Pass	2986
30	1000	0.1	RMS	985.29	-61.15	-25	36.15	Pass	9701
1000	2486	1	RMS	2486	-48.18	-25	23.18	Pass	1487
2486	2700	1	RMS	2592.465	22.79	60	37.21	Pass	401
2700	3000	1	RMS	2990.25	-46.82	-25	21.82	Pass	401
3000	12000	1	RMS	12000	-58.18	-25	33.18	Pass	9002
12000	26500	1	RMS	25501	-48.41	-25	23.41	Pass	14502




18.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	876.718	-61.24	-25	36.24	Pass	9701
1000	2486	1	RMS	2483	-48.12	-25	23.12	Pass	1487
2486	2700	1	RMS	2592.465	21.37	60	38.63	Pass	401
2700	3000	1	RMS	2997.75	-46.84	-25	21.84	Pass	401
3000	12000	1	RMS	11999	-58.07	-25	33.07	Pass	9002
12000	26500	1	RMS	25494	-48.43	-25	23.43	Pass	14502



18.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	689.6	-60.53	-25	35.53	Pass	9701
1000	2486	1	RMS	2483	-48.13	-25	23.13	Pass	1487
2486	2700	1	RMS	2650.245	23.81	60	36.19	Pass	401
2700	3000	1	RMS	2993.25	-46.77	-25	21.77	Pass	401
3000	12000	1	RMS	11990	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25501	-48.41	-25	23.41	Pass	14502




18.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.17	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	689.6	-60.96	-25	35.96	Pass	9701
1000	2486	1	RMS	2463	-47.99	-25	22.99	Pass	1487
2486	2700	1	RMS	2650.245	21.77	60	38.23	Pass	401
2700	3000	1	RMS	2994	-46.8	-25	21.8	Pass	401
3000	12000	1	RMS	11982	-58.16	-25	33.16	Pass	9002
12000	26500	1	RMS	25494	-48.42	-25	23.42	Pass	14502




18.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.25	-25	44.25	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	992.095	-61.23	-25	36.23	Pass	9701
1000	2486	1	RMS	2484	-48.15	-25	23.15	Pass	1487
2486	2700	1	RMS	2535.22	22.41	60	37.59	Pass	401
2700	3000	1	RMS	2997	-46.82	-25	21.82	Pass	401
3000	12000	1	RMS	11998	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25501	-48.4	-25	23.4	Pass	14502




18.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.21	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	574.9	-60.74	-25	35.74	Pass	9701
1000	2486	1	RMS	2484	-48.16	-25	23.16	Pass	1487
2486	2700	1	RMS	2535.22	22.61	60	37.39	Pass	401
2700	3000	1	RMS	2994.75	-46.79	-25	21.79	Pass	401
3000	12000	1	RMS	11998	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25498	-48.41	-25	23.41	Pass	14502



18.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.95	-25	43.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	989.793	-61.22	-25	36.22	Pass	9701
1000	2486	1	RMS	2486	-48.07	-25	23.07	Pass	1487
2486	2700	1	RMS	2590.325	23.16	60	36.84	Pass	401
2700	3000	1	RMS	2986.5	-46.83	-25	21.83	Pass	401
3000	12000	1	RMS	11997	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25500	-48.36	-25	23.36	Pass	14502



18.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.17	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	983.489	-61.37	-25	36.37	Pass	9701
1000	2486	1	RMS	2485	-48.1	-25	23.1	Pass	1487
2486	2700	1	RMS	2590.325	22	60	38	Pass	401
2700	3000	1	RMS	2999.25	-46.78	-25	21.78	Pass	401
3000	12000	1	RMS	11997	-58.09	-25	33.09	Pass	9002
12000	26500	1	RMS	25497	-48.39	-25	23.39	Pass	14502



18.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.17	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	853.203	-61.19	-25	36.19	Pass	9701
1000	2486	1	RMS	2485	-48.12	-25	23.12	Pass	1487
2486	2700	1	RMS	2645.43	22.75	60	37.25	Pass	401
2700	3000	1	RMS	2990.25	-46.8	-25	21.8	Pass	401
3000	12000	1	RMS	11995	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25499	-48.4	-25	23.4	Pass	14502



18.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.25	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	684.9	-61.32	-25	36.32	Pass	9701
1000	2486	1	RMS	2486	-48.05	-25	23.05	Pass	1487
2486	2700	1	RMS	2645.43	22.62	60	37.38	Pass	401
2700	3000	1	RMS	2990.25	-46.77	-25	21.77	Pass	401
3000	12000	1	RMS	11999	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25507	-48.31	-25	23.31	Pass	14502



18.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	0.3	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	575.1	-61.16	-25	36.16	Pass	9701
1000	2486	1	RMS	2486	-48.12	-25	23.12	Pass	1487
2486	2700	1	RMS	2535.755	22.91	60	37.09	Pass	401
2700	3000	1	RMS	2994.75	-46.81	-25	21.81	Pass	401
3000	12000	1	RMS	11983	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25501	-48.48	-25	23.48	Pass	14502



18.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.16	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	987.392	-61.28	-25	36.28	Pass	9701
1000	2486	1	RMS	2479	-48.22	-25	23.22	Pass	1487
2486	2700	1	RMS	2535.755	22.31	60	37.69	Pass	401
2700	3000	1	RMS	2992.5	-46.81	-25	21.81	Pass	401
3000	12000	1	RMS	11993	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25503	-48.41	-25	23.41	Pass	14502



18.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	949.266	-61.42	-25	36.42	Pass	9701
1000	2486	1	RMS	2485	-48.09	-25	23.09	Pass	1487
2486	2700	1	RMS	2588.185	22.3	60	37.7	Pass	401
2700	3000	1	RMS	2991.75	-46.83	-25	21.83	Pass	401
3000	12000	1	RMS	11992	-58.09	-25	33.09	Pass	9002
12000	26500	1	RMS	25524	-48.42	-25	23.42	Pass	14502



18.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.18	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	810.5	-61.37	-25	36.37	Pass	9701
1000	2486	1	RMS	2485	-48.12	-25	23.12	Pass	1487
2486	2700	1	RMS	2588.185	21.63	60	38.37	Pass	401
2700	3000	1	RMS	2988.75	-46.83	-25	21.83	Pass	401
3000	12000	1	RMS	11997	-58.18	-25	33.18	Pass	9002
12000	26500	1	RMS	25503	-48.46	-25	23.46	Pass	14502



18.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.07	-25	44.07	Pass	401
0.15	30	0.01	RMS	0.16	-69.12	-25	44.12	Pass	2986
30	1000	0.1	RMS	992.195	-61.33	-25	36.33	Pass	9701
1000	2486	1	RMS	2486	-48.13	-25	23.13	Pass	1487
2486	2700	1	RMS	2640.615	22.47	60	37.53	Pass	401
2700	3000	1	RMS	2995.5	-46.81	-25	21.81	Pass	401
3000	12000	1	RMS	11857	-58.15	-25	33.15	Pass	9002
12000	26500	1	RMS	25486	-48.4	-25	23.4	Pass	14502

