

Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8097.50	---	39.90	54.00	14.10	500.00	200.0	V	327.00	6
8735.00	49.41	---	68.20	18.79	500.00	200.0	V	5.00	7
9301.25	---	37.53	54.00	16.47	500.00	200.0	V	0.00	7
10003.75	49.60	---	68.20	18.60	500.00	200.0	H	21.00	8
10356.25	50.35	---	68.20	17.85	500.00	100.0	V	0.00	8
11001.25	---	44.50	54.00	9.50	500.00	200.0	H	313.00	9
12091.25	---	36.42	54.00	17.58	500.00	200.0	H	102.00	9
12715.00	48.90	---	68.20	19.30	500.00	200.0	V	28.00	9
13335.00	---	37.74	54.00	16.26	500.00	200.0	H	352.00	9
13887.50	51.21	---	68.20	16.99	500.00	200.0	V	5.00	11
14945.00	50.03	---	68.20	18.17	500.00	100.0	V	356.00	11
15690.00	---	38.86	54.00	15.14	500.00	200.0	V	28.00	9

Radiates Emission from 8GHz to 18GHz

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

3. Margin = Limit –MAX Peak/ Average

802.11ac (VHT20) CH116



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	43.46	---	68.20	24.75	500.00	100.0	V	80.00	-4
1413.88	---	32.51	54.00	21.49	500.00	100.0	V	0.00	-3
1695.63	---	32.70	54.00	21.30	500.00	100.0	H	354.00	-2
1938.88	45.08	---	68.20	23.12	500.00	100.0	H	0.00	0
2663.38	47.26	---	68.20	20.94	500.00	100.0	V	5.00	2
2700.13	---	47.77	54.00	6.23	500.00	100.0	V	211.00	3
3562.00	49.38	---	68.20	18.82	500.00	100.0	V	181.00	4
3973.25	---	39.74	54.00	14.26	500.00	200.0	H	27.00	7
4962.00	---	40.51	54.00	13.49	500.00	100.0	H	352.00	9
5228.00	53.16	---	68.20	15.04	500.00	100.0	H	0.00	10
6693.63	58.22	---	68.20	9.98	500.00	100.0	H	146.00	14
7729.63	---	46.80	54.00	7.20	500.00	200.0	H	241.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8097.50	---	38.87	54.00	15.13	500.00	200.0	V	310.00	6
8730.00	48.92	---	68.20	19.28	500.00	100.0	V	174.00	7
9308.75	---	37.67	54.00	16.33	500.00	100.0	H	0.00	7
10288.75	49.99	---	68.20	18.21	500.00	200.0	V	5.00	8
10578.75	49.47	---	68.20	18.73	500.00	200.0	V	173.00	8
11161.25	---	40.42	54.00	13.58	500.00	100.0	H	16.00	9
12026.25	---	35.15	54.00	18.85	500.00	100.0	H	219.00	9
13336.25	---	36.85	54.00	17.15	500.00	200.0	V	203.00	9
13727.50	47.94	---	68.20	20.26	500.00	200.0	V	2.00	10
15042.50	50.69	---	68.20	17.51	500.00	200.0	V	99.00	10
15710.00	---	38.37	54.00	15.63	500.00	200.0	V	337.00	9
15808.75	47.29	---	74.00	26.71	500.00	100.0	V	295.00	8

Radiates Emission from 8GHz to 18GHz

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

4. Margin = Limit –MAX Peak/ Average

802.11ac (VHT20) CH140




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.75	43.11	---	68.20	25.09	500.00	100.0	H	325.00	-4
1405.13	---	32.57	54.00	21.43	500.00	200.0	H	327.00	-3
1707.00	---	32.90	54.00	21.10	500.00	100.0	V	225.00	-2
1966.88	44.62	---	68.20	23.58	500.00	100.0	V	136.00	0
2441.13	47.24	---	68.20	20.96	500.00	200.0	H	15.00	2
2700.13	---	47.50	54.00	6.50	500.00	100.0	V	210.00	3
3479.75	50.24	---	68.20	17.96	500.00	200.0	H	298.00	4
3962.75	---	39.87	54.00	14.13	500.00	100.0	H	354.00	6
5188.63	53.77	---	68.20	14.43	500.00	200.0	V	341.00	10
5401.25	---	44.47	54.00	9.53	500.00	200.0	V	346.00	10
6928.13	57.77	---	68.20	10.43	500.00	200.0	H	20.00	14
7734.88	---	47.02	54.00	6.98	500.00	200.0	H	15.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8097.50	---	40.08	54.00	13.92	500.00	200.0	V	327.00	6
8908.75	49.73	---	68.20	18.47	500.00	200.0	V	12.00	6
9306.25	---	37.54	54.00	16.46	500.00	100.0	H	10.00	7
9928.75	49.92	---	68.20	18.28	500.00	200.0	H	358.00	8
11396.25	---	49.59	54.00	4.41	500.00	100.0	H	311.00	9
11405.00	59.49	---	74.00	14.51	500.00	100.0	H	14.00	9
12420.00	---	37.26	54.00	16.74	500.00	100.0	V	6.00	9
13310.00	---	35.58	54.00	18.42	500.00	100.0	H	4.00	9
13726.25	48.62	---	68.20	19.58	500.00	100.0	V	6.00	10
14611.25	49.95	---	68.20	18.25	500.00	100.0	V	48.00	11
15708.75	---	38.47	54.00	15.53	500.00	200.0	H	358.00	9
15750.00	49.06	---	74.00	24.94	500.00	100.0	H	1.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH144




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1275.63	42.90	---	68.20	25.30	500.00	200.0	H	0.00	-4
1402.50	---	32.59	54.00	21.41	500.00	200.0	H	60.00	-3
1488.25	---	32.73	54.00	21.27	500.00	200.0	H	277.00	-3
1932.75	44.78	---	68.20	23.42	500.00	100.0	V	200.00	0
2635.38	48.08	---	68.20	20.12	500.00	200.0	V	344.00	2
2700.13	---	47.13	54.00	6.87	500.00	100.0	V	200.00	3
3343.25	49.72	---	68.20	18.48	500.00	200.0	V	32.00	4
3966.25	---	40.01	54.00	13.99	500.00	200.0	H	0.00	7
5229.75	54.23	---	68.20	13.97	500.00	200.0	V	13.00	10
5401.25	---	45.22	54.00	8.78	500.00	100.0	V	300.00	10
7730.50	---	47.09	54.00	6.91	500.00	200.0	V	1.00	17
7768.13	58.13	---	68.20	10.07	500.00	100.0	V	52.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8097.50	---	39.52	54.00	14.48	500.00	200.0	V	326.00	6
8646.25	49.56	---	68.20	18.64	500.00	200.0	H	352.00	7
9351.25	---	37.40	54.00	16.60	500.00	200.0	V	20.00	7
10387.50	50.17	---	68.20	18.03	500.00	100.0	V	322.00	8
11437.50	---	49.57	54.00	4.43	500.00	100.0	H	297.00	9
11443.75	58.60	---	74.00	15.40	500.00	100.0	H	297.00	9
12457.50	---	35.11	54.00	18.89	500.00	200.0	H	92.00	9
13336.25	---	37.03	54.00	16.97	500.00	200.0	V	55.00	9
13428.75	48.14	---	68.20	20.06	500.00	200.0	H	356.00	10
13886.25	51.00	---	68.20	17.20	500.00	100.0	V	289.00	11
15683.75	---	38.32	54.00	15.68	500.00	200.0	V	10.00	9
15750.00	49.29	---	74.00	24.71	500.00	100.0	H	0.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.50	43.36	---	68.20	24.84	500.00	200.0	V	227.00	-4
1390.25	---	32.93	54.00	21.07	500.00	100.0	V	312.00	-3
1694.75	---	32.80	54.00	21.20	500.00	200.0	V	0.00	-2
1964.25	45.49	---	68.20	22.71	500.00	200.0	V	12.00	0
2700.13	---	48.64	54.00	5.36	500.00	100.0	V	204.00	3
2700.13	53.64	---	74.00	20.36	500.00	100.0	V	204.00	3
3479.75	50.44	---	68.20	17.76	500.00	200.0	H	313.00	4
3969.75	---	39.84	54.00	14.16	500.00	200.0	H	348.00	7
5398.63	---	44.21	54.00	9.79	500.00	200.0	V	29.00	10
5425.75	50.45	---	74.00	23.55	500.00	200.0	H	191.00	10
6977.13	58.38	---	68.20	9.82	500.00	200.0	V	4.00	15
7729.63	---	47.37	54.00	6.63	500.00	100.0	H	2.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8097.50	---	39.02	54.00	14.98	500.00	100.0	V	316.00	6
8537.50	49.21	---	68.20	18.99	500.00	100.0	H	56.00	6
9191.25	---	39.43	54.00	14.57	500.00	100.0	H	4.00	7
10395.00	50.15	---	68.20	18.05	500.00	200.0	V	123.00	8
11486.25	57.40	---	74.00	16.60	500.00	200.0	H	358.00	9
11491.25	---	48.77	54.00	5.23	500.00	100.0	H	296.00	9
12310.00	---	35.19	54.00	18.81	500.00	100.0	H	69.00	9
13333.75	---	37.06	54.00	16.94	500.00	200.0	H	338.00	9
13733.75	48.01	---	68.20	20.19	500.00	200.0	V	10.00	10
14605.00	50.16	---	68.20	18.04	500.00	100.0	H	174.00	11
15697.50	---	38.38	54.00	15.62	500.00	100.0	H	114.00	9
15770.00	48.47	---	74.00	25.53	500.00	200.0	H	359.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH157




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.88	43.10	---	68.20	25.10	500.00	100.0	H	39.00	-4
1405.13	---	32.67	54.00	21.33	500.00	100.0	H	0.00	-3
1588.00	---	32.84	54.00	21.16	500.00	100.0	H	301.00	-2
1923.13	44.92	---	68.20	23.28	500.00	200.0	V	0.00	-1
2666.00	47.75	---	68.20	20.45	500.00	200.0	H	333.00	2
2700.13	---	48.58	54.00	5.42	500.00	100.0	V	208.00	3
3325.75	50.26	---	68.20	17.94	500.00	200.0	H	199.00	4
3967.13	---	39.79	54.00	14.21	500.00	200.0	H	25.00	7
5401.25	---	44.72	54.00	9.28	500.00	200.0	V	27.00	10
5603.38	54.58	---	68.20	13.62	500.00	200.0	V	335.00	11
6895.75	58.40	---	68.20	9.80	500.00	100.0	H	0.00	14
7725.25	---	47.23	54.00	6.77	500.00	100.0	V	338.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8097.50	---	40.04	54.00	13.96	500.00	200.0	H	284.00	6
8740.00	49.16	---	68.20	19.04	500.00	200.0	H	0.00	7
9307.50	---	37.58	54.00	16.42	500.00	200.0	V	107.00	7
10390.00	50.15	---	68.20	18.05	500.00	200.0	H	0.00	8
11568.75	---	46.26	54.00	7.74	500.00	100.0	H	295.00	9
11570.00	57.69	---	74.00	16.31	500.00	200.0	H	0.00	9
12407.50	---	36.49	54.00	17.51	500.00	100.0	H	2.00	9
13336.25	---	37.42	54.00	16.58	500.00	100.0	V	358.00	9
13730.00	48.90	---	68.20	19.30	500.00	100.0	H	249.00	10
13868.75	52.00	---	68.20	16.20	500.00	100.0	V	0.00	11
15698.75	---	38.37	54.00	15.63	500.00	100.0	V	207.00	9
15748.75	49.63	---	74.00	24.37	500.00	100.0	H	219.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT20) CH165




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1285.25	43.17	---	68.20	25.03	500.00	100.0	V	260.00	-4
1378.00	---	32.51	54.00	21.49	500.00	200.0	V	0.00	-3
1696.50	---	32.92	54.00	21.08	500.00	100.0	H	0.00	-2
1983.50	45.10	---	68.20	23.10	500.00	200.0	H	348.00	0
2523.38	47.50	---	68.20	20.70	500.00	200.0	H	134.00	2
2700.13	---	48.13	54.00	5.87	500.00	100.0	V	203.00	3
3529.63	50.13	---	68.20	18.07	500.00	100.0	V	32.00	4
3989.00	---	39.95	54.00	14.05	500.00	200.0	H	177.00	6
4500.88	50.42	---	74.00	23.58	500.00	200.0	H	304.00	7
5401.25	---	44.53	54.00	9.47	500.00	200.0	V	29.00	10
5642.75	54.96	---	68.20	13.24	500.00	200.0	V	340.00	11
7738.38	---	47.08	54.00	6.92	500.00	100.0	H	16.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8097.50	---	39.59	54.00	14.41	500.00	200.0	V	326.00	6
8706.25	49.85	---	68.20	18.35	500.00	100.0	V	205.00	7
9320.00	---	40.04	54.00	13.96	500.00	200.0	H	324.00	7
10313.75	50.94	---	68.20	17.26	500.00	100.0	V	292.00	8
11646.25	---	45.76	54.00	8.24	500.00	100.0	H	295.00	9
11647.50	55.99	---	74.00	18.01	500.00	100.0	H	295.00	9
12403.75	---	35.27	54.00	18.73	500.00	100.0	H	2.00	9
13336.25	---	37.91	54.00	16.09	500.00	100.0	V	0.00	9
13531.25	48.88	---	68.20	19.32	500.00	100.0	V	333.00	10
13876.25	51.56	---	68.20	16.64	500.00	200.0	H	356.00	11
15680.00	49.52	---	74.00	24.48	500.00	100.0	V	144.00	9
15708.75	---	38.58	54.00	15.42	500.00	200.0	V	143.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1079.63	---	33.02	54.00	20.98	500.00	100.0	V	191.00	-5
1293.13	43.29	---	68.20	24.91	500.00	200.0	H	222.00	-4
1693.00	---	32.95	54.00	21.05	500.00	100.0	V	354.00	-2
1994.88	45.47	---	68.20	22.73	500.00	200.0	V	196.00	0
2699.25	53.76	---	74.00	20.24	500.00	100.0	V	206.00	3
2700.13	---	48.63	54.00	5.37	500.00	100.0	V	206.00	3
3479.75	50.49	---	68.20	17.71	500.00	200.0	H	314.00	4
3963.63	---	39.85	54.00	14.15	500.00	200.0	V	153.00	6
4728.38	50.12	---	74.00	23.88	500.00	200.0	H	331.00	8
4785.25	---	39.87	54.00	14.13	500.00	100.0	H	1.00	8
6725.13	58.27	---	68.20	9.93	500.00	100.0	H	11.00	15
7736.63	---	47.33	54.00	6.67	500.00	100.0	V	206.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8335.00	---	48.35	54.00	5.65	500.00	200.0	H	326.00	6
8881.25	49.87	---	68.20	18.33	500.00	200.0	H	350.00	6
9310.00	---	37.40	54.00	16.60	500.00	100.0	V	80.00	7
10438.75	54.45	---	68.20	13.75	500.00	200.0	H	346.00	8
10487.50	49.98	---	68.20	18.22	500.00	200.0	V	0.00	8
11385.00	---	39.32	54.00	14.68	500.00	200.0	V	310.00	9
12473.75	45.25	---	74.00	28.75	500.00	100.0	H	18.00	9
12690.00	---	37.06	54.00	16.94	500.00	200.0	H	358.00	9
13333.75	---	37.70	54.00	16.30	500.00	200.0	V	24.00	9
13660.00	47.95	---	68.20	20.25	500.00	200.0	V	0.00	10
13870.00	50.42	---	68.20	17.78	500.00	200.0	V	0.00	11
15712.50	---	38.39	54.00	15.61	500.00	200.0	V	122.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH58




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.50	44.04	---	68.20	24.16	500.00	200.0	V	182.00	-4
1401.63	---	32.68	54.00	21.32	500.00	100.0	H	8.00	-3
1694.75	---	32.88	54.00	21.12	500.00	100.0	V	176.00	-2
1930.13	45.26	---	68.20	22.94	500.00	100.0	V	323.00	-1
2571.50	48.06	---	68.20	20.14	500.00	200.0	V	8.00	3
2700.13	---	48.87	54.00	5.13	500.00	100.0	V	206.00	3
3479.75	49.51	---	68.20	18.69	500.00	200.0	H	314.00	4
3967.13	---	39.68	54.00	14.32	500.00	100.0	H	151.00	7
4725.75	50.91	---	74.00	23.09	500.00	200.0	V	269.00	8
4737.13	---	39.81	54.00	14.19	500.00	100.0	H	2.00	8
6991.13	58.91	---	68.20	9.29	500.00	100.0	V	248.00	15
7728.75	---	47.11	54.00	6.89	500.00	200.0	V	8.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8463.75	---	42.18	54.00	11.82	500.00	200.0	V	309.00	6
8697.50	49.55	---	68.20	18.65	500.00	200.0	V	24.00	7
9305.00	---	37.35	54.00	16.65	500.00	200.0	V	183.00	7
10351.25	50.06	---	68.20	18.15	500.00	100.0	V	126.00	8
10568.75	52.43	---	68.20	15.77	500.00	200.0	H	343.00	8
10608.75	---	40.64	54.00	13.36	500.00	100.0	H	7.00	8
11887.50	47.68	---	74.00	26.32	500.00	200.0	H	216.00	9
11917.50	---	36.31	54.00	17.69	500.00	200.0	V	0.00	9
13336.25	---	37.17	54.00	16.83	500.00	100.0	V	304.00	9
13631.25	47.99	---	68.20	20.22	500.00	100.0	V	356.00	10
14398.75	50.61	---	68.20	17.59	500.00	200.0	H	264.00	11
15696.25	---	38.25	54.00	15.75	500.00	200.0	H	264.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH106




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.25	43.08	---	68.20	25.12	500.00	200.0	V	33.00	-4
1406.88	---	32.80	54.00	21.20	500.00	200.0	V	33.00	-3
1696.50	---	32.97	54.00	21.03	500.00	200.0	H	0.00	-2
1982.63	45.73	---	68.20	22.47	500.00	100.0	V	219.00	0
2700.13	---	48.42	54.00	5.58	500.00	100.0	V	204.00	3
2701.00	53.77	---	74.00	20.23	500.00	100.0	V	204.00	3
3478.88	50.46	---	68.20	17.74	500.00	200.0	H	312.00	4
3966.25	---	39.73	54.00	14.27	500.00	100.0	H	70.00	7
5032.00	54.03	---	74.00	19.97	500.00	100.0	V	130.00	10
5042.50	---	42.07	54.00	11.93	500.00	200.0	H	351.00	11
6767.13	58.27	---	68.20	9.93	500.00	200.0	H	221.00	15
7732.25	---	47.25	54.00	6.75	500.00	100.0	V	358.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8096.25	---	39.26	54.00	14.74	500.00	200.0	V	326.00	6
8698.75	49.49	---	68.20	18.71	500.00	100.0	H	2.00	7
9302.50	---	37.32	54.00	16.68	500.00	100.0	H	16.00	7
10091.25	49.98	---	68.20	18.22	500.00	100.0	V	0.00	8
10491.25	49.90	---	68.20	18.30	500.00	100.0	V	276.00	8
11386.25	---	39.29	54.00	14.71	500.00	100.0	H	2.00	9
12473.75	46.71	---	74.00	27.29	500.00	100.0	V	6.00	9
12481.25	---	35.01	54.00	18.99	500.00	200.0	H	225.00	9
13336.25	---	37.41	54.00	16.59	500.00	100.0	V	290.00	9
13730.00	48.15	---	68.20	20.05	500.00	100.0	H	6.00	10
13868.75	52.16	---	68.20	16.04	500.00	100.0	V	359.00	11
15695.00	---	38.53	54.00	15.47	500.00	100.0	V	357.00	9

Radiates Emission from 8GHz to 18GHz

802.11ac (VHT80) CH122



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.13	43.30	---	68.20	24.90	500.00	200.0	V	17.00	-4
1404.25	---	32.57	54.00	21.43	500.00	200.0	V	12.00	-3
1706.13	---	33.00	54.00	21.00	500.00	200.0	H	124.00	-2
1983.50	44.80	---	68.20	23.40	500.00	100.0	V	326.00	0
2505.00	47.93	---	68.20	20.27	500.00	100.0	V	359.00	2
2700.13	---	48.12	54.00	5.88	500.00	100.0	V	212.00	3
3588.25	49.72	---	68.20	18.48	500.00	200.0	H	291.00	4
3972.38	---	39.89	54.00	14.11	500.00	200.0	H	291.00	7
5401.25	---	45.78	54.00	8.22	500.00	100.0	V	296.00	10
5465.13	53.29	---	68.20	14.91	500.00	100.0	H	2.00	10
6664.75	57.77	---	68.20	10.43	500.00	200.0	V	182.00	14
7727.88	---	47.24	54.00	6.76	500.00	100.0	V	92.00	17

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz