EXHIBIT B - EUT INTERNAL PHOTOGRAPHS








BIWIN
BWCC4X32N2A-24G-X
MEDIATEK
MT6768V
BIWIN
NAND
BWCTA7J11X32G
MH1902T
MALAK
CR2032 3V
2024 06


TX0
RX0
SAM/SIM2
PRINT
POGO
RXP
RXN
RXP RXN
SPK+
SIM1+TF
PWK
SKEY
CSN
NTC
VBAT
BAT_ID
INT7 CL0
CSN
VBAT
M_RX
M_TX

SumUp Terminal
Model: P8
A1DT1NA00-CN
2ICP4/57/74
Rechargeable Li-Polymer Battery
Rated Voltage: 7.60V
Limited Charge Voltage: 8.70V
Rated Capacity: 2500mAh/19.0Wh
Typical Capacity: 2550mAh/19.4Wh
Standard: GB 31241-2014
Manufacturer: Guangdong Fenghua New Energy Co.,Ltd.
Importer: SumUp Limited. Block 8, Harcourt Centre, Charlotte Way, Dublin 2, Ireland, D02 K580
Made in China
WARNING
1. Danger of explosion if battery undergoes water immersion, short circuit, expansion or at a high temperature.
2. Use specific charger only.
3. Avoid overheating and discharging the battery.
CE UK CA
K2310000420LA
241017000554


GSM/WCDMA/LTE
Main Antenna


NFC Antenna
Wi-Fi/BLE Antenna


LTE Diversity
Antenna