

Appendix Test Data

Report No.:	1818C50016712502	Test Sample No.:	1-2-2
Start Test Date:	2025.2.13	Finish Test Date:	2025.2.25
Test Engineer:	<i>Liangfei Yang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	21.3°C	Relative Humidity:	60%
Pressure:	101kPa		

Appendix A: -6dB Bandwidth


Condition	Antenna	Modulation	Frequency (MHz)	-6dB BW(MHz)	limit(kHz)	Result
NVNT	ANT1	802.11b	2412.00	10.30	500	Pass
NVNT	ANT1	802.11b	2437.00	10.31	500	Pass
NVNT	ANT1	802.11b	2462.00	10.29	500	Pass
NVNT	ANT1	802.11g	2412.00	15.25	500	Pass
NVNT	ANT1	802.11g	2437.00	14.96	500	Pass
NVNT	ANT1	802.11g	2462.00	14.95	500	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	16.05	500	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	16.06	500	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	16.19	500	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	33.49	500	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	33.58	500	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	35.32	500	Pass

-6dB_Bandwidth_NVNT_ANT1_802_11b_2412






-6dB_Bandwidth_NVNT_ANT1_802_11b_2437




-6dB_Bandwidth_NVNT_ANT1_802_11b_2462




-6dB_Bandwidth_NVNT_ANT1_802_11g_2412



-6dB_Bandwidth_NVNT_ANT1_802_11g_2437




-6dB_Bandwidth_NVNT_ANT1_802_11g_2462



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452




Appendix B: 99% Occupied Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	99%BW(MHz)
NVNT	ANT1	802.11b	2412.00	13.968
NVNT	ANT1	802.11b	2437.00	13.948
NVNT	ANT1	802.11b	2462.00	13.945
NVNT	ANT1	802.11g	2412.00	16.190
NVNT	ANT1	802.11g	2437.00	16.191
NVNT	ANT1	802.11g	2462.00	16.207
NVNT	ANT1	802.11n(HT20)	2412.00	17.282
NVNT	ANT1	802.11n(HT20)	2437.00	17.284
NVNT	ANT1	802.11n(HT20)	2462.00	17.285
NVNT	ANT1	802.11n(HT40)	2422.00	35.711
NVNT	ANT1	802.11n(HT40)	2437.00	35.748
NVNT	ANT1	802.11n(HT40)	2452.00	35.775


99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2462




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2462




99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452



Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com


Appendix C: Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty factor(dB)
NVNT	ANT1	802.11b	2412.00	100	0.00
NVNT	ANT1	802.11b	2437.00	100	0.00
NVNT	ANT1	802.11b	2462.00	100	0.00
NVNT	ANT1	802.11g	2412.00	100	0.00
NVNT	ANT1	802.11g	2437.00	100	0.00
NVNT	ANT1	802.11g	2462.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2412.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2437.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2462.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2422.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2437.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2452.00	100	0.00


Duty_Cycle_NVNT_ANT1_802_11b_2412




Duty_Cycle_NVNT_ANT1_802_11b_2437




Duty_Cycle_NVNT_ANT1_802_11b_2462



Duty_Cycle_NVNT_ANT1_802_11g_2412




Duty_Cycle_NVNT_ANT1_802_11g_2437




Duty_Cycle_NVNT_ANT1_802_11g_2462




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2412




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2437




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2462




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2422



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com


Appendix D: MAX. Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power (dBm)	Duty factor (dB)	Total Power (dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	RMS	13.68	0.00	13.68	30	Pass
NVNT	ANT1	802.11b	2437.00	RMS	13.46	0.00	13.46	30	Pass
NVNT	ANT1	802.11b	2462.00	RMS	12.86	0.00	12.86	30	Pass
NVNT	ANT1	802.11g	2412.00	RMS	13.25	0.00	13.25	30	Pass
NVNT	ANT1	802.11g	2437.00	RMS	12.97	0.00	12.97	30	Pass
NVNT	ANT1	802.11g	2462.00	RMS	12.81	0.00	12.81	30	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	RMS	13.06	0.00	13.06	30	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	RMS	12.81	0.00	12.81	30	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	RMS	12.58	0.00	12.58	30	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	RMS	13.04	0.00	13.04	30	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	RMS	12.80	0.00	12.80	30	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	RMS	12.34	0.00	12.34	30	Pass


Note: The cable loss are compensated in the graph.




MAX__Output_Power_NVNT_ANT1_802_11b_2437




MAX__Output_Power_NVNT_ANT1_802_11b_2462




MAX__Output_Power_NVNT_ANT1_802_11g_2412




MAX__Output_Power_NVNT_ANT1_802_11g_2437




MAX__Output_Power_NVNT_ANT1_802_11g_2462




MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2412



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2437




MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2462




MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2422





MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2452





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com

Appendix E: Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	SA_PSD (dBm/30kHz)	Duty factor (dB)	RB factor (dB)	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	-0.45	0.00	-10.00	-10.45	8	Pass
NVNT	ANT1	802.11b	2437.00	-0.82	0.00	-10.00	-10.82	8	Pass
NVNT	ANT1	802.11b	2462.00	-1.22	0.00	-10.00	-11.22	8	Pass
NVNT	ANT1	802.11g	2412.00	-1.08	0.00	-10.00	-11.08	8	Pass
NVNT	ANT1	802.11g	2437.00	-1.24	0.00	-10.00	-11.24	8	Pass
NVNT	ANT1	802.11g	2462.00	-1.35	0.00	-10.00	-11.35	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	-1.41	0.00	-10.00	-11.41	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	-1.76	0.00	-10.00	-11.76	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	-1.74	0.00	-10.00	-11.74	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-5.14	0.00	-10.00	-15.14	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-5.46	0.00	-10.00	-15.46	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-6.09	0.00	-10.00	-16.09	8	Pass

Note: 1.The cable loss are compensated in the graph.


2.PSD(dBm/3kHz)= PSD(dBm/30kHz)- (10*log(30/3)).




Power_Spectral_Density_NVNT_ANT1_802_11b_2437




Power_Spectral_Density_NVNT_ANT1_802_11b_2462



Power_Spectral_Density_NVNT_ANT1_802_11g_2412




Power_Spectral_Density_NVNT_ANT1_802_11g_2437




Power_Spectral_Density_NVNT_ANT1_802_11g_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2412



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2437




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2422






Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2437



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Appendix F: Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	2399.488	3.636	-42.201	-26.364	Pass
NVNT	ANT1	802.11b	2462.00	2488.000	3.281	-50.784	-26.719	Pass
NVNT	ANT1	802.11g	2412.00	2398.256	3.717	-47.070	-26.283	Pass
NVNT	ANT1	802.11g	2462.00	2486.704	3.086	-51.999	-26.914	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	2395.792	3.909	-48.640	-26.091	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	2483.872	2.988	-51.466	-27.012	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	2399.496	0.400	-47.584	-29.600	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2484.496	-0.071	-47.495	-30.071	Pass


1_Reference_Level_NVNT_ANT1_802_11b_2412



2_Bandedge_NVNT_ANT1_802_11b_2412




1_Reference_Level_NVNT_ANT1_802_11b_2462



2_Bandedge_NVNT_ANT1_802_11b_2462




1_Reference_Level_NVNT_ANT1_802_11g_2412



2_Bandedge_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2462



2_Bandedge_NVNT_ANT1_802_11g_2462


Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412



2_Bandedge_NVNT_ANT1_802_11n(HT20)_2412




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462



2_Bandedge_NVNT_ANT1_802_11n(HT20)_2462



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422




2_Bandedge_NVNT_ANT1_802_11n(HT40)_2422






1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452



2_Bandedge_NVNT_ANT1_802_11n(HT40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline 400-003-0500
www.anbotek.com

Appendix G: Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	24815.222	3.636	-44.524	-26.364	Pass
NVNT	ANT1	802.11b	2437.00	24790.252	3.385	-45.027	-26.615	Pass
NVNT	ANT1	802.11b	2462.00	24790.252	3.281	-49.351	-26.719	Pass
NVNT	ANT1	802.11g	2412.00	24865.162	3.717	-44.516	-26.283	Pass
NVNT	ANT1	802.11g	2437.00	24842.689	3.559	-45.270	-26.441	Pass
NVNT	ANT1	802.11g	2462.00	24940.072	3.086	-44.702	-26.914	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	24328.307	3.909	-44.353	-26.091	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	24737.815	3.481	-45.481	-26.519	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	24882.641	2.988	-44.456	-27.012	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	24852.677	0.400	-51.358	-29.600	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	24875.150	0.167	-50.636	-29.833	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	24867.659	-0.071	-47.063	-30.071	Pass


1_Reference_Level_NVNT_ANT1_802_11b_2412



2_Spurious_Emission_NVNT_ANT1_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2437




2_Spurious_Emission_NVNT_ANT1_802_11b_2437






1_Reference_Level_NVNT_ANT1_802_11b_2462



2_Spurious_Emission_NVNT_ANT1_802_11b_2462



1_Reference_Level_NVNT_ANT1_802_11g_2412



2_Spurious_Emission_NVNT_ANT1_802_11g_2412


Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com




1_Reference_Level_NVNT_ANT1_802_11g_2437



2_Spurious_Emission_NVNT_ANT1_802_11g_2437



1_Reference_Level_NVNT_ANT1_802_11g_2462




2_Spurious_Emission_NVNT_ANT1_802_11g_2462

Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412



2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2412




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2437



2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2437




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462



2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2462




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2422




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2437



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2437




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2452





---END---

Shenzhen Anbotek Compliance Laboratory Limited