



Aux. Antenna

802.11b 1 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.25	-0.50	74.0	-19.75	Peak	111.00	150	Horizontal	Pass
1**	2390.000	43.34	-0.50	54.0	-10.66	AV	111.00	150	Horizontal	Pass
2	2327.500	55.51	-0.75	74.0	-18.49	Peak	258.00	150	Horizontal	Pass
2**	2327.500	43.23	-0.75	54.0	-10.77	AV	258.00	150	Horizontal	Pass

802.11b 11 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.26	-0.36	74.0	-19.74	Peak	150.00	150	Horizontal	Pass
1**	2483.500	43.51	-0.36	54.0	-10.49	AV	150.00	150	Horizontal	Pass
2	2494.950	56.28	-0.04	74.0	-17.72	Peak	328.00	150	Horizontal	Pass
2**	2494.950	43.58	-0.04	54.0	-10.42	AV	328.00	150	Horizontal	Pass

802.11g 1 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.81	-0.50	74.0	-13.19	Peak	110.00	150	Horizontal	Pass
1**	2390.000	46.45	-0.50	54.0	-7.55	AV	110.00	150	Horizontal	Pass

802.11g 11 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.29	-0.36	74.0	-12.71	Peak	110.00	150	Horizontal	Pass
1**	2483.500	48.64	-0.36	54.0	-5.36	AV	110.00	150	Horizontal	Pass
2	2483.850	62.16	-0.35	74.0	-11.84	Peak	98.00	150	Horizontal	Pass
2**	2483.850	48.16	-0.35	54.0	-5.84	AV	98.00	150	Horizontal	Pass

802.11n-20 1 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.10	-0.50	74.0	-14.90	Peak	104.00	150	Horizontal	Pass
1**	2390.000	46.38	-0.50	54.0	-7.62	AV	104.00	150	Horizontal	Pass
2	2389.333	59.46	-0.49	74.0	-14.54	Peak	97.00	150	Horizontal	Pass
2**	2389.333	45.72	-0.49	54.0	-8.28	AV	97.00	150	Horizontal	Pass

802.11n-20 11 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.68	-0.36	74.0	-15.32	Peak	101.00	150	Horizontal	Pass
1**	2483.500	47.50	-0.36	54.0	-6.50	AV	101.00	150	Horizontal	Pass
2	2484.100	59.46	-0.34	74.0	-14.54	Peak	103.00	150	Horizontal	Pass
2**	2484.100	47.05	-0.34	54.0	-6.95	AV	103.00	150	Horizontal	Pass

802.11n-40 3 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.06	-0.50	74.0	-12.94	Peak	111.00	150	Horizontal	Pass
1**	2390.000	49.93	-0.50	54.0	-4.07	AV	111.00	150	Horizontal	Pass
2	2389.833	62.81	-0.50	74.0	-11.19	Peak	67.00	150	Horizontal	Pass
2**	2389.833	49.81	-0.50	54.0	-4.19	AV	67.00	150	Horizontal	Pass

802.11n-40 7 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.55	-0.36	74.0	-9.45	Peak	111.00	150	Horizontal	Pass
1**	2483.500	50.23	-0.36	54.0	-3.77	AV	111.00	150	Horizontal	Pass
2	2485.200	64.81	-0.34	74.0	-9.19	Peak	109.00	150	Horizontal	Pass
2**	2485.200	49.56	-0.34	54.0	-4.44	AV	109.00	150	Horizontal	Pass

802.11n-40 8 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.15	-0.36	74.0	-12.85	Peak	103.00	150	Horizontal	Pass
1**	2483.500	50.01	-0.36	54.0	-3.99	AV	103.00	150	Horizontal	Pass
2	2484.500	62.38	-0.34	74.0	-11.62	Peak	110.00	150	Horizontal	Pass
2**	2484.500	50.35	-0.34	54.0	-3.65	AV	110.00	150	Horizontal	Pass

802.11n-40 9 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.31	-0.36	74.0	-11.69	Peak	106.00	150	Horizontal	Pass
1**	2483.500	50.63	-0.36	54.0	-3.37	AV	106.00	150	Horizontal	Pass
2	2483.700	63.93	-0.35	74.0	-10.07	Peak	101.00	150	Horizontal	Pass
2**	2483.700	50.74	-0.35	54.0	-3.26	AV	101.00	150	Horizontal	Pass

802.11ax-20 1 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.24	-0.50	74.0	-14.76	Peak	133.00	150	Horizontal	Pass
1**	2390.000	47.14	-0.50	54.0	-6.86	AV	133.00	150	Horizontal	Pass
2	2389.667	60.69	-0.49	74.0	-13.31	Peak	119.00	150	Horizontal	Pass
2**	2389.667	46.83	-0.49	54.0	-7.17	AV	119.00	150	Horizontal	Pass

802.11ax-20 11 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.85	-0.36	74.0	-12.15	Peak	116.00	150	Horizontal	Pass
1**	2483.500	49.47	-0.36	54.0	-4.53	AV	116.00	150	Horizontal	Pass
2	2483.850	63.84	-0.35	74.0	-10.16	Peak	104.00	150	Horizontal	Pass
2**	2483.850	49.22	-0.35	54.0	-4.78	AV	104.00	150	Horizontal	Pass

802.11ax-40 3 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.53	-0.50	74.0	-11.47	Peak	97.00	150	Horizontal	Pass
1**	2390.000	49.64	-0.50	54.0	-4.36	AV	97.00	150	Horizontal	Pass
2	2387.667	62.85	-0.52	74.0	-11.15	Peak	108.00	150	Horizontal	Pass
2**	2387.667	48.81	-0.52	54.0	-5.19	AV	108.00	150	Horizontal	Pass

802.11ax-40 7 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.24	-0.36	74.0	-10.76	Peak	109.00	150	Horizontal	Pass
1**	2483.500	50.49	-0.36	54.0	-3.51	AV	109.00	150	Horizontal	Pass
2	2487.850	64.53	-0.27	74.0	-9.47	Peak	112.00	150	Horizontal	Pass
2**	2487.850	48.52	-0.27	54.0	-5.48	AV	112.00	150	Horizontal	Pass

802.11ax-40 8 CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.40	-0.36	74.0	-12.60	Peak	52.00	150	Horizontal	Pass
1**	2483.500	50.12	-0.36	54.0	-3.88	AV	52.00	150	Horizontal	Pass
2	2487.100	64.29	-0.31	74.0	-9.71	Peak	105.00	150	Horizontal	Pass
2**	2487.100	49.18	-0.31	54.0	-4.82	AV	105.00	150	Horizontal	Pass


802.11ax-40 9 CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.97	-0.36	74.0	-13.03	Peak	85.00	150	Horizontal	Pass
1**	2483.500	46.80	-0.36	54.0	-7.20	AV	85.00	150	Horizontal	Pass
2	2483.550	63.34	-0.36	74.0	-10.66	Peak	108.00	150	Horizontal	Pass
2**	2483.550	46.68	-0.36	54.0	-7.32	AV	108.00	150	Horizontal	Pass


MIMO

802.11n-20 1 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.82	-0.50	74.0	-16.18	Peak	222.00	150	Horizontal	Pass
1**	2390.000	45.38	-0.50	54.0	-8.62	AV	222.00	150	Horizontal	Pass
2	2389.833	58.39	-0.50	74.0	-15.61	Peak	57.00	150	Horizontal	Pass
2**	2389.833	45.32	-0.50	54.0	-8.68	AV	57.00	150	Horizontal	Pass

802.11n-20 11 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.33	-0.36	74.0	-17.67	Peak	196.00	150	Horizontal	Pass
1**	2483.500	45.17	-0.36	54.0	-8.83	AV	196.00	150	Horizontal	Pass
2	2483.950	56.62	-0.35	74.0	-17.38	Peak	217.00	150	Horizontal	Pass
2**	2483.950	44.92	-0.35	54.0	-9.08	AV	217.00	150	Horizontal	Pass

802.11n-40 3 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.30	-0.50	74.0	-12.70	Peak	94.00	150	Horizontal	Pass
1**	2390.000	49.75	-0.50	54.0	-4.25	AV	94.00	150	Horizontal	Pass
2	2389.333	62.08	-0.49	74.0	-11.92	Peak	96.00	150	Horizontal	Pass
2**	2389.333	49.34	-0.49	54.0	-4.66	AV	96.00	150	Horizontal	Pass

802.11n-40 9 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.29	-0.36	74.0	-17.71	Peak	111.00	150	Horizontal	Pass
1**	2483.500	45.80	-0.36	54.0	-8.20	AV	111.00	150	Horizontal	Pass
2	2487.150	61.14	-0.31	74.0	-12.86	Peak	95.00	150	Horizontal	Pass
2**	2487.150	46.34	-0.31	54.0	-7.66	AV	95.00	150	Horizontal	Pass

802.11ax-20 1 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.32	-0.50	74.0	-15.68	Peak	199.00	150	Horizontal	Pass
1**	2390.000	46.59	-0.50	54.0	-7.41	AV	199.00	150	Horizontal	Pass
2	2389.833	59.36	-0.50	74.0	-14.64	Peak	42.00	150	Horizontal	Pass
2**	2389.833	46.28	-0.50	54.0	-7.72	AV	42.00	150	Horizontal	Pass

802.11ax-20 11 CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.05	-0.36	74.0	-16.95	Peak	65.00	150	Horizontal	Pass
1**	2483.500	45.64	-0.36	54.0	-8.36	AV	65.00	150	Horizontal	Pass
2	2485.500	60.42	-0.34	74.0	-13.58	Peak	83.00	150	Horizontal	Pass
2**	2485.500	44.92	-0.34	54.0	-9.08	AV	83.00	150	Horizontal	Pass

802.11ax-40 3 CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.57	-0.50	74.0	-11.43	Peak	96.00	150	Horizontal	Pass
1**	2390.000	49.62	-0.50	54.0	-4.38	AV	96.00	150	Horizontal	Pass

802.11ax-40 9 CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.70	-0.36	74.0	-16.30	Peak	106.00	150	Horizontal	Pass
1**	2483.500	46.06	-0.36	54.0	-7.94	AV	106.00	150	Horizontal	Pass
2	2485.950	58.85	-0.35	74.0	-15.15	Peak	87.00	150	Horizontal	Pass
2**	2485.950	46.73	-0.35	54.0	-7.27	AV	87.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

Main Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-14.03	8
6	-13.73	8
11	-14.08	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-18.56	8
6	-18.53	8
11	-18.44	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-18.78	8
6	-18.58	8
11	-18.79	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-23.24	8
6	-21.84	8
9	-21.72	8

802.11ax-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-19.91	8
6	-19.85	8
11	-19.98	8

802.11ax-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-23.28	8
6	-23.19	8
9	-23.20	8

Aux. Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-13.46	8
6	-13.84	8
11	-14.18	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-18.76	8
6	-18.49	8
11	-18.45	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-18.97	8
6	-18.63	8
11	-18.46	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-21.67	8
6	-21.80	8
7	-21.87	8
8	-22.32	8
9	-22.39	8

802.11ax-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-19.99	8
6	-19.89	8
11	-20.14	8

802.11ax-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-22.82	8
6	-23.16	8
7	-23.20	8
8	-23.82	8
9	-24.27	8

MIMO-Main Antenna

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-20.94	8
6	-21.50	8
11	-21.30	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-24.54	8
6	-24.38	8
9	-24.51	8

802.11ax-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-22.79	8
6	-22.46	8
11	-22.53	8

802.11ax-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-25.64	8
6	-25.84	8
9	-25.69	8

MIMO-Aux. Antenna

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-21.42	8
6	-21.16	8
11	-21.25	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-24.41	8
6	-24.08	8
9	-24.06	8

802.11ax-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-22.87	8
6	-22.49	8
11	-22.54	8

802.11ax-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-25.72	8
6	-25.21	8
9	-25.33	8

MIMO

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-18.17	8
6	-18.32	8
11	-18.26	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-21.46	8
6	-21.22	8
9	-21.26	8

802.11ax-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-19.82	8
6	-19.47	8
11	-19.52	8

802.11ax-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-22.67	8
6	-22.51	8
9	-22.50	8

Test Plots

Main Antenna

802.11b 1 CHANNEL



802.11b 6 CHANNEL




802.11b 11 CHANNEL




802.11g 1 CHANNEL



802.11g 6 CHANNEL




802.11g 11 CHANNEL




802.11n-20 MHz 1 CHANNEL




802.11n-20 MHz 6 CHANNEL




802.11n-20 MHz 11 CHANNEL




802.11n-40 MHz 3 CHANNEL




802.11n-40 MHz 6 CHANNEL




802.11n-40 MHz 9 CHANNEL



802.11ax-20 MHz 1 CHANNEL



802.11ax-20 MHz 6 CHANNEL



802.11ax-20 MHz 11 CHANNEL




802.11ax-40 MHz 3 CHANNEL



802.11ax-40 MHz 6 CHANNEL



802.11ax-40 MHz 9 CHANNEL



Aux. Antenna

802.11b 1 CHANNEL




802.11b 6 CHANNEL



802.11b 11 CHANNEL



802.11g 1 CHANNEL




802.11g 6 CHANNEL



802.11g 11 CHANNEL




802.11n-20 MHz 1 CHANNEL



802.11n-20 MHz 6 CHANNEL




802.11n-20 MHz 11 CHANNEL




802.11n-40 MHz 3 CHANNEL




802.11n-40 MHz 6 CHANNEL




802.11n-40 MHz 7 CHANNEL




802.11n-40 MHz 8 CHANNEL



802.11n-40 MHz 9 CHANNEL



802.11ax-20 MHz 1 CHANNEL



802.11ax-20 MHz 6 CHANNEL




802.11ax-20 MHz 11 CHANNEL




802.11ax-40 MHz 3 CHANNEL



802.11ax-40 MHz 6 CHANNEL



802.11ax-40 MHz 7 CHANNEL



802.11ax-40 MHz 8 CHANNEL




802.11ax-40 MHz 9 CHANNEL



MIMO-Main Antenna


802.11n-20 MHz 1 CHANNEL




802.11n-20 MHz 6 CHANNEL



802.11n-20 MHz 11 CHANNEL




802.11n-40 MHz 3 CHANNEL



802.11n-40 MHz 6 CHANNEL



802.11n-40 MHz 9 CHANNEL




802.11ax-20 MHz 1 CHANNEL



802.11ax-20 MHz 6 CHANNEL



802.11ax-20 MHz 11 CHANNEL



802.11ax-40 MHz 3 CHANNEL



802.11ax-40 MHz 6 CHANNEL




802.11ax-40 MHz 9 CHANNEL



MIMO-Aux. Antenna


802.11n-20 MHz 1 CHANNEL




802.11n-20 MHz 6 CHANNEL



802.11n-20 MHz 11 CHANNEL



802.11n-40 MHz 3 CHANNEL




802.11n-40 MHz 6 CHANNEL



802.11n-40 MHz 9 CHANNEL




802.11ax-20 MHz 1 CHANNEL




802.11ax-20 MHz 6 CHANNEL



802.11ax-20 MHz 11 CHANNEL



802.11ax-40 MHz 3 CHANNEL



802.11ax-40 MHz 6 CHANNEL



802.11ax-40 MHz 9 CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-EC21C0184-AR.pdf".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-EC21C0184-AW.pdf".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-EC21C0184-AI.pdf".

--END OF REPORT--