



U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.77	3.22	68.2	-9.43	Peak	226.00	150	Horizontal	Pass
1**	5150.000	49.24	3.22	54.0	-4.76	AV	226.00	150	Horizontal	Pass
2	5149.025	60.89	3.34	68.2	-7.31	Peak	233.00	150	Horizontal	Pass
2**	5149.025	49.28	3.34	54.0	-4.72	AV	233.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.87	2.98	68.2	-11.33	Peak	42.00	150	Horizontal	Pass
1**	5350.000	45.61	2.98	54.0	-8.39	AV	42.00	150	Horizontal	Pass
2	5356.417	58.77	3.23	68.2	-9.43	Peak	160.00	150	Horizontal	Pass
2**	5356.417	45.86	3.23	54.0	-8.14	AV	160.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.73	3.22	68.2	-9.47	Peak	272.00	150	Horizontal	Pass
1**	5150.000	48.41	3.22	54.0	-5.59	AV	272.00	150	Horizontal	Pass
2	5147.725	60.21	3.37	68.2	-7.99	Peak	249.00	150	Horizontal	Pass
2**	5147.725	48.29	3.37	54.0	-5.71	AV	249.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.72	2.98	68.2	-11.48	Peak	74.00	150	Horizontal	Pass
1**	5350.000	45.93	2.98	54.0	-8.07	AV	74.00	150	Horizontal	Pass
2	5415.084	59.14	3.20	68.2	-9.06	Peak	0.00	150	Horizontal	Pass
2**	5415.084	46.36	3.20	54.0	-7.64	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.01	3.22	68.2	-12.19	Peak	129.00	150	Horizontal	Pass
1**	5150.000	46.45	3.22	54.0	-7.55	AV	129.00	150	Horizontal	Pass
2	4799.975	58.84	3.45	68.2	-9.36	Peak	189.00	150	Horizontal	Pass
2**	4799.975	46.46	3.45	54.0	-7.54	AV	189.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.25	2.98	68.2	-11.95	Peak	344.00	150	Horizontal	Pass
1**	5350.000	45.56	2.98	54.0	-8.44	AV	344.00	150	Horizontal	Pass
2	5426.267	58.98	3.30	68.2	-9.22	Peak	200.00	150	Horizontal	Pass
2**	5426.267	46.48	3.30	54.0	-7.52	AV	200.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.32	3.22	68.2	-10.88	Peak	97.00	150	Horizontal	Pass
1**	5150.000	47.87	3.22	54.0	-6.13	AV	97.00	150	Horizontal	Pass
2	5149.025	58.91	3.34	68.2	-9.29	Peak	251.00	150	Horizontal	Pass
2**	5149.025	47.71	3.34	54.0	-6.29	AV	251.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.63	2.98	68.2	-11.57	Peak	141.00	150	Horizontal	Pass
1**	5350.000	45.53	2.98	54.0	-8.47	AV	141.00	150	Horizontal	Pass
2	5395.100	59.18	3.33	68.2	-9.02	Peak	52.00	150	Horizontal	Pass
2**	5395.100	46.21	3.33	54.0	-7.79	AV	52.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.17	3.22	68.2	-10.03	Peak	248.00	150	Horizontal	Pass
1**	5150.000	49.21	3.22	54.0	-4.79	AV	248.00	150	Horizontal	Pass
2	5149.675	59.89	3.26	68.2	-8.31	Peak	248.00	150	Horizontal	Pass
2**	5149.675	49.29	3.26	54.0	-4.71	AV	248.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.18	2.98	68.2	-12.02	Peak	49.00	150	Horizontal	Pass
1**	5350.000	45.66	2.98	54.0	-8.34	AV	49.00	150	Horizontal	Pass
2	5420.217	58.99	3.32	68.2	-9.21	Peak	332.00	150	Horizontal	Pass
2**	5420.217	46.39	3.32	54.0	-7.61	AV	332.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.32	3.22	68.2	-9.88	Peak	233.00	150	Horizontal	Pass
1**	5150.000	48.76	3.22	54.0	-5.24	AV	233.00	150	Horizontal	Pass
2	5142.200	60.23	3.51	68.2	-7.97	Peak	250.00	150	Horizontal	Pass
2**	5142.200	48.96	3.51	54.0	-5.04	AV	250.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.57	2.98	68.2	-11.63	Peak	30.00	100	Horizontal	Pass
1**	5350.000	45.66	2.98	54.0	-8.34	AV	30.00	100	Horizontal	Pass
2	5398.217	58.69	3.35	68.2	-9.51	Peak	280.00	100	Horizontal	Pass
2**	5398.217	46.50	3.35	54.0	-7.50	AV	280.00	100	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.15	3.22	68.2	-12.05	Peak	188.00	150	Horizontal	Pass
1**	5150.000	46.50	3.22	54.0	-7.50	AV	188.00	150	Horizontal	Pass
2	5012.200	58.60	2.85	68.2	-9.60	Peak	14.00	150	Horizontal	Pass
2**	5012.200	46.03	2.85	54.0	-7.97	AV	14.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.28	2.98	68.2	-11.92	Peak	360.00	150	Horizontal	Pass
1**	5350.000	45.72	2.98	54.0	-8.28	AV	360.00	150	Horizontal	Pass
2	5400.783	58.85	3.34	68.2	-9.35	Peak	360.00	150	Horizontal	Pass
2**	5400.783	46.12	3.34	54.0	-7.88	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.35	3.22	68.2	-11.85	Peak	295.00	150	Horizontal	Pass
1**	5150.000	46.60	3.22	54.0	-7.40	AV	295.00	150	Horizontal	Pass
2	5065.500	58.15	2.97	68.2	-10.05	Peak	131.00	150	Horizontal	Pass
2**	5065.500	45.87	2.97	54.0	-8.13	AV	131.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.71	2.98	68.2	-11.49	Peak	360.00	150	Horizontal	Pass
1**	5350.000	45.70	2.98	54.0	-8.30	AV	360.00	150	Horizontal	Pass
2	5392.533	58.89	3.31	68.2	-9.31	Peak	360.00	150	Horizontal	Pass
2**	5392.533	45.96	3.31	54.0	-8.04	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.29	3.22	68.2	-11.91	Peak	94.00	150	Horizontal	Pass
1**	5150.000	46.33	3.22	54.0	-7.67	AV	94.00	150	Horizontal	Pass
2	4824.025	57.90	2.62	68.2	-10.30	Peak	125.00	150	Horizontal	Pass
2**	4824.025	45.94	2.62	54.0	-8.06	AV	125.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.62	2.98	68.2	-11.58	Peak	195.00	150	Horizontal	Pass
1**	5350.000	45.86	2.98	54.0	-8.14	AV	195.00	150	Horizontal	Pass
2	5412.150	58.68	3.28	68.2	-9.52	Peak	33.00	150	Horizontal	Pass
2**	5412.150	46.00	3.28	54.0	-8.00	AV	33.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.95	3.22	68.2	-11.25	Peak	241.00	150	Horizontal	Pass
1**	5150.000	46.50	3.22	54.0	-7.50	AV	241.00	150	Horizontal	Pass
2	5140.900	58.81	3.56	68.2	-9.39	Peak	224.00	150	Horizontal	Pass
2**	5140.900	46.60	3.56	54.0	-7.40	AV	224.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.66	2.98	68.2	-11.54	Peak	83.00	150	Horizontal	Pass
1**	5350.000	45.64	2.98	54.0	-8.36	AV	83.00	150	Horizontal	Pass
2	5383.917	58.41	3.53	68.2	-9.79	Peak	247.00	150	Horizontal	Pass
2**	5383.917	46.06	3.53	54.0	-7.94	AV	247.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.76	3.22	68.2	-11.44	Peak	28.00	150	Horizontal	Pass
1**	5150.000	46.47	3.22	54.0	-7.53	AV	28.00	150	Horizontal	Pass
2	4794.125	58.03	3.42	68.2	-10.17	Peak	44.00	150	Horizontal	Pass
2**	4794.125	46.26	3.42	54.0	-7.74	AV	44.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.40	2.98	68.2	-11.80	Peak	360.00	150	Horizontal	Pass
1**	5350.000	45.84	2.98	54.0	-8.16	AV	360.00	150	Horizontal	Pass
2	5401.517	58.40	3.35	68.2	-9.80	Peak	360.00	150	Horizontal	Pass
2**	5401.517	46.04	3.35	54.0	-7.96	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.27	3.22	68.2	-10.93	Peak	2.00	150	Horizontal	Pass
1**	5150.000	46.65	3.22	54.0	-7.35	AV	2.00	150	Horizontal	Pass
2	4894.550	57.98	2.87	68.2	-10.22	Peak	0.00	150	Horizontal	Pass
2**	4894.550	46.33	2.87	54.0	-7.67	AV	0.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.60	2.98	68.2	-11.60	Peak	147.00	150	Horizontal	Pass
1**	5350.000	45.89	2.98	54.0	-8.11	AV	147.00	150	Horizontal	Pass
2	5423.883	58.66	3.28	68.2	-9.54	Peak	154.00	150	Horizontal	Pass
2**	5423.883	46.50	3.28	54.0	-7.50	AV	154.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.24	3.22	68.2	-11.96	Peak	31.00	150	Horizontal	Pass
1**	5150.000	46.89	3.22	54.0	-7.11	AV	31.00	150	Horizontal	Pass
2	4919.250	57.67	3.59	68.2	-10.53	Peak	256.00	150	Horizontal	Pass
2**	4919.250	46.62	3.59	54.0	-7.38	AV	256.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.55	2.98	68.2	-11.65	Peak	351.00	150	Horizontal	Pass
1**	5350.000	45.74	2.98	54.0	-8.26	AV	351.00	150	Horizontal	Pass
2	5361.734	58.32	3.48	68.2	-9.88	Peak	0.00	150	Horizontal	Pass
2**	5361.734	46.07	3.48	54.0	-7.93	AV	0.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.66	3.22	68.2	-11.54	Peak	1.00	150	Horizontal	Pass
1**	5150.000	46.78	3.22	54.0	-7.22	AV	1.00	150	Horizontal	Pass
2	5129.200	58.48	3.67	68.2	-9.72	Peak	249.00	150	Horizontal	Pass
2**	5129.200	46.82	3.67	54.0	-7.18	AV	249.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.53	2.98	68.2	-11.67	Peak	208.00	150	Horizontal	Pass
1**	5350.000	45.93	2.98	54.0	-8.07	AV	208.00	150	Horizontal	Pass
2	5408.117	58.76	3.34	68.2	-9.44	Peak	105.00	150	Horizontal	Pass
2**	5408.117	46.31	3.34	54.0	-7.69	AV	105.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.14	3.22	68.2	-11.06	Peak	97.00	150	Horizontal	Pass
1**	5150.000	46.72	3.22	54.0	-7.28	AV	97.00	150	Horizontal	Pass
2	4933.550	58.08	3.14	68.2	-10.12	Peak	112.00	150	Horizontal	Pass
2**	4933.550	46.08	3.14	54.0	-7.92	AV	112.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.68	2.98	68.2	-11.52	Peak	54.00	150	Horizontal	Pass
1**	5350.000	46.13	2.98	54.0	-7.87	AV	54.00	150	Horizontal	Pass
2	5383.733	58.75	3.55	68.2	-9.45	Peak	357.00	150	Horizontal	Pass
2**	5383.733	46.30	3.55	54.0	-7.70	AV	357.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.57	3.88	68.2	-10.63	Peak	54.00	150	Horizontal	Pass
1**	5470.000	46.85	3.88	--	--	AV	54.00	150	Horizontal	N/A
2	5460.000	57.85	3.79	68.2	-10.35	Peak	310.00	150	Horizontal	Pass
2**	5460.000	46.37	3.79	54.0	-7.63	AV	310.00	150	Horizontal	Pass
3	5466.600	58.64	3.89	68.2	-9.56	Peak	329.00	150	Horizontal	Pass
3**	5466.600	46.51	3.89	--	--	AV	329.00	150	Horizontal	N/A
4	5425.800	59.34	3.30	68.2	-8.86	Peak	42.00	150	Horizontal	Pass
4**	5425.800	46.60	3.30	54.0	-7.40	AV	42.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.83	3.78	68.2	-10.37	Peak	148.00	150	Horizontal	Pass
2	5784.375	59.45	3.67	68.2	-8.75	Peak	298.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.94	3.88	68.2	-10.26	Peak	68.00	150	Horizontal	Pass
1**	5470.000	46.63	3.88	--	--	AV	68.00	150	Horizontal	N/A
2	5460.000	57.21	3.79	68.2	-10.99	Peak	17.00	150	Horizontal	Pass
2**	5460.000	46.47	3.79	54.0	-7.53	AV	17.00	150	Horizontal	Pass
3	5463.200	58.15	3.67	68.2	-10.05	Peak	232.00	150	Horizontal	Pass
3**	5463.200	46.39	3.67	--	--	AV	232.00	150	Horizontal	N/A
4	5397.400	59.36	3.36	68.2	-8.84	Peak	147.00	150	Horizontal	Pass
4**	5397.400	46.34	3.36	54.0	-7.66	AV	147.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.09	3.78	68.2	-10.11	Peak	10.00	150	Horizontal	Pass
2	5755.417	59.46	3.96	68.2	-8.74	Peak	54.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.26	3.88	68.2	-10.94	Peak	144.00	150	Horizontal	Pass
1**	5470.000	47.15	3.88	--	--	AV	144.00	150	Horizontal	N/A
2	5460.000	57.68	3.79	68.2	-10.52	Peak	301.00	150	Horizontal	Pass
2**	5460.000	46.44	3.79	54.0	-7.56	AV	301.00	150	Horizontal	Pass
3	5465.200	58.51	3.82	68.2	-9.69	Peak	34.00	150	Horizontal	Pass
3**	5465.200	46.83	3.82	--	--	AV	34.00	150	Horizontal	N/A
4	5454.800	58.36	3.85	68.2	-9.84	Peak	31.00	150	Horizontal	Pass
4**	5454.800	46.63	3.85	54.0	-7.37	AV	31.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.31	3.78	68.2	-10.89	Peak	160.00	150	Horizontal	Pass
2	5756.666	58.82	3.97	68.2	-9.38	Peak	303.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.37	3.88	68.2	-10.83	Peak	289.00	150	Horizontal	Pass
1**	5470.000	46.81	3.88	--	--	AV	289.00	150	Horizontal	N/A
2	5460.000	57.06	3.79	68.2	-11.14	Peak	50.00	150	Horizontal	Pass
2**	5460.000	46.42	3.79	54.0	-7.58	AV	50.00	150	Horizontal	Pass
3	5468.000	58.51	3.91	68.2	-9.69	Peak	101.00	150	Horizontal	Pass
3**	5468.000	46.75	3.91	--	--	AV	101.00	150	Horizontal	N/A
4	5413.600	58.60	3.23	68.2	-9.60	Peak	147.00	150	Horizontal	Pass
4**	5413.600	46.22	3.23	54.0	-7.78	AV	147.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.93	3.78	68.2	-10.27	Peak	267.00	150	Horizontal	Pass
2	5735.625	59.22	3.57	68.2	-8.98	Peak	166.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.41	3.88	68.2	-10.79	Peak	299.00	150	Horizontal	Pass
1**	5470.000	47.27	3.88	--	--	AV	299.00	150	Horizontal	N/A
2	5460.000	57.08	3.79	68.2	-11.12	Peak	161.00	150	Horizontal	Pass
2**	5460.000	46.50	3.79	54.0	-7.50	AV	161.00	150	Horizontal	Pass
3	5468.400	58.97	3.90	68.2	-9.23	Peak	303.00	150	Horizontal	Pass
3**	5468.400	47.09	3.90	--	--	AV	303.00	150	Horizontal	N/A
4	5407.000	58.30	3.31	68.2	-9.90	Peak	198.00	150	Horizontal	Pass
4**	5407.000	46.26	3.31	54.0	-7.74	AV	198.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.50	3.78	68.2	-10.70	Peak	273.00	150	Horizontal	Pass
2	5742.084	59.27	3.75	68.2	-8.93	Peak	38.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.54	3.88	68.2	-9.66	Peak	348.00	150	Horizontal	Pass
1**	5470.000	47.61	3.88	--	--	AV	348.00	150	Horizontal	N/A
2	5460.000	57.89	3.79	68.2	-10.31	Peak	181.00	150	Horizontal	Pass
2**	5460.000	47.03	3.79	54.0	-6.97	AV	181.00	150	Horizontal	Pass
3	5465.600	58.55	3.86	68.2	-9.65	Peak	8.00	150	Horizontal	Pass
3**	5465.600	47.43	3.86	--	--	AV	8.00	150	Horizontal	N/A
4	5459.600	59.46	3.82	68.2	-8.74	Peak	15.00	150	Horizontal	Pass
4**	5459.600	47.11	3.82	54.0	-6.89	AV	15.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.66	3.78	68.2	-10.54	Peak	160.00	150	Horizontal	Pass
2	5754.375	58.72	3.93	68.2	-9.48	Peak	35.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.24	3.88	68.2	-9.96	Peak	205.00	150	Horizontal	Pass
1**	5470.000	47.83	3.88	--	--	AV	205.00	150	Horizontal	N/A
2	5460.000	58.78	3.79	68.2	-9.42	Peak	349.00	150	Horizontal	Pass
2**	5460.000	47.45	3.79	54.0	-6.55	AV	349.00	150	Horizontal	Pass
3	5461.400	59.44	3.68	68.2	-8.76	Peak	342.00	150	Horizontal	Pass
3**	5461.400	47.52	3.68	--	--	AV	342.00	150	Horizontal	N/A
4	5458.200	59.56	3.82	68.2	-8.64	Peak	349.00	150	Horizontal	Pass
4**	5458.200	47.90	3.82	54.0	-6.10	AV	349.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.17	3.78	68.2	-10.03	Peak	8.00	150	Horizontal	Pass
2	5780.209	59.11	3.87	68.2	-9.09	Peak	326.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.47	3.88	68.2	-10.73	Peak	178.00	150	Horizontal	Pass
1**	5470.000	46.70	3.88	--	--	AV	178.00	150	Horizontal	N/A
2	5460.000	56.98	3.79	68.2	-11.22	Peak	231.00	150	Horizontal	Pass
2**	5460.000	46.57	3.79	54.0	-7.43	AV	231.00	150	Horizontal	Pass
3	5468.600	58.24	3.90	68.2	-9.96	Peak	0.00	150	Horizontal	Pass
3**	5468.600	46.70	3.90	--	--	AV	0.00	150	Horizontal	N/A
4	5368.000	58.36	3.35	68.2	-9.84	Peak	260.00	150	Horizontal	Pass
4**	5368.000	46.02	3.35	54.0	-7.98	AV	260.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.64	3.78	68.2	-9.56	Peak	251.00	150	Horizontal	Pass
2	5818.958	59.63	3.46	68.2	-8.57	Peak	267.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.64	3.88	68.2	-9.56	Peak	227.00	150	Horizontal	Pass
1**	5470.000	47.22	3.88	--	--	AV	227.00	150	Horizontal	N/A
2	5460.000	57.53	3.79	68.2	-10.67	Peak	315.00	150	Horizontal	Pass
2**	5460.000	46.40	3.79	54.0	-7.60	AV	315.00	150	Horizontal	Pass
3	5465.600	58.91	3.86	68.2	-9.29	Peak	352.00	150	Horizontal	Pass
3**	5465.600	46.70	3.86	--	--	AV	352.00	150	Horizontal	N/A
4	5424.000	58.82	3.29	68.2	-9.38	Peak	83.00	150	Horizontal	Pass
4**	5424.000	46.47	3.29	54.0	-7.53	AV	83.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.83	3.78	68.2	-10.37	Peak	291.00	150	Horizontal	Pass
2	5842.292	59.67	4.23	68.2	-8.53	Peak	296.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.88	3.88	68.2	-9.32	Peak	171.00	150	Horizontal	Pass
1**	5470.000	47.86	3.88	--	--	AV	171.00	150	Horizontal	N/A
2	5460.000	57.39	3.79	68.2	-10.81	Peak	360.00	150	Horizontal	Pass
2**	5460.000	47.02	3.79	54.0	-6.98	AV	360.00	150	Horizontal	Pass
3	5469.800	59.33	3.88	68.2	-8.87	Peak	16.00	150	Horizontal	Pass
3**	5469.800	47.62	3.88	--	--	AV	16.00	150	Horizontal	N/A
4	5373.600	58.31	3.43	68.2	-9.89	Peak	358.00	150	Horizontal	Pass
4**	5373.600	46.04	3.43	54.0	-7.96	AV	358.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.02	3.78	68.2	-10.18	Peak	67.00	150	Horizontal	Pass
2	5778.958	59.50	3.94	68.2	-8.70	Peak	208.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.57	3.88	68.2	-10.63	Peak	288.00	150	Horizontal	Pass
1**	5470.000	47.53	3.88	--	--	AV	288.00	150	Horizontal	N/A
2	5460.000	57.75	3.79	68.2	-10.45	Peak	150.00	150	Horizontal	Pass
2**	5460.000	47.72	3.79	54.0	-6.28	AV	150.00	150	Horizontal	Pass
3	5467.000	58.91	3.90	68.2	-9.29	Peak	210.00	150	Horizontal	Pass
3**	5467.000	47.35	3.90	--	--	AV	210.00	150	Horizontal	N/A
4	5442.600	59.00	3.65	68.2	-9.20	Peak	18.00	150	Horizontal	Pass
4**	5442.600	47.16	3.65	54.0	-6.84	AV	18.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.45	3.78	68.2	-10.75	Peak	154.00	150	Horizontal	Pass
2	5747.708	58.82	3.76	68.2	-9.38	Peak	341.00	150	Horizontal	Pass

U-NII-2C 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.28	3.88	68.2	-10.92	Peak	303.00	150	Horizontal	Pass
1**	5470.000	46.64	3.88	--	--	AV	303.00	150	Horizontal	N/A
2	5460.000	57.35	3.79	68.2	-10.85	Peak	243.00	150	Horizontal	Pass
2**	5460.000	46.29	3.79	54.0	-7.71	AV	243.00	150	Horizontal	Pass
3	5466.600	58.00	3.89	68.2	-10.20	Peak	257.00	150	Horizontal	Pass
3**	5466.600	46.56	3.89	--	--	AV	257.00	150	Horizontal	N/A
4	5452.800	59.21	3.82	68.2	-8.99	Peak	344.00	150	Horizontal	Pass
4**	5452.800	46.40	3.82	54.0	-7.60	AV	344.00	150	Horizontal	Pass

U-NII-2C 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.74	3.43	68.2	-10.46	Peak	143.00	150	Horizontal	Pass
2	5972.250	59.91	4.91	68.2	-8.29	Peak	146.00	150	Horizontal	Pass

U-NII-2C 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.16	3.88	68.2	-10.04	Peak	300.00	150	Horizontal	Pass
1**	5470.000	46.56	3.88	--	--	AV	300.00	150	Horizontal	N/A
2	5460.000	57.15	3.79	68.2	-11.05	Peak	27.00	150	Horizontal	Pass
2**	5460.000	46.31	3.79	54.0	-7.69	AV	27.00	150	Horizontal	Pass
3	5461.200	58.54	3.69	68.2	-9.66	Peak	73.00	150	Horizontal	Pass
3**	5461.200	46.19	3.69	--	--	AV	73.00	150	Horizontal	N/A
4	5456.000	58.86	3.82	68.2	-9.34	Peak	47.00	150	Horizontal	Pass
4**	5456.000	46.32	3.82	54.0	-7.68	AV	47.00	150	Horizontal	Pass

U-NII-2C 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.17	3.43	68.2	-10.03	Peak	49.00	150	Horizontal	Pass
2	5964.500	59.43	4.81	68.2	-8.77	Peak	355.00	150	Horizontal	Pass

U-NII-2C 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.48	3.88	68.2	-10.72	Peak	113.00	150	Horizontal	Pass
1**	5470.000	46.57	3.88	--	--	AV	113.00	150	Horizontal	N/A
2	5460.000	57.25	3.79	68.2	-10.95	Peak	351.00	150	Horizontal	Pass
2**	5460.000	46.25	3.79	54.0	-7.75	AV	351.00	150	Horizontal	Pass
3	5468.800	58.63	3.90	68.2	-9.57	Peak	74.00	150	Horizontal	Pass
3**	5468.800	46.48	3.90	--	--	AV	74.00	150	Horizontal	N/A
4	5456.000	58.40	3.82	68.2	-9.80	Peak	351.00	150	Horizontal	Pass
4**	5456.000	46.25	3.82	54.0	-7.75	AV	351.00	150	Horizontal	Pass

U-NII-2C 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.06	3.43	68.2	-10.14	Peak	155.00	150	Horizontal	Pass
2	5969.750	59.87	4.94	68.2	-8.33	Peak	139.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.28	3.88	68.2	-10.92	Peak	185.00	150	Horizontal	Pass
1**	5470.000	46.65	3.88	--	--	AV	185.00	150	Horizontal	N/A
2	5460.000	57.49	3.79	68.2	-10.71	Peak	217.00	150	Horizontal	Pass
2**	5460.000	46.19	3.79	54.0	-7.81	AV	217.00	150	Horizontal	Pass
3	5468.800	59.20	3.90	68.2	-9.00	Peak	360.00	150	Horizontal	Pass
3**	5468.800	46.54	3.90	--	--	AV	360.00	150	Horizontal	N/A
4	5441.600	58.76	3.63	68.2	-9.44	Peak	281.00	150	Horizontal	Pass
4**	5441.600	46.32	3.63	54.0	-7.68	AV	281.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.17	3.43	68.2	-10.03	Peak	117.00	150	Horizontal	Pass
2	5941.000	59.50	4.15	68.2	-8.70	Peak	137.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.92	3.88	68.2	-11.28	Peak	228.00	150	Horizontal	Pass
1**	5470.000	46.56	3.88	--	--	AV	228.00	150	Horizontal	N/A
2	5460.000	56.76	3.79	68.2	-11.44	Peak	164.00	150	Horizontal	Pass
2**	5460.000	46.30	3.79	54.0	-7.70	AV	164.00	150	Horizontal	Pass
3	5469.800	58.58	3.88	68.2	-9.62	Peak	170.00	150	Horizontal	Pass
3**	5469.800	46.58	3.88	--	--	AV	170.00	150	Horizontal	N/A
4	5444.200	58.45	3.59	68.2	-9.75	Peak	110.00	150	Horizontal	Pass
4**	5444.200	46.24	3.59	54.0	-7.76	AV	110.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.51	3.43	68.2	-9.69	Peak	40.00	150	Horizontal	Pass
2	5964.000	59.36	4.79	68.2	-8.84	Peak	291.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.86	3.88	68.2	-10.34	Peak	22.00	150	Horizontal	Pass
1**	5470.000	46.58	3.88	--	--	AV	22.00	150	Horizontal	N/A
2	5460.000	57.22	3.79	68.2	-10.98	Peak	121.00	150	Horizontal	Pass
2**	5460.000	46.31	3.79	54.0	-7.69	AV	121.00	150	Horizontal	Pass
3	5460.200	58.67	3.77	68.2	-9.53	Peak	198.00	150	Horizontal	Pass
3**	5460.200	46.30	3.77	--	--	AV	198.00	150	Horizontal	N/A
4	5412.400	59.14	3.27	68.2	-9.06	Peak	335.00	150	Horizontal	Pass
4**	5412.400	46.15	3.27	54.0	-7.85	AV	335.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.30	3.43	68.2	-9.90	Peak	323.00	150	Horizontal	Pass
2	5955.500	59.51	4.72	68.2	-8.69	Peak	223.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.33	3.88	68.2	-10.87	Peak	246.00	150	Horizontal	Pass
1**	5470.000	46.59	3.88	--	--	AV	246.00	150	Horizontal	N/A
2	5460.000	58.17	3.79	68.2	-10.03	Peak	316.00	150	Horizontal	Pass
2**	5460.000	46.36	3.79	54.0	-7.64	AV	316.00	150	Horizontal	Pass
3	5464.800	57.85	3.79	68.2	-10.35	Peak	172.00	150	Horizontal	Pass
3**	5464.800	46.45	3.79	--	--	AV	172.00	150	Horizontal	N/A
4	5422.400	58.30	3.30	68.2	-9.90	Peak	137.00	150	Horizontal	Pass
4**	5422.400	46.47	3.30	54.0	-7.53	AV	137.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.49	3.43	68.2	-10.71	Peak	59.00	150	Horizontal	Pass
2	5956.000	59.81	4.73	68.2	-8.39	Peak	215.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.52	3.88	68.2	-10.68	Peak	163.00	150	Horizontal	Pass
1**	5470.000	46.57	3.88	--	--	AV	163.00	150	Horizontal	N/A
2	5460.000	57.67	3.79	68.2	-10.53	Peak	128.00	150	Horizontal	Pass
2**	5460.000	46.33	3.79	54.0	-7.67	AV	128.00	150	Horizontal	Pass
3	5464.200	58.37	3.73	68.2	-9.83	Peak	294.00	150	Horizontal	Pass
3**	5464.200	46.31	3.73	--	--	AV	294.00	150	Horizontal	N/A
4	5418.400	58.97	3.24	68.2	-9.23	Peak	136.00	150	Horizontal	Pass
4**	5418.400	46.42	3.24	54.0	-7.58	AV	136.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.52	3.43	68.2	-9.68	Peak	35.00	150	Horizontal	Pass
2	5984.500	59.97	4.34	68.2	-8.23	Peak	178.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.63	3.88	68.2	-10.57	Peak	205.00	150	Horizontal	Pass
1**	5470.000	46.70	3.88	--	--	AV	205.00	150	Horizontal	N/A
2	5460.000	56.92	3.79	68.2	-11.28	Peak	101.00	150	Horizontal	Pass
2**	5460.000	46.36	3.79	54.0	-7.64	AV	101.00	150	Horizontal	Pass
3	5465.800	58.59	3.87	68.2	-9.61	Peak	266.00	150	Horizontal	Pass
3**	5465.800	46.49	3.87	--	--	AV	266.00	150	Horizontal	N/A
4	5459.000	58.70	3.84	68.2	-9.50	Peak	195.00	150	Horizontal	Pass
4**	5459.000	46.30	3.84	54.0	-7.70	AV	195.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.11	3.43	68.2	-10.09	Peak	360.00	150	Horizontal	Pass
2	5970.000	59.55	4.95	68.2	-8.65	Peak	360.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.58	3.60	68.2	-10.62	Peak	294.00	150	Horizontal	Pass
2	5615.834	59.54	3.40	68.2	-8.66	Peak	0.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.99	3.43	68.2	-10.21	Peak	298.00	150	Horizontal	Pass
2	5947.500	59.46	4.60	68.2	-8.74	Peak	332.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.97	3.60	68.2	-10.23	Peak	38.00	150	Horizontal	Pass
2	5620.417	58.54	3.39	68.2	-9.66	Peak	238.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.05	3.43	68.2	-10.15	Peak	324.00	150	Horizontal	Pass
2	5948.500	60.36	4.62	68.2	-7.84	Peak	272.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.06	3.60	68.2	-10.14	Peak	291.00	150	Horizontal	Pass
2	5609.166	59.11	3.34	68.2	-9.09	Peak	139.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.95	3.43	68.2	-10.25	Peak	49.00	150	Horizontal	Pass
2	5954.750	59.77	4.71	68.2	-8.43	Peak	210.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.36	3.60	68.2	-10.84	Peak	283.00	150	Horizontal	Pass
2	5620.209	58.47	3.39	68.2	-9.73	Peak	91.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.28	3.43	68.2	-10.92	Peak	360.00	150	Horizontal	Pass
2	5967.500	59.98	4.92	68.2	-8.22	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.03	3.60	68.2	-11.17	Peak	296.00	150	Horizontal	Pass
2	5610.417	59.20	3.39	68.2	-9.00	Peak	265.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.20	3.43	68.2	-11.00	Peak	153.00	150	Horizontal	Pass
2	5935.250	59.80	4.09	68.2	-8.40	Peak	52.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.13	3.60	68.2	-11.07	Peak	187.00	150	Horizontal	Pass
2	5632.709	58.87	3.47	68.2	-9.33	Peak	50.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.91	3.43	68.2	-10.29	Peak	86.00	150	Horizontal	Pass
2	5942.750	59.89	4.30	68.2	-8.31	Peak	33.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.96	3.60	68.2	-10.24	Peak	190.00	150	Horizontal	Pass
2	5634.584	59.12	3.45	68.2	-9.08	Peak	128.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.51	3.43	68.2	-10.69	Peak	324.00	150	Horizontal	Pass
2	5957.250	59.84	4.69	68.2	-8.36	Peak	219.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.55	3.60	68.2	-10.65	Peak	360.00	150	Horizontal	Pass
2	5601.459	58.97	3.44	68.2	-9.23	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.28	3.43	68.2	-9.92	Peak	127.00	150	Horizontal	Pass
2	5937.500	59.95	4.03	68.2	-8.25	Peak	69.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.71	3.60	68.2	-10.49	Peak	305.00	150	Horizontal	Pass
2	5628.125	58.98	3.42	68.2	-9.22	Peak	258.00	150	Horizontal	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.15	3.43	68.2	-10.05	Peak	53.00	150	Horizontal	Pass
2	5937.750	59.90	4.04	68.2	-8.30	Peak	300.00	150	Horizontal	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.53	3.22	68.2	-3.67	Peak	127.00	150	Horizontal	Pass
1**	5150.000	50.41	3.22	54.0	-3.59	AV	127.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.11	2.98	68.2	-12.09	Peak	73.00	150	Horizontal	Pass
1**	5350.000	45.56	2.98	54.0	-8.44	AV	73.00	150	Horizontal	Pass
2	5417.283	59.02	3.22	68.2	-9.18	Peak	304.00	150	Horizontal	Pass
2**	5417.283	46.39	3.22	54.0	-7.61	AV	304.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.04	3.22	68.2	-7.16	Peak	73.00	150	Horizontal	Pass
1**	5150.000	49.25	3.22	54.0	-4.75	AV	73.00	150	Horizontal	Pass
2	5149.350	62.10	3.30	68.2	-6.10	Peak	136.00	150	Horizontal	Pass
2**	5149.350	48.89	3.30	54.0	-5.11	AV	136.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.76	2.98	68.2	-11.44	Peak	286.00	150	Horizontal	Pass
1**	5350.000	45.54	2.98	54.0	-8.46	AV	286.00	150	Horizontal	Pass
2	5441.117	59.03	3.61	68.2	-9.17	Peak	329.00	150	Horizontal	Pass
2**	5441.117	46.36	3.61	54.0	-7.64	AV	329.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.47	3.22	68.2	-7.73	Peak	114.00	150	Horizontal	Pass
1**	5150.000	50.58	3.22	54.0	-3.42	AV	114.00	150	Horizontal	Pass
2	5146.750	61.00	3.39	68.2	-7.20	Peak	25.00	150	Horizontal	Pass
2**	5146.750	49.24	3.39	54.0	-4.76	AV	25.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.20	2.98	68.2	-12.00	Peak	204.00	150	Horizontal	Pass
1**	5350.000	45.62	2.98	54.0	-8.38	AV	204.00	150	Horizontal	Pass
2	5415.450	59.04	3.20	68.2	-9.16	Peak	71.00	150	Horizontal	Pass
2**	5415.450	46.29	3.20	54.0	-7.71	AV	71.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.59	3.22	68.2	-6.61	Peak	80.00	150	Horizontal	Pass
1**	5150.000	50.20	3.22	54.0	-3.80	AV	80.00	150	Horizontal	Pass
2	5149.675	62.44	3.26	68.2	-5.76	Peak	149.00	150	Horizontal	Pass
2**	5149.675	49.82	3.26	54.0	-4.18	AV	149.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.58	2.98	68.2	-11.62	Peak	308.00	150	Horizontal	Pass
1**	5350.000	45.56	2.98	54.0	-8.44	AV	308.00	150	Horizontal	Pass
2	5418.750	59.92	3.24	68.2	-8.28	Peak	35.00	150	Horizontal	Pass
2**	5418.750	46.42	3.24	54.0	-7.58	AV	35.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.45	3.22	68.2	-7.75	Peak	130.00	150	Horizontal	Pass
1**	5150.000	50.43	3.22	54.0	-3.57	AV	130.00	150	Horizontal	Pass
2	5148.050	61.88	3.36	68.2	-6.32	Peak	117.00	150	Horizontal	Pass
2**	5148.050	50.19	3.36	54.0	-3.81	AV	117.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.98	2.98	68.2	-11.22	Peak	342.00	150	Horizontal	Pass
1**	5350.000	45.69	2.98	54.0	-8.31	AV	342.00	150	Horizontal	Pass
2	5429.567	59.32	3.38	68.2	-8.88	Peak	258.00	150	Horizontal	Pass
2**	5429.567	46.34	3.38	54.0	-7.66	AV	258.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.49	3.22	68.2	-6.71	Peak	360.00	150	Horizontal	Pass
1**	5150.000	50.36	3.22	54.0	-3.64	AV	360.00	150	Horizontal	Pass
2	5149.025	61.69	3.34	68.2	-6.51	Peak	360.00	150	Horizontal	Pass
2**	5149.025	50.22	3.34	54.0	-3.78	AV	360.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.93	2.98	68.2	-11.27	Peak	73.00	150	Horizontal	Pass
1**	5350.000	45.68	2.98	54.0	-8.32	AV	73.00	150	Horizontal	Pass
2	5394.183	58.49	3.32	68.2	-9.71	Peak	354.00	150	Horizontal	Pass
2**	5394.183	46.04	3.32	54.0	-7.96	AV	354.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.53	3.22	68.2	-7.67	Peak	0.00	150	Horizontal	Pass
1**	5150.000	50.05	3.22	54.0	-3.95	AV	0.00	150	Horizontal	Pass
2	5118.800	61.39	3.75	68.2	-6.81	Peak	63.00	150	Horizontal	Pass
2**	5118.800	50.01	3.75	54.0	-3.99	AV	63.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.40	2.98	68.2	-11.80	Peak	20.00	150	Horizontal	Pass
1**	5350.000	45.99	2.98	54.0	-8.01	AV	20.00	150	Horizontal	Pass
2	5413.433	59.85	3.23	68.2	-8.35	Peak	360.00	150	Horizontal	Pass
2**	5413.433	46.41	3.23	54.0	-7.59	AV	360.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.37	3.22	68.2	-5.83	Peak	26.00	150	Horizontal	Pass
1**	5150.000	48.87	3.22	54.0	-5.13	AV	26.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.28	2.98	68.2	-11.92	Peak	111.00	150	Horizontal	Pass
1**	5350.000	45.62	2.98	54.0	-8.38	AV	111.00	150	Horizontal	Pass
2	5432.317	58.91	3.36	68.2	-9.29	Peak	258.00	150	Horizontal	Pass
2**	5432.317	46.23	3.36	54.0	-7.77	AV	258.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.23	3.22	68.2	-7.97	Peak	152.00	150	Horizontal	Pass
1**	5150.000	50.59	3.22	54.0	-3.41	AV	152.00	150	Horizontal	Pass
2	5146.425	62.02	3.39	68.2	-6.18	Peak	160.00	150	Horizontal	Pass
2**	5146.425	49.27	3.39	54.0	-4.73	AV	160.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.53	2.98	68.2	-11.67	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.69	2.98	54.0	-8.31	AV	0.00	150	Horizontal	Pass
2	5419.300	58.75	3.27	68.2	-9.45	Peak	141.00	150	Horizontal	Pass
2**	5419.300	46.31	3.27	54.0	-7.69	AV	141.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.25	3.22	68.2	-5.95	Peak	143.00	150	Horizontal	Pass
1**	5150.000	50.56	3.22	54.0	-3.44	AV	143.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.19	2.98	68.2	-11.01	Peak	296.00	150	Horizontal	Pass
1**	5350.000	45.68	2.98	54.0	-8.32	AV	296.00	150	Horizontal	Pass
2	5421.133	59.25	3.35	68.2	-8.95	Peak	26.00	150	Horizontal	Pass
2**	5421.133	46.51	3.35	54.0	-7.49	AV	26.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.06	3.22	68.2	-8.14	Peak	32.00	150	Horizontal	Pass
1**	5150.000	50.10	3.22	54.0	-3.90	AV	32.00	150	Horizontal	Pass
2	5123.675	62.47	3.83	68.2	-5.73	Peak	144.00	150	Horizontal	Pass
2**	5123.675	50.29	3.83	54.0	-3.71	AV	144.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.11	2.98	68.2	-11.09	Peak	236.00	150	Horizontal	Pass
1**	5350.000	46.02	2.98	54.0	-7.98	AV	236.00	150	Horizontal	Pass
2	5411.050	58.75	3.34	68.2	-9.45	Peak	215.00	150	Horizontal	Pass
2**	5411.050	46.37	3.34	54.0	-7.63	AV	215.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.11	3.22	68.2	-12.09	Peak	338.00	150	Horizontal	Pass
1**	5150.000	46.72	3.22	54.0	-7.28	AV	338.00	150	Horizontal	Pass
2	4908.200	58.24	3.53	68.2	-9.96	Peak	356.00	150	Horizontal	Pass
2**	4908.200	47.02	3.53	54.0	-6.98	AV	356.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.83	2.98	68.2	-4.37	Peak	133.00	150	Horizontal	Pass
1**	5350.000	50.36	2.98	54.0	-3.64	AV	133.00	150	Horizontal	Pass
2	5352.750	63.85	3.14	68.2	-4.35	Peak	58.00	150	Horizontal	Pass
2**	5352.750	47.68	3.14	54.0	-6.32	AV	58.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.36	3.22	68.2	-11.84	Peak	236.00	150	Horizontal	Pass
1**	5150.000	46.68	3.22	54.0	-7.32	AV	236.00	150	Horizontal	Pass
2	5141.550	58.43	3.54	68.2	-9.77	Peak	0.00	150	Horizontal	Pass
2**	5141.550	46.80	3.54	54.0	-7.20	AV	0.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.24	2.98	68.2	-3.96	Peak	140.00	150	Horizontal	Pass
1**	5350.000	48.83	2.98	54.0	-5.17	AV	140.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.42	3.22	68.2	-11.78	Peak	316.00	150	Horizontal	Pass
1**	5150.000	46.78	3.22	54.0	-7.22	AV	316.00	150	Horizontal	Pass
2	5001.150	58.95	3.05	68.2	-9.25	Peak	249.00	150	Horizontal	Pass
2**	5001.150	46.34	3.05	54.0	-7.66	AV	249.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.93	2.98	68.2	-7.27	Peak	131.00	150	Horizontal	Pass
1**	5350.000	50.45	2.98	54.0	-3.55	AV	131.00	150	Horizontal	Pass
2	5350.917	61.56	2.92	68.2	-6.64	Peak	133.00	150	Horizontal	Pass
2**	5350.917	49.90	2.92	54.0	-4.10	AV	133.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.06	3.22	68.2	-12.14	Peak	0.00	150	Horizontal	Pass
1**	5150.000	47.04	3.22	54.0	-6.96	AV	0.00	150	Horizontal	Pass
2	5103.200	58.40	3.56	68.2	-9.80	Peak	261.00	150	Horizontal	Pass
2**	5103.200	46.62	3.56	54.0	-7.38	AV	261.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.10	2.98	68.2	-3.10	Peak	122.00	150	Horizontal	Pass
1**	5350.000	50.59	2.98	54.0	-3.41	AV	122.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.24	3.22	68.2	-10.96	Peak	200.00	150	Horizontal	Pass
1**	5150.000	47.00	3.22	54.0	-7.00	AV	200.00	150	Horizontal	Pass
2	5135.375	58.11	3.65	68.2	-10.09	Peak	346.00	150	Horizontal	Pass
2**	5135.375	46.62	3.65	54.0	-7.38	AV	346.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.68	2.98	68.2	-6.52	Peak	134.00	150	Horizontal	Pass
1**	5350.000	50.62	2.98	54.0	-3.38	AV	134.00	150	Horizontal	Pass
2	5350.550	62.60	2.93	68.2	-5.60	Peak	134.00	150	Horizontal	Pass
2**	5350.550	50.33	2.93	54.0	-3.67	AV	134.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.19	3.22	68.2	-11.01	Peak	226.00	150	Horizontal	Pass
1**	5150.000	47.35	3.22	54.0	-6.65	AV	226.00	150	Horizontal	Pass
2	4917.950	58.46	3.71	68.2	-9.74	Peak	22.00	150	Horizontal	Pass
2**	4917.950	46.57	3.71	54.0	-7.43	AV	22.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.72	2.98	68.2	-5.48	Peak	18.00	150	Horizontal	Pass
1**	5350.000	49.89	2.98	54.0	-4.11	AV	18.00	150	Horizontal	Pass
2	5352.567	64.57	3.11	68.2	-3.63	Peak	144.00	150	Horizontal	Pass
2**	5352.567	50.03	3.11	54.0	-3.97	AV	144.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.59	3.22	68.2	-12.61	Peak	83.00	150	Horizontal	Pass
1**	5150.000	46.81	3.22	54.0	-7.19	AV	83.00	150	Horizontal	Pass
2	4979.375	59.07	2.98	68.2	-9.13	Peak	76.00	150	Horizontal	Pass
2**	4979.375	46.20	2.98	54.0	-7.80	AV	76.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.64	2.98	68.2	-3.56	Peak	13.00	150	Horizontal	Pass
1**	5350.000	49.97	2.98	54.0	-4.03	AV	13.00	150	Horizontal	Pass
2	5350.183	65.07	2.96	68.2	-3.13	Peak	59.00	150	Horizontal	Pass
2**	5350.183	50.02	2.96	54.0	-3.98	AV	59.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	56.15	3.30	68.2	-12.05	Peak	264.00	150	Horizontal	Pass
1**	5149.350	46.95	3.30	54.0	-7.05	AV	264.00	150	Horizontal	Pass
2	5147.075	58.09	3.38	68.2	-10.11	Peak	182.00	150	Horizontal	Pass
2**	5147.075	47.03	3.38	54.0	-6.97	AV	182.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.32	2.98	68.2	-5.88	Peak	136.00	150	Horizontal	Pass
1**	5350.000	50.23	2.98	54.0	-3.77	AV	136.00	150	Horizontal	Pass
2	5350.550	63.38	2.93	68.2	-4.82	Peak	136.00	150	Horizontal	Pass
2**	5350.550	50.07	2.93	54.0	-3.93	AV	136.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.12	3.22	68.2	-11.08	Peak	148.00	150	Horizontal	Pass
1**	5150.000	46.76	3.22	54.0	-7.24	AV	148.00	150	Horizontal	Pass
2	4924.450	58.28	3.38	68.2	-9.92	Peak	322.00	150	Horizontal	Pass
2**	4924.450	46.21	3.38	54.0	-7.79	AV	322.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.01	2.98	68.2	-7.19	Peak	64.00	150	Horizontal	Pass
1**	5350.000	50.28	2.98	54.0	-3.72	AV	64.00	150	Horizontal	Pass
2	5353.300	61.71	3.16	68.2	-6.49	Peak	60.00	150	Horizontal	Pass
2**	5353.300	49.87	3.16	54.0	-4.13	AV	60.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	64.71	3.88	68.2	-3.49	Peak	143.00	150	Horizontal	Pass
1**	5470.000	50.54	3.88	--	--	AV	143.00	150	Horizontal	N/A
2	5460.000	57.03	3.79	68.2	-11.17	Peak	50.00	150	Horizontal	Pass
2**	5460.000	46.51	3.79	54.0	-7.49	AV	50.00	150	Horizontal	Pass
3	5469.200	64.90	3.89	68.2	-3.30	Peak	20.00	150	Horizontal	Pass
3**	5469.200	49.29	3.89	--	--	AV	20.00	150	Horizontal	N/A
4	5387.800	58.80	3.42	68.2	-9.40	Peak	248.00	150	Horizontal	Pass
4**	5387.800	46.19	3.42	54.0	-7.81	AV	248.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.49	3.78	68.2	-4.71	Peak	135.00	150	Horizontal	Pass
2	5726.042	64.62	3.71	68.2	-3.58	Peak	152.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	64.43	3.88	68.2	-3.77	Peak	13.00	150	Horizontal	Pass
1**	5470.000	50.37	3.88	--	--	AV	13.00	150	Horizontal	N/A
2	5460.000	58.11	3.79	68.2	-10.09	Peak	319.00	150	Horizontal	Pass
2**	5460.000	46.56	3.79	54.0	-7.44	AV	319.00	150	Horizontal	Pass
3	5445.200	58.38	3.57	68.2	-9.82	Peak	338.00	150	Horizontal	Pass
3**	5445.200	46.24	3.57	54.0	-7.76	AV	338.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.64	3.78	68.2	-3.56	Peak	21.00	150	Horizontal	Pass
2	5726.042	64.67	3.71	68.2	-3.53	Peak	148.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.62	3.88	68.2	-5.58	Peak	22.00	150	Horizontal	Pass
1**	5470.000	51.57	3.88	--	--	AV	22.00	150	Horizontal	N/A
2	5460.000	57.77	3.79	68.2	-10.43	Peak	140.00	150	Horizontal	Pass
2**	5460.000	47.20	3.79	54.0	-6.80	AV	140.00	150	Horizontal	Pass
3	5468.000	64.44	3.91	68.2	-3.76	Peak	16.00	150	Horizontal	Pass
3**	5468.000	50.78	3.91	--	--	AV	16.00	150	Horizontal	N/A
4	5447.200	58.77	3.59	68.2	-9.43	Peak	67.00	150	Horizontal	Pass
4**	5447.200	46.35	3.59	54.0	-7.65	AV	67.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.04	3.78	68.2	-6.16	Peak	11.00	150	Horizontal	Pass
2	5729.166	62.10	3.60	68.2	-6.10	Peak	11.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	62.79	3.88	68.2	-5.41	Peak	135.00	150	Horizontal	Pass
1**	5470.000	49.79	3.88	--	--	AV	135.00	150	Horizontal	N/A
2	5460.000	57.72	3.79	68.2	-10.48	Peak	19.00	150	Horizontal	Pass
2**	5460.000	46.51	3.79	54.0	-7.49	AV	19.00	150	Horizontal	Pass
3	5469.800	63.93	3.88	68.2	-4.27	Peak	72.00	150	Horizontal	Pass
3**	5469.800	49.84	3.88	--	--	AV	72.00	150	Horizontal	N/A
4	5403.000	58.42	3.33	68.2	-9.78	Peak	354.00	150	Horizontal	Pass
4**	5403.000	46.39	3.33	54.0	-7.61	AV	354.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.90	3.78	68.2	-5.30	Peak	0.00	150	Horizontal	Pass
2	5725.416	63.94	3.75	68.2	-4.26	Peak	54.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.64	3.88	68.2	-6.56	Peak	117.00	150	Horizontal	Pass
1**	5470.000	51.22	3.88	--	51.22	AV	117.00	150	Horizontal	N/A
2	5460.000	57.65	3.79	68.2	-10.55	Peak	21.00	150	Horizontal	Pass
2**	5460.000	47.35	3.79	54.0	-6.65	AV	21.00	150	Horizontal	Pass
3	5469.400	64.23	3.89	68.2	-3.97	Peak	15.00	150	Horizontal	Pass
3**	5469.400	50.81	3.89	--	50.81	AV	15.00	150	Horizontal	N/A
4	5459.600	59.92	3.82	68.2	-8.28	Peak	15.00	150	Horizontal	Pass
4**	5459.600	47.07	3.82	54.0	-6.93	AV	15.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.45	3.78	68.2	-3.75	Peak	143.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.83	3.88	68.2	-6.37	Peak	144.00	150	Horizontal	Pass
1**	5470.000	51.53	3.88	--	--	AV	144.00	150	Horizontal	N/A
2	5460.000	61.09	3.79	68.2	-7.11	Peak	357.00	150	Horizontal	Pass
2**	5460.000	50.82	3.79	54.0	-3.18	AV	357.00	150	Horizontal	Pass
3	5460.800	63.11	3.72	68.2	-5.09	Peak	27.00	150	Horizontal	Pass
3**	5460.800	50.88	3.72	--	--	AV	27.00	150	Horizontal	N/A
4	5454.600	62.82	3.84	68.2	-5.38	Peak	20.00	150	Horizontal	Pass
4**	5454.600	50.76	3.84	54.0	-3.24	AV	20.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.46	3.78	68.2	-7.74	Peak	160.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.08	3.88	68.2	-8.12	Peak	136.00	150	Horizontal	Pass
1**	5470.000	50.25	3.88	--	--	AV	136.00	150	Horizontal	N/A
2	5460.000	60.73	3.79	68.2	-7.47	Peak	27.00	150	Horizontal	Pass
2**	5460.000	50.36	3.79	54.0	-3.64	AV	27.00	150	Horizontal	Pass
3	5461.000	63.29	3.70	68.2	-4.91	Peak	27.00	150	Horizontal	Pass
3**	5461.000	50.25	3.70	--	--	AV	27.00	150	Horizontal	N/A
4	5456.000	62.98	3.82	68.2	-5.22	Peak	27.00	150	Horizontal	Pass
4**	5456.000	50.61	3.82	54.0	-3.39	AV	27.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.88	3.78	68.2	-10.32	Peak	280.00	150	Horizontal	Pass
2	5834.791	59.26	4.00	68.2	-8.94	Peak	354.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.09	3.88	68.2	-7.11	Peak	31.00	150	Horizontal	Pass
1**	5470.000	48.32	3.88	--	--	AV	31.00	150	Horizontal	N/A
2	5460.000	57.74	3.79	68.2	-10.46	Peak	222.00	150	Horizontal	Pass
2**	5460.000	46.51	3.79	54.0	-7.49	AV	222.00	150	Horizontal	Pass
3	5459.600	58.29	3.82	68.2	-9.91	Peak	52.00	150	Horizontal	Pass
3**	5459.600	46.53	3.82	54.0	-7.47	AV	52.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.71	3.78	68.2	-4.49	Peak	10.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.800	60.44	3.84	68.2	-7.76	Peak	120.00	150	Horizontal	Pass
1**	5458.800	47.90	3.84	54.0	-6.10	AV	120.00	150	Horizontal	Pass
2	5460.000	59.77	3.79	68.2	-8.43	Peak	10.00	150	Horizontal	Pass
2**	5460.000	48.01	3.79	54.0	-5.99	AV	10.00	150	Horizontal	Pass
3	5469.000	65.18	3.89	68.2	-3.02	Peak	21.00	150	Horizontal	Pass
3**	5469.000	52.28	3.89	--	52.28	AV	21.00	150	Horizontal	N/A
4	5470.000	64.12	3.88	68.2	-4.08	Peak	19.00	150	Horizontal	Pass
4**	5470.000	52.64	3.88	--	52.64	AV	19.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.41	3.78	68.2	-4.79	Peak	26.00	150	Horizontal	Pass
2	5725.209	63.68	3.76	68.2	-4.52	Peak	132.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.800	61.66	3.81	68.2	-6.54	Peak	16.00	150	Horizontal	Pass
1**	5457.800	49.81	3.81	54.0	-4.19	AV	16.00	150	Horizontal	Pass
2	5460.000	60.08	3.79	68.2	-8.12	Peak	16.00	150	Horizontal	Pass
2**	5460.000	49.75	3.79	54.0	-4.25	AV	16.00	150	Horizontal	Pass
3	5467.200	61.52	3.90	68.2	-6.68	Peak	23.00	150	Horizontal	Pass
3**	5467.200	50.37	3.90	--	50.37	AV	23.00	150	Horizontal	N/A
4	5470.000	60.20	3.88	68.2	-8.00	Peak	15.00	150	Horizontal	Pass
4**	5470.000	50.28	3.88	--	50.28	AV	15.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.09	3.78	68.2	-9.11	Peak	158.00	150	Horizontal	Pass
2	5725.834	60.21	3.72	68.2	-7.99	Peak	158.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.400	63.56	3.59	68.2	-4.64	Peak	22.00	150	Horizontal	Pass
1**	5444.400	50.11	3.59	54.0	-3.89	AV	22.00	150	Horizontal	Pass
2	5460.000	61.07	3.79	68.2	-7.13	Peak	14.00	150	Horizontal	Pass
2**	5460.000	50.68	3.79	54.0	-3.32	AV	14.00	150	Horizontal	Pass
3	5463.400	62.29	3.66	68.2	-5.91	Peak	21.00	150	Horizontal	Pass
3**	5463.400	50.63	3.66	--	50.63	AV	21.00	150	Horizontal	N/A
4	5470.000	60.20	3.88	68.2	-8.00	Peak	4.00	150	Horizontal	Pass
4**	5470.000	50.60	3.88	--	50.60	AV	4.00	150	Horizontal	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.73	3.78	68.2	-3.47	Peak	20.00	150	Horizontal	Pass

U-NII-2C 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.88	3.88	68.2	-11.32	Peak	293.00	150	Horizontal	Pass
1**	5470.000	46.59	3.88	--	46.59	AV	293.00	150	Horizontal	N/A
2	5460.000	57.75	3.79	68.2	-10.45	Peak	281.00	150	Horizontal	Pass
2**	5460.000	46.33	3.79	54.0	-7.67	AV	281.00	150	Horizontal	Pass
3	5466.400	58.56	3.88	68.2	-9.64	Peak	323.00	150	Horizontal	Pass
3**	5466.400	46.47	3.88	--	46.47	AV	323.00	150	Horizontal	N/A
4	5454.400	58.53	3.84	68.2	-9.67	Peak	45.00	150	Horizontal	Pass
4**	5454.400	46.34	3.84	54.0	-7.66	AV	45.00	150	Horizontal	Pass

U-NII-2C 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.21	3.43	68.2	-10.99	Peak	116.00	150	Horizontal	Pass
2	5967.750	59.95	4.92	68.2	-8.25	Peak	326.00	150	Horizontal	Pass

U-NII-2C 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.42	3.88	68.2	-10.78	Peak	335.00	100	Horizontal	Pass
1**	5470.000	46.63	3.88	--	--	AV	335.00	100	Horizontal	N/A
2	5460.000	57.34	3.79	68.2	-10.86	Peak	60.00	100	Horizontal	Pass
2**	5460.000	46.30	3.79	54.0	-7.70	AV	60.00	100	Horizontal	Pass
3	5468.800	58.30	3.90	68.2	-9.90	Peak	236.00	100	Horizontal	Pass
3**	5468.800	46.65	3.90	--	--	AV	236.00	100	Horizontal	N/A
4	5459.600	58.69	3.82	68.2	-9.51	Peak	178.00	100	Horizontal	Pass
4**	5459.600	46.34	3.82	54.0	-7.66	AV	178.00	100	Horizontal	Pass

U-NII-2C 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.36	3.43	68.2	-10.84	Peak	224.00	150	Horizontal	Pass
2	5957.000	59.65	4.70	68.2	-8.55	Peak	313.00	150	Horizontal	Pass

U-NII-2C 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.30	3.88	68.2	-10.90	Peak	126.00	150	Horizontal	Pass
1**	5470.000	46.68	3.88	--	--	AV	126.00	150	Horizontal	N/A
2	5460.000	57.86	3.79	68.2	-10.34	Peak	96.00	150	Horizontal	Pass
2**	5460.000	46.34	3.79	54.0	-7.66	AV	96.00	150	Horizontal	Pass
3	5466.400	58.37	3.88	68.2	-9.83	Peak	65.00	150	Horizontal	Pass
3**	5466.400	46.50	3.88	--	--	AV	65.00	150	Horizontal	N/A
4	5393.200	59.74	3.31	68.2	-8.46	Peak	273.00	150	Horizontal	Pass
4**	5393.200	46.15	3.31	54.0	-7.85	AV	273.00	150	Horizontal	Pass

U-NII-2C 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.64	3.43	68.2	-10.56	Peak	95.00	150	Horizontal	Pass
2	5956.000	60.00	4.73	68.2	-8.20	Peak	199.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.17	3.88	68.2	-11.03	Peak	343.00	150	Horizontal	Pass
1**	5470.000	46.64	3.88	--	46.64	AV	343.00	150	Horizontal	N/A
2	5460.000	58.24	3.79	68.2	-9.96	Peak	181.00	150	Horizontal	Pass
2**	5460.000	46.31	3.79	54.0	-7.69	AV	181.00	150	Horizontal	Pass
3	5469.400	58.47	3.89	68.2	-9.73	Peak	124.00	150	Horizontal	Pass
3**	5469.400	46.65	3.89	--	46.65	AV	124.00	150	Horizontal	N/A
4	5432.400	59.37	3.36	68.2	-8.83	Peak	191.00	150	Horizontal	Pass
4**	5432.400	46.45	3.36	54.0	-7.55	AV	191.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.63	3.43	68.2	-10.57	Peak	115.00	100	Horizontal	Pass
2	5954.250	59.61	4.71	68.2	-8.59	Peak	339.00	100	Horizontal	Pass

U-NII-2C 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.05	3.88	68.2	-11.15	Peak	147.00	150	Horizontal	Pass
1**	5470.000	46.60	3.88	--	--	AV	147.00	150	Horizontal	N/A
2	5460.000	56.83	3.79	68.2	-11.37	Peak	360.00	150	Horizontal	Pass
2**	5460.000	46.26	3.79	54.0	-7.74	AV	360.00	150	Horizontal	Pass
3	5466.000	58.47	3.87	68.2	-9.73	Peak	237.00	150	Horizontal	Pass
3**	5466.000	46.49	3.87	--	--	AV	237.00	150	Horizontal	N/A
4	5455.400	58.45	3.84	68.2	-9.75	Peak	170.00	150	Horizontal	Pass
4**	5455.400	46.33	3.84	54.0	-7.67	AV	170.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.06	3.43	68.2	-10.14	Peak	343.00	150	Horizontal	Pass
2	5971.750	59.61	4.95	68.2	-8.59	Peak	60.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.28	3.88	68.2	-10.92	Peak	360.00	150	Horizontal	Pass
1**	5470.000	46.57	3.88	--	--	AV	360.00	150	Horizontal	N/A
2	5460.000	57.09	3.79	68.2	-11.11	Peak	136.00	150	Horizontal	Pass
2**	5460.000	46.24	3.79	54.0	-7.76	AV	136.00	150	Horizontal	Pass
3	5469.200	58.81	3.89	68.2	-9.39	Peak	330.00	150	Horizontal	Pass
3**	5469.200	46.56	3.89	--	--	AV	330.00	150	Horizontal	N/A
4	5452.600	58.91	3.81	68.2	-9.29	Peak	326.00	150	Horizontal	Pass
4**	5452.600	46.25	3.81	54.0	-7.75	AV	326.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.30	3.43	68.2	-10.90	Peak	177.00	150	Horizontal	Pass
2	5940.750	59.64	4.15	68.2	-8.56	Peak	38.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.92	3.88	68.2	-11.28	Peak	288.00	150	Horizontal	Pass
1**	5470.000	46.53	3.88	--	--	AV	288.00	150	Horizontal	N/A
2	5460.000	57.36	3.79	68.2	-10.84	Peak	359.00	150	Horizontal	Pass
2**	5460.000	46.31	3.79	54.0	-7.69	AV	359.00	150	Horizontal	Pass
3	5467.600	58.07	3.91	68.2	-10.13	Peak	209.00	150	Horizontal	Pass
3**	5467.600	46.49	3.91	--	--	AV	209.00	150	Horizontal	N/A
4	5457.000	58.11	3.80	68.2	-10.09	Peak	0.00	150	Horizontal	Pass
4**	5457.000	46.36	3.80	54.0	-7.64	AV	0.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.57	3.43	68.2	-10.63	Peak	47.00	150	Horizontal	Pass
2	5971.500	59.52	4.96	68.2	-8.68	Peak	52.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.32	3.88	68.2	-10.88	Peak	39.00	150	Horizontal	Pass
1**	5470.000	46.58	3.88	--	--	AV	39.00	150	Horizontal	N/A
2	5460.000	56.96	3.79	68.2	-11.24	Peak	131.00	150	Horizontal	Pass
2**	5460.000	46.38	3.79	54.0	-7.62	AV	131.00	150	Horizontal	Pass
3	5465.400	58.05	3.84	68.2	-10.15	Peak	97.00	150	Horizontal	Pass
3**	5465.400	46.47	3.84	--	--	AV	97.00	150	Horizontal	N/A
4	5446.400	58.78	3.55	68.2	-9.42	Peak	11.00	150	Horizontal	Pass
4**	5446.400	46.28	3.55	54.0	-7.72	AV	11.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.09	3.43	68.2	-11.11	Peak	219.00	150	Horizontal	Pass
2	5951.000	59.76	4.66	68.2	-8.44	Peak	306.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.38	3.88	68.2	-10.82	Peak	169.00	150	Horizontal	Pass
1**	5470.000	46.56	3.88	--	--	AV	169.00	150	Horizontal	N/A
2	5460.000	57.46	3.79	68.2	-10.74	Peak	40.00	150	Horizontal	Pass
2**	5460.000	46.34	3.79	54.0	-7.66	AV	40.00	150	Horizontal	Pass
3	5464.800	58.88	3.79	68.2	-9.32	Peak	310.00	150	Horizontal	Pass
3**	5464.800	46.33	3.79	--	--	AV	310.00	150	Horizontal	N/A
4	5426.000	59.27	3.30	68.2	-8.93	Peak	344.00	150	Horizontal	Pass
4**	5426.000	46.42	3.30	54.0	-7.58	AV	344.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.99	3.43	68.2	-11.21	Peak	253.00	150	Horizontal	Pass
2	5936.500	60.01	4.05	68.2	-8.19	Peak	38.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.40	3.60	68.2	-10.80	Peak	360.00	150	Horizontal	Pass
2	5639.584	59.37	3.36	68.2	-8.83	Peak	360.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.93	3.43	68.2	-10.27	Peak	360.00	150	Horizontal	Pass
2	5948.250	60.32	4.63	68.2	-7.88	Peak	360.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.49	3.60	68.2	-9.71	Peak	192.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.63	3.43	68.2	-10.57	Peak	341.00	150	Horizontal	Pass
2	5973.750	59.62	4.81	68.2	-8.58	Peak	141.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.42	3.60	68.2	-10.78	Peak	84.00	150	Horizontal	Pass
2	5605.416	58.92	3.42	68.2	-9.28	Peak	188.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.25	3.43	68.2	-10.95	Peak	29.00	150	Horizontal	Pass
2	5955.250	59.43	4.72	68.2	-8.77	Peak	351.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.63	3.60	68.2	-10.57	Peak	122.00	150	Horizontal	Pass
2	5631.875	58.93	3.46	68.2	-9.27	Peak	43.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.45	3.43	68.2	-10.75	Peak	341.00	150	Horizontal	Pass
2	5945.250	59.66	4.47	68.2	-8.54	Peak	201.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.11	3.60	68.2	-11.09	Peak	307.00	150	Horizontal	Pass
2	5621.458	58.33	3.39	68.2	-9.87	Peak	293.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.41	3.43	68.2	-10.79	Peak	16.00	150	Horizontal	Pass
2	5978.000	59.41	4.66	68.2	-8.79	Peak	104.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.49	3.60	68.2	-8.71	Peak	360.00	150	Horizontal	Pass
2	5627.292	61.18	3.41	68.2	-7.02	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.04	3.43	68.2	-10.16	Peak	154.00	150	Horizontal	Pass
2	5958.500	59.68	4.62	68.2	-8.52	Peak	290.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.03	3.60	68.2	-11.17	Peak	155.00	150	Horizontal	Pass
2	5648.750	59.09	3.43	68.2	-9.11	Peak	321.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.56	3.43	68.2	-10.64	Peak	262.00	150	Horizontal	Pass
2	5996.250	59.99	4.49	68.2	-8.21	Peak	119.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.74	3.60	68.2	-10.46	Peak	27.00	150	Horizontal	Pass
2	5632.291	58.71	3.46	68.2	-9.49	Peak	136.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.32	3.43	68.2	-9.88	Peak	325.00	150	Horizontal	Pass
2	5943.000	59.81	4.34	68.2	-8.39	Peak	328.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.61	3.60	68.2	-8.59	Peak	21.00	150	Horizontal	Pass
2	5644.375	61.48	3.41	68.2	-6.72	Peak	26.00	150	Horizontal	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.27	3.43	68.2	-8.93	Peak	177.00	150	Horizontal	Pass
2	5936.250	60.48	4.05	68.2	-7.72	Peak	185.00	150	Horizontal	Pass


MIMO

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.32	3.22	68.2	-10.88	Peak	212.00	150	Horizontal	Pass
1**	5150.000	46.49	3.22	54.0	-7.51	AV	212.00	150	Horizontal	Pass
2	5135.700	59.01	3.62	68.2	-9.19	Peak	136.00	150	Horizontal	Pass
2**	5135.700	46.54	3.62	54.0	-7.46	AV	136.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.24	2.98	68.2	-10.96	Peak	207.00	150	Horizontal	Pass
1**	5350.000	45.59	2.98	54.0	-8.41	AV	207.00	150	Horizontal	Pass
2	5381.717	58.54	3.48	68.2	-9.66	Peak	8.00	150	Horizontal	Pass
2**	5381.717	46.02	3.48	54.0	-7.98	AV	8.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.68	3.22	68.2	-8.52	Peak	174.00	150	Horizontal	Pass
1**	5150.000	49.36	3.22	54.0	-4.64	AV	174.00	150	Horizontal	Pass
2	5148.050	60.99	3.36	68.2	-7.21	Peak	21.00	150	Horizontal	Pass
2**	5148.050	49.84	3.36	54.0	-4.16	AV	21.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.12	2.98	68.2	-12.08	Peak	12.00	150	Horizontal	Pass
1**	5350.000	45.74	2.98	54.0	-8.26	AV	12.00	150	Horizontal	Pass
2	5358.617	58.27	3.35	68.2	-9.93	Peak	132.00	150	Horizontal	Pass
2**	5358.617	45.80	3.35	54.0	-8.20	AV	132.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.72	3.22	68.2	-11.48	Peak	141.00	150	Horizontal	Pass
1**	5150.000	46.43	3.22	54.0	-7.57	AV	141.00	150	Horizontal	Pass
2	5091.825	58.24	3.47	68.2	-9.96	Peak	26.00	150	Horizontal	Pass
2**	5091.825	46.31	3.47	54.0	-7.69	AV	26.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.29	2.98	68.2	-11.91	Peak	193.00	150	Horizontal	Pass
1**	5350.000	45.64	2.98	54.0	-8.36	AV	193.00	150	Horizontal	Pass
2	5385.017	58.55	3.47	68.2	-9.65	Peak	279.00	150	Horizontal	Pass
2**	5385.017	46.11	3.47	54.0	-7.89	AV	279.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.04	3.22	68.2	-8.16	Peak	190.00	150	Horizontal	Pass
1**	5150.000	49.39	3.22	54.0	-4.61	AV	190.00	150	Horizontal	Pass
2	5148.375	61.81	3.35	68.2	-6.39	Peak	27.00	150	Horizontal	Pass
2**	5148.375	49.85	3.35	54.0	-4.15	AV	27.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.53	2.98	68.2	-11.67	Peak	275.00	150	Horizontal	Pass
1**	5350.000	45.66	2.98	54.0	-8.34	AV	275.00	150	Horizontal	Pass
2	5430.483	58.59	3.36	68.2	-9.61	Peak	197.00	150	Horizontal	Pass
2**	5430.483	46.35	3.36	54.0	-7.65	AV	197.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.65	3.22	68.2	-8.55	Peak	186.00	150	Horizontal	Pass
1**	5150.000	50.06	3.22	54.0	-3.94	AV	186.00	150	Horizontal	Pass
2	5146.425	60.91	3.39	68.2	-7.29	Peak	17.00	150	Horizontal	Pass
2**	5146.425	50.73	3.39	54.0	-3.27	AV	17.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.43	2.98	68.2	-11.77	Peak	134.00	150	Horizontal	Pass
1**	5350.000	45.60	2.98	54.0	-8.40	AV	134.00	150	Horizontal	Pass
2	5380.800	59.18	3.36	68.2	-9.02	Peak	25.00	150	Horizontal	Pass
2**	5380.800	45.89	3.36	54.0	-8.11	AV	25.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.64	3.22	68.2	-9.56	Peak	51.00	150	Horizontal	Pass
1**	5150.000	48.38	3.22	54.0	-5.62	AV	51.00	150	Horizontal	Pass
2	5137.650	58.93	3.57	68.2	-9.27	Peak	116.00	150	Horizontal	Pass
2**	5137.650	49.33	3.57	54.0	-4.67	AV	116.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.94	2.98	68.2	-11.26	Peak	6.00	150	Horizontal	Pass
1**	5350.000	45.85	2.98	54.0	-8.15	AV	6.00	150	Horizontal	Pass
2	5417.833	58.97	3.23	68.2	-9.23	Peak	10.00	150	Horizontal	Pass
2**	5417.833	46.45	3.23	54.0	-7.55	AV	10.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.58	3.22	68.2	-11.62	Peak	350.00	150	Horizontal	Pass
1**	5150.000	46.52	3.22	54.0	-7.48	AV	350.00	150	Horizontal	Pass
2	5141.875	57.97	3.52	68.2	-10.23	Peak	256.00	150	Horizontal	Pass
2**	5141.875	46.36	3.52	54.0	-7.64	AV	256.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.87	2.98	68.2	-11.33	Peak	89.00	150	Horizontal	Pass
1**	5350.000	45.67	2.98	54.0	-8.33	AV	89.00	150	Horizontal	Pass
2	5439.834	59.14	3.57	68.2	-9.06	Peak	199.00	150	Horizontal	Pass
2**	5439.834	46.36	3.57	54.0	-7.64	AV	199.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.88	3.22	68.2	-8.32	Peak	239.00	150	Horizontal	Pass
1**	5150.000	49.73	3.22	54.0	-4.27	AV	239.00	150	Horizontal	Pass
2	5148.375	62.75	3.35	68.2	-5.45	Peak	149.00	150	Horizontal	Pass
2**	5148.375	49.65	3.35	54.0	-4.35	AV	149.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.94	2.98	68.2	-11.26	Peak	2.00	150	Horizontal	Pass
1**	5350.000	45.68	2.98	54.0	-8.32	AV	2.00	150	Horizontal	Pass
2	5352.750	58.46	3.14	68.2	-9.74	Peak	24.00	150	Horizontal	Pass
2**	5352.750	45.71	3.14	54.0	-8.29	AV	24.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.59	3.22	68.2	-7.61	Peak	155.00	150	Horizontal	Pass
1**	5150.000	49.76	3.22	54.0	-4.24	AV	155.00	150	Horizontal	Pass
2	5146.750	59.68	3.39	68.2	-8.52	Peak	145.00	150	Horizontal	Pass
2**	5146.750	50.81	3.39	54.0	-3.19	AV	145.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.40	2.98	68.2	-11.80	Peak	284.00	150	Horizontal	Pass
1**	5350.000	45.60	2.98	54.0	-8.40	AV	284.00	150	Horizontal	Pass
2	5385.017	58.28	3.47	68.2	-9.92	Peak	34.00	150	Horizontal	Pass
2**	5385.017	45.98	3.47	54.0	-8.02	AV	34.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.71	3.22	68.2	-8.49	Peak	167.00	150	Horizontal	Pass
1**	5150.000	48.65	3.22	54.0	-5.35	AV	167.00	150	Horizontal	Pass
2	5137.000	58.73	3.57	68.2	-9.47	Peak	137.00	150	Horizontal	Pass
2**	5137.000	49.54	3.57	54.0	-4.46	AV	137.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.31	2.98	68.2	-11.89	Peak	165.00	150	Horizontal	Pass
1**	5350.000	45.91	2.98	54.0	-8.09	AV	165.00	150	Horizontal	Pass
2	5386.666	58.69	3.44	68.2	-9.51	Peak	82.00	150	Horizontal	Pass
2**	5386.666	46.23	3.44	54.0	-7.77	AV	82.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.34	3.22	68.2	-11.86	Peak	247.00	150	Horizontal	Pass
1**	5150.000	46.64	3.22	54.0	-7.36	AV	247.00	150	Horizontal	Pass
2	5111.000	58.34	3.67	68.2	-9.86	Peak	298.00	150	Horizontal	Pass
2**	5111.000	46.65	3.67	54.0	-7.35	AV	298.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.71	2.98	68.2	-10.49	Peak	69.00	150	Horizontal	Pass
1**	5350.000	46.89	2.98	54.0	-7.11	AV	69.00	150	Horizontal	Pass
2	5424.616	59.18	3.30	68.2	-9.02	Peak	360.00	150	Horizontal	Pass
2**	5424.616	46.63	3.30	54.0	-7.37	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.37	3.22	68.2	-11.83	Peak	157.00	150	Horizontal	Pass
1**	5150.000	46.70	3.22	54.0	-7.30	AV	157.00	150	Horizontal	Pass
2	5090.525	58.18	3.51	68.2	-10.02	Peak	309.00	150	Horizontal	Pass
2**	5090.525	46.78	3.51	54.0	-7.22	AV	309.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.19	2.98	68.2	-8.01	Peak	152.00	150	Horizontal	Pass
1**	5350.000	49.07	2.98	54.0	-4.93	AV	152.00	150	Horizontal	Pass
2	5351.283	61.54	2.96	68.2	-6.66	Peak	51.00	150	Horizontal	Pass
2**	5351.283	48.53	2.96	54.0	-5.47	AV	51.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.75	3.22	68.2	-11.45	Peak	31.00	150	Horizontal	Pass
1**	5150.000	46.63	3.22	54.0	-7.37	AV	31.00	150	Horizontal	Pass
2	5101.575	58.35	3.50	68.2	-9.85	Peak	122.00	150	Horizontal	Pass
2**	5101.575	46.62	3.50	54.0	-7.38	AV	122.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.55	2.98	68.2	-10.65	Peak	29.00	150	Horizontal	Pass
1**	5350.000	46.87	2.98	54.0	-7.13	AV	29.00	150	Horizontal	Pass
2	5350.367	58.55	2.95	68.2	-9.65	Peak	9.00	150	Horizontal	Pass
2**	5350.367	46.78	2.95	54.0	-7.22	AV	9.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.89	3.22	68.2	-11.31	Peak	276.00	150	Horizontal	Pass
1**	5150.000	46.93	3.22	54.0	-7.07	AV	276.00	150	Horizontal	Pass
2	4919.900	58.26	3.54	68.2	-9.94	Peak	222.00	150	Horizontal	Pass
2**	4919.900	46.49	3.54	54.0	-7.51	AV	222.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.53	2.98	68.2	-7.67	Peak	146.00	150	Horizontal	Pass
1**	5350.000	49.20	2.98	54.0	-4.80	AV	146.00	150	Horizontal	Pass
2	5352.016	62.36	3.05	68.2	-5.84	Peak	146.00	150	Horizontal	Pass
2**	5352.016	48.68	3.05	54.0	-5.32	AV	146.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.34	3.22	68.2	-11.86	Peak	293.00	150	Horizontal	Pass
1**	5150.000	46.79	3.22	54.0	-7.21	AV	293.00	150	Horizontal	Pass
2	4901.375	59.11	3.24	68.2	-9.09	Peak	293.00	150	Horizontal	Pass
2**	4901.375	46.65	3.24	54.0	-7.35	AV	293.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.62	2.98	68.2	-9.58	Peak	0.00	150	Horizontal	Pass
1**	5350.000	47.94	2.98	54.0	-6.06	AV	0.00	150	Horizontal	Pass
2	5350.183	60.21	2.96	68.2	-7.99	Peak	117.00	150	Horizontal	Pass
2**	5350.183	47.96	2.96	54.0	-6.04	AV	117.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.94	3.22	68.2	-11.26	Peak	50.00	150	Horizontal	Pass
1**	5150.000	46.88	3.22	54.0	-7.12	AV	50.00	150	Horizontal	Pass
2	5048.925	58.46	3.19	68.2	-9.74	Peak	185.00	150	Horizontal	Pass
2**	5048.925	46.46	3.19	54.0	-7.54	AV	185.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.83	2.98	68.2	-6.37	Peak	16.00	150	Horizontal	Pass
1**	5350.000	47.03	2.98	54.0	-6.97	AV	16.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.21	3.22	68.2	-11.99	Peak	313.00	150	Horizontal	Pass
1**	5150.000	46.95	3.22	54.0	-7.05	AV	313.00	150	Horizontal	Pass
2	5095.725	58.12	3.54	68.2	-10.08	Peak	85.00	150	Horizontal	Pass
2**	5095.725	46.67	3.54	54.0	-7.33	AV	85.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.05	2.98	68.2	-8.15	Peak	135.00	150	Horizontal	Pass
1**	5350.000	49.10	2.98	54.0	-4.90	AV	135.00	150	Horizontal	Pass
2	5351.650	60.96	3.00	68.2	-7.24	Peak	59.00	150	Horizontal	Pass
2**	5351.650	48.39	3.00	54.0	-5.61	AV	59.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.85	3.22	68.2	-11.35	Peak	360.00	150	Horizontal	Pass
1**	5150.000	47.03	3.22	54.0	-6.97	AV	360.00	150	Horizontal	Pass
2	5118.150	58.88	3.74	68.2	-9.32	Peak	166.00	150	Horizontal	Pass
2**	5118.150	47.08	3.74	54.0	-6.92	AV	166.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.69	2.98	68.2	-8.51	Peak	125.00	150	Horizontal	Pass
1**	5350.000	48.66	2.98	54.0	-5.34	AV	125.00	150	Horizontal	Pass
2	5384.467	59.89	3.50	68.2	-8.31	Peak	14.00	150	Horizontal	Pass
2**	5384.467	46.59	3.50	54.0	-7.41	AV	14.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5360.200	59.07	3.42	68.2	-9.13	Peak	261.00	150	Horizontal	Pass
1**	5360.200	45.83	3.42	54.0	-8.17	AV	261.00	150	Horizontal	Pass
2	5460.000	57.02	3.79	68.2	-11.18	Peak	78.00	150	Horizontal	Pass
2**	5460.000	46.20	3.79	54.0	-7.80	AV	78.00	150	Horizontal	Pass
3	5469.800	62.63	3.88	68.2	-5.57	Peak	17.00	150	Horizontal	Pass
3**	5469.800	48.63	3.88	--	48.63	AV	17.00	150	Horizontal	N/A
4	5470.000	61.22	3.88	68.2	-6.98	Peak	149.00	150	Horizontal	Pass
4**	5470.000	48.81	3.88	--	48.81	AV	149.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.61	3.78	68.2	-5.59	Peak	26.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5467.000	64.60	3.90	68.2	-3.60	Peak	21.00	150	Horizontal	Pass
1**	5467.000	50.53	3.90	--	50.53	AV	21.00	150	Horizontal	N/A
2	5470.000	64.23	3.88	68.2	-3.97	Peak	26.00	150	Horizontal	Pass
2**	5470.000	52.51	3.88	--	52.51	AV	26.00	150	Horizontal	N/A
3	5460.000	58.85	3.79	68.2	-9.35	Peak	16.00	150	Horizontal	Pass
3**	5460.000	48.02	3.79	54.0	-5.98	AV	16.00	150	Horizontal	Pass
4	5457.800	60.05	3.81	68.2	-8.15	Peak	21.00	150	Horizontal	Pass
4**	5457.800	47.73	3.81	54.0	-6.27	AV	21.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.49	3.78	68.2	-9.71	Peak	115.00	150	Horizontal	Pass
2	5772.084	59.34	4.01	68.2	-8.86	Peak	295.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5419.600	59.15	3.29	68.2	-9.05	Peak	235.00	150	Horizontal	Pass
1**	5419.600	46.32	3.29	54.0	-7.68	AV	235.00	150	Horizontal	Pass
2	5460.000	56.99	3.79	68.2	-11.21	Peak	113.00	150	Horizontal	Pass
2**	5460.000	46.29	3.79	54.0	-7.71	AV	113.00	150	Horizontal	Pass
3	5468.000	63.45	3.91	68.2	-4.75	Peak	21.00	150	Horizontal	Pass
3**	5468.000	48.55	3.91	--	48.55	AV	21.00	150	Horizontal	N/A
4	5470.000	61.57	3.88	68.2	-6.63	Peak	10.00	150	Horizontal	Pass
4**	5470.000	49.55	3.88	--	49.55	AV	10.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.66	3.78	68.2	-8.54	Peak	20.00	150	Horizontal	Pass
2	5726.875	60.91	3.65	68.2	-7.29	Peak	24.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.800	60.58	3.83	68.2	-7.62	Peak	117.00	150	Horizontal	Pass
1**	5455.800	47.22	3.83	54.0	-6.78	AV	117.00	150	Horizontal	Pass
2	5460.000	58.86	3.79	68.2	-9.34	Peak	95.00	150	Horizontal	Pass
2**	5460.000	48.26	3.79	54.0	-5.74	AV	95.00	150	Horizontal	Pass
3	5470.000	64.39	3.88	68.2	-3.81	Peak	23.00	150	Horizontal	Pass
3**	5470.000	52.34	3.88	--	52.34	AV	23.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.39	3.78	68.2	-9.81	Peak	16.00	150	Horizontal	Pass
2	5725.209	59.61	3.76	68.2	-8.59	Peak	135.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	60.78	3.84	68.2	-7.42	Peak	23.00	150	Horizontal	Pass
1**	5459.400	49.80	3.84	54.0	-4.20	AV	23.00	150	Horizontal	Pass
2	5460.000	60.03	3.79	68.2	-8.17	Peak	16.00	150	Horizontal	Pass
2**	5460.000	49.69	3.79	54.0	-4.31	AV	16.00	150	Horizontal	Pass
3	5468.000	63.00	3.91	68.2	-5.20	Peak	352.00	150	Horizontal	Pass
3**	5468.000	49.89	3.91	--	49.89	AV	352.00	150	Horizontal	N/A
4	5470.000	60.76	3.88	68.2	-7.44	Peak	21.00	150	Horizontal	Pass
4**	5470.000	50.35	3.88	--	50.35	AV	21.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.60	3.78	68.2	-9.60	Peak	124.00	150	Horizontal	Pass
2	5844.167	59.85	4.22	68.2	-8.35	Peak	189.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.200	62.36	3.66	68.2	-5.84	Peak	20.00	150	Horizontal	Pass
1**	5442.200	49.50	3.66	54.0	-4.50	AV	20.00	150	Horizontal	Pass
2	5460.000	60.96	3.79	68.2	-7.24	Peak	20.00	150	Horizontal	Pass
2**	5460.000	50.60	3.79	54.0	-3.40	AV	20.00	150	Horizontal	Pass
3	5460.800	62.10	3.72	68.2	-6.10	Peak	11.00	150	Horizontal	Pass
3**	5460.800	50.33	3.72	--	50.33	AV	11.00	150	Horizontal	N/A
4	5470.000	60.54	3.88	68.2	-7.66	Peak	14.00	150	Horizontal	Pass
4**	5470.000	50.18	3.88	--	50.18	AV	14.00	150	Horizontal	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.03	3.78	68.2	-4.17	Peak	11.00	150	Horizontal	Pass
2	5725.209	64.46	3.76	68.2	-3.74	Peak	148.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.800	58.97	3.40	68.2	-9.23	Peak	314.00	150	Horizontal	Pass
1**	5359.800	45.65	3.40	54.0	-8.35	AV	314.00	150	Horizontal	Pass
2	5460.000	57.04	3.79	68.2	-11.16	Peak	79.00	150	Horizontal	Pass
2**	5460.000	46.24	3.79	54.0	-7.76	AV	79.00	150	Horizontal	Pass
3	5469.400	63.87	3.89	68.2	-4.33	Peak	22.00	150	Horizontal	Pass
3**	5469.400	49.21	3.89	--	49.21	AV	22.00	150	Horizontal	N/A
4	5470.000	62.67	3.88	68.2	-5.53	Peak	150.00	150	Horizontal	Pass
4**	5470.000	49.05	3.88	--	49.05	AV	150.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.12	3.78	68.2	-9.08	Peak	114.00	150	Horizontal	Pass
2	5726.042	62.59	3.71	68.2	-5.61	Peak	114.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.400	61.52	3.83	68.2	-6.68	Peak	18.00	150	Horizontal	Pass
1**	5458.400	47.82	3.83	54.0	-6.18	AV	18.00	150	Horizontal	Pass
2	5460.000	60.24	3.79	68.2	-7.96	Peak	18.00	150	Horizontal	Pass
2**	5460.000	48.50	3.79	54.0	-5.50	AV	18.00	150	Horizontal	Pass
3	5464.800	64.43	3.79	68.2	-3.77	Peak	27.00	150	Horizontal	Pass
3**	5464.800	49.80	3.79	--	49.80	AV	27.00	150	Horizontal	N/A
4	5470.000	64.84	3.88	68.2	-3.36	Peak	24.00	150	Horizontal	Pass
4**	5470.000	52.61	3.88	--	52.61	AV	24.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.13	3.78	68.2	-10.07	Peak	152.00	150	Horizontal	Pass
2	5738.334	58.99	3.69	68.2	-9.21	Peak	286.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	62.13	3.84	68.2	-6.07	Peak	18.00	150	Horizontal	Pass
1**	5459.400	50.89	3.84	54.0	-3.11	AV	18.00	150	Horizontal	Pass
2	5460.000	60.51	3.79	68.2	-7.69	Peak	137.00	150	Horizontal	Pass
2**	5460.000	50.88	3.79	54.0	-3.12	AV	137.00	150	Horizontal	Pass
3	5469.200	62.62	3.89	68.2	-5.58	Peak	22.00	150	Horizontal	Pass
3**	5469.200	51.45	3.89	--	51.45	AV	22.00	150	Horizontal	N/A
4	5470.000	61.70	3.88	68.2	-6.50	Peak	18.00	150	Horizontal	Pass
4**	5470.000	51.66	3.88	--	51.66	AV	18.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.85	3.78	68.2	-9.35	Peak	108.00	150	Horizontal	Pass
2	5762.916	59.37	4.17	68.2	-8.83	Peak	272.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.60	3.88	68.2	-6.60	Peak	129.00	150	Horizontal	Pass
1**	5470.000	50.71	3.88	--	--	AV	129.00	150	Horizontal	N/A
2	5460.000	61.48	3.79	68.2	-6.72	Peak	25.00	150	Horizontal	Pass
2**	5460.000	50.68	3.79	54.0	-3.32	AV	25.00	150	Horizontal	Pass
3	5467.800	62.71	3.92	68.2	-5.49	Peak	27.00	150	Horizontal	Pass
3**	5467.800	50.55	3.92	--	--	AV	27.00	150	Horizontal	N/A
4	5459.000	60.09	3.84	68.2	-8.11	Peak	22.00	150	Horizontal	Pass
4**	5459.000	50.88	3.84	54.0	-3.12	AV	22.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.15	3.78	68.2	-10.05	Peak	361.00	150	Horizontal	Pass
2	5759.166	59.42	4.05	68.2	-8.78	Peak	242.00	150	Horizontal	Pass

U-NII-2C 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.82	3.88	68.2	-11.38	Peak	129.00	150	Horizontal	Pass
1**	5470.000	46.59	3.88	--	--	AV	129.00	150	Horizontal	N/A
2	5460.000	57.65	3.79	68.2	-10.55	Peak	313.00	150	Horizontal	Pass
2**	5460.000	46.25	3.79	54.0	-7.75	AV	313.00	150	Horizontal	Pass
3	5466.800	58.43	3.89	68.2	-9.77	Peak	237.00	150	Horizontal	Pass
3**	5466.800	46.57	3.89	--	--	AV	237.00	150	Horizontal	N/A
4	5444.000	58.85	3.60	68.2	-9.35	Peak	261.00	150	Horizontal	Pass
4**	5444.000	46.24	3.60	54.0	-7.76	AV	261.00	150	Horizontal	Pass

U-NII-2C 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.17	3.43	68.2	-10.03	Peak	360.00	150	Horizontal	Pass
2	5957.000	59.23	4.70	68.2	-8.97	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.64	3.88	68.2	-10.56	Peak	188.00	150	Horizontal	Pass
1**	5470.000	46.54	3.88	--	--	AV	188.00	150	Horizontal	N/A
2	5460.000	57.05	3.79	68.2	-11.15	Peak	103.00	150	Horizontal	Pass
2**	5460.000	46.25	3.79	54.0	-7.75	AV	103.00	150	Horizontal	Pass
3	5466.200	58.30	3.88	68.2	-9.90	Peak	261.00	150	Horizontal	Pass
3**	5466.200	46.42	3.88	--	--	AV	261.00	150	Horizontal	N/A
4	5457.800	58.46	3.81	68.2	-9.74	Peak	104.00	150	Horizontal	Pass
4**	5457.800	46.30	3.81	54.0	-7.70	AV	104.00	150	Horizontal	Pass

U-NII-2C 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.91	3.43	68.2	-10.29	Peak	94.00	150	Horizontal	Pass
2	5971.250	59.61	4.98	68.2	-8.59	Peak	358.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.38	3.88	68.2	-10.82	Peak	221.00	150	Horizontal	Pass
1**	5470.000	46.58	3.88	--	--	AV	221.00	150	Horizontal	N/A
2	5460.000	56.69	3.79	68.2	-11.51	Peak	132.00	150	Horizontal	Pass
2**	5460.000	46.23	3.79	54.0	-7.77	AV	132.00	150	Horizontal	Pass
3	5467.800	58.14	3.92	68.2	-10.06	Peak	297.00	150	Horizontal	Pass
3**	5467.800	46.53	3.92	--	--	AV	297.00	150	Horizontal	N/A
4	5392.000	59.23	3.31	68.2	-8.97	Peak	27.00	150	Horizontal	Pass
4**	5392.000	46.15	3.31	54.0	-7.85	AV	27.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.04	3.43	68.2	-10.16	Peak	292.00	150	Horizontal	Pass
2	5954.750	59.61	4.71	68.2	-8.59	Peak	82.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.10	3.88	68.2	-11.10	Peak	194.00	150	Horizontal	Pass
1**	5470.000	46.66	3.88	--	--	AV	194.00	150	Horizontal	N/A
2	5460.000	56.97	3.79	68.2	-11.23	Peak	116.00	150	Horizontal	Pass
2**	5460.000	46.31	3.79	54.0	-7.69	AV	116.00	150	Horizontal	Pass
3	5467.400	58.47	3.91	68.2	-9.73	Peak	242.00	150	Horizontal	Pass
3**	5467.400	46.49	3.91	--	--	AV	242.00	150	Horizontal	N/A
4	5454.400	58.42	3.84	68.2	-9.78	Peak	7.00	150	Horizontal	Pass
4**	5454.400	46.40	3.84	54.0	-7.60	AV	7.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.82	3.43	68.2	-10.38	Peak	14.00	150	Horizontal	Pass
2	5964.750	59.96	4.81	68.2	-8.24	Peak	133.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.24	3.88	68.2	-10.96	Peak	0.00	150	Horizontal	Pass
1**	5470.000	46.62	3.88	--	46.62	AV	0.00	150	Horizontal	N/A
2	5460.000	57.78	3.79	68.2	-10.42	Peak	322.00	150	Horizontal	Pass
2**	5460.000	46.33	3.79	54.0	-7.67	AV	322.00	150	Horizontal	Pass
3	5469.600	58.53	3.88	68.2	-9.67	Peak	217.00	150	Horizontal	Pass
3**	5469.600	46.66	3.88	--	46.66	AV	217.00	150	Horizontal	N/A
4	5433.200	59.03	3.39	68.2	-9.17	Peak	4.00	150	Horizontal	Pass
4**	5433.200	46.40	3.39	54.0	-7.60	AV	4.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.41	3.43	68.2	-9.79	Peak	180.00	150	Horizontal	Pass
2	5951.000	60.00	4.66	68.2	-8.20	Peak	76.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.48	3.88	68.2	-10.72	Peak	264.00	150	Horizontal	Pass
1**	5470.000	46.64	3.88	--	--	AV	264.00	150	Horizontal	N/A
2	5460.000	57.61	3.79	68.2	-10.59	Peak	108.00	150	Horizontal	Pass
2**	5460.000	46.30	3.79	54.0	-7.70	AV	108.00	150	Horizontal	Pass
3	5465.400	58.58	3.84	68.2	-9.62	Peak	251.00	150	Horizontal	Pass
3**	5465.400	46.46	3.84	--	--	AV	251.00	150	Horizontal	N/A
4	5410.200	59.01	3.37	68.2	-9.19	Peak	126.00	150	Horizontal	Pass
4**	5410.200	46.30	3.37	54.0	-7.70	AV	126.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.15	3.43	68.2	-10.05	Peak	360.00	150	Horizontal	Pass
2	5951.250	59.82	4.67	68.2	-8.38	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.51	3.88	68.2	-10.69	Peak	249.00	150	Horizontal	Pass
1**	5470.000	46.68	3.88	--	--	AV	249.00	150	Horizontal	N/A
2	5460.000	56.85	3.79	68.2	-11.35	Peak	188.00	150	Horizontal	Pass
2**	5460.000	46.31	3.79	54.0	-7.69	AV	188.00	150	Horizontal	Pass
3	5466.000	58.40	3.87	68.2	-9.80	Peak	47.00	150	Horizontal	Pass
3**	5466.000	46.48	3.87	--	--	AV	47.00	150	Horizontal	N/A
4	5451.800	58.50	3.75	68.2	-9.70	Peak	360.00	150	Horizontal	Pass
4**	5451.800	46.30	3.75	54.0	-7.70	AV	360.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.83	3.43	68.2	-10.37	Peak	360.00	150	Horizontal	Pass
2	5980.000	60.18	4.43	68.2	-8.02	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.26	3.88	68.2	-9.94	Peak	137.00	150	Horizontal	Pass
1**	5470.000	46.81	3.88	--	46.81	AV	137.00	150	Horizontal	N/A
2	5460.000	56.98	3.79	68.2	-11.22	Peak	353.00	150	Horizontal	Pass
2**	5460.000	46.35	3.79	54.0	-7.65	AV	353.00	150	Horizontal	Pass
3	5465.400	58.37	3.84	68.2	-9.83	Peak	306.00	150	Horizontal	Pass
3**	5465.400	46.45	3.84	--	46.45	AV	306.00	150	Horizontal	N/A
4	5414.600	58.61	3.19	68.2	-9.59	Peak	61.00	150	Horizontal	Pass
4**	5414.600	46.27	3.19	54.0	-7.73	AV	61.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.63	3.43	68.2	-10.57	Peak	181.00	150	Horizontal	Pass
2	5989.500	59.82	4.20	68.2	-8.38	Peak	203.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.33	3.60	68.2	-10.87	Peak	316.00	150	Horizontal	Pass
2	5622.709	58.71	3.38	68.2	-9.49	Peak	49.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.46	3.43	68.2	-10.74	Peak	343.00	150	Horizontal	Pass
2	5956.750	60.09	4.72	68.2	-8.11	Peak	166.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.63	3.60	68.2	-10.57	Peak	305.00	150	Horizontal	Pass
2	5631.042	59.38	3.45	68.2	-8.82	Peak	218.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.56	3.43	68.2	-10.64	Peak	319.00	150	Horizontal	Pass
2	5970.500	60.20	4.96	68.2	-8.00	Peak	344.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.77	3.60	68.2	-10.43	Peak	248.00	150	Horizontal	Pass
2	5630.209	59.29	3.44	68.2	-8.91	Peak	258.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.04	3.43	68.2	-10.16	Peak	205.00	150	Horizontal	Pass
2	5984.500	60.35	4.34	68.2	-7.85	Peak	35.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.41	3.60	68.2	-9.79	Peak	345.00	150	Horizontal	Pass
2	5632.500	58.72	3.47	68.2	-9.48	Peak	216.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.57	3.43	68.2	-10.63	Peak	44.00	150	Horizontal	Pass
2	5945.500	60.10	4.47	68.2	-8.10	Peak	310.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.42	3.60	68.2	-10.78	Peak	306.00	150	Horizontal	Pass
2	5646.875	58.64	3.48	68.2	-9.56	Peak	308.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.67	3.43	68.2	-10.53	Peak	104.00	150	Horizontal	Pass
2	5953.750	60.37	4.71	68.2	-7.83	Peak	14.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.69	3.60	68.2	-10.51	Peak	209.00	150	Horizontal	Pass
2	5631.042	58.74	3.45	68.2	-9.46	Peak	122.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.81	3.43	68.2	-10.39	Peak	360.00	150	Horizontal	Pass
2	5991.750	59.95	4.36	68.2	-8.25	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.21	3.60	68.2	-10.99	Peak	317.00	150	Horizontal	Pass
2	5611.666	59.58	3.44	68.2	-8.62	Peak	9.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.59	3.43	68.2	-10.61	Peak	177.00	150	Horizontal	Pass
2	5969.500	60.00	4.94	68.2	-8.20	Peak	323.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.60	3.60	68.2	-10.60	Peak	360.00	150	Horizontal	Pass
2	5616.875	59.01	3.37	68.2	-9.19	Peak	257.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.02	3.43	68.2	-10.18	Peak	62.00	150	Horizontal	Pass
2	5949.250	60.56	4.62	68.2	-7.64	Peak	257.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-EC21C0184-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-EC21C0184-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-EC21C0184-AI.PDF".

--END OF REPORT--