


A.6 Band Edge

1. GSM_GSM850

1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.723	-45.28	-13	Pass	401
823	824	0.003	RMS	823.997	-18.63	-13	Pass	700
824	824.5	0.01	RMS	824.266	20.94	35	Pass	401



1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.828	21.88	35	Pass	401
849	850	0.003	RMS	849.017	-18.37	-13	Pass	700
850	855	0.1	RMS	850.388	-44.72	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.97	-13	Pass	41
1849	1850	0.003	RMS	1849.997	-22.83	-13	Pass	700
1850	1851	0.01	RMS	1850.2	18.01	35	Pass	401



2.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.783	18.61	35	Pass	401
1910	1911	0.003	RMS	1910.033	-22.44	-13	Pass	700
1911	1915	1	RMS	1911.1	-34.88	-13	Pass	41



3. EGPRS_GSM850


3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.783	-46.68	-13	Pass	401
823	824	0.003	RMS	823.987	-28.32	-13	Pass	700
824	824.5	0.01	RMS	824.2	14.19	35	Pass	401



3.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.796	14.77	35	Pass	401
849	850	0.003	RMS	849.006	-29.03	-13	Pass	700
850	855	0.1	RMS	850.225	-46.58	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.74	13.86	35	Pass	401
1910	1911	0.003	RMS	1910.026	-28.3	-13	Pass	700
1911	1915	1	RMS	1911.1	-34.66	-13	Pass	41



4.2. EGPRS Band Edge(NTNV)(Channel:512)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.46	-13	Pass	41
1849	1850	0.003	RMS	1849.983	-29.15	-13	Pass	700
1850	1851	0.01	RMS	1850.243	13.68	35	Pass	401



5. EVDO BC0_CH1013(FCC)

5.1. Band Edge for Lower(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	823	-27.75	-13	Pass	401
823	824	0.013	RMS	824	-16.26	-13	Pass	401
824	829	0.1	RMS	824.7	12.97	35	Pass	401



6. EVDO BC0_CH777(FCC)

6.1. Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.013	13.19	35	Pass	401
849.006	850	0.013	RMS	849.009	-16.01	-13	Pass	401
850	855	0.1	RMS	850	-27.05	-13	Pass	401



7. WCDMA_Band2


7.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-24	-13	Pass	41
1849	1850	0.051	RMS	1850	-25.68	-13	Pass	401
1850	1855	0.1	RMS	1853.325	8.58	35	Pass	401



7.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.725	8.71	35	Pass	401
1910	1911	0.051	RMS	1910	-23.57	-13	Pass	401
1911	1915	1	RMS	1911.1	-25.12	-13	Pass	41



8. WCDMA_Band4


8.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-23.37	-13	Pass	41
1709	1710	0.051	RMS	1710	-23.2	-13	Pass	401
1710	1715	0.1	RMS	1713.825	8.39	35	Pass	401



8.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.688	8.33	35	Pass	401
1755	1756	0.051	RMS	1755	-22.54	-13	Pass	401
1756	1760	1	RMS	1756.1	-18.89	-13	Pass	41



9. WCDMA_Band5

9.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.835	-27.6	-13	Pass	401
823	824	0.051	RMS	823.86	-25.03	-13	Pass	401
824	829	0.1	RMS	825	7.33	35	Pass	401



9.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	847.475	8.64	35	Pass	401
849	850	0.051	RMS	849	-25.45	-13	Pass	401
850	855	0.1	RMS	850.025	-30.56	-13	Pass	401



10. LTE_Band5


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-52.61	-13	Pass	401
823	824	0.02	RMS	824	-37.61	-13	Pass	401
824	826	0.1	RMS	824.26	21.01	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.16	-13	Pass	401
823	824	0.02	RMS	823.84	-35.84	-13	Pass	401
824	826	0.1	RMS	824.345	12.68	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.32	-13	Pass	401
823	824	0.02	RMS	823.99	-32.19	-13	Pass	401
824	826	0.1	RMS	824.25	20.16	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-40.14	-13	Pass	401
823	824	0.02	RMS	823.848	-37.95	-13	Pass	401
824	826	0.1	RMS	824.37	11.69	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	21.14	30	Pass	401
849	850	0.02	RMS	849	-31.35	-13	Pass	401
850	860	0.1	RMS	850.125	-52.87	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.015	12.83	30	Pass	401
849	850	0.02	RMS	849.095	-36.77	-13	Pass	401
850	860	0.1	RMS	850	-42.07	-13	Pass	401




10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.32	30	Pass	401
849	850	0.02	RMS	849.003	-36.11	-13	Pass	401
850	860	0.1	RMS	850.025	-53	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.18	11.82	30	Pass	401
849	850	0.02	RMS	849.08	-37.13	-13	Pass	401
850	860	0.1	RMS	850	-41.98	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.46	-13	Pass	401
823	824	0.02	RMS	824	-21.25	-13	Pass	401
824	827	0.1	RMS	824.248	21.13	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.38	-33.06	-13	Pass	401
823	824	0.03	RMS	824	-26.25	-13	Pass	401
824	827	0.1	RMS	825.815	9.02	30	Pass	401




10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-46.77	-13	Pass	401
823	824	0.03	RMS	824	-20.85	-13	Pass	401
824	827	0.1	RMS	824.248	20.25	30	Pass	401




10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-35.46	-13	Pass	401
823	824	0.03	RMS	824	-28.25	-13	Pass	401
824	827	0.1	RMS	826.363	8.05	30	Pass	401



10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.24	30	Pass	401
849	850	0.03	RMS	849	-19.51	-13	Pass	401
850	860	0.1	RMS	850.025	-44.74	-13	Pass	401




10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.125	9.07	30	Pass	401
849	850	0.03	RMS	849	-28.24	-13	Pass	401
850	860	0.1	RMS	850.1	-31.83	-13	Pass	401



10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.31	30	Pass	401
849	850	0.03	RMS	849	-21.81	-13	Pass	401
850	860	0.1	RMS	850	-45.09	-13	Pass	401




10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.853	7.96	30	Pass	401
849	850	0.03	RMS	849	-28.14	-13	Pass	401
850	860	0.1	RMS	850.075	-33.11	-13	Pass	401




10.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.22	-48.7	-13	Pass	401
823	824	0.051	RMS	824	-23.53	-13	Pass	401
824	829	0.1	RMS	824.35	21	30	Pass	401




10.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-36.33	-13	Pass	401
823	824	0.051	RMS	824	-29.88	-13	Pass	401
824	829	0.1	RMS	827.35	6.81	30	Pass	401




10.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-47.28	-13	Pass	401
823	824	0.051	RMS	824	-23.85	-13	Pass	401
824	829	0.1	RMS	824.338	20.31	30	Pass	401




10.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-37.66	-13	Pass	401
823	824	0.051	RMS	824	-31.14	-13	Pass	401
824	829	0.1	RMS	827.313	5.72	30	Pass	401



10.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.2	30	Pass	401
849	850	0.051	RMS	849	-23.6	-13	Pass	401
850	860	0.1	RMS	850.825	-44.77	-13	Pass	401




10.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	847.3	6.88	30	Pass	401
849	850	0.051	RMS	849.003	-28.73	-13	Pass	401
850	860	0.1	RMS	850.025	-30.33	-13	Pass	401



10.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.38	30	Pass	401
849	850	0.051	RMS	849	-24.59	-13	Pass	401
850	860	0.1	RMS	850.825	-45.37	-13	Pass	401




10.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	847.988	5.86	30	Pass	401
849	850	0.051	RMS	849.005	-30.24	-13	Pass	401
850	860	0.1	RMS	850.775	-32.7	-13	Pass	401




10.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-54.86	-13	Pass	401
823	824	0.1	RMS	824	-32.32	-13	Pass	401
824	834	0.1	RMS	824.575	20.97	30	Pass	401




10.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-31.27	-13	Pass	401
823	824	0.1	RMS	824	-27.98	-13	Pass	401
824	834	0.1	RMS	828.175	3.99	30	Pass	401




10.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-55.2	-13	Pass	401
823	824	0.1	RMS	824	-33.7	-13	Pass	401
824	834	0.1	RMS	824.6	20.25	30	Pass	401




10.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.62	-13	Pass	401
823	824	0.1	RMS	823.993	-30.22	-13	Pass	401
824	834	0.1	RMS	827.975	2.97	30	Pass	401



10.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.15	30	Pass	401
849	850	0.1	RMS	849	-32.22	-13	Pass	401
850	860	0.1	RMS	850	-53.25	-13	Pass	401




10.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.425	3.96	30	Pass	401
849	850	0.1	RMS	849.085	-28.26	-13	Pass	401
850	860	0.1	RMS	850	-31.35	-13	Pass	401



10.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.39	30	Pass	401
849	850	0.1	RMS	849	-34.65	-13	Pass	401
850	860	0.1	RMS	850	-53.78	-13	Pass	401



10.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.25	3.04	30	Pass	401
849	850	0.1	RMS	849.005	-30.23	-13	Pass	401
850	860	0.1	RMS	850.15	-32.51	-13	Pass	401



11. LTE_Band7


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-44.08	-25	Pass	401
2494	2496	1	RMS	2495.995	-41.04	-13	Pass	401
2496	2499	1	RMS	2499	-36.53	-10	Pass	4
2499	2500	0.1	RMS	2500	-18.05	-10	Pass	401
2500	2505	0.1	RMS	2500.338	21.17	30	Pass	401




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-38.98	-25	Pass	401
2494	2496	1	RMS	2496	-32.07	-13	Pass	401
2496	2499	1	RMS	2499	-27.09	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.76	-10	Pass	401
2500	2505	0.1	RMS	2501.688	7.03	30	Pass	401




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.81	-45.25	-25	Pass	401
2494	2496	1	RMS	2495.99	-44.23	-13	Pass	401
2496	2499	1	RMS	2499	-35	-10	Pass	4
2499	2500	0.1	RMS	2500	-18.31	-10	Pass	401
2500	2505	0.1	RMS	2500.338	20.38	30	Pass	401




11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.66	-25	Pass	401
2494	2496	1	RMS	2495.975	-33.91	-13	Pass	401
2496	2499	1	RMS	2499	-27.17	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.77	-10	Pass	401
2500	2505	0.1	RMS	2503.325	6.07	30	Pass	401



11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	21.06	30	Pass	401
2570	2571	0.1	RMS	2570	-17.77	-10	Pass	401
2571	2575	1	RMS	2571	-23.38	-10	Pass	5
2575	2576	1	RMS	2575.078	-44.84	-13	Pass	401
2576	2595	1	RMS	2576.048	-45.36	-25	Pass	401




11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.863	6.81	30	Pass	401
2570	2571	0.1	RMS	2570	-26.86	-10	Pass	401
2571	2575	1	RMS	2571	-23.23	-10	Pass	5
2575	2576	1	RMS	2575.06	-35.72	-13	Pass	401
2576	2595	1	RMS	2576	-37.92	-25	Pass	401



11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	20.32	30	Pass	401
2570	2571	0.1	RMS	2570	-17.91	-10	Pass	401
2571	2575	1	RMS	2571	-22.59	-10	Pass	5
2575	2576	1	RMS	2575.24	-45.46	-13	Pass	401
2576	2595	1	RMS	2576.095	-45.93	-25	Pass	401




11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.25	5.84	30	Pass	401
2570	2571	0.1	RMS	2570	-27.53	-10	Pass	401
2571	2575	1	RMS	2571	-24.15	-10	Pass	5
2575	2576	1	RMS	2575.058	-38.1	-13	Pass	401
2576	2595	1	RMS	2576	-40.29	-25	Pass	401




11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-48.91	-25	Pass	401
2490	2496	1	RMS	2494.425	-42.33	-13	Pass	401
2496	2499	1	RMS	2499	-39.53	-10	Pass	4
2499	2500	0.2	RMS	2500	-24.31	-10	Pass	401
2500	2510	0.1	RMS	2500.575	21.26	30	Pass	401




11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.25	-25	Pass	401
2490	2496	1	RMS	2495.91	-30.1	-13	Pass	401
2496	2499	1	RMS	2499	-26.87	-10	Pass	4
2499	2500	0.2	RMS	2499.998	-28.65	-10	Pass	401
2500	2510	0.1	RMS	2506.575	4.02	30	Pass	401




11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-48.53	-25	Pass	401
2490	2496	1	RMS	2494.17	-44.68	-13	Pass	401
2496	2499	1	RMS	2499	-37.17	-10	Pass	4
2499	2500	0.2	RMS	2500	-24.54	-10	Pass	401
2500	2510	0.1	RMS	2500.6	20.73	30	Pass	401




11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.14	-25	Pass	401
2490	2496	1	RMS	2495.895	-30.08	-13	Pass	401
2496	2499	1	RMS	2499	-27.19	-10	Pass	4
2499	2500	0.2	RMS	2499.995	-29.77	-10	Pass	401
2500	2510	0.1	RMS	2506.625	3.11	30	Pass	401




11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	21.04	30	Pass	401
2570	2571	0.2	RMS	2570	-22.53	-10	Pass	401
2571	2575	1	RMS	2571	-30.45	-10	Pass	5
2575	2580	1	RMS	2575.563	-41.85	-13	Pass	401
2580	2595	1	RMS	2580.075	-47.53	-25	Pass	401




11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2563.825	4.09	30	Pass	401
2570	2571	0.2	RMS	2570	-29.83	-10	Pass	401
2571	2575	1	RMS	2571	-26.61	-10	Pass	5
2575	2580	1	RMS	2575.1	-29.47	-13	Pass	401
2580	2595	1	RMS	2580.563	-40.06	-25	Pass	401



11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.19	30	Pass	401
2570	2571	0.2	RMS	2570.005	-23.37	-10	Pass	401
2571	2575	1	RMS	2571	-30.58	-10	Pass	5
2575	2580	1	RMS	2575.638	-45.24	-13	Pass	401
2580	2595	1	RMS	2580.825	-47.94	-25	Pass	401




11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2564.4	3.03	30	Pass	401
2570	2571	0.2	RMS	2570	-30.86	-10	Pass	401
2571	2575	1	RMS	2571	-27.12	-10	Pass	5
2575	2580	1	RMS	2575.05	-30.04	-13	Pass	401
2580	2595	1	RMS	2580.15	-41.44	-25	Pass	401




11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.175	-41.47	-25	Pass	401
2490	2496	1	RMS	2494.935	-36.86	-13	Pass	401
2496	2499	1	RMS	2499	-40.23	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.13	-10	Pass	401
2500	2515	0.1	RMS	2500.825	21.21	30	Pass	401




11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.43	-25	Pass	401
2490	2496	1	RMS	2493.75	-32.29	-13	Pass	401
2496	2499	1	RMS	2499	-29.59	-10	Pass	4
2499	2500	0.3	RMS	2500	-30.6	-10	Pass	401
2500	2515	0.1	RMS	2510.088	2.35	30	Pass	401




11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.988	-42.21	-25	Pass	401
2490	2496	1	RMS	2494.965	-36.98	-13	Pass	401
2496	2499	1	RMS	2499	-38.85	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-23.62	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.48	30	Pass	401




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.37	-25	Pass	401
2490	2496	1	RMS	2494.29	-32.32	-13	Pass	401
2496	2499	1	RMS	2499	-30.62	-10	Pass	4
2499	2500	0.3	RMS	2500	-31.99	-10	Pass	401
2500	2515	0.1	RMS	2511.7	1.4	30	Pass	401




11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	21.11	30	Pass	401
2570	2571	0.3	RMS	2570	-23.8	-10	Pass	401
2571	2575	1	RMS	2571	-35.1	-10	Pass	5
2575	2585	1	RMS	2575	-38.88	-13	Pass	401
2585	2595	1	RMS	2585.125	-49.07	-25	Pass	401




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2558.9	2.32	30	Pass	401
2570	2571	0.3	RMS	2570	-30.5	-10	Pass	401
2571	2575	1	RMS	2572	-29.01	-10	Pass	5
2575	2585	1	RMS	2576.125	-29.83	-13	Pass	401
2585	2595	1	RMS	2585.15	-43.09	-25	Pass	401




11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.138	20.13	30	Pass	401
2570	2571	0.3	RMS	2570.005	-24.26	-10	Pass	401
2571	2575	1	RMS	2571	-34.85	-10	Pass	5
2575	2585	1	RMS	2575	-39.05	-13	Pass	401
2585	2595	1	RMS	2585.125	-49.15	-25	Pass	401




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2560.438	1.32	30	Pass	401
2570	2571	0.3	RMS	2570.015	-31.96	-10	Pass	401
2571	2575	1	RMS	2571	-29.32	-10	Pass	5
2575	2585	1	RMS	2576.375	-30.61	-13	Pass	401
2585	2595	1	RMS	2585	-45.36	-25	Pass	401




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.513	-40.18	-25	Pass	401
2490	2496	1	RMS	2495.205	-36.15	-13	Pass	401
2496	2499	1	RMS	2497	-41.08	-10	Pass	4
2499	2500	0.51	RMS	2500	-21.18	-10	Pass	401
2500	2520	0.1	RMS	2501.1	21.31	30	Pass	401




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-35.81	-25	Pass	401
2490	2496	1	RMS	2494.905	-33.27	-13	Pass	401
2496	2499	1	RMS	2499	-33.03	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-31.44	-10	Pass	401
2500	2520	0.1	RMS	2508.95	1.22	30	Pass	401




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.288	-41.5	-25	Pass	401
2490	2496	1	RMS	2495.28	-36.63	-13	Pass	401
2496	2499	1	RMS	2499	-40.17	-10	Pass	4
2499	2500	0.51	RMS	2500	-20.92	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.55	30	Pass	401




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.3	-25	Pass	401
2490	2496	1	RMS	2494.56	-34.3	-13	Pass	401
2496	2499	1	RMS	2499	-33.75	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-32.52	-10	Pass	401
2500	2520	0.1	RMS	2512.95	0.24	30	Pass	401




11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.94	30	Pass	401
2570	2571	0.51	RMS	2570.005	-21.65	-10	Pass	401
2571	2575	1	RMS	2571	-37.94	-10	Pass	5
2575	2590	1	RMS	2580.1	-38.83	-13	Pass	401
2590	2595	1	RMS	2590.025	-51.57	-25	Pass	401




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2556.2	1.26	30	Pass	401
2570	2571	0.51	RMS	2570	-28.24	-10	Pass	401
2571	2575	1	RMS	2571	-27.68	-10	Pass	5
2575	2590	1	RMS	2575	-31.13	-13	Pass	401
2590	2595	1	RMS	2590	-50.44	-25	Pass	401




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.25	30	Pass	401
2570	2571	0.51	RMS	2570.015	-21.97	-10	Pass	401
2571	2575	1	RMS	2571	-37.5	-10	Pass	5
2575	2590	1	RMS	2575	-38.42	-13	Pass	401
2590	2595	1	RMS	2590.025	-51.56	-25	Pass	401



11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2556.95	0.2	30	Pass	401
2570	2571	0.51	RMS	2570.018	-30.24	-10	Pass	401
2571	2575	1	RMS	2571	-29.13	-10	Pass	5
2575	2590	1	RMS	2575.113	-32.38	-13	Pass	401
2590	2595	1	RMS	2590.013	-50.21	-25	Pass	401



12. LTE_Band38


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-42.39	-25	Pass	401
2564	2565	1	RMS	2564.1	-42.2	-13	Pass	401
2565	2569	1	RMS	2569	-33.75	-10	Pass	5
2569	2570	0.1	RMS	2570	-16.07	-10	Pass	401
2570	2575	0.1	RMS	2570.338	21.54	30	Pass	401




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.905	-41.06	-25	Pass	401
2564	2565	1	RMS	2564.958	-40.17	-13	Pass	401
2565	2569	1	RMS	2569	-34.88	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-27.71	-10	Pass	401
2570	2575	0.1	RMS	2571.825	7.09	30	Pass	401




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-42.84	-25	Pass	401
2564	2565	1	RMS	2565	-44.56	-13	Pass	2
2565	2569	1	RMS	2569	-34.13	-10	Pass	5
2569	2570	0.1	RMS	2570	-16.8	-10	Pass	401
2570	2575	0.1	RMS	2570.35	20.73	30	Pass	401




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-40.74	-25	Pass	401
2564	2565	1	RMS	2564.938	-39.87	-13	Pass	401
2565	2569	1	RMS	2569	-34.67	-10	Pass	5
2569	2570	0.1	RMS	2570	-26.72	-10	Pass	401
2570	2575	0.1	RMS	2573.95	6.04	30	Pass	401




12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.638	21.1	30	Pass	401
2620	2621	0.1	RMS	2620	-17.08	-10	Pass	401
2621	2625	1	RMS	2621	-25.59	-10	Pass	5
2625	2626	1	RMS	2625.675	-41.73	-13	Pass	401
2626	2645	1	RMS	2626	-42.25	-25	Pass	401




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.263	7.05	30	Pass	401
2620	2621	0.1	RMS	2620	-26.43	-10	Pass	401
2621	2625	1	RMS	2621	-28.12	-10	Pass	5
2625	2626	1	RMS	2625.015	-38.4	-13	Pass	401
2626	2645	1	RMS	2626.285	-39.7	-25	Pass	401




12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	20.54	30	Pass	401
2620	2621	0.1	RMS	2620	-16.84	-10	Pass	401
2621	2625	1	RMS	2621	-26.15	-10	Pass	5
2625	2626	1	RMS	2625.768	-41.98	-13	Pass	401
2626	2645	1	RMS	2626.048	-42.3	-25	Pass	401




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.213	5.86	30	Pass	401
2620	2621	0.1	RMS	2620.003	-26.73	-10	Pass	401
2621	2625	1	RMS	2621	-29.61	-10	Pass	5
2625	2626	1	RMS	2625.005	-38.24	-13	Pass	401
2626	2645	1	RMS	2626.048	-39.71	-25	Pass	401




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.738	-44.17	-25	Pass	401
2560	2565	1	RMS	2561.763	-37.31	-13	Pass	401
2565	2569	1	RMS	2566	-35.71	-10	Pass	5
2569	2570	0.2	RMS	2570	-23.13	-10	Pass	401
2570	2580	0.1	RMS	2570.6	21.36	30	Pass	401




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2554.713	-40.38	-25	Pass	401
2560	2565	1	RMS	2564.813	-37.59	-13	Pass	401
2565	2569	1	RMS	2569	-36.31	-10	Pass	5
2569	2570	0.2	RMS	2570	-30.53	-10	Pass	401
2570	2580	0.1	RMS	2573.35	4.06	30	Pass	401




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.138	-44.28	-25	Pass	401
2560	2565	1	RMS	2561.713	-38	-13	Pass	401
2565	2569	1	RMS	2566	-36.53	-10	Pass	5
2569	2570	0.2	RMS	2570	-24.04	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.66	30	Pass	401




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.138	-41.63	-25	Pass	401
2560	2565	1	RMS	2564.6	-37.64	-13	Pass	401
2565	2569	1	RMS	2569	-36.82	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-32.37	-10	Pass	401
2570	2580	0.1	RMS	2573.325	3.07	30	Pass	401




12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	21.1	30	Pass	401
2620	2621	0.2	RMS	2620	-21.43	-10	Pass	401
2621	2625	1	RMS	2621	-26.24	-10	Pass	5
2625	2630	1	RMS	2625.525	-40.12	-13	Pass	401
2630	2645	1	RMS	2630.3	-45.49	-25	Pass	401




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2617.55	4.05	30	Pass	401
2620	2621	0.2	RMS	2620.003	-31.13	-10	Pass	401
2621	2625	1	RMS	2621	-30.75	-10	Pass	5
2625	2630	1	RMS	2625.3	-35.8	-13	Pass	401
2630	2645	1	RMS	2635.025	-41.11	-25	Pass	401




12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.29	30	Pass	401
2620	2621	0.2	RMS	2620.008	-23.5	-10	Pass	401
2621	2625	1	RMS	2621	-27.03	-10	Pass	5
2625	2630	1	RMS	2625.525	-40.83	-13	Pass	401
2630	2645	1	RMS	2631.013	-45.83	-25	Pass	401




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2616.6	2.86	30	Pass	401
2620	2621	0.2	RMS	2620	-32.02	-10	Pass	401
2621	2625	1	RMS	2621	-32.01	-10	Pass	5
2625	2630	1	RMS	2625.025	-36.07	-13	Pass	401
2630	2645	1	RMS	2630.113	-40.99	-25	Pass	401




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.65	-45.84	-25	Pass	401
2555	2565	1	RMS	2565	-38.93	-13	Pass	11
2565	2569	1	RMS	2569	-35.69	-10	Pass	5
2569	2570	0.3	RMS	2570	-22.58	-10	Pass	401
2570	2585	0.1	RMS	2570.863	21.18	30	Pass	401




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-41.59	-25	Pass	401
2555	2565	1	RMS	2564.75	-38.01	-13	Pass	401
2565	2569	1	RMS	2569	-33.5	-10	Pass	5
2569	2570	0.3	RMS	2570	-31.76	-10	Pass	401
2570	2585	0.1	RMS	2573.6	2.38	30	Pass	401




12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.5	-46.09	-25	Pass	401
2555	2565	1	RMS	2565	-39.27	-13	Pass	11
2565	2569	1	RMS	2569	-35.27	-10	Pass	5
2569	2570	0.3	RMS	2570	-23.45	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.44	30	Pass	401




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.725	-42.23	-25	Pass	401
2555	2565	1	RMS	2564.4	-38.83	-13	Pass	401
2565	2569	1	RMS	2569	-36.75	-10	Pass	5
2569	2570	0.3	RMS	2570	-33.64	-10	Pass	401
2570	2585	0.1	RMS	2574.988	1.43	30	Pass	401




12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	21.1	30	Pass	401
2620	2621	0.3	RMS	2620	-22.96	-10	Pass	401
2621	2625	1	RMS	2621	-29.85	-10	Pass	5
2625	2635	1	RMS	2625	-38.92	-13	Pass	11
2635	2645	1	RMS	2635.1	-46.03	-25	Pass	401




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.725	2.16	30	Pass	401
2620	2621	0.3	RMS	2620.003	-31.95	-10	Pass	401
2621	2625	1	RMS	2621	-33.8	-10	Pass	5
2625	2635	1	RMS	2629.125	-36.77	-13	Pass	401
2635	2645	1	RMS	2635.375	-41.61	-25	Pass	401




12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.08	30	Pass	401
2620	2621	0.3	RMS	2620	-24.28	-10	Pass	401
2621	2625	1	RMS	2621	-30.8	-10	Pass	5
2625	2635	1	RMS	2625	-39.53	-13	Pass	11
2635	2645	1	RMS	2636.95	-46.29	-25	Pass	401




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2617.863	1.11	30	Pass	401
2620	2621	0.3	RMS	2620.003	-33.73	-10	Pass	401
2621	2625	1	RMS	2621	-34.37	-10	Pass	5
2625	2635	1	RMS	2628.425	-36.83	-13	Pass	401
2635	2645	1	RMS	2635.35	-41.22	-25	Pass	401




12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2546.7	-45.98	-25	Pass	401
2550	2565	1	RMS	2565	-37.48	-13	Pass	16
2565	2569	1	RMS	2569	-35.12	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-20.2	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.31	30	Pass	401




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-41.87	-25	Pass	401
2550	2565	1	RMS	2564.888	-35.56	-13	Pass	401
2565	2569	1	RMS	2569	-33.06	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-30.9	-10	Pass	401
2570	2590	0.1	RMS	2578.95	1.25	30	Pass	401




12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.85	-46.95	-25	Pass	401
2550	2565	1	RMS	2565	-37.85	-13	Pass	16
2565	2569	1	RMS	2569	-34.62	-10	Pass	5
2569	2570	0.51	RMS	2570	-19.67	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.46	30	Pass	401




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.888	-42.36	-25	Pass	401
2550	2565	1	RMS	2564.7	-36.7	-13	Pass	401
2565	2569	1	RMS	2569	-35.32	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-32.61	-10	Pass	401
2570	2590	0.1	RMS	2579.2	0.34	30	Pass	401




12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.86	30	Pass	401
2620	2621	0.51	RMS	2620.003	-20.8	-10	Pass	401
2621	2625	1	RMS	2621	-30.26	-10	Pass	5
2625	2640	1	RMS	2625	-37.53	-13	Pass	16
2640	2645	1	RMS	2642.95	-46.37	-25	Pass	401




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2613	1.08	30	Pass	401
2620	2621	0.51	RMS	2620.005	-31.27	-10	Pass	401
2621	2625	1	RMS	2621	-32.49	-10	Pass	5
2625	2640	1	RMS	2625.038	-36.75	-13	Pass	401
2640	2645	1	RMS	2640.063	-42.74	-25	Pass	401




12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.98	30	Pass	401
2620	2621	0.51	RMS	2620	-21.01	-10	Pass	401
2621	2625	1	RMS	2621	-30.47	-10	Pass	5
2625	2640	1	RMS	2625	-37.92	-13	Pass	16
2640	2645	1	RMS	2643.038	-46.62	-25	Pass	401



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.9	0.11	30	Pass	401
2620	2621	0.51	RMS	2620.005	-32.19	-10	Pass	401
2621	2625	1	RMS	2621	-33	-10	Pass	5
2625	2640	1	RMS	2625.413	-36.57	-13	Pass	401
2640	2645	1	RMS	2640	-41.93	-25	Pass	401



13. LTE_Band41 full


13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.4	-25	Pass	401
2490	2495	1	RMS	2495	-36.42	-13	Pass	6
2495	2496	0.051	RMS	2496	-26.5	-13	Pass	401
2496	2501	0.1	RMS	2496.338	16.36	30	Pass	401




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-43.55	-25	Pass	401
2490	2495	1	RMS	2495	-32.58	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-36.71	-13	Pass	401
2496	2501	0.1	RMS	2499.288	1.94	30	Pass	401




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.81	-25	Pass	401
2490	2495	1	RMS	2495	-36.13	-13	Pass	6
2495	2496	0.051	RMS	2496	-27.39	-13	Pass	401
2496	2501	0.1	RMS	2496.325	15.48	30	Pass	401




13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.28	-25	Pass	401
2490	2495	1	RMS	2495	-32.97	-13	Pass	6
2495	2496	0.051	RMS	2496	-35.79	-13	Pass	401
2496	2501	0.1	RMS	2500.45	1.02	30	Pass	401




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.638	16.06	30	Pass	401
2690	2691	0.1	RMS	2690	-22.04	-10	Pass	401
2691	2695	1	RMS	2692	-32.94	-10	Pass	5
2695	2696	1	RMS	2695.723	-42.68	-13	Pass	401
2696	2715	1	RMS	2696	-43.07	-25	Pass	401




13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.263	1.77	30	Pass	401
2690	2691	0.1	RMS	2690	-30.22	-10	Pass	401
2691	2695	1	RMS	2691	-27.42	-10	Pass	5
2695	2696	1	RMS	2695.038	-43.37	-13	Pass	401
2696	2715	1	RMS	2696	-43.71	-25	Pass	401




13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	15.41	30	Pass	401
2690	2691	0.1	RMS	2690	-21.7	-10	Pass	401
2691	2695	1	RMS	2692	-33.52	-10	Pass	5
2695	2696	1	RMS	2695.693	-43.12	-13	Pass	401
2696	2715	1	RMS	2696	-43.66	-25	Pass	401




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.2	0.76	30	Pass	401
2690	2691	0.1	RMS	2690	-31.09	-10	Pass	401
2691	2695	1	RMS	2691	-29.55	-10	Pass	5
2695	2696	1	RMS	2695.013	-43.18	-13	Pass	401
2696	2715	1	RMS	2696	-44.34	-25	Pass	401




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.41	-25	Pass	401
2490	2495	1	RMS	2495	-39.13	-13	Pass	6
2495	2496	0.1	RMS	2496	-33.49	-13	Pass	11
2496	2506	0.1	RMS	2496.6	16.08	30	Pass	401




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-41.26	-25	Pass	16
2490	2495	1	RMS	2495	-36.51	-13	Pass	6
2495	2496	0.1	RMS	2495.995	-38.9	-13	Pass	401
2496	2506	0.1	RMS	2504.7	-1.14	30	Pass	401




13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.05	-25	Pass	401
2490	2495	1	RMS	2495	-39.21	-13	Pass	6
2495	2496	0.1	RMS	2496	-34.24	-13	Pass	11
2496	2506	0.1	RMS	2496.6	15.3	30	Pass	401




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.34	-25	Pass	16
2490	2495	1	RMS	2495	-37.6	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-41.08	-13	Pass	401
2496	2506	0.1	RMS	2502.55	-2.15	30	Pass	401




13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	16.04	30	Pass	401
2690	2691	0.2	RMS	2690.003	-28.38	-10	Pass	401
2691	2695	1	RMS	2694	-32.95	-10	Pass	5
2695	2700	1	RMS	2695.488	-40.72	-13	Pass	401
2700	2715	1	RMS	2700.75	-46.07	-25	Pass	401




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.8	-1.02	30	Pass	401
2690	2691	0.2	RMS	2690.003	-33.43	-10	Pass	401
2691	2695	1	RMS	2691	-31.02	-10	Pass	5
2695	2700	1	RMS	2695.025	-34.14	-13	Pass	401
2700	2715	1	RMS	2700.6	-45.12	-25	Pass	401




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	15.14	30	Pass	401
2690	2691	0.2	RMS	2690	-30.11	-10	Pass	401
2691	2695	1	RMS	2694	-34.42	-10	Pass	5
2695	2700	1	RMS	2695.388	-41.58	-13	Pass	401
2700	2715	1	RMS	2701.163	-46.24	-25	Pass	401




13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.25	-1.97	30	Pass	401
2690	2691	0.2	RMS	2690.003	-35.02	-10	Pass	401
2691	2695	1	RMS	2691	-32.22	-10	Pass	5
2695	2700	1	RMS	2695.038	-35.72	-13	Pass	401
2700	2715	1	RMS	2700.113	-44.89	-25	Pass	401




13.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.69	-25	Pass	401
2490	2495	1	RMS	2495	-40.15	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-33.9	-13	Pass	401
2496	2511	0.1	RMS	2496.863	15.92	30	Pass	401




13.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.86	-25	Pass	16
2490	2495	1	RMS	2494	-37.89	-13	Pass	6
2495	2496	0.15	RMS	2496	-39.77	-13	Pass	401
2496	2511	0.1	RMS	2509.8	-2.8	30	Pass	401




13.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.31	-25	Pass	401
2490	2495	1	RMS	2495	-40.19	-13	Pass	6
2495	2496	0.15	RMS	2496	-34.66	-13	Pass	401
2496	2511	0.1	RMS	2496.825	15.16	30	Pass	401




13.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.31	-25	Pass	16
2490	2495	1	RMS	2494	-39.32	-13	Pass	6
2495	2496	0.15	RMS	2496	-42.2	-13	Pass	401
2496	2511	0.1	RMS	2509.275	-3.61	30	Pass	401



13.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	16.19	30	Pass	401
2690	2691	0.3	RMS	2690	-29.29	-10	Pass	401
2691	2695	1	RMS	2695	-39.47	-10	Pass	5
2695	2705	1	RMS	2695.825	-31.93	-13	Pass	401
2705	2715	1	RMS	2705.075	-46.97	-25	Pass	401




13.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.15	-2.9	30	Pass	401
2690	2691	0.3	RMS	2690	-33.81	-10	Pass	401
2691	2695	1	RMS	2691	-32.14	-10	Pass	5
2695	2705	1	RMS	2695.75	-36.02	-13	Pass	401
2705	2715	1	RMS	2705.275	-44.9	-25	Pass	401



13.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	15.05	30	Pass	401
2690	2691	0.3	RMS	2690	-30.35	-10	Pass	401
2691	2695	1	RMS	2695	-40.4	-10	Pass	5
2695	2705	1	RMS	2695.775	-33.23	-13	Pass	401
2705	2715	1	RMS	2705.05	-47.1	-25	Pass	401




13.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.4	-3.72	30	Pass	401
2690	2691	0.3	RMS	2690	-35.75	-10	Pass	401
2691	2695	1	RMS	2691	-33.78	-10	Pass	5
2695	2705	1	RMS	2695	-36.75	-13	Pass	401
2705	2715	1	RMS	2705	-45.04	-25	Pass	401




13.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.68	-25	Pass	401
2490	2495	1	RMS	2495	-40.21	-13	Pass	6
2495	2496	0.2	RMS	2496	-34.88	-13	Pass	401
2496	2516	0.1	RMS	2497.1	16.17	30	Pass	401




13.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.61	-25	Pass	16
2490	2495	1	RMS	2494	-36.4	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-39.57	-13	Pass	401
2496	2516	0.1	RMS	2504.95	-3.78	30	Pass	401




13.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-45	-25	Pass	401
2490	2495	1	RMS	2495	-40.42	-13	Pass	6
2495	2496	0.2	RMS	2496	-34.23	-13	Pass	401
2496	2516	0.1	RMS	2497.1	15.21	30	Pass	401




13.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.08	-25	Pass	16
2490	2495	1	RMS	2494	-40.32	-13	Pass	6
2495	2496	0.2	RMS	2495.975	-43.32	-13	Pass	401
2496	2516	0.1	RMS	2505.25	-4.74	30	Pass	401




13.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	15.85	30	Pass	401
2690	2691	0.51	RMS	2690	-27.12	-10	Pass	401
2691	2695	1	RMS	2695	-39.5	-10	Pass	5
2695	2710	1	RMS	2697.738	-33.49	-13	Pass	401
2710	2715	1	RMS	2713.513	-47.16	-25	Pass	401




13.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.25	-3.92	30	Pass	401
2690	2691	0.51	RMS	2690.015	-32.97	-10	Pass	401
2691	2695	1	RMS	2691	-33.74	-10	Pass	5
2695	2710	1	RMS	2695.038	-37.42	-13	Pass	401
2710	2715	1	RMS	2710.063	-45.57	-25	Pass	401




13.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	14.84	30	Pass	401
2690	2691	0.51	RMS	2690	-27.16	-10	Pass	401
2691	2695	1	RMS	2695	-40.66	-10	Pass	5
2695	2710	1	RMS	2697.85	-34.18	-13	Pass	401
2710	2715	1	RMS	2714.975	-47.2	-25	Pass	401



13.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2678.25	-4.91	30	Pass	401
2690	2691	0.51	RMS	2690.003	-35.18	-10	Pass	401
2691	2695	1	RMS	2691	-35.8	-10	Pass	5
2695	2710	1	RMS	2695.113	-39.19	-13	Pass	401
2710	2715	1	RMS	2710.125	-45.21	-25	Pass	401



14. CA_7C


14.1. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.125	-49.63	-25	Pass	401
2490	2496	1	RMS	2495.91	-49.69	-13	Pass	401
2496	2499	1	RMS	2499	-45.72	-10	Pass	401
2499	2500	1	RMS	2500	-26.7	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.69	30	Pass	401




14.2. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.475	-50.88	-25	Pass	401
2490	2496	1	RMS	2495.895	-50.13	-13	Pass	401
2496	2499	1	RMS	2499	-45.53	-10	Pass	401
2499	2500	1	RMS	2500	-26.65	-10	Pass	2
2500	2530	0.1	RMS	2528.8	11.14	30	Pass	401




14.3. CA Band Edge(NTNV)(Subtest:3, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-34.07	-25	Pass	401
2490	2496	1	RMS	2495.955	-28.54	-13	Pass	401
2496	2499	1	RMS	2498.948	-26.52	-10	Pass	401
2499	2500	1	RMS	2500	-26.27	-10	Pass	2
2500	2530	0.1	RMS	2521.975	0.6	30	Pass	401




14.4. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.238	-49.56	-25	Pass	401
2490	2496	1	RMS	2495.79	-49.71	-13	Pass	401
2496	2499	1	RMS	2498.535	-45.13	-10	Pass	401
2499	2500	1	RMS	2500	-26.26	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.74	30	Pass	401




14.5. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.88	-25	Pass	401
2490	2496	1	RMS	2495.955	-50.12	-13	Pass	401
2496	2499	1	RMS	2498.805	-44.6	-10	Pass	401
2499	2500	1	RMS	2500	-26.25	-10	Pass	2
2500	2530	0.1	RMS	2528.8	11.12	30	Pass	401




14.6. CA Band Edge(NTNV)(Subtest:6, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-36.49	-25	Pass	401
2490	2496	1	RMS	2495.955	-30.26	-13	Pass	401
2496	2499	1	RMS	2498.978	-28.35	-10	Pass	401
2499	2500	1	RMS	2500	-27.86	-10	Pass	2
2500	2530	0.1	RMS	2520.1	-0.38	30	Pass	401




14.7. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	10.92	30	Pass	401
2570	2571	1	RMS	2570	-42.89	-10	Pass	2
2571	2575	1	RMS	2571.05	-48.44	-10	Pass	401
2575	2600	1	RMS	2596.563	-47.31	-13	Pass	401
2600	2615	1	RMS	2608.4	-50.81	-25	Pass	401




14.8. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	10.42	30	Pass	401
2570	2571	1	RMS	2570	-42.89	-10	Pass	2
2571	2575	1	RMS	2571	-48.34	-10	Pass	401
2575	2600	1	RMS	2578.75	-31.57	-13	Pass	401
2600	2615	1	RMS	2600.15	-50.79	-25	Pass	401




14.9. CA Band Edge(NTNV)(Subtest:9, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2560.1	1.13	30	Pass	401
2570	2571	1	RMS	2571	-27.74	-10	Pass	2
2571	2575	1	RMS	2571.52	-27.6	-10	Pass	401
2575	2600	1	RMS	2576.313	-29.15	-13	Pass	401
2600	2615	1	RMS	2600	-50.52	-25	Pass	401




14.10. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	10.77	30	Pass	401
2570	2571	1	RMS	2570	-42.81	-10	Pass	2
2571	2575	1	RMS	2573.2	-46.42	-10	Pass	401
2575	2600	1	RMS	2596.563	-47.88	-13	Pass	401
2600	2615	1	RMS	2600.113	-50.8	-25	Pass	401




14.11. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	10.4	30	Pass	401
2570	2571	1	RMS	2570	-42.77	-10	Pass	2
2571	2575	1	RMS	2571	-48.1	-10	Pass	401
2575	2600	1	RMS	2578.813	-32.53	-13	Pass	401
2600	2615	1	RMS	2604.65	-50.81	-25	Pass	401




14.12. CA Band Edge(NTNV)(Subtest:12, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2560.25	0.34	30	Pass	401
2570	2571	1	RMS	2570	-30.69	-10	Pass	2
2571	2575	1	RMS	2571	-30.62	-10	Pass	401
2575	2600	1	RMS	2576.313	-32.76	-13	Pass	401
2600	2615	1	RMS	2600.15	-50.67	-25	Pass	401




14.13. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.263	-50.28	-25	Pass	401
2490	2496	1	RMS	2494.755	-49.13	-13	Pass	401
2496	2499	1	RMS	2498.775	-39.82	-10	Pass	401
2499	2500	1	RMS	2500	-24.97	-10	Pass	2
2500	2540	0.1	RMS	2501.1	12.3	30	Pass	401




14.14. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-50.91	-25	Pass	401
2490	2496	1	RMS	2494.71	-49.44	-13	Pass	401
2496	2499	1	RMS	2499	-45.45	-10	Pass	401
2499	2500	1	RMS	2500	-26.32	-10	Pass	2
2500	2540	0.1	RMS	2501.1	11.09	30	Pass	401




14.15. CA Band Edge(NTNV)(Subtest:15, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-30.81	-25	Pass	401
2490	2496	1	RMS	2495.835	-25.26	-13	Pass	401
2496	2499	1	RMS	2498.618	-23.78	-10	Pass	401
2499	2500	1	RMS	2500	-23.68	-10	Pass	2
2500	2540	0.1	RMS	2518.4	-1.62	30	Pass	401




14.16. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.338	-50.24	-25	Pass	401
2490	2496	1	RMS	2494.815	-49.01	-13	Pass	401
2496	2499	1	RMS	2499	-44.34	-10	Pass	401
2499	2500	1	RMS	2500	-24.46	-10	Pass	2
2500	2540	0.1	RMS	2501.1	12.48	30	Pass	401




14.17. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.063	-50.9	-25	Pass	401
2490	2496	1	RMS	2494.71	-49.84	-13	Pass	401
2496	2499	1	RMS	2499	-45.31	-10	Pass	401
2499	2500	1	RMS	2500	-25.81	-10	Pass	2
2500	2540	0.1	RMS	2501.1	11.07	30	Pass	401




14.18. CA Band Edge(NTNV)(Subtest:18, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-33.5	-25	Pass	401
2490	2496	1	RMS	2495.76	-27.22	-13	Pass	401
2496	2499	1	RMS	2499	-26.14	-10	Pass	401
2499	2500	1	RMS	2500	-25.98	-10	Pass	2
2500	2540	0.1	RMS	2518.6	-2.67	30	Pass	401




14.19. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	10.95	30	Pass	401
2570	2571	1	RMS	2570	-26.84	-10	Pass	2
2571	2575	1	RMS	2571	-46.11	-10	Pass	401
2575	2610	1	RMS	2575.175	-50.41	-13	Pass	401
2610	2615	1	RMS	2614.25	-50.83	-25	Pass	401




14.20. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	10.52	30	Pass	401
2570	2571	1	RMS	2570	-27.04	-10	Pass	2
2571	2575	1	RMS	2571.34	-43.1	-10	Pass	401
2575	2610	1	RMS	2588.65	-36.55	-13	Pass	401
2610	2615	1	RMS	2612.4	-50.81	-25	Pass	401




14.21. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2551.2	-1.05	30	Pass	401
2570	2571	1	RMS	2570	-29.34	-10	Pass	2
2571	2575	1	RMS	2571.08	-31.38	-10	Pass	401
2575	2610	1	RMS	2575.088	-32.54	-13	Pass	401
2610	2615	1	RMS	2612.325	-50.79	-25	Pass	401




14.22. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	10.83	30	Pass	401
2570	2571	1	RMS	2570	-26.97	-10	Pass	2
2571	2575	1	RMS	2571	-46.18	-10	Pass	401
2575	2610	1	RMS	2575.35	-49.96	-13	Pass	401
2610	2615	1	RMS	2611.788	-50.78	-25	Pass	401




14.23. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	10.4	30	Pass	401
2570	2571	1	RMS	2570	-27.06	-10	Pass	2
2571	2575	1	RMS	2571	-46.28	-10	Pass	401
2575	2610	1	RMS	2588.65	-37.66	-13	Pass	401
2610	2615	1	RMS	2612.625	-50.81	-25	Pass	401



14.24. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2551.5	-2.14	30	Pass	401
2570	2571	1	RMS	2570	-29.91	-10	Pass	2
2571	2575	1	RMS	2571.03	-30.55	-10	Pass	401
2575	2610	1	RMS	2576.575	-32.25	-13	Pass	401
2610	2615	1	RMS	2614.025	-50.81	-25	Pass	401



15. n41 30kHz


15.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-42.49	-25	Pass	401
2490	2495	1	RMS	2495	-27.43	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26.19	-13	Pass	401
2496	2596	1	RMS	2497	21.7	30	Pass	401




15.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-36.91	-25	Pass	401
2490	2495	1	RMS	2493.1	-32.85	-13	Pass	401
2495	2496	0.4	RMS	2495	-30.54	-13	Pass	4
2496	2596	1	RMS	2509.75	13.18	30	Pass	401




15.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-41.51	-25	Pass	401
2490	2495	1	RMS	2495	-27.39	-13	Pass	401
2495	2496	0.051	RMS	2495.993	-25.63	-13	Pass	401
2496	2596	1	RMS	2497	21.72	30	Pass	401




15.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2485.05	-37.83	-25	Pass	401
2490	2495	1	RMS	2494.788	-31.98	-13	Pass	401
2495	2496	0.4	RMS	2496	-32.3	-13	Pass	4
2496	2596	1	RMS	2512.25	12.76	30	Pass	401




15.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.29	30	Pass	401
2690	2691	0.1	RMS	2690	-24.98	-13	Pass	401
2691	2695	1	RMS	2691	-29.63	-13	Pass	401
2695	2710	1	RMS	2697.963	-42.8	-13	Pass	401
2710	2795	1	RMS	2710.425	-49.8	-25	Pass	401




15.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2682.5	12.61	30	Pass	401
2690	2691	0.4	RMS	2690.667	-37.77	-13	Pass	4
2691	2695	1	RMS	2691.14	-30.52	-13	Pass	401
2695	2710	1	RMS	2704.788	-34.93	-13	Pass	401
2710	2715	1	RMS	2711.475	-36.19	-25	Pass	401
2715	2795	1	RMS	2715.2	-38.31	-25	Pass	401




15.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.25	30	Pass	401
2690	2691	0.1	RMS	2690.005	-23.17	-13	Pass	401
2691	2695	1	RMS	2691.01	-27.53	-13	Pass	401
2695	2710	1	RMS	2695.263	-38.46	-13	Pass	401
2710	2795	1	RMS	2710	-49.4	-25	Pass	401




15.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680.75	12.07	30	Pass	401
2690	2691	0.4	RMS	2690.667	-37.03	-13	Pass	4
2691	2695	1	RMS	2691.15	-30.99	-13	Pass	401
2695	2710	1	RMS	2695.413	-35.59	-13	Pass	401
2710	2715	1	RMS	2714.5	-37.9	-25	Pass	401
2715	2795	1	RMS	2715.2	-38.95	-25	Pass	401




15.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2484.555	-44.76	-25	Pass	401
2490	2495	1	RMS	2495	-27.8	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26.54	-13	Pass	401
2496	2596	1	RMS	2497	21.77	30	Pass	401




15.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-35.54	-25	Pass	401
2490	2495	1	RMS	2491.513	-34.16	-13	Pass	401
2495	2496	1.2	RMS	2496	-26.33	-13	Pass	2
2496	2596	1	RMS	2522.75	8.38	30	Pass	401




15.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45	-25	Pass	401
2490	2495	1	RMS	2494.988	-27.53	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-25.56	-13	Pass	401
2496	2596	1	RMS	2497	21.71	30	Pass	401




15.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2486.535	-34.86	-25	Pass	401
2490	2495	1	RMS	2494.3	-33.6	-13	Pass	401
2495	2496	1.2	RMS	2496	-26.61	-13	Pass	2
2496	2596	1	RMS	2523.25	7.74	30	Pass	401




15.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.29	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.52	-13	Pass	401
2691	2695	1	RMS	2691.01	-31.07	-13	Pass	401
2695	2750	1	RMS	2696.65	-39.88	-13	Pass	401
2750	2795	1	RMS	2775.875	-49.91	-25	Pass	401




15.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2645.25	7.99	30	Pass	401
2690	2691	1.2	RMS	2690	-25.32	-13	Pass	2
2691	2695	1	RMS	2694.37	-32.6	-13	Pass	401
2695	2750	1	RMS	2699.675	-30.85	-13	Pass	401
2750	2755	1	RMS	2751.175	-50.27	-25	Pass	401
2755	2795	1	RMS	2782	-50.14	-25	Pass	401



15.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.22	30	Pass	401
2690	2691	0.1	RMS	2690.015	-23.68	-13	Pass	401
2691	2695	1	RMS	2691.03	-28.52	-13	Pass	401
2695	2750	1	RMS	2696.65	-39.64	-13	Pass	401
2750	2795	1	RMS	2783.638	-49.83	-25	Pass	401




15.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2642.25	7.64	30	Pass	401
2690	2691	1.2	RMS	2690	-25.21	-13	Pass	2
2691	2695	1	RMS	2693.73	-31.01	-13	Pass	401
2695	2750	1	RMS	2695.275	-33.83	-13	Pass	401
2750	2755	1	RMS	2750.838	-50.09	-25	Pass	401
2755	2795	1	RMS	2774.6	-50.06	-25	Pass	401




15.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-45.78	-25	Pass	401
2490	2495	1	RMS	2495	-28.93	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-27.47	-13	Pass	401
2496	2596	1	RMS	2497	21.53	30	Pass	401




15.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-31.77	-25	Pass	401
2490	2495	1	RMS	2490.95	-29.1	-13	Pass	401
2495	2496	1	RMS	2495	-26.64	-13	Pass	2
2496	2596	1	RMS	2544	5.87	30	Pass	401




15.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.03	-45.17	-25	Pass	401
2490	2495	1	RMS	2494.988	-26.97	-13	Pass	401
2495	2496	0.051	RMS	2495.99	-26.08	-13	Pass	401
2496	2596	1	RMS	2497	21.46	30	Pass	401




15.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.15	-25	Pass	401
2490	2495	1	RMS	2493.413	-33.29	-13	Pass	401
2495	2496	1	RMS	2496	-31.47	-13	Pass	2
2496	2596	1	RMS	2534.25	4.99	30	Pass	401




15.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.87	30	Pass	401
2690	2691	0.1	RMS	2690	-27.15	-13	Pass	401
2691	2695	1	RMS	2691.01	-31.09	-13	Pass	401
2695	2790	1	RMS	2695.95	-44.31	-13	Pass	401
2790	2795	1	RMS	2791.063	-49.95	-25	Pass	401




15.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2624.25	6.46	30	Pass	401
2690	2691	2	RMS	2690	-28.19	-13	Pass	2
2691	2695	1	RMS	2691.34	-28.99	-13	Pass	401
2695	2790	1	RMS	2714.95	-30.74	-13	Pass	401
2790	2795	1	RMS	2794.363	-50.11	-25	Pass	401




15.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.92	30	Pass	401
2690	2691	0.1	RMS	2690.008	-24.23	-13	Pass	401
2691	2695	1	RMS	2691.01	-28.3	-13	Pass	401
2695	2790	1	RMS	2695.475	-43.27	-13	Pass	401
2790	2795	1	RMS	2794.313	-49.9	-25	Pass	401



15.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2625.75	5.35	30	Pass	401
2690	2691	2	RMS	2690	-31.18	-13	Pass	2
2691	2695	1	RMS	2694.8	-33.42	-13	Pass	401
2695	2790	1	RMS	2696.663	-33.41	-13	Pass	401
2790	2795	1	RMS	2793.113	-50.08	-25	Pass	401



16. n77 30kHz(3450-3550)


16.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.25	-43.86	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-37.14	-13	Pass	401
3449	3450	0.2	RMS	3449.993	-20.94	-13	Pass	401
3450	3550	1	RMS	3451	20.23	30	Pass	401




16.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.5	-36.84	-13	Pass	401
3445	3449	0.62	RMS	3448.39	-34	-13	Pass	401
3449	3450	0.2	RMS	3450	-33.41	-13	Pass	401
3450	3550	1	RMS	3463.75	10.66	30	Pass	401




16.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.25	-44.22	-13	Pass	401
3445	3449	0.62	RMS	3449	-36.47	-13	Pass	401
3449	3450	0.2	RMS	3449.993	-20.38	-13	Pass	401
3450	3550	1	RMS	3451	20.23	30	Pass	401




16.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-33.04	-13	Pass	401
3445	3449	0.62	RMS	3448.95	-30.59	-13	Pass	401
3449	3450	0.2	RMS	3449.975	-31.95	-13	Pass	401
3450	3550	1	RMS	3460.75	10.16	30	Pass	401




16.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.91	30	Pass	401
3550	3551	0.2	RMS	3550.003	-22.63	-13	Pass	401
3551	3555	0.62	RMS	3551	-39.15	-13	Pass	401
3555	3655	1	RMS	3555	-44.14	-13	Pass	401




16.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3544	11.02	30	Pass	401
3550	3551	0.2	RMS	3550.3	-38.55	-13	Pass	401
3551	3555	0.62	RMS	3551.26	-35.62	-13	Pass	401
3555	3655	1	RMS	3557	-35.66	-13	Pass	401




16.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.83	30	Pass	401
3550	3551	0.2	RMS	3550.005	-21.92	-13	Pass	401
3551	3555	0.62	RMS	3551.02	-37.71	-13	Pass	401
3555	3655	1	RMS	3555.5	-43.45	-13	Pass	401




16.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3542.75	10.39	30	Pass	401
3550	3551	0.2	RMS	3550.583	-33.4	-13	Pass	401
3551	3555	0.62	RMS	3551.06	-30.33	-13	Pass	401
3555	3655	1	RMS	3555	-33.06	-13	Pass	401




16.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3427.5	-43.26	-13	Pass	401
3445	3449	0.62	RMS	3447.83	-40.4	-13	Pass	401
3449	3450	0.2	RMS	3450	-29.17	-13	Pass	401
3450	3550	1	RMS	3451.25	19.4	30	Pass	401




16.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-34.92	-13	Pass	401
3445	3449	0.62	RMS	3445.4	-35.38	-13	Pass	401
3449	3450	0.2	RMS	3449.698	-41.81	-13	Pass	401
3450	3550	1	RMS	3472.5	6.41	30	Pass	401



16.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.25	-44.95	-13	Pass	401
3445	3449	0.62	RMS	3448.97	-37.98	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-29.26	-13	Pass	401
3450	3550	1	RMS	3451.25	19.37	30	Pass	401




16.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-35.5	-13	Pass	401
3445	3449	0.62	RMS	3448.34	-34.62	-13	Pass	401
3449	3450	0.2	RMS	3449.713	-38.11	-13	Pass	401
3450	3550	1	RMS	3472.5	5.67	30	Pass	401




16.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.75	19.17	30	Pass	401
3550	3551	0.2	RMS	3550	-30.76	-13	Pass	401
3551	3555	0.62	RMS	3551.01	-40.08	-13	Pass	401
3555	3655	1	RMS	3555	-42.9	-13	Pass	401




16.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3530.25	6.2	30	Pass	401
3550	3551	0.2	RMS	3550.733	-39.26	-13	Pass	401
3551	3555	0.62	RMS	3554.92	-33.9	-13	Pass	401
3555	3655	1	RMS	3555.25	-32.41	-13	Pass	401




16.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.75	19.14	30	Pass	401
3550	3551	0.2	RMS	3550.005	-30.43	-13	Pass	401
3551	3555	0.62	RMS	3551.04	-38.82	-13	Pass	401
3555	3655	1	RMS	3555	-43.71	-13	Pass	401




16.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3535.75	5.65	30	Pass	401
3550	3551	0.2	RMS	3550.068	-38.83	-13	Pass	401
3551	3555	0.62	RMS	3551.2	-34.88	-13	Pass	401
3555	3655	1	RMS	3555	-34.47	-13	Pass	401




16.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-45.63	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-37.25	-13	Pass	401
3449	3450	0.2	RMS	3449.993	-25.23	-13	Pass	401
3450	3550	1	RMS	3451	19.02	30	Pass	401




16.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-36.63	-13	Pass	401
3445	3449	0.62	RMS	3445.76	-36.9	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-41.25	-13	Pass	401
3450	3550	1	RMS	3481.5	3.08	30	Pass	401




16.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.75	-45.79	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-37.32	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-25.75	-13	Pass	401
3450	3550	1	RMS	3451	19.09	30	Pass	401




16.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3355	-37.17	-13	Pass	401
3445	3449	0.62	RMS	3445.04	-38.36	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-41.32	-13	Pass	401
3450	3550	1	RMS	3485.25	2.59	30	Pass	401



16.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.6	30	Pass	401
3550	3551	0.2	RMS	3550	-22.78	-13	Pass	401
3551	3555	0.62	RMS	3551	-36.28	-13	Pass	401
3555	3655	1	RMS	3598.25	-44.72	-13	Pass	401




16.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3489.75	3.1	30	Pass	401
3550	3551	0.2	RMS	3550.385	-41.68	-13	Pass	401
3551	3555	0.62	RMS	3554.48	-35.68	-13	Pass	401
3555	3655	1	RMS	3555	-34.56	-13	Pass	401




16.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.63	30	Pass	401
3550	3551	0.2	RMS	3550	-22.29	-13	Pass	401
3551	3555	0.62	RMS	3551	-35.46	-13	Pass	401
3555	3655	1	RMS	3598	-44.57	-13	Pass	401



16.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3491	2.32	30	Pass	401
3550	3551	0.2	RMS	3550.14	-43.47	-13	Pass	401
3551	3555	0.62	RMS	3554.64	-37.91	-13	Pass	401
3555	3655	1	RMS	3644	-35.73	-13	Pass	401



17. n77 30kHz(3700-3980)


17.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692.25	-42.03	-13	Pass	401
3695	3699	0.62	RMS	3699	-36.33	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-17.07	-13	Pass	401
3700	3800	1	RMS	3701	19.72	30	Pass	401




17.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694	-33.85	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-32.23	-13	Pass	401
3699	3700	0.39	RMS	3699.818	-26.8	-13	Pass	401
3700	3800	1	RMS	3710.75	10.58	30	Pass	401




17.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692	-42.46	-13	Pass	401
3695	3699	0.62	RMS	3699	-37.36	-13	Pass	401
3699	3700	0.39	RMS	3700	-18.06	-13	Pass	401
3700	3800	1	RMS	3701	19.76	30	Pass	401




17.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-32.28	-13	Pass	401
3695	3699	0.62	RMS	3698.91	-29.49	-13	Pass	401
3699	3700	0.39	RMS	3699.98	-27.36	-13	Pass	401
3700	3800	1	RMS	3708.5	9.97	30	Pass	401




17.5. Band Edge for SA(NTNV)(Subtest:5, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	19.64	30	Pass	401
3980	3981	0.39	RMS	3980	-17.76	-13	Pass	401
3981	3985	0.62	RMS	3981	-36.01	-13	Pass	401
3985	4085	1	RMS	3988	-43.1	-13	Pass	401




17.6. Band Edge for SA(NTNV)(Subtest:6, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3971.25	9.68	30	Pass	401
3980	3981	0.39	RMS	3980.448	-32.07	-13	Pass	401
3981	3985	0.62	RMS	3981.03	-33.42	-13	Pass	401
3985	4085	1	RMS	3988	-32.18	-13	Pass	401




17.7. Band Edge for SA(NTNV)(Subtest:7, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	19.7	30	Pass	401
3980	3981	0.39	RMS	3980.008	-17.07	-13	Pass	401
3981	3985	0.62	RMS	3981	-38.4	-13	Pass	401
3985	4085	1	RMS	3988	-42.26	-13	Pass	401




17.8. Band Edge for SA(NTNV)(Subtest:8, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3968.5	9.23	30	Pass	401
3980	3981	0.39	RMS	3980.455	-29.45	-13	Pass	401
3981	3985	0.62	RMS	3981.12	-29.24	-13	Pass	401
3985	4085	1	RMS	3985	-30.69	-13	Pass	401



17.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.25	-38.39	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-40	-13	Pass	401
3699	3700	0.39	RMS	3700	-25.29	-13	Pass	401
3700	3800	1	RMS	3701.25	18.7	30	Pass	401




17.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-37.3	-13	Pass	401
3695	3699	0.62	RMS	3697.41	-37.66	-13	Pass	401
3699	3700	0.39	RMS	3699.995	-37.62	-13	Pass	401
3700	3800	1	RMS	3717.25	5.71	30	Pass	401




17.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.25	-40.79	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-39.9	-13	Pass	401
3699	3700	0.39	RMS	3700	-24.82	-13	Pass	401
3700	3800	1	RMS	3701.25	18.64	30	Pass	401




17.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-35.89	-13	Pass	401
3695	3699	0.62	RMS	3698.99	-34.2	-13	Pass	401
3699	3700	0.39	RMS	3699.993	-35.42	-13	Pass	401
3700	3800	1	RMS	3719.5	5.02	30	Pass	401




17.13. Band Edge for SA(NTNV)(Subtest:5, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.75	19.77	30	Pass	401
3980	3981	0.39	RMS	3980.003	-27.39	-13	Pass	401
3981	3985	0.62	RMS	3982.14	-41.18	-13	Pass	401
3985	4085	1	RMS	4002.5	-43.48	-13	Pass	401




17.14. Band Edge for SA(NTNV)(Subtest:6, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3947.25	5.12	30	Pass	401
3980	3981	0.39	RMS	3980.19	-37.12	-13	Pass	401
3981	3985	0.62	RMS	3984.69	-35.08	-13	Pass	401
3985	4085	1	RMS	3985	-33.13	-13	Pass	401




17.15. Band Edge for SA(NTNV)(Subtest:7, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.75	19.75	30	Pass	401
3980	3981	0.39	RMS	3980.005	-24.78	-13	Pass	401
3981	3985	0.62	RMS	3981.02	-40.23	-13	Pass	401
3985	4085	1	RMS	4002.5	-43.44	-13	Pass	401




17.16. Band Edge for SA(NTNV)(Subtest:8, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3940	4.53	30	Pass	401
3980	3981	0.39	RMS	3980.16	-35.77	-13	Pass	401
3981	3985	0.62	RMS	3981.29	-35.09	-13	Pass	401
3985	4085	1	RMS	3985	-35.12	-13	Pass	401




17.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-39	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-38.67	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-22.64	-13	Pass	401
3700	3800	1	RMS	3701.25	18.21	30	Pass	401




17.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3683.25	-36.95	-13	Pass	401
3695	3699	0.62	RMS	3696.33	-37.67	-13	Pass	401
3699	3700	0.39	RMS	3700	-39.07	-13	Pass	401
3700	3800	1	RMS	3747	2.52	30	Pass	401



17.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-41.4	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-39.25	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-22.82	-13	Pass	401
3700	3800	1	RMS	3701.25	18.2	30	Pass	401




17.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.75	-36.12	-13	Pass	401
3695	3699	0.62	RMS	3698.97	-37.65	-13	Pass	401
3699	3700	0.39	RMS	3699.975	-38.66	-13	Pass	401
3700	3800	1	RMS	3726.25	1.89	30	Pass	401




17.21. Band Edge for SA(NTNV)(Subtest:5, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.9	30	Pass	401
3980	3981	0.39	RMS	3980	-16.43	-13	Pass	401
3981	3985	0.62	RMS	3981	-37.13	-13	Pass	401
3985	4085	1	RMS	4076.75	-42	-13	Pass	401




17.22. Band Edge for SA(NTNV)(Subtest:6, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3931.25	2.9	30	Pass	401
3980	3981	0.39	RMS	3980.035	-39.38	-13	Pass	401
3981	3985	0.62	RMS	3984.64	-36.69	-13	Pass	401
3985	4085	1	RMS	3985.5	-35.63	-13	Pass	401




17.23. Band Edge for SA(NTNV)(Subtest:7, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.88	30	Pass	401
3980	3981	0.39	RMS	3980.003	-16.55	-13	Pass	401
3981	3985	0.62	RMS	3981.02	-37.93	-13	Pass	401
3985	4085	1	RMS	4077	-41.9	-13	Pass	401



17.24. Band Edge for SA(NTNV)(Subtest:8, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3931	2.15	30	Pass	401
3980	3981	0.39	RMS	3980.248	-39.38	-13	Pass	401
3981	3985	0.62	RMS	3984.32	-37.22	-13	Pass	401
3985	4085	1	RMS	4074.75	-34.73	-13	Pass	401



18. n78 30kHz(3450-3550)


18.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.25	-43.82	-13	Pass	401
3445	3449	0.62	RMS	3448.99	-37.23	-13	Pass	401
3449	3450	0.2	RMS	3449.993	-20.71	-13	Pass	401
3450	3550	1	RMS	3451	20.38	30	Pass	401




18.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-36.11	-13	Pass	401
3445	3449	0.62	RMS	3448.64	-34.28	-13	Pass	401
3449	3450	0.2	RMS	3449.99	-33.11	-13	Pass	401
3450	3550	1	RMS	3464	11.37	30	Pass	401




18.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442	-43.12	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-36.3	-13	Pass	401
3449	3450	0.2	RMS	3450	-20.66	-13	Pass	401
3450	3550	1	RMS	3451	20.39	30	Pass	401




18.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-35.69	-13	Pass	401
3445	3449	0.62	RMS	3448.76	-35.46	-13	Pass	401
3449	3450	0.2	RMS	3449.988	-33.7	-13	Pass	401
3450	3550	1	RMS	3464.75	11.01	30	Pass	401




18.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.79	30	Pass	401
3550	3551	0.2	RMS	3550	-22.66	-13	Pass	401
3551	3555	0.62	RMS	3551.01	-39.42	-13	Pass	401
3555	3655	1	RMS	3555	-43.53	-13	Pass	401




18.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3540.5	11.02	30	Pass	401
3550	3551	0.2	RMS	3550.435	-40.3	-13	Pass	401
3551	3555	0.62	RMS	3552.03	-37.2	-13	Pass	401
3555	3655	1	RMS	3558	-36.9	-13	Pass	401




18.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.76	30	Pass	401
3550	3551	0.2	RMS	3550.003	-21.29	-13	Pass	401
3551	3555	0.62	RMS	3551.01	-37.99	-13	Pass	401
3555	3655	1	RMS	3558	-44.03	-13	Pass	401




18.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3540.25	10.43	30	Pass	401
3550	3551	0.2	RMS	3550.958	-40.11	-13	Pass	401
3551	3555	0.62	RMS	3552.57	-35.4	-13	Pass	401
3555	3655	1	RMS	3561.5	-36.77	-13	Pass	401




18.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3427.75	-45.09	-13	Pass	401
3445	3449	0.62	RMS	3447.88	-40.87	-13	Pass	401
3449	3450	0.2	RMS	3450	-33.22	-13	Pass	401
3450	3550	1	RMS	3451.25	19.44	30	Pass	401




18.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3427	-37.4	-13	Pass	401
3445	3449	0.62	RMS	3449	-39.53	-13	Pass	401
3449	3450	0.2	RMS	3449.983	-43.93	-13	Pass	401
3450	3550	1	RMS	3472.75	6.78	30	Pass	401



18.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3427.75	-43.64	-13	Pass	401
3445	3449	0.62	RMS	3448.95	-40.27	-13	Pass	401
3449	3450	0.2	RMS	3450	-33.19	-13	Pass	401
3450	3550	1	RMS	3451.25	19.4	30	Pass	401




18.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443	-37.27	-13	Pass	401
3445	3449	0.62	RMS	3447.89	-38.95	-13	Pass	401
3449	3450	0.2	RMS	3449.278	-43.35	-13	Pass	401
3450	3550	1	RMS	3471	6.23	30	Pass	401




18.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.75	18.87	30	Pass	401
3550	3551	0.2	RMS	3550	-27.52	-13	Pass	401
3551	3555	0.62	RMS	3551.01	-39.39	-13	Pass	401
3555	3655	1	RMS	3555	-44.28	-13	Pass	401




18.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3516	6.24	30	Pass	401
3550	3551	0.2	RMS	3550.605	-41.3	-13	Pass	401
3551	3555	0.62	RMS	3552.47	-39.27	-13	Pass	401
3555	3655	1	RMS	3633.75	-37.61	-13	Pass	401



18.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.75	18.75	30	Pass	401
3550	3551	0.2	RMS	3550.003	-26.36	-13	Pass	401
3551	3555	0.62	RMS	3551.02	-39.13	-13	Pass	401
3555	3655	1	RMS	3555	-44.03	-13	Pass	401




18.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3529	5.65	30	Pass	401
3550	3551	0.2	RMS	3550.085	-42	-13	Pass	401
3551	3555	0.62	RMS	3554.92	-39.33	-13	Pass	401
3555	3655	1	RMS	3633.75	-35.34	-13	Pass	401



18.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3402	-43.62	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-40.8	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-24.2	-13	Pass	401
3450	3550	1	RMS	3451	19.11	30	Pass	401




18.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-38.07	-13	Pass	401
3445	3449	0.62	RMS	3447.87	-38.06	-13	Pass	401
3449	3450	0.2	RMS	3449.945	-42.18	-13	Pass	401
3450	3550	1	RMS	3480.5	2.92	30	Pass	401




18.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.59	-13	Pass	401
3445	3449	0.62	RMS	3448.93	-38.63	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-25.05	-13	Pass	401
3450	3550	1	RMS	3451	19.04	30	Pass	401




18.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3354.75	-36.67	-13	Pass	401
3445	3449	0.62	RMS	3445.01	-40.79	-13	Pass	401
3449	3450	0.2	RMS	3449.983	-43.17	-13	Pass	401
3450	3550	1	RMS	3475.5	2.5	30	Pass	401




18.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.56	30	Pass	401
3550	3551	0.2	RMS	3550	-22.45	-13	Pass	401
3551	3555	0.62	RMS	3551	-37.2	-13	Pass	401
3555	3655	1	RMS	3598	-44.77	-13	Pass	401




18.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3475	2.97	30	Pass	401
3550	3551	0.2	RMS	3550.37	-43.16	-13	Pass	401
3551	3555	0.62	RMS	3552.4	-38.77	-13	Pass	401
3555	3655	1	RMS	3627.25	-36.56	-13	Pass	401



18.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.55	30	Pass	401
3550	3551	0.2	RMS	3550.015	-22.05	-13	Pass	401
3551	3555	0.62	RMS	3551.11	-37.58	-13	Pass	401
3555	3655	1	RMS	3597.75	-44.71	-13	Pass	401



18.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3469.5	2.54	30	Pass	401
3550	3551	0.2	RMS	3550.123	-43.27	-13	Pass	401
3551	3555	0.62	RMS	3552.02	-38.53	-13	Pass	401
3555	3655	1	RMS	3644.75	-35.1	-13	Pass	401



19. n78 30kHz(3700-3800)


19.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692.25	-42.06	-13	Pass	401
3695	3699	0.62	RMS	3699	-37.98	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-17.2	-13	Pass	401
3700	3800	1	RMS	3701	19.36	30	Pass	401




19.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-32.21	-13	Pass	401
3695	3699	0.62	RMS	3697.09	-33.47	-13	Pass	401
3699	3700	0.39	RMS	3699.965	-29.95	-13	Pass	401
3700	3800	1	RMS	3708.5	10.4	30	Pass	401




19.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3691.75	-41.74	-13	Pass	401
3695	3699	0.62	RMS	3698.99	-37.01	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-17.16	-13	Pass	401
3700	3800	1	RMS	3701	19.36	30	Pass	401




19.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-33.81	-13	Pass	401
3695	3699	0.62	RMS	3698.93	-32.61	-13	Pass	401
3699	3700	0.39	RMS	3700	-30.09	-13	Pass	401
3700	3800	1	RMS	3713.5	9.84	30	Pass	401




19.5. Band Edge for SA(NTNV)(Subtest:5, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	19.09	30	Pass	401
3800	3801	0.39	RMS	3800	-18.35	-13	Pass	401
3801	3805	0.62	RMS	3801.01	-38.46	-13	Pass	401
3805	3905	1	RMS	3808	-42.08	-13	Pass	401




19.6. Band Edge for SA(NTNV)(Subtest:6, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3788.75	9.57	30	Pass	401
3800	3801	0.39	RMS	3800.485	-33.69	-13	Pass	401
3801	3805	0.62	RMS	3801.03	-33.41	-13	Pass	401
3805	3905	1	RMS	3805.75	-35.71	-13	Pass	401




19.7. Band Edge for SA(NTNV)(Subtest:7, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	18.98	30	Pass	401
3800	3801	0.39	RMS	3800.01	-18.5	-13	Pass	401
3801	3805	0.62	RMS	3801	-38.96	-13	Pass	401
3805	3905	1	RMS	3808	-41.08	-13	Pass	401




19.8. Band Edge for SA(NTNV)(Subtest:8, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3790.25	8.95	30	Pass	401
3800	3801	0.39	RMS	3800.24	-31.44	-13	Pass	401
3801	3805	0.62	RMS	3801.31	-30.83	-13	Pass	401
3805	3905	1	RMS	3805	-32.93	-13	Pass	401



19.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-40.17	-13	Pass	401
3695	3699	0.62	RMS	3699	-41.94	-13	Pass	401
3699	3700	0.39	RMS	3700	-28.29	-13	Pass	401
3700	3800	1	RMS	3701.25	18.58	30	Pass	401




19.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692	-36.25	-13	Pass	401
3695	3699	0.62	RMS	3697.86	-37.46	-13	Pass	401
3699	3700	0.39	RMS	3699.42	-38.61	-13	Pass	401
3700	3800	1	RMS	3717.5	5.98	30	Pass	401




19.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-39.58	-13	Pass	401
3695	3699	0.62	RMS	3698.99	-41.37	-13	Pass	401
3699	3700	0.39	RMS	3699.993	-28.07	-13	Pass	401
3700	3800	1	RMS	3701.25	18.51	30	Pass	401




19.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693	-36.21	-13	Pass	401
3695	3699	0.62	RMS	3697.48	-36.84	-13	Pass	401
3699	3700	0.39	RMS	3700	-39.17	-13	Pass	401
3700	3800	1	RMS	3721	5.29	30	Pass	401




19.13. Band Edge for SA(NTNV)(Subtest:5, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.75	18.76	30	Pass	401
3800	3801	0.39	RMS	3800.003	-23.95	-13	Pass	401
3801	3805	0.62	RMS	3801	-39.8	-13	Pass	401
3805	3905	1	RMS	3822.5	-43.16	-13	Pass	401




19.14. Band Edge for SA(NTNV)(Subtest:6, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3773.25	6.02	30	Pass	401
3800	3801	0.39	RMS	3800.39	-36.56	-13	Pass	401
3801	3805	0.62	RMS	3803.54	-37.13	-13	Pass	401
3805	3905	1	RMS	3822	-36.15	-13	Pass	401




19.15. Band Edge for SA(NTNV)(Subtest:7, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.75	18.81	30	Pass	401
3800	3801	0.39	RMS	3800	-22.41	-13	Pass	401
3801	3805	0.62	RMS	3801.03	-39.23	-13	Pass	401
3805	3905	1	RMS	3822.25	-44.23	-13	Pass	401




19.16. Band Edge for SA(NTNV)(Subtest:8, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3775.25	5.38	30	Pass	401
3800	3801	0.39	RMS	3800.46	-35.83	-13	Pass	401
3801	3805	0.62	RMS	3801.01	-34.41	-13	Pass	401
3805	3905	1	RMS	3805	-35.2	-13	Pass	401




19.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-40.1	-13	Pass	401
3695	3699	0.62	RMS	3698.99	-40.13	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-22	-13	Pass	401
3700	3800	1	RMS	3701	18.32	30	Pass	401




19.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.75	-35.31	-13	Pass	401
3695	3699	0.62	RMS	3699	-35.88	-13	Pass	401
3699	3700	0.39	RMS	3699.875	-37.89	-13	Pass	401
3700	3800	1	RMS	3747.25	2.66	30	Pass	401



19.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-39.68	-13	Pass	401
3695	3699	0.62	RMS	3698.95	-39.84	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-22.25	-13	Pass	401
3700	3800	1	RMS	3701.25	18.21	30	Pass	401




19.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.5	-34.86	-13	Pass	401
3695	3699	0.62	RMS	3698.28	-36.08	-13	Pass	401
3699	3700	0.39	RMS	3699.998	-38.21	-13	Pass	401
3700	3800	1	RMS	3716	2.04	30	Pass	401




19.21. Band Edge for SA(NTNV)(Subtest:5, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	18.47	30	Pass	401
3800	3801	0.39	RMS	3800	-16.84	-13	Pass	401
3801	3805	0.62	RMS	3801	-37.78	-13	Pass	401
3805	3905	1	RMS	3848	-42.47	-13	Pass	401




19.22. Band Edge for SA(NTNV)(Subtest:6, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3732	2.43	30	Pass	401
3800	3801	0.39	RMS	3800.363	-38.69	-13	Pass	401
3801	3805	0.62	RMS	3801.24	-37.08	-13	Pass	401
3805	3905	1	RMS	3888	-36.98	-13	Pass	401



19.23. Band Edge for SA(NTNV)(Subtest:7, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	18.47	30	Pass	401
3800	3801	0.39	RMS	3800.003	-17.02	-13	Pass	401
3801	3805	0.62	RMS	3801.02	-37.1	-13	Pass	401
3805	3905	1	RMS	3848.25	-41.51	-13	Pass	401



19.24. Band Edge for SA(NTNV)(Subtest:8, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3724	2.05	30	Pass	401
3800	3801	0.39	RMS	3800.28	-39.28	-13	Pass	401
3801	3805	0.62	RMS	3801.91	-37.15	-13	Pass	401
3805	3905	1	RMS	3894.75	-34.15	-13	Pass	401

