



RSE-H&V PCC 21001 BW20 QPSK RB1 HIGH SCC 21199 BW20 QPSK RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
180.253	-70.28	-17.17	-25.0	-45.28	236.00	Horizontal	Vertical	Pass
2096.100	-46.43	5.55	-25.0	-21.43	62.00	Horizontal	Vertical	Pass
2638.400	-27.92	8.88	-25.0	-2.92	213.00	Horizontal	Vertical	N/A
6682.500	-37.36	16.95	-25.0	-12.36	8.00	Horizontal	Vertical	Pass
13341.938	-39.31	16.22	-25.0	-14.31	196.00	Horizontal	Vertical	Pass
17958.787	-41.15	13.87	-25.0	-16.15	242.00	Horizontal	Vertical	Pass

RSE-V&V PCC 21001 BW20 QPSK RB1 HIGH SCC 21199 BW20 QPSK RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.781	-70.63	-17.05	-25.0	-45.63	123.00	Vertical	Vertical	Pass
2517.000	-41.54	8.89	-25.0	-16.54	75.00	Vertical	Vertical	N/A
2592.300	-41.56	8.76	-25.0	-16.56	237.00	Vertical	Vertical	N/A
2663.400	-39.89	8.93	-25.0	-14.89	230.00	Vertical	Vertical	N/A
7931.000	-35.50	18.76	-25.0	-10.50	238.00	Vertical	Vertical	Pass
13393.912	-39.62	16.95	-25.0	-14.62	82.00	Vertical	Vertical	Pass


RSE-V&H PCC 21001 BW20 QPSK RB1 HIGH SCC 21199 BW20 QPSK RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.878	-60.99	-17.02	-25.0	-35.99	103.00	Vertical	Horizontal	Pass
2518.400	-30.97	8.88	-25.0	-5.97	231.00	Vertical	Horizontal	N/A
2568.900	-16.17	8.94	-25.0	8.83	231.00	Vertical	Horizontal	N/A
2662.900	-36.47	8.88	-25.0	-11.47	225.00	Vertical	Horizontal	N/A
7950.250	-36.02	18.64	-25.0	-11.02	345.00	Vertical	Horizontal	Pass
13394.175	-39.25	16.96	-25.0	-14.25	284.00	Vertical	Horizontal	Pass


13.10 CA_7C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H PCC 21001 BW20 16QAM RB1 HIGH SCC 21199 BW20 16QAM RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
186.073	-63.53	-17.12	-25.0	-38.53	236.00	Horizontal	Horizontal	Pass
2517.100	-38.52	8.89	-25.0	-13.52	73.00	Horizontal	Horizontal	N/A
2592.200	-36.49	8.73	-25.0	-11.49	79.00	Horizontal	Horizontal	N/A
2648.000	-27.28	8.69	-25.0	-2.28	225.00	Horizontal	Horizontal	N/A
7784.750	-35.39	18.25	-25.0	-10.39	28.00	Horizontal	Horizontal	Pass
13373.700	-39.80	16.76	-25.0	-14.80	-1.00	Horizontal	Horizontal	Pass

RSE-H&V PCC 21001 BW20 16QAM RB1 HIGH SCC 21199 BW20 16QAM RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
177.828	-69.07	-17.40	-25.0	-44.07	246.00	Horizontal	Vertical	Pass
2109.400	-46.70	5.99	-25.0	-21.70	3.00	Horizontal	Vertical	Pass
2671.900	-26.93	9.36	-25.0	-1.93	248.00	Horizontal	Vertical	N/A
5194.000	-41.25	12.50	-25.0	-16.25	343.00	Horizontal	Vertical	Pass
7997.000	-36.09	18.84	-25.0	-11.09	101.00	Horizontal	Vertical	Pass
13335.638	-39.15	15.97	-25.0	-14.15	328.00	Horizontal	Vertical	Pass

RSE-V&V PCC 21001 BW20 16QAM RB1 HIGH SCC 21199 BW20 16QAM RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.199	-70.45	-17.20	-25.0	-45.45	29.00	Vertical	Vertical	Pass
2516.900	-40.87	8.89	-25.0	-15.87	214.00	Vertical	Vertical	N/A
2592.400	-39.14	8.79	-25.0	-14.14	111.00	Vertical	Vertical	N/A
2652.300	-37.64	8.65	-25.0	-12.64	225.00	Vertical	Vertical	N/A
7938.000	-36.18	18.93	-25.0	-11.18	0.00	Vertical	Vertical	Pass
13342.725	-39.61	16.25	-25.0	-14.61	216.00	Vertical	Vertical	Pass


RSE-V&H PCC 21001 BW20 16QAM RB1 HIGH SCC 21199 BW20 16QAM RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.218	-61.06	-17.00	-25.0	-36.06	72.00	Vertical	Horizontal	Pass
2072.700	-46.58	4.84	-25.0	-21.58	152.00	Vertical	Horizontal	Pass
2640.000	-37.19	8.89	-25.0	-12.19	230.00	Vertical	Horizontal	N/A
7774.500	-35.40	18.10	-25.0	-10.40	291.00	Vertical	Horizontal	Pass
13361.362	-40.13	16.65	-25.0	-15.13	125.00	Vertical	Horizontal	Pass
17941.199	-41.09	13.88	-25.0	-16.09	13.00	Vertical	Horizontal	Pass


13.11 CA_7C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC 21152 BW20 QPSK RB1 HIGH SCC 21350 BW20 QPSK RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.837	-68.38	-16.85	-25.0	-43.38	234.00	Horizontal	Horizontal	Pass
2109.000	-46.34	6.08	-25.0	-21.34	112.00	Horizontal	Horizontal	Pass
2580.600	-35.50	8.52	-25.0	-10.50	34.00	Horizontal	Horizontal	N/A
2654.200	-28.42	8.45	-25.0	-3.42	220.00	Horizontal	Horizontal	N/A
6445.000	-38.16	16.41	-25.0	-13.16	197.00	Horizontal	Horizontal	Pass
13367.400	-39.63	16.70	-25.0	-14.63	361.00	Horizontal	Horizontal	Pass

RSE-H&V PCC 21152 BW20 QPSK RB1 HIGH SCC 21350 BW20 QPSK RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
180.108	-67.78	-17.16	-25.0	-42.78	241.00	Horizontal	Vertical	Pass
2576.300	-41.79	8.99	-25.0	-16.79	212.00	Horizontal	Vertical	N/A
2661.800	-28.76	8.72	-25.0	-3.76	218.00	Horizontal	Vertical	N/A
7935.750	-35.79	18.86	-25.0	-10.79	133.00	Horizontal	Vertical	Pass
13366.350	-39.41	16.69	-25.0	-14.41	362.00	Horizontal	Vertical	Pass
19813.900	-41.54	12.94	-25.0	-16.54	225.00	Horizontal	Vertical	Pass

RSE-V&V PCC 21152 BW20 QPSK RB1 HIGH SCC 21350 BW20 QPSK RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.151	-69.83	-17.21	-25.0	-44.83	74.00	Vertical	Vertical	Pass
2578.500	-38.16	8.73	-25.0	-13.16	219.00	Vertical	Vertical	N/A
2665.900	-39.35	9.24	-25.0	-14.35	225.00	Vertical	Vertical	N/A
6668.250	-37.00	16.57	-25.0	-12.00	217.00	Vertical	Vertical	Pass
13394.437	-39.37	16.96	-25.0	-14.37	238.00	Vertical	Vertical	Pass
17911.276	-41.99	13.16	-25.0	-16.99	351.00	Vertical	Vertical	Pass


RSE-V&H PCC 21152 BW20 QPSK RB1 HIGH SCC 21350 BW20 QPSK RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.296	-68.59	-17.17	-25.0	-43.59	105.00	Vertical	Horizontal	Pass
1339.300	-51.48	0.60	-25.0	-26.48	357.00	Vertical	Horizontal	Pass
2687.300	-37.76	8.66	-25.0	-12.76	225.00	Vertical	Horizontal	N/A
7418.000	-36.62	18.15	-25.0	-11.62	163.00	Vertical	Horizontal	Pass
13474.500	-39.77	15.65	-25.0	-14.77	332.00	Vertical	Horizontal	Pass
19409.725	-41.01	12.92	-25.0	-16.01	68.00	Vertical	Horizontal	Pass


13.12 CA_7C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H PCC 21152 BW20 16QAM RB1 HIGH SCC 21350 BW20 16QAM RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.886	-68.46	-16.84	-25.0	-43.46	259.00	Horizontal	Horizontal	Pass
2575.700	-37.14	8.99	-25.0	-12.14	32.00	Horizontal	Horizontal	N/A
2678.600	-28.02	8.71	-25.0	-3.02	216.00	Horizontal	Horizontal	N/A
7987.500	-35.88	18.33	-25.0	-10.88	135.00	Horizontal	Horizontal	Pass
13357.162	-39.76	16.61	-25.0	-14.76	125.00	Horizontal	Horizontal	Pass
17914.425	-41.40	13.24	-25.0	-16.40	361.00	Horizontal	Horizontal	Pass

RSE-H&V PCC 21152 BW20 16QAM RB1 HIGH SCC 21350 BW20 16QAM RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.128	-70.06	-16.82	-25.0	-45.06	242.00	Horizontal	Vertical	Pass
1349.800	-51.59	0.78	-25.0	-26.59	160.00	Horizontal	Vertical	Pass
2675.400	-28.17	8.88	-25.0	-3.17	221.00	Horizontal	Vertical	N/A
7770.000	-35.37	17.86	-25.0	-10.37	90.00	Horizontal	Vertical	Pass
13481.588	-39.42	15.58	-25.0	-14.42	148.00	Horizontal	Vertical	Pass
19858.950	-41.35	12.94	-25.0	-16.35	320.00	Horizontal	Vertical	Pass

RSE-V&V PCC 21152 BW20 16QAM RB1 HIGH SCC 21350 BW20 16QAM RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.830	-69.81	-17.04	-25.0	-44.81	91.00	Vertical	Vertical	Pass
2577.500	-41.66	8.95	-25.0	-16.66	45.00	Vertical	Vertical	N/A
2663.400	-38.88	8.93	-25.0	-13.88	224.00	Vertical	Vertical	N/A
6687.750	-36.70	17.04	-25.0	-11.70	204.00	Vertical	Vertical	Pass
13352.438	-39.73	16.56	-25.0	-14.73	304.00	Vertical	Vertical	Pass
17785.012	-41.43	12.27	-25.0	-16.43	260.00	Vertical	Vertical	Pass

RSE-V&H PCC 21152 BW20 16QAM RB1 HIGH SCC 21350 BW20 16QAM RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.830	-68.80	-17.04	-25.0	-43.80	121.00	Vertical	Horizontal	Pass
1421.500	-50.92	0.40	-25.0	-25.92	327.00	Vertical	Horizontal	Pass
2663.100	-37.19	8.90	-25.0	-12.19	230.00	Vertical	Horizontal	N/A
7937.250	-34.43	18.96	-25.0	-9.43	143.00	Vertical	Horizontal	Pass
12893.850	-38.35	15.35	-25.0	-13.35	103.00	Vertical	Horizontal	Pass
19565.275	-41.02	12.93	-25.0	-16.02	360.00	Vertical	Horizontal	Pass

NR

14 n41


14.1 n41 BW20, Middle Channel PI/2 BPSK

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.101	-68.60	-15.99	-25.0	-43.60	111.00	Horizontal	Horizontal	Pass
2563.200	-25.59	8.88	-25.0	-0.59	249.00	Horizontal	Horizontal	N/A
2654.300	-23.11	8.33	-25.0	1.89	359.00	Horizontal	Horizontal	N/A
6645.250	-39.10	15.15	-25.0	-14.10	69.00	Horizontal	Horizontal	Pass
13341.938	-37.92	16.22	-25.0	-12.92	274.00	Horizontal	Horizontal	Pass
19639.349	-40.55	12.93	-25.0	-15.55	278.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.692	-68.09	-16.46	-25.0	-43.09	107.00	Horizontal	Vertical	Pass
2557.500	-28.92	7.81	-25.0	-3.92	127.00	Horizontal	Vertical	N/A
2650.900	-30.68	8.86	-25.0	-5.68	127.00	Horizontal	Vertical	N/A
6644.250	-39.11	15.11	-25.0	-14.11	198.00	Horizontal	Vertical	Pass
13404.412	-38.16	16.91	-25.0	-13.16	-1.00	Horizontal	Vertical	Pass
19785.150	-40.78	12.94	-25.0	-15.78	108.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.727	-69.77	-24.15	-25.0	-44.77	89.00	Vertical	Vertical	Pass
2562.200	-25.82	8.85	-25.0	-0.82	361.00	Vertical	Vertical	N/A
2633.300	-25.10	8.18	-25.0	-0.10	293.00	Vertical	Vertical	N/A
7813.750	-38.72	16.25	-25.0	-13.72	156.00	Vertical	Vertical	Pass
13785.825	-38.46	16.06	-25.0	-13.46	355.00	Vertical	Vertical	Pass
19693.349	-40.82	12.94	-25.0	-15.82	328.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.199	-71.32	-15.90	-25.0	-46.32	282.00	Vertical	Horizontal	Pass
2535.800	-37.33	6.32	-25.0	-12.33	-2.00	Vertical	Horizontal	N/A
2633.500	-33.24	8.15	-25.0	-8.24	41.00	Vertical	Horizontal	N/A
6662.750	-39.09	14.74	-25.0	-14.09	230.00	Vertical	Horizontal	Pass
13391.025	-37.94	16.93	-25.0	-12.94	34.00	Vertical	Horizontal	Pass
20240.550	-41.24	12.96	-25.0	-16.24	115.00	Vertical	Horizontal	Pass


14.2 n41 BW20, Middle Channel QPSK

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
586.198	-65.12	-5.47	-25.0	-40.12	96.00	Horizontal	Horizontal	Pass
2559.700	-24.37	8.57	-25.0	0.63	100.00	Horizontal	Horizontal	N/A
2632.600	-18.64	8.13	-25.0	6.36	350.00	Horizontal	Horizontal	N/A
7793.500	-38.35	15.62	-25.0	-13.35	272.00	Horizontal	Horizontal	Pass
13382.100	-38.55	16.84	-25.0	-13.55	209.00	Horizontal	Horizontal	Pass
19750.949	-40.08	12.94	-25.0	-15.08	121.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
197.519	-68.96	-15.97	-25.0	-43.96	113.00	Horizontal	Vertical	Pass
2562.200	-30.90	8.85	-25.0	-5.90	351.00	Horizontal	Vertical	N/A
2625.900	-23.91	9.91	-25.0	1.09	146.00	Horizontal	Vertical	N/A
6754.750	-39.15	14.40	-25.0	-14.15	135.00	Horizontal	Vertical	Pass
13413.075	-37.87	16.72	-25.0	-12.87	-1.00	Horizontal	Vertical	Pass
19735.200	-40.60	12.94	-25.0	-15.60	225.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.727	-68.94	-24.15	-25.0	-43.94	90.00	Vertical	Vertical	Pass
2559.900	-23.80	8.59	-25.0	1.20	359.00	Vertical	Vertical	N/A
2635.600	-22.81	8.24	-25.0	2.19	361.00	Vertical	Vertical	N/A
6712.500	-38.69	15.64	-25.0	-13.69	-1.00	Vertical	Vertical	Pass
13346.662	-38.51	16.41	-25.0	-13.51	220.00	Vertical	Vertical	Pass
19736.099	-40.99	12.94	-25.0	-15.99	81.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.455	-68.50	-24.41	-25.0	-43.50	134.00	Vertical	Horizontal	Pass
2554.000	-35.90	7.27	-25.0	-10.90	149.00	Vertical	Horizontal	N/A
2626.900	-34.28	8.99	-25.0	-9.28	218.00	Vertical	Horizontal	N/A
6706.000	-37.94	15.50	-25.0	-12.94	311.00	Vertical	Horizontal	Pass
13823.100	-37.70	16.47	-25.0	-12.70	103.00	Vertical	Horizontal	Pass
19767.599	-40.12	12.94	-25.0	-15.12	238.00	Vertical	Horizontal	Pass


14.3 n41 BW60, Middle Channel PI/2 BPSK

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.482	-66.08	-15.85	-25.0	-41.08	136.00	Horizontal	Horizontal	Pass
2564.700	15.00	8.91	-25.0	40.00	27.00	Horizontal	Horizontal	N/A
2637.500	-24.83	8.32	-25.0	0.17	2.00	Horizontal	Horizontal	N/A
6647.000	-38.76	15.27	-25.0	-13.76	301.00	Horizontal	Horizontal	Pass
13367.137	-38.66	16.70	-25.0	-13.66	-3.00	Horizontal	Horizontal	Pass
19760.849	-39.82	12.94	-25.0	-14.82	333.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
181.902	-66.25	-17.76	-25.0	-41.25	250.00	Horizontal	Vertical	Pass
2564.900	5.59	8.92	-25.0	30.59	195.00	Horizontal	Vertical	N/A
2636.300	-29.53	8.23	-25.0	-4.53	294.00	Horizontal	Vertical	N/A
7717.500	-36.48	13.91	-25.0	-11.48	161.00	Horizontal	Vertical	Pass
13391.549	-37.87	16.93	-25.0	-12.87	360.00	Horizontal	Vertical	Pass
19813.050	-40.20	12.94	-25.0	-15.20	336.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.885	-63.63	-17.19	-25.0	-38.63	284.00	Vertical	Vertical	Pass
2564.700	8.23	8.91	-25.0	33.23	70.00	Vertical	Vertical	N/A
2635.500	-25.36	8.25	-25.0	-0.36	107.00	Vertical	Vertical	N/A
7811.000	-38.98	16.31	-25.0	-13.98	162.00	Vertical	Vertical	Pass
13375.537	-38.50	16.78	-25.0	-13.50	26.00	Vertical	Vertical	Pass
19779.301	-40.53	12.94	-25.0	-15.53	363.00	Vertical	Vertical	Pass

RSE-V&H n41 BW60 CH518598




14.4 n41 BW60, Middle Channel QPSK

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.304	-65.42	-16.54	-25.0	-40.42	131.00	Horizontal	Horizontal	Pass
2564.600	5.27	8.91	-25.0	30.27	211.00	Horizontal	Horizontal	N/A
2627.800	-27.33	8.66	-25.0	-2.33	355.00	Horizontal	Horizontal	N/A
6645.500	-38.72	15.17	-25.0	-13.72	353.00	Horizontal	Horizontal	Pass
13346.662	-38.01	16.41	-25.0	-13.01	3.00	Horizontal	Horizontal	Pass
19743.750	-39.93	12.94	-25.0	-14.93	151.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
182.872	-65.91	-17.43	-25.0	-40.91	242.00	Horizontal	Vertical	Pass
2564.700	10.05	8.91	-25.0	35.05	293.00	Horizontal	Vertical	N/A
2633.800	-31.38	8.08	-25.0	-6.38	276.00	Horizontal	Vertical	N/A
7831.250	-38.80	15.71	-25.0	-13.80	142.00	Horizontal	Vertical	Pass
13806.300	-38.17	16.86	-25.0	-13.17	300.00	Horizontal	Vertical	Pass
19727.100	-40.65	12.94	-25.0	-15.65	106.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598




RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
50.612	-66.20	-16.90	-25.0	-41.20	208.00	Vertical	Horizontal	Pass
2564.500	9.32	8.91	-25.0	34.32	268.00	Vertical	Horizontal	N/A
2625.900	-24.82	9.91	-25.0	0.18	262.00	Vertical	Horizontal	N/A
6662.500	-38.85	14.80	-25.0	-13.85	1.00	Vertical	Horizontal	Pass
13358.737	-38.51	16.62	-25.0	-13.51	117.00	Vertical	Horizontal	Pass
19764.001	-39.87	12.94	-25.0	-14.87	363.00	Vertical	Horizontal	Pass


14.5 n41 BW100, Middle Channel PI/2 BPSK

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.533	-66.10	-15.53	-25.0	-41.10	296.00	Horizontal	Horizontal	Pass
2552.900	13.35	7.21	-25.0	38.35	159.00	Horizontal	Horizontal	N/A
2632.300	-18.86	8.13	-25.0	6.14	52.00	Horizontal	Horizontal	N/A
6715.750	-39.20	15.69	-25.0	-14.20	235.00	Horizontal	Horizontal	Pass
13392.338	-37.25	16.94	-25.0	-12.25	24.00	Horizontal	Horizontal	Pass
18195.300	-40.62	12.86	-25.0	-15.62	242.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
187.092	-64.44	-16.55	-25.0	-39.44	277.00	Horizontal	Vertical	Pass
2552.900	12.75	7.21	-25.0	37.75	206.00	Horizontal	Vertical	N/A
2630.000	-28.37	8.26	-25.0	-3.37	312.00	Horizontal	Vertical	N/A
7735.750	-37.95	14.28	-25.0	-12.95	130.00	Horizontal	Vertical	Pass
13369.238	-37.99	16.72	-25.0	-12.99	3.00	Horizontal	Vertical	Pass
19739.699	-39.94	12.94	-25.0	-14.94	131.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
50.709	-66.66	-16.86	-25.0	-41.66	277.00	Vertical	Vertical	Pass
2553.200	13.35	7.27	-25.0	38.35	214.00	Vertical	Vertical	N/A
2633.800	-23.41	8.08	-25.0	1.59	314.00	Vertical	Vertical	N/A
7798.000	-38.37	15.79	-25.0	-13.37	171.00	Vertical	Vertical	Pass
13367.400	-38.57	16.70	-25.0	-13.57	254.00	Vertical	Vertical	Pass
19484.551	-40.58	12.93	-25.0	-15.58	357.00	Vertical	Vertical	Pass


RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.945	-66.45	-17.10	-25.0	-41.45	175.00	Vertical	Horizontal	Pass
2553.200	9.84	7.27	-25.0	34.84	293.00	Vertical	Horizontal	N/A
2628.700	-30.64	8.52	-25.0	-5.64	293.00	Vertical	Horizontal	N/A
7823.000	-37.45	16.11	-25.0	-12.45	107.00	Vertical	Horizontal	Pass
13365.562	-38.47	16.69	-25.0	-13.47	276.00	Vertical	Horizontal	Pass
19247.849	-40.57	12.91	-25.0	-15.57	363.00	Vertical	Horizontal	Pass


14.6 n41 BW100, Middle Channel QPSK

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.445	-64.90	-16.06	-25.0	-39.90	135.00	Horizontal	Horizontal	Pass
2553.100	13.02	7.25	-25.0	38.02	28.00	Horizontal	Horizontal	N/A
2638.900	-17.35	8.22	-25.0	7.65	41.00	Horizontal	Horizontal	N/A
6797.500	-39.09	14.58	-25.0	-14.09	352.00	Horizontal	Horizontal	Pass
13346.662	-38.83	16.41	-25.0	-13.83	253.00	Horizontal	Horizontal	Pass
17947.238	-40.84	14.02	-25.0	-15.84	360.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
186.995	-64.49	-16.58	-25.0	-39.49	283.00	Horizontal	Vertical	Pass
2553.200	13.01	7.27	-25.0	38.01	315.00	Horizontal	Vertical	N/A
2627.500	-26.07	8.70	-25.0	-1.07	284.00	Horizontal	Vertical	N/A
7657.250	-37.99	13.36	-25.0	-12.99	129.00	Horizontal	Vertical	Pass
12473.550	-38.64	14.48	-25.0	-13.64	0.00	Horizontal	Vertical	Pass
19730.698	-39.78	12.94	-25.0	-14.78	174.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598




RSE-V&H n41 BW100 CH518598



15 n77(3450-3550MHz)


15.1 n77(3450-3550MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
208.626	-69.78	-16.32	-13.0	-56.78	122.00	Horizontal	Horizontal	Pass
2100.800	-53.01	-0.38	-13.0	-40.01	336.00	Horizontal	Horizontal	Pass
3497.000	-26.73	14.85	-13.0	-13.73	323.00	Horizontal	Horizontal	N/A
6715.250	-30.40	23.85	-13.0	-17.40	38.00	Horizontal	Horizontal	Pass
13345.087	-38.37	16.35	-13.0	-25.37	302.00	Horizontal	Horizontal	Pass
17810.213	-41.68	12.92	-13.0	-28.68	0.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.697	-68.50	-15.38	-13.0	-55.50	292.00	Horizontal	Vertical	Pass
1379.600	-56.09	-4.40	-13.0	-43.09	39.00	Horizontal	Vertical	Pass
3498.250	-38.22	14.84	-13.0	-25.22	361.00	Horizontal	Vertical	N/A
7204.750	-30.69	23.48	-13.0	-17.69	163.00	Horizontal	Vertical	Pass
12662.125	-37.83	15.88	-13.0	-24.83	359.00	Horizontal	Vertical	Pass
17803.911	-42.11	13.09	-13.0	-29.11	28.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.268	-70.82	-16.29	-13.0	-57.82	360.00	Vertical	Vertical	Pass
1305.200	-56.61	-4.40	-13.0	-43.61	261.00	Vertical	Vertical	Pass
3497.250	-31.88	14.85	-13.0	-18.88	232.00	Vertical	Vertical	N/A
6712.750	-31.32	23.89	-13.0	-18.32	221.00	Vertical	Vertical	Pass
12584.937	-38.40	15.04	-13.0	-25.40	316.00	Vertical	Vertical	Pass
17818.614	-42.30	12.69	-13.0	-29.30	140.00	Vertical	Vertical	Pass


RSE-V&H n77 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.514	-70.60	-15.72	-13.0	-57.60	339.00	Vertical	Horizontal	Pass
2051.700	-52.89	-1.12	-13.0	-39.89	363.00	Vertical	Horizontal	Pass
3449.750	-39.97	15.32	-13.0	-26.97	0.00	Vertical	Horizontal	Pass
6747.000	-31.03	22.92	-13.0	-18.03	183.00	Vertical	Horizontal	Pass
12675.188	-38.57	16.11	-13.0	-25.57	256.00	Vertical	Horizontal	Pass
17934.637	-42.20	13.72	-13.0	-29.20	286.00	Vertical	Horizontal	Pass


15.2 n77(3450-3550MHz) BW20, Middle Channel QPSK

RSE-H&H n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
205.812	-71.48	-16.24	-13.0	-58.48	315.00	Horizontal	Horizontal	Pass
1595.100	-56.77	-4.28	-13.0	-43.77	126.00	Horizontal	Horizontal	Pass
3499.000	-28.75	14.83	-13.0	-15.75	198.00	Horizontal	Horizontal	N/A
6732.250	-30.80	23.51	-13.0	-17.80	361.00	Horizontal	Horizontal	Pass
13361.362	-38.84	16.65	-13.0	-25.84	226.00	Horizontal	Horizontal	Pass
17962.988	-41.43	13.77	-13.0	-28.43	195.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.434	-69.91	-16.58	-13.0	-56.91	301.00	Horizontal	Vertical	Pass
2095.000	-53.19	-0.29	-13.0	-40.19	58.00	Horizontal	Vertical	Pass
3497.750	-37.50	14.85	-13.0	-24.50	130.00	Horizontal	Vertical	N/A
7196.750	-30.72	23.21	-13.0	-17.72	248.00	Horizontal	Vertical	Pass
12687.537	-38.50	16.32	-13.0	-25.50	360.00	Horizontal	Vertical	Pass
17950.386	-42.70	14.08	-13.0	-29.70	287.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
389.239	-71.20	-9.65	-13.0	-58.20	347.00	Vertical	Vertical	Pass
2013.000	-53.49	-1.41	-13.0	-40.49	348.00	Vertical	Vertical	Pass
3499.000	-30.82	14.83	-13.0	-17.82	244.00	Vertical	Vertical	N/A
6636.500	-31.19	23.23	-13.0	-18.19	232.00	Vertical	Vertical	Pass
12692.525	-38.05	16.41	-13.0	-25.05	179.00	Vertical	Vertical	Pass
17810.999	-42.18	12.90	-13.0	-29.18	26.00	Vertical	Vertical	Pass


RSE-V&Hn77 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
391.325	-71.21	-9.54	-13.0	-58.21	315.00	Vertical	Horizontal	Pass
2112.300	-53.54	-0.19	-13.0	-40.54	-2.00	Vertical	Horizontal	Pass
3435.000	-39.79	15.40	-13.0	-26.79	361.00	Vertical	Horizontal	Pass
6649.500	-31.19	23.24	-13.0	-18.19	227.00	Vertical	Horizontal	Pass
12692.287	-37.43	16.41	-13.0	-24.43	360.00	Vertical	Horizontal	Pass
17941.987	-42.67	13.90	-13.0	-29.67	0.00	Vertical	Horizontal	Pass


15.3 n77(3450-3550MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
784.514	-65.89	-1.33	-13.0	-52.89	4.00	Horizontal	Horizontal	Pass
2006.500	-53.62	-1.55	-13.0	-40.62	115.00	Horizontal	Horizontal	Pass
3277.250	-35.51	12.21	-13.0	-22.51	292.00	Horizontal	Horizontal	N/A
3552.000	-33.00	14.65	-13.0	-20.00	313.00	Horizontal	Horizontal	Pass
7959.250	-30.24	25.11	-13.0	-17.24	334.00	Horizontal	Horizontal	Pass
12703.213	-38.31	16.51	-13.0	-25.31	334.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
774.572	-65.88	-1.29	-13.0	-52.88	0.00	Horizontal	Vertical	Pass
2024.500	-53.57	-0.90	-13.0	-40.57	198.00	Horizontal	Vertical	Pass
3433.750	-40.55	15.41	-13.0	-27.55	97.00	Horizontal	Vertical	N/A
6689.500	-31.09	22.73	-13.0	-18.09	253.00	Horizontal	Vertical	Pass
7800.750	-30.39	25.28	-13.0	-17.39	129.00	Horizontal	Vertical	Pass
12692.525	-37.50	16.41	-13.0	-24.50	360.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
384.390	-68.95	-10.09	-13.0	-55.95	314.00	Vertical	Vertical	Pass
2651.300	-50.77	2.44	-13.0	-37.77	286.00	Vertical	Vertical	Pass
3277.500	-38.90	12.22	-13.0	-25.90	329.00	Vertical	Vertical	N/A
3526.750	-35.14	14.73	-13.0	-22.14	276.00	Vertical	Vertical	Pass
6708.500	-30.61	23.96	-13.0	-17.61	204.00	Vertical	Vertical	Pass
13402.313	-38.13	16.96	-13.0	-25.13	363.00	Vertical	Vertical	Pass


RSE-V&H n77 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
951.015	-65.51	1.63	-13.0	-52.51	130.00	Vertical	Horizontal	Pass
2092.200	-53.17	-0.21	-13.0	-40.17	122.00	Vertical	Horizontal	Pass
3419.500	-39.95	15.49	-13.0	-26.95	77.00	Vertical	Horizontal	N/A
5939.500	-33.40	20.25	-13.0	-20.40	160.00	Vertical	Horizontal	Pass
7956.250	-29.65	24.79	-13.0	-16.65	56.00	Vertical	Horizontal	Pass
12748.575	-38.14	16.02	-13.0	-25.14	315.00	Vertical	Horizontal	Pass


15.4 n77(3450-3550MHz) BW50, Middle Channel QPSK

RSE-H&H n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
793.924	-65.62	-1.36	-13.0	-52.62	26.00	Horizontal	Horizontal	Pass
2125.800	-53.20	-0.76	-13.0	-40.20	190.00	Horizontal	Horizontal	Pass
3277.250	-35.53	12.21	-13.0	-22.53	291.00	Horizontal	Horizontal	N/A
3550.500	-32.74	14.65	-13.0	-19.74	281.00	Horizontal	Horizontal	N/A
7249.500	-29.98	23.14	-13.0	-16.98	355.00	Horizontal	Horizontal	Pass
12500.862	-38.25	15.64	-13.0	-25.25	70.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
858.186	-67.55	-0.19	-13.0	-54.55	32.00	Vertical	Vertical	Pass
2105.200	-52.81	-0.39	-13.0	-39.81	-3.00	Vertical	Vertical	Pass
3277.500	-38.11	12.22	-13.0	-25.11	254.00	Vertical	Vertical	N/A
3550.000	-36.65	14.65	-13.0	-23.65	243.00	Vertical	Vertical	N/A
7919.250	-29.54	23.44	-13.0	-16.54	316.00	Vertical	Vertical	Pass
12705.825	-37.87	16.48	-13.0	-24.87	114.00	Vertical	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
778.452	-65.77	-1.46	-13.0	-52.77	13.00	Horizontal	Vertical	Pass
2103.900	-52.80	-0.28	-13.0	-39.80	162.00	Horizontal	Vertical	Pass
3686.750	-40.04	14.28	-13.0	-27.04	120.00	Horizontal	Vertical	N/A
6723.750	-30.95	23.78	-13.0	-17.95	361.00	Horizontal	Vertical	Pass
7798.000	-29.68	25.33	-13.0	-16.68	362.00	Horizontal	Vertical	Pass
12693.000	-38.23	16.42	-13.0	-25.23	85.00	Horizontal	Vertical	Pass


RSE-V&H n77 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
885.637	-67.50	-0.08	-13.0	-54.50	85.00	Vertical	Horizontal	Pass
1877.100	-55.06	-3.96	-13.0	-42.06	303.00	Vertical	Horizontal	Pass
3433.000	-39.63	15.42	-13.0	-26.63	243.00	Vertical	Horizontal	N/A
5961.500	-33.65	21.14	-13.0	-20.65	263.00	Vertical	Horizontal	Pass
7868.750	-30.16	23.62	-13.0	-17.16	324.00	Vertical	Horizontal	Pass
12659.037	-38.04	15.83	-13.0	-25.04	284.00	Vertical	Horizontal	Pass


15.5 n77(3450-3550MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.580	-70.14	-16.60	-13.0	-57.14	304.00	Horizontal	Horizontal	Pass
3285.500	-33.31	12.28	-13.0	-20.31	312.00	Horizontal	Horizontal	Pass
3451.250	-31.88	15.31	-13.0	-18.88	193.00	Horizontal	Horizontal	N/A
3633.750	-30.96	13.47	-13.0	-17.96	322.00	Horizontal	Horizontal	Pass
6702.500	-30.80	23.66	-13.0	-17.80	115.00	Horizontal	Horizontal	Pass
13368.713	-38.61	16.72	-13.0	-25.61	286.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.434	-69.58	-16.58	-13.0	-56.58	293.00	Horizontal	Vertical	Pass
1429.300	-56.60	-4.82	-13.0	-43.60	202.00	Horizontal	Vertical	Pass
3644.000	-35.97	13.33	-13.0	-22.97	113.00	Horizontal	Vertical	Pass
6707.000	-30.60	23.91	-13.0	-17.60	0.00	Horizontal	Vertical	Pass
13376.850	-38.35	16.79	-13.0	-25.35	125.00	Horizontal	Vertical	Pass
17948.813	-42.27	14.06	-13.0	-29.27	50.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.593	-71.27	-15.99	-13.0	-58.27	-3.00	Vertical	Vertical	Pass
1989.000	-53.60	-1.21	-13.0	-40.60	76.00	Vertical	Vertical	Pass
3451.750	-33.70	15.30	-13.0	-20.70	177.00	Vertical	Vertical	N/A
3662.500	-32.34	12.82	-13.0	-19.34	290.00	Vertical	Vertical	Pass
7953.750	-29.77	24.54	-13.0	-16.77	155.00	Vertical	Vertical	Pass
13417.538	-38.51	16.62	-13.0	-25.51	317.00	Vertical	Vertical	Pass


RSE-V&H n77 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
205.716	-71.29	-16.22	-13.0	-58.29	-3.00	Vertical	Horizontal	Pass
2096.500	-53.32	-0.30	-13.0	-40.32	-1.00	Vertical	Horizontal	Pass
3494.750	-40.24	14.88	-13.0	-27.24	121.00	Vertical	Horizontal	Pass
6642.250	-31.26	23.41	-13.0	-18.26	56.00	Vertical	Horizontal	Pass
12496.588	-38.56	15.55	-13.0	-25.56	334.00	Vertical	Horizontal	Pass
17937.000	-42.81	13.78	-13.0	-29.81	272.00	Vertical	Horizontal	Pass


15.6 n77(3450-3550MHz) BW100, Middle Channel QPSK

RSE-H&H n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.940	-69.00	-15.35	-13.0	-56.00	282.00	Horizontal	Horizontal	Pass
2090.800	-53.01	-0.13	-13.0	-40.01	231.00	Horizontal	Horizontal	Pass
3429.500	-40.30	15.44	-13.0	-27.30	69.00	Horizontal	Horizontal	Pass
6699.000	-31.41	23.36	-13.0	-18.41	177.00	Horizontal	Horizontal	Pass
13377.112	-38.37	16.79	-13.0	-25.37	242.00	Horizontal	Horizontal	Pass
17963.250	-41.84	13.76	-13.0	-28.84	12.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.434	-70.81	-16.58	-13.0	-57.81	282.00	Horizontal	Vertical	Pass
1478.100	-56.26	-4.80	-13.0	-43.26	199.00	Horizontal	Vertical	Pass
3649.500	-35.57	13.01	-13.0	-22.57	96.00	Horizontal	Vertical	Pass
6828.500	-31.10	22.68	-13.0	-18.10	262.00	Horizontal	Vertical	Pass
13335.375	-38.73	15.96	-13.0	-25.73	258.00	Horizontal	Vertical	Pass
17965.613	-41.85	13.70	-13.0	-28.85	360.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
393.022	-72.24	-9.61	-13.0	-59.24	359.00	Vertical	Vertical	Pass
1572.100	-56.25	-3.89	-13.0	-43.25	28.00	Vertical	Vertical	Pass
3459.750	-30.66	15.22	-13.0	-17.66	232.00	Vertical	Vertical	N/A
3663.750	-32.16	12.80	-13.0	-19.16	232.00	Vertical	Vertical	Pass
6646.250	-30.55	23.48	-13.0	-17.55	273.00	Vertical	Vertical	Pass
12510.363	-38.18	15.45	-13.0	-25.18	220.00	Vertical	Vertical	Pass

RSE-V&H n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.156	-71.41	-16.02	-13.0	-58.41	353.00	Vertical	Horizontal	Pass
2128.000	-53.37	-0.62	-13.0	-40.37	28.00	Vertical	Horizontal	Pass
3430.000	-38.96	15.43	-13.0	-25.96	13.00	Vertical	Horizontal	N/A
6647.500	-30.29	23.38	-13.0	-17.29	116.00	Vertical	Horizontal	Pass
13387.088	-38.41	16.89	-13.0	-25.41	122.00	Vertical	Horizontal	Pass
17951.699	-41.88	14.05	-13.0	-28.88	319.00	Vertical	Horizontal	Pass

16 n77(3700-3980MHz)


16.1 n77(3700-3980MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.611	-69.42	-15.70	-13.0	-56.42	86.00	Horizontal	Horizontal	Pass
1637.600	-55.34	-4.14	-13.0	-42.34	167.00	Horizontal	Horizontal	Pass
3842.000	-34.10	16.12	-13.0	-21.10	210.00	Horizontal	Horizontal	N/A
6724.250	-31.30	24.66	-13.0	-18.30	220.00	Horizontal	Horizontal	Pass
12702.026	-38.55	16.52	-13.0	-25.55	169.00	Horizontal	Horizontal	Pass
17947.501	-42.37	14.03	-13.0	-29.37	332.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.046	-68.72	-16.52	-13.0	-55.72	313.00	Horizontal	Vertical	Pass
2108.000	-53.11	-0.37	-13.0	-40.11	79.00	Horizontal	Vertical	Pass
3837.000	-36.82	16.09	-13.0	-23.82	156.00	Horizontal	Vertical	N/A
6726.750	-30.44	24.54	-13.0	-17.44	230.00	Horizontal	Vertical	Pass
13362.150	-38.55	16.65	-13.0	-25.55	49.00	Horizontal	Vertical	Pass
17958.261	-41.76	13.89	-13.0	-28.76	206.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
392.974	-68.22	-9.61	-13.0	-55.22	320.00	Vertical	Vertical	Pass
2104.100	-53.68	-0.30	-13.0	-40.68	302.00	Vertical	Vertical	Pass
4055.250	-38.02	17.44	-13.0	-25.02	29.00	Vertical	Vertical	Pass
6802.000	-30.68	22.88	-13.0	-17.68	259.00	Vertical	Vertical	Pass
13388.925	-38.74	16.91	-13.0	-25.74	65.00	Vertical	Vertical	Pass
17948.813	-41.99	14.06	-13.0	-28.99	282.00	Vertical	Vertical	Pass


RSE-V&H n77 (3700-3980MHz) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
389.336	-68.35	-9.64	-13.0	-55.35	338.00	Vertical	Horizontal	Pass
2096.400	-53.55	-0.30	-13.0	-40.55	200.00	Vertical	Horizontal	Pass
3804.750	-39.60	15.89	-13.0	-26.60	91.00	Vertical	Horizontal	Pass
6733.000	-30.63	23.76	-13.0	-17.63	0.00	Vertical	Horizontal	Pass
13796.850	-38.25	16.80	-13.0	-25.25	0.00	Vertical	Horizontal	Pass
17799.449	-40.77	13.17	-13.0	-27.77	0.00	Vertical	Horizontal	Pass


16.2 n77(3700-3980MHz) BW20, Middle Channel QPSK

RSE-H&H n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.122	-69.16	-16.30	-13.0	-56.16	138.00	Horizontal	Horizontal	Pass
2066.200	-52.17	-1.00	-13.0	-39.17	278.00	Horizontal	Horizontal	Pass
3474.250	-40.18	13.23	-13.0	-27.18	239.00	Horizontal	Horizontal	Pass
3836.750	-34.81	16.09	-13.0	-21.81	206.00	Horizontal	Horizontal	N/A
6717.750	-30.82	24.31	-13.0	-17.82	312.00	Horizontal	Horizontal	Pass
12662.838	-38.12	15.89	-13.0	-25.12	149.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.806	-71.49	-15.66	-13.0	-58.49	288.00	Horizontal	Vertical	Pass
2084.300	-53.61	-0.35	-13.0	-40.61	214.00	Horizontal	Vertical	Pass
3837.500	-38.11	16.09	-13.0	-25.11	167.00	Horizontal	Vertical	N/A
6719.000	-31.23	24.45	-13.0	-18.23	167.00	Horizontal	Vertical	Pass
13374.488	-38.02	16.77	-13.0	-25.02	348.00	Horizontal	Vertical	Pass
17803.387	-41.78	13.11	-13.0	-28.78	269.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
385.747	-68.80	-9.90	-13.0	-55.80	278.00	Vertical	Vertical	Pass
2081.600	-53.66	-0.41	-13.0	-40.66	316.00	Vertical	Vertical	Pass
3803.750	-38.89	15.88	-13.0	-25.89	274.00	Vertical	Vertical	Pass
7177.500	-30.33	22.70	-13.0	-17.33	174.00	Vertical	Vertical	Pass
13347.974	-38.22	16.46	-13.0	-25.22	64.00	Vertical	Vertical	Pass
17953.012	-41.67	14.02	-13.0	-28.67	153.00	Vertical	Vertical	Pass


RSE-V&H n77 (3700-3980MHz) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
392.004	-69.21	-9.63	-13.0	-56.21	232.00	Vertical	Horizontal	Pass
2046.300	-53.19	-0.91	-13.0	-40.19	204.00	Vertical	Horizontal	Pass
3864.500	-39.10	16.40	-13.0	-26.10	34.00	Vertical	Horizontal	Pass
6720.750	-30.68	24.60	-13.0	-17.68	361.00	Vertical	Horizontal	Pass
13365.300	-38.12	16.68	-13.0	-25.12	0.00	Vertical	Horizontal	Pass
17804.175	-42.04	13.09	-13.0	-29.04	111.00	Vertical	Horizontal	Pass


16.3 n77(3700-3980MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
782.865	-65.68	-1.47	-13.0	-52.68	12.00	Horizontal	Horizontal	Pass
2096.700	-53.28	-0.30	-13.0	-40.28	273.00	Horizontal	Horizontal	Pass
3277.250	-38.87	12.41	-13.0	-25.87	348.00	Horizontal	Horizontal	Pass
3790.000	-39.69	15.32	-13.0	-26.69	295.00	Horizontal	Horizontal	N/A
7969.500	-30.00	24.63	-13.0	-17.00	191.00	Horizontal	Horizontal	Pass
13372.650	-38.24	16.75	-13.0	-25.24	363.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
795.185	-66.09	-1.32	-13.0	-53.09	34.00	Horizontal	Vertical	Pass
2106.000	-52.80	-0.42	-13.0	-39.80	46.00	Horizontal	Vertical	Pass
3795.000	-39.38	15.14	-13.0	-26.38	46.00	Horizontal	Vertical	N/A
6722.250	-30.43	24.21	-13.0	-17.43	248.00	Horizontal	Vertical	Pass
9451.362	-40.33	14.18	-13.0	-27.33	258.00	Horizontal	Vertical	Pass
12665.687	-38.37	15.94	-13.0	-25.37	287.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
383.953	-68.14	-10.13	-13.0	-55.14	308.00	Vertical	Vertical	Pass
2087.800	-52.78	-0.09	-13.0	-39.78	340.00	Vertical	Vertical	Pass
3795.000	-38.13	15.14	-13.0	-25.13	234.00	Vertical	Vertical	N/A
6623.500	-31.02	22.98	-13.0	-18.02	57.00	Vertical	Vertical	Pass
7796.500	-29.89	24.72	-13.0	-16.89	78.00	Vertical	Vertical	Pass
12654.763	-37.97	15.75	-13.0	-24.97	157.00	Vertical	Vertical	Pass


RSE-V&H n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
961.151	-65.97	1.81	-13.0	-52.97	32.00	Vertical	Horizontal	Pass
2106.100	-53.47	-0.42	-13.0	-40.47	216.00	Vertical	Horizontal	Pass
3797.000	-40.62	15.26	-13.0	-27.62	152.00	Vertical	Horizontal	N/A
6689.500	-29.85	22.83	-13.0	-16.85	282.00	Vertical	Horizontal	Pass
9384.150	-39.95	13.88	-13.0	-26.95	200.00	Vertical	Horizontal	Pass
12675.188	-37.59	16.11	-13.0	-24.59	53.00	Vertical	Horizontal	Pass


16.4 n77(3700-3980MHz) BW50, Middle Channel QPSK

RSE-H&H n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
855.034	-66.04	-0.17	-13.0	-53.04	209.00	Horizontal	Horizontal	Pass
2100.000	-53.28	-0.31	-13.0	-40.28	9.00	Horizontal	Horizontal	Pass
3431.250	-40.17	15.43	-13.0	-27.17	121.00	Horizontal	Horizontal	Pass
3797.500	-28.42	13.08	-13.0	-15.42	121.00	Horizontal	Horizontal	N/A
6711.250	-30.11	23.91	-13.0	-17.11	0.00	Horizontal	Horizontal	Pass
12516.062	-38.61	15.33	-13.0	-25.61	357.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
789.413	-65.26	-1.33	-13.0	-52.26	13.00	Horizontal	Vertical	Pass
2096.300	-53.69	-0.30	-13.0	-40.69	66.00	Horizontal	Vertical	Pass
3799.500	-27.88	14.31	-13.0	-14.88	115.00	Horizontal	Vertical	N/A
6006.000	-32.80	21.02	-13.0	-19.80	303.00	Horizontal	Vertical	Pass
7810.750	-30.09	24.75	-13.0	-17.09	272.00	Horizontal	Vertical	Pass
13384.200	-38.38	16.86	-13.0	-25.38	294.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
873.076	-66.90	-0.26	-13.0	-53.90	142.00	Vertical	Vertical	Pass
2503.000	-52.55	1.64	-13.0	-39.55	1.00	Vertical	Vertical	Pass
3792.000	-33.83	13.09	-13.0	-20.83	115.00	Vertical	Vertical	N/A
4961.500	-37.14	18.22	-13.0	-24.14	272.00	Vertical	Vertical	Pass
6735.000	-30.36	23.40	-13.0	-17.36	32.00	Vertical	Vertical	Pass
12706.300	-37.85	16.47	-13.0	-24.85	73.00	Vertical	Vertical	Pass


RSE-V&H n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
885.588	-67.31	-0.09	-13.0	-54.31	79.00	Vertical	Horizontal	Pass
2515.400	-52.01	1.55	-13.0	-39.01	1.00	Vertical	Horizontal	Pass
3791.250	-35.88	14.40	-13.0	-22.88	8.00	Vertical	Horizontal	N/A
6702.250	-29.88	23.65	-13.0	-16.88	202.00	Vertical	Horizontal	Pass
7933.500	-30.58	23.93	-13.0	-17.58	202.00	Vertical	Horizontal	Pass
12711.525	-38.28	16.42	-13.0	-25.28	82.00	Vertical	Horizontal	Pass


16.5 n77(3700-3980MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.510	-70.08	-16.29	-13.0	-57.08	308.00	Horizontal	Horizontal	Pass
1649.400	-55.31	-3.84	-13.0	-42.31	145.00	Horizontal	Horizontal	Pass
3589.500	-33.90	12.83	-13.0	-20.90	284.00	Horizontal	Horizontal	Pass
3792.000	-20.74	15.92	-13.0	-7.74	219.00	Horizontal	Horizontal	N/A
6762.500	-31.09	22.51	-13.0	-18.09	103.00	Horizontal	Horizontal	Pass
12737.887	-38.85	16.13	-13.0	-25.85	149.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.288	-70.49	-16.56	-13.0	-57.49	108.00	Horizontal	Vertical	Pass
2043.100	-53.22	-0.71	-13.0	-40.22	-1.00	Horizontal	Vertical	Pass
3791.500	-20.75	15.93	-13.0	-7.75	167.00	Horizontal	Vertical	N/A
6651.000	-31.22	22.97	-13.0	-18.22	282.00	Horizontal	Vertical	Pass
12687.062	-38.16	16.31	-13.0	-25.16	103.00	Horizontal	Vertical	Pass
17958.525	-41.71	13.88	-13.0	-28.71	191.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
594.394	-68.53	-4.97	-13.0	-55.53	74.00	Vertical	Vertical	Pass
2093.600	-52.90	-0.19	-13.0	-39.90	204.00	Vertical	Vertical	Pass
3791.500	-27.72	15.93	-13.0	-14.72	312.00	Vertical	Vertical	N/A
6805.500	-29.75	22.85	-13.0	-16.75	51.00	Vertical	Vertical	Pass
12718.650	-38.69	16.34	-13.0	-25.69	104.00	Vertical	Vertical	Pass
17797.876	-42.29	13.07	-13.0	-29.29	182.00	Vertical	Vertical	Pass


RSE-V&H n77 (3700-3980MHz) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
387.639	-69.21	-9.90	-13.0	-56.21	346.00	Vertical	Horizontal	Pass
2021.300	-53.69	-1.00	-13.0	-40.69	49.00	Vertical	Horizontal	Pass
3792.000	-31.06	15.92	-13.0	-18.06	272.00	Vertical	Horizontal	N/A
6641.250	-30.74	23.52	-13.0	-17.74	334.00	Vertical	Horizontal	Pass
12598.713	-38.45	15.20	-13.0	-25.45	150.00	Vertical	Horizontal	Pass
17807.063	-42.13	13.01	-13.0	-29.13	99.00	Vertical	Horizontal	Pass


16.6 n77(3700-3980MHz) BW100, Middle Channel QPSK

RSE-H&H n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.921	-67.88	-15.49	-13.0	-54.88	143.00	Horizontal	Horizontal	Pass
1996.400	-53.61	-1.09	-13.0	-40.61	363.00	Horizontal	Horizontal	Pass
3631.750	-32.77	13.12	-13.0	-19.77	294.00	Horizontal	Horizontal	Pass
3791.500	-15.40	15.93	-13.0	-2.40	253.00	Horizontal	Horizontal	N/A
7049.000	-30.89	23.31	-13.0	-17.89	362.00	Horizontal	Horizontal	Pass
13819.688	-38.37	16.55	-13.0	-25.37	198.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.496	-71.49	-16.01	-13.0	-58.49	290.00	Horizontal	Vertical	Pass
2126.700	-52.78	-0.66	-13.0	-39.78	48.00	Horizontal	Vertical	Pass
3724.750	-36.43	14.38	-13.0	-23.43	178.00	Horizontal	Vertical	N/A
6633.500	-31.01	23.23	-13.0	-18.01	32.00	Horizontal	Vertical	Pass
13379.474	-38.13	16.82	-13.0	-25.13	255.00	Horizontal	Vertical	Pass
17966.137	-41.93	13.69	-13.0	-28.93	210.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
393.847	-69.16	-9.65	-13.0	-56.16	360.00	Vertical	Vertical	Pass
2077.400	-53.44	-0.67	-13.0	-40.44	69.00	Vertical	Vertical	Pass
3791.750	-30.79	15.93	-13.0	-17.79	345.00	Vertical	Vertical	N/A
6633.250	-30.81	23.22	-13.0	-17.81	292.00	Vertical	Vertical	Pass
12694.425	-38.55	16.44	-13.0	-25.55	305.00	Vertical	Vertical	Pass
17965.089	-42.49	13.72	-13.0	-29.49	271.00	Vertical	Vertical	Pass

RSE-V&H n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
388.997	-66.83	-9.68	-13.0	-53.83	209.00	Vertical	Horizontal	Pass
2112.300	-53.45	-0.19	-13.0	-40.45	109.00	Vertical	Horizontal	Pass
3791.500	-26.54	15.93	-13.0	-13.54	283.00	Vertical	Horizontal	N/A
6643.750	-30.67	23.47	-13.0	-17.67	304.00	Vertical	Horizontal	Pass
13363.463	-38.31	16.67	-13.0	-25.31	118.00	Vertical	Horizontal	Pass
17964.562	-41.62	13.73	-13.0	-28.62	333.00	Vertical	Horizontal	Pass

17 n78(3450-3550MHz)


17.1 n78(3450-3550MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.415	-68.32	-15.92	-13.0	-55.32	103.00	Horizontal	Horizontal	Pass
2075.100	-53.00	-0.69	-13.0	-40.00	291.00	Horizontal	Horizontal	Pass
3496.250	-29.11	14.86	-13.0	-16.11	343.00	Horizontal	Horizontal	N/A
7051.750	-30.48	23.20	-13.0	-17.48	6.00	Horizontal	Horizontal	Pass
12700.125	-37.96	16.54	-13.0	-24.96	0.00	Horizontal	Horizontal	Pass
17980.838	-41.35	13.33	-13.0	-28.35	262.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
197.762	-69.65	-15.98	-13.0	-56.65	108.00	Horizontal	Vertical	Pass
2026.800	-52.79	-0.82	-13.0	-39.79	114.00	Horizontal	Vertical	Pass
3496.000	-37.95	14.86	-13.0	-24.95	21.00	Horizontal	Vertical	N/A
7956.000	-30.46	24.75	-13.0	-17.46	-1.00	Horizontal	Vertical	Pass
12698.700	-37.72	16.52	-13.0	-24.72	234.00	Horizontal	Vertical	Pass
17947.763	-41.89	14.04	-13.0	-28.89	306.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.679	-69.53	-24.12	-13.0	-56.53	96.00	Vertical	Vertical	Pass
2106.200	-52.69	-0.43	-13.0	-39.69	326.00	Vertical	Vertical	Pass
3496.000	-30.74	14.86	-13.0	-17.74	286.00	Vertical	Vertical	N/A
6668.500	-30.63	22.60	-13.0	-17.63	91.00	Vertical	Vertical	Pass
12694.425	-37.84	16.44	-13.0	-24.84	0.00	Vertical	Vertical	Pass
17946.188	-41.57	14.00	-13.0	-28.57	99.00	Vertical	Vertical	Pass


RSE-V&H n78 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.825	-69.56	-24.21	-13.0	-56.56	84.00	Vertical	Horizontal	Pass
2105.100	-53.10	-0.38	-13.0	-40.10	251.00	Vertical	Horizontal	Pass
3414.000	-39.74	15.52	-13.0	-26.74	147.00	Vertical	Horizontal	Pass
7797.000	-29.94	25.34	-13.0	-16.94	147.00	Vertical	Horizontal	Pass
12667.350	-37.73	15.97	-13.0	-24.73	121.00	Vertical	Horizontal	Pass
17798.136	-41.35	13.08	-13.0	-28.35	145.00	Vertical	Horizontal	Pass


17.2 n78(3450-3550MHz) BW20, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.415	-70.32	-15.92	-13.0	-57.32	85.00	Horizontal	Horizontal	Pass
2129.300	-53.39	-0.56	-13.0	-40.39	-2.00	Horizontal	Horizontal	Pass
3359.000	-36.96	13.70	-13.0	-23.96	233.00	Horizontal	Horizontal	Pass
3497.000	-27.26	14.85	-13.0	-14.26	143.00	Horizontal	Horizontal	N/A
7211.750	-30.15	23.06	-13.0	-17.15	362.00	Horizontal	Horizontal	Pass
13369.238	-38.39	16.72	-13.0	-25.39	1.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.101	-68.35	-15.99	-13.0	-55.35	105.00	Horizontal	Vertical	Pass
2102.300	-53.34	-0.35	-13.0	-40.34	332.00	Horizontal	Vertical	Pass
3497.000	-33.21	14.85	-13.0	-20.21	126.00	Horizontal	Vertical	N/A
7793.500	-30.02	25.01	-13.0	-17.02	170.00	Horizontal	Vertical	Pass
12710.575	-38.34	16.43	-13.0	-25.34	69.00	Horizontal	Vertical	Pass
17949.073	-41.82	14.07	-13.0	-28.82	125.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.582	-69.17	-24.04	-13.0	-56.17	113.00	Vertical	Vertical	Pass
2037.600	-53.44	-0.69	-13.0	-40.44	158.00	Vertical	Vertical	Pass
3498.250	-32.34	14.84	-13.0	-19.34	350.00	Vertical	Vertical	N/A
7811.750	-29.25	24.73	-13.0	-16.25	63.00	Vertical	Vertical	Pass
12674.950	-38.22	16.10	-13.0	-25.22	361.00	Vertical	Vertical	Pass
17940.937	-41.78	13.87	-13.0	-28.78	111.00	Vertical	Vertical	Pass


RSE-V&Hn78 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.825	-69.28	-24.21	-13.0	-56.28	131.00	Vertical	Horizontal	Pass
2058.400	-53.35	-1.17	-13.0	-40.35	180.00	Vertical	Horizontal	Pass
3499.500	-38.47	14.83	-13.0	-25.47	308.00	Vertical	Horizontal	N/A
7802.500	-30.58	25.25	-13.0	-17.58	191.00	Vertical	Horizontal	Pass
13389.712	-38.03	16.91	-13.0	-25.03	156.00	Vertical	Horizontal	Pass
17806.275	-41.65	13.03	-13.0	-28.65	156.00	Vertical	Horizontal	Pass

17.3 n78(3450-3550MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.295	-66.48	-16.01	-13.0	-53.48	101.00	Horizontal	Horizontal	Pass
2054.300	-52.91	-1.06	-13.0	-39.91	361.00	Horizontal	Horizontal	Pass
3277.500	-36.64	12.22	-13.0	-23.64	135.00	Horizontal	Horizontal	Pass
3497.500	-34.94	14.85	-13.0	-21.94	135.00	Horizontal	Horizontal	N/A
7243.750	-29.84	23.02	-13.0	-16.84	220.00	Horizontal	Horizontal	Pass
12618.424	-37.79	15.38	-13.0	-24.79	361.00	Horizontal	Horizontal	Pass