



RSE-H&V n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.314	-65.31	-16.14	-13.0	-52.31	90.00	Horizontal	Vertical	Pass
2016.100	-53.33	-1.42	-13.0	-40.33	167.00	Horizontal	Vertical	Pass
3497.750	-39.61	14.85	-13.0	-26.61	219.00	Horizontal	Vertical	Pass
6639.500	-30.17	23.38	-13.0	-17.17	-1.00	Horizontal	Vertical	Pass
13817.326	-38.23	16.60	-13.0	-25.23	190.00	Horizontal	Vertical	Pass
17804.700	-40.60	13.07	-13.0	-27.60	340.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.455	-69.20	-24.41	-13.0	-56.20	147.00	Vertical	Vertical	Pass
2097.300	-53.70	-0.31	-13.0	-40.70	351.00	Vertical	Vertical	Pass
3277.500	-39.73	12.22	-13.0	-26.73	282.00	Vertical	Vertical	Pass
3497.750	-37.83	14.85	-13.0	-24.83	356.00	Vertical	Vertical	N/A
7953.750	-29.92	24.54	-13.0	-16.92	35.00	Vertical	Vertical	Pass
13352.175	-38.29	16.56	-13.0	-25.29	183.00	Vertical	Vertical	Pass


RSE-V&H n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
213.572	-72.35	-16.61	-13.0	-59.35	309.00	Vertical	Horizontal	Pass
1997.100	-53.47	-1.10	-13.0	-40.47	2.00	Vertical	Horizontal	Pass
3463.000	-40.54	15.19	-13.0	-27.54	104.00	Vertical	Horizontal	Pass
7800.750	-29.25	25.28	-13.0	-16.25	91.00	Vertical	Horizontal	Pass
13372.650	-38.20	16.75	-13.0	-25.20	327.00	Vertical	Horizontal	Pass
17795.250	-40.71	12.91	-13.0	-27.71	88.00	Vertical	Horizontal	Pass


17.4 n77(3450-3550MHz) BW50, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.829	-72.33	-16.09	-13.0	-59.33	126.00	Horizontal	Horizontal	Pass
2103.900	-52.48	-0.28	-13.0	-39.48	53.00	Horizontal	Horizontal	Pass
3277.250	-36.18	12.21	-13.0	-23.18	210.00	Horizontal	Horizontal	N/A
3501.500	-32.29	14.82	-13.0	-19.29	331.00	Horizontal	Horizontal	N/A
7816.500	-29.09	24.45	-13.0	-16.09	331.00	Horizontal	Horizontal	Pass
13803.150	-38.58	16.94	-13.0	-25.58	104.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.582	-69.63	-15.53	-13.0	-56.63	281.00	Horizontal	Vertical	Pass
2084.700	-52.87	-0.22	-13.0	-39.87	305.00	Horizontal	Vertical	Pass
3416.500	-40.20	15.51	-13.0	-27.20	281.00	Horizontal	Vertical	Pass
6616.750	-31.05	22.50	-13.0	-18.05	303.00	Horizontal	Vertical	Pass
13376.062	-37.85	16.78	-13.0	-24.85	109.00	Horizontal	Vertical	Pass
17919.150	-41.13	13.35	-13.0	-28.13	124.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.746	-72.38	-15.38	-13.0	-59.38	131.00	Vertical	Vertical	Pass
1416.300	-56.84	-4.89	-13.0	-43.84	129.00	Vertical	Vertical	Pass
3277.250	-40.20	12.21	-13.0	-27.20	249.00	Vertical	Vertical	N/A
3499.750	-36.47	14.83	-13.0	-23.47	281.00	Vertical	Vertical	N/A
7051.500	-30.20	23.20	-13.0	-17.20	361.00	Vertical	Vertical	Pass
17945.661	-40.33	13.99	-13.0	-27.33	63.00	Vertical	Vertical	Pass


RSE-V&H n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
218.762	-74.84	-16.38	-13.0	-61.84	241.00	Vertical	Horizontal	Pass
2103.900	-52.81	-0.28	-13.0	-39.81	204.00	Vertical	Horizontal	Pass
3420.000	-39.90	15.49	-13.0	-26.90	334.00	Vertical	Horizontal	Pass
6680.500	-31.12	22.49	-13.0	-18.12	270.00	Vertical	Horizontal	Pass
13400.738	-38.50	16.99	-13.0	-25.50	348.00	Vertical	Horizontal	Pass
17936.474	-42.03	13.77	-13.0	-29.03	287.00	Vertical	Horizontal	Pass


17.5 n78(3450-3550MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.563	-70.21	-15.71	-13.0	-57.21	146.00	Horizontal	Horizontal	Pass
2094.400	-53.33	-0.18	-13.0	-40.33	267.00	Horizontal	Horizontal	Pass
3449.750	-39.60	15.32	-13.0	-26.60	213.00	Horizontal	Horizontal	N/A
6681.500	-30.74	22.45	-13.0	-17.74	298.00	Horizontal	Horizontal	Pass
12700.363	-38.03	16.54	-13.0	-25.03	348.00	Horizontal	Horizontal	Pass
17938.313	-41.51	13.81	-13.0	-28.51	221.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.268	-69.24	-16.29	-13.0	-56.24	285.00	Horizontal	Vertical	Pass
2004.500	-53.39	-1.55	-13.0	-40.39	110.00	Horizontal	Vertical	Pass
3397.000	-39.46	15.58	-13.0	-26.46	60.00	Horizontal	Vertical	N/A
6771.250	-30.67	22.33	-13.0	-17.67	124.00	Horizontal	Vertical	Pass
13387.875	-37.44	16.90	-13.0	-24.44	185.00	Horizontal	Vertical	Pass
17917.313	-40.44	13.31	-13.0	-27.44	58.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
205.667	-71.09	-16.21	-13.0	-58.09	265.00	Vertical	Vertical	Pass
2107.400	-53.46	-0.34	-13.0	-40.46	254.00	Vertical	Vertical	Pass
3417.500	-39.47	15.50	-13.0	-26.47	153.00	Vertical	Vertical	Pass
6700.750	-30.73	23.49	-13.0	-17.73	48.00	Vertical	Vertical	Pass
13341.412	-37.49	16.20	-13.0	-24.49	159.00	Vertical	Vertical	Pass
17972.437	-41.31	13.53	-13.0	-28.31	78.00	Vertical	Vertical	Pass


RSE-V&H n78 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.279	-72.13	-24.39	-13.0	-59.13	259.00	Vertical	Horizontal	Pass
2113.600	-51.59	-0.28	-13.0	-38.59	0.00	Vertical	Horizontal	Pass
3430.500	-40.02	15.43	-13.0	-27.02	230.00	Vertical	Horizontal	Pass
7245.000	-29.96	23.13	-13.0	-16.96	155.00	Vertical	Horizontal	Pass
12729.099	-37.81	16.23	-13.0	-24.81	50.00	Vertical	Horizontal	Pass
17817.823	-41.01	12.72	-13.0	-28.01	28.00	Vertical	Horizontal	Pass


17.6 n78(3450-3550MHz) BW100, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.738	-73.09	-15.95	-13.0	-60.09	136.00	Horizontal	Horizontal	Pass
2013.800	-53.54	-1.35	-13.0	-40.54	361.00	Horizontal	Horizontal	Pass
3418.750	-39.77	15.50	-13.0	-26.77	28.00	Horizontal	Horizontal	N/A
7359.750	-30.70	23.04	-13.0	-17.70	103.00	Horizontal	Horizontal	Pass
12701.550	-37.48	16.52	-13.0	-24.48	44.00	Horizontal	Horizontal	Pass
17788.688	-40.98	12.50	-13.0	-27.98	360.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.697	-70.01	-15.38	-13.0	-57.01	298.00	Horizontal	Vertical	Pass
2038.000	-52.91	-0.85	-13.0	-39.91	137.00	Horizontal	Vertical	Pass
3420.500	-40.19	15.49	-13.0	-27.19	147.00	Horizontal	Vertical	Pass
7285.000	-30.34	23.30	-13.0	-17.34	4.00	Horizontal	Vertical	Pass
13356.112	-38.19	16.60	-13.0	-25.19	277.00	Horizontal	Vertical	Pass
17922.038	-41.03	13.42	-13.0	-28.03	360.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
210.226	-73.77	-16.52	-13.0	-60.77	304.00	Vertical	Vertical	Pass
1640.400	-56.17	-3.98	-13.0	-43.17	67.00	Vertical	Vertical	Pass
3448.750	-40.18	15.33	-13.0	-27.18	119.00	Vertical	Vertical	Pass
6639.750	-30.86	23.38	-13.0	-17.86	319.00	Vertical	Vertical	Pass
13333.800	-38.20	15.90	-13.0	-25.20	357.00	Vertical	Vertical	Pass
17925.188	-40.27	13.49	-13.0	-27.27	327.00	Vertical	Vertical	Pass

RSE-V&H n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
206.734	-75.85	-16.31	-13.0	-62.85	269.00	Vertical	Horizontal	Pass
1564.600	-56.15	-3.93	-13.0	-43.15	183.00	Vertical	Horizontal	Pass
3451.500	-40.35	15.30	-13.0	-27.35	147.00	Vertical	Horizontal	Pass
6661.500	-29.18	22.70	-13.0	-16.18	203.00	Vertical	Horizontal	Pass
13379.213	-38.09	16.81	-13.0	-25.09	59.00	Vertical	Horizontal	Pass
17951.963	-41.02	14.04	-13.0	-28.02	360.00	Vertical	Horizontal	Pass

18 n78(3700-3800MHz)


18.1 n78(3700-3800MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n78 (3700-3800MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.870	-68.14	-15.88	-13.0	-55.14	102.00	Horizontal	Horizontal	Pass
2097.500	-52.93	-0.32	-13.0	-39.93	128.00	Horizontal	Horizontal	Pass
3707.000	-39.02	14.80	-13.0	-26.02	362.00	Horizontal	Horizontal	Pass
7963.500	-30.02	24.39	-13.0	-17.02	36.00	Horizontal	Horizontal	Pass
13363.463	-38.43	16.67	-13.0	-25.43	194.00	Horizontal	Horizontal	Pass
17955.637	-41.57	13.95	-13.0	-28.57	58.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.008	-69.13	-16.10	-13.0	-56.13	93.00	Horizontal	Vertical	Pass
2045.800	-53.15	-0.89	-13.0	-40.15	51.00	Horizontal	Vertical	Pass
3748.000	-38.63	15.29	-13.0	-25.63	104.00	Horizontal	Vertical	N/A
7905.750	-31.03	23.56	-13.0	-18.03	231.00	Horizontal	Vertical	Pass
12713.662	-37.86	16.39	-13.0	-24.86	145.00	Horizontal	Vertical	Pass
17957.738	-41.35	13.90	-13.0	-28.35	219.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
390.937	-67.54	-9.52	-13.0	-54.54	256.00	Vertical	Vertical	Pass
2103.900	-53.04	-0.28	-13.0	-40.04	-2.00	Vertical	Vertical	Pass
3748.000	-39.12	15.29	-13.0	-26.12	161.00	Vertical	Vertical	N/A
7265.500	-30.63	23.63	-13.0	-17.63	231.00	Vertical	Vertical	Pass
13355.588	-37.09	16.59	-13.0	-24.09	41.00	Vertical	Vertical	Pass
17946.712	-41.58	14.01	-13.0	-28.58	12.00	Vertical	Vertical	Pass


RSE-V&H n78 (3700-3800MHz) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
389.239	-68.73	-9.65	-13.0	-55.73	250.00	Vertical	Horizontal	Pass
2083.100	-53.46	-0.17	-13.0	-40.46	-2.00	Vertical	Horizontal	Pass
3837.000	-39.70	15.21	-13.0	-26.70	271.00	Vertical	Horizontal	Pass
7266.000	-30.81	23.64	-13.0	-17.81	362.00	Vertical	Horizontal	Pass
13795.276	-37.89	16.69	-13.0	-24.89	325.00	Vertical	Horizontal	Pass
17964.825	-40.61	13.72	-13.0	-27.61	220.00	Vertical	Horizontal	Pass


18.2 n78(3700-3800MHz) BW20, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.225	-67.77	-16.38	-13.0	-54.77	108.00	Horizontal	Horizontal	Pass
2104.400	-53.60	-0.34	-13.0	-40.60	361.00	Horizontal	Horizontal	Pass
3751.500	-40.70	15.31	-13.0	-27.70	106.00	Horizontal	Horizontal	N/A
6632.750	-30.78	23.10	-13.0	-17.78	-1.00	Horizontal	Horizontal	Pass
13812.600	-38.57	16.72	-13.0	-25.57	206.00	Horizontal	Horizontal	Pass
17927.813	-41.63	13.56	-13.0	-28.63	132.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.754	-66.18	-15.86	-13.0	-53.18	115.00	Horizontal	Vertical	Pass
2107.400	-53.27	-0.34	-13.0	-40.27	300.00	Horizontal	Vertical	Pass
3732.500	-40.37	15.11	-13.0	-27.37	7.00	Horizontal	Vertical	Pass
7973.750	-29.96	24.18	-13.0	-16.96	7.00	Horizontal	Vertical	Pass
13361.887	-37.08	16.65	-13.0	-24.08	139.00	Horizontal	Vertical	Pass
17925.450	-40.94	13.50	-13.0	-27.94	28.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
389.239	-70.47	-9.65	-13.0	-57.47	136.00	Vertical	Vertical	Pass
2102.600	-52.12	-0.37	-13.0	-39.12	118.00	Vertical	Vertical	Pass
3750.000	-39.46	15.32	-13.0	-26.46	256.00	Vertical	Vertical	N/A
7941.500	-30.79	23.70	-13.0	-17.79	284.00	Vertical	Vertical	Pass
12691.100	-38.16	16.39	-13.0	-25.16	32.00	Vertical	Vertical	Pass
17798.400	-41.14	13.10	-13.0	-28.14	27.00	Vertical	Vertical	Pass


RSE-V&Hn78 (3700-3800MHz) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
388.560	-68.30	-9.72	-13.0	-55.30	243.00	Vertical	Horizontal	Pass
2087.600	-53.22	-0.10	-13.0	-40.22	132.00	Vertical	Horizontal	Pass
3733.000	-39.30	15.11	-13.0	-26.30	356.00	Vertical	Horizontal	N/A
7799.750	-30.36	24.76	-13.0	-17.36	6.00	Vertical	Horizontal	Pass
13392.862	-37.97	16.94	-13.0	-24.97	99.00	Vertical	Horizontal	Pass
17992.124	-40.92	13.05	-13.0	-27.92	99.00	Vertical	Horizontal	Pass


18.3 n78(3700-3800MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
197.422	-67.70	-15.97	-13.0	-54.70	93.00	Horizontal	Horizontal	Pass
2113.000	-53.31	-0.22	-13.0	-40.31	45.00	Horizontal	Horizontal	Pass
3277.250	-35.77	12.41	-13.0	-22.77	194.00	Horizontal	Horizontal	Pass
3749.500	-38.73	15.31	-13.0	-25.73	269.00	Horizontal	Horizontal	N/A
7965.250	-29.77	24.41	-13.0	-16.77	344.00	Horizontal	Horizontal	Pass
13370.812	-38.61	16.74	-13.0	-25.61	222.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.526	-66.58	-16.08	-13.0	-53.58	80.00	Horizontal	Vertical	Pass
2097.600	-52.44	-0.33	-13.0	-39.44	310.00	Horizontal	Vertical	Pass
3693.250	-39.96	14.66	-13.0	-26.96	65.00	Horizontal	Vertical	Pass
7867.750	-29.72	23.38	-13.0	-16.72	162.00	Horizontal	Vertical	Pass
12716.512	-38.06	16.36	-13.0	-25.06	204.00	Horizontal	Vertical	Pass
17791.574	-40.97	12.68	-13.0	-27.97	324.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.018	-68.72	-24.31	-13.0	-55.72	98.00	Vertical	Vertical	Pass
2085.300	-53.29	-0.07	-13.0	-40.29	43.00	Vertical	Vertical	Pass
3277.250	-40.06	12.41	-13.0	-27.06	192.00	Vertical	Vertical	Pass
7766.000	-30.01	22.77	-13.0	-17.01	41.00	Vertical	Vertical	Pass
13809.450	-37.60	16.79	-13.0	-24.60	218.00	Vertical	Vertical	Pass
17959.838	-41.24	13.85	-13.0	-28.24	360.00	Vertical	Vertical	Pass


RSE-V&H n78 (3700-3800MHz) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
582.172	-68.50	-5.70	-13.0	-55.50	174.00	Vertical	Horizontal	Pass
1967.400	-54.26	-2.34	-13.0	-41.26	190.00	Vertical	Horizontal	Pass
3790.750	-40.09	15.01	-13.0	-27.09	239.00	Vertical	Horizontal	Pass
6678.500	-30.04	22.73	-13.0	-17.04	284.00	Vertical	Horizontal	Pass
13343.513	-38.14	16.28	-13.0	-25.14	222.00	Vertical	Horizontal	Pass
17804.438	-41.79	13.08	-13.0	-28.79	86.00	Vertical	Horizontal	Pass


18.4 n77(3700-3800MHz) BW50, Middle Channel QPSK

RSE-H&H n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.533	-67.35	-15.53	-13.0	-54.35	86.00	Horizontal	Horizontal	Pass
2097.100	-53.28	-0.30	-13.0	-40.28	166.00	Horizontal	Horizontal	Pass
3554.500	-38.80	13.81	-13.0	-25.80	341.00	Horizontal	Horizontal	Pass
3735.000	-39.03	15.14	-13.0	-26.03	279.00	Horizontal	Horizontal	Pass
7809.750	-29.87	24.50	-13.0	-16.87	69.00	Horizontal	Horizontal	Pass
13382.362	-37.88	16.84	-13.0	-24.88	72.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.447	-68.49	-16.01	-13.0	-55.49	83.00	Horizontal	Vertical	Pass
2091.600	-53.53	-0.16	-13.0	-40.53	57.00	Horizontal	Vertical	Pass
3732.750	-40.28	15.11	-13.0	-27.28	312.00	Horizontal	Vertical	Pass
7050.750	-30.92	23.44	-13.0	-17.92	50.00	Horizontal	Vertical	Pass
12591.112	-38.60	15.11	-13.0	-25.60	360.00	Horizontal	Vertical	Pass
17944.089	-41.46	13.95	-13.0	-28.46	250.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.835	-70.35	-15.92	-13.0	-57.35	356.00	Vertical	Vertical	Pass
2002.700	-53.21	-1.42	-13.0	-40.21	360.00	Vertical	Vertical	Pass
3277.750	-41.09	12.40	-13.0	-28.09	341.00	Vertical	Vertical	Pass
7154.250	-30.25	22.32	-13.0	-17.25	298.00	Vertical	Vertical	Pass
12663.312	-38.27	15.90	-13.0	-25.27	88.00	Vertical	Vertical	Pass
17814.675	-41.25	12.80	-13.0	-28.25	116.00	Vertical	Vertical	Pass


RSE-V&H n78 (3700-3800MHz) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
391.180	-69.85	-9.52	-13.0	-56.85	298.00	Vertical	Horizontal	Pass
2097.300	-53.11	-0.31	-13.0	-40.11	165.00	Vertical	Horizontal	Pass
3909.000	-40.02	15.25	-13.0	-27.02	309.00	Vertical	Horizontal	Pass
7949.250	-30.71	23.88	-13.0	-17.71	215.00	Vertical	Horizontal	Pass
13345.350	-38.05	16.36	-13.0	-25.05	117.00	Vertical	Horizontal	Pass
17949.864	-39.90	14.09	-13.0	-26.90	238.00	Vertical	Horizontal	Pass


18.5 n78(3700-3800MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
197.762	-68.66	-15.98	-13.0	-55.66	98.00	Horizontal	Horizontal	Pass
2215.700	-53.01	-1.16	-13.0	-40.01	5.00	Horizontal	Horizontal	Pass
3536.000	-34.53	12.96	-13.0	-21.53	343.00	Horizontal	Horizontal	N/A
3856.000	-37.96	14.81	-13.0	-24.96	199.00	Horizontal	Horizontal	N/A
7594.000	-30.07	22.17	-13.0	-17.07	288.00	Horizontal	Horizontal	Pass
13404.675	-38.13	16.91	-13.0	-25.13	58.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.902	-67.23	-15.64	-13.0	-54.23	93.00	Horizontal	Vertical	Pass
2117.300	-53.16	-0.43	-13.0	-40.16	190.00	Horizontal	Vertical	Pass
3909.500	-30.91	15.28	-13.0	-17.91	116.00	Horizontal	Vertical	N/A
6706.000	-29.97	23.50	-13.0	-16.97	83.00	Horizontal	Vertical	Pass
13393.912	-37.80	16.95	-13.0	-24.80	206.00	Horizontal	Vertical	Pass
17946.974	-40.46	14.02	-13.0	-27.46	303.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.757	-69.82	-15.67	-13.0	-56.82	305.00	Vertical	Vertical	Pass
2469.200	-46.59	0.33	-13.0	-33.59	222.00	Vertical	Vertical	Pass
3558.500	-34.94	13.81	-13.0	-21.94	263.00	Vertical	Vertical	N/A
3878.250	-34.87	15.62	-13.0	-21.87	253.00	Vertical	Vertical	N/A
7813.250	-29.14	24.38	-13.0	-16.14	1.00	Vertical	Vertical	Pass
12712.475	-38.17	16.41	-13.0	-25.17	296.00	Vertical	Vertical	Pass


RSE-V&H n78 (3700-3800MHz) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
387.736	-70.93	-9.90	-13.0	-57.93	173.00	Vertical	Horizontal	Pass
2134.900	-52.41	-0.55	-13.0	-39.41	108.00	Vertical	Horizontal	Pass
3878.250	-39.04	15.62	-13.0	-26.04	231.00	Vertical	Horizontal	Pass
6724.000	-30.68	24.10	-13.0	-17.68	125.00	Vertical	Horizontal	Pass
13369.763	-37.83	16.73	-13.0	-24.83	145.00	Vertical	Horizontal	Pass
17964.036	-40.89	13.74	-13.0	-27.89	194.00	Vertical	Horizontal	Pass


18.6 n78(3700-3800MHz) BW100, Middle Channel QPSK

RSE-H&H n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.768	-67.21	-16.04	-13.0	-54.21	85.00	Horizontal	Horizontal	Pass
2094.200	-52.69	-0.18	-13.0	-39.69	193.00	Horizontal	Horizontal	Pass
3535.250	-35.44	13.13	-13.0	-22.44	134.00	Horizontal	Horizontal	Pass
3860.000	-33.34	14.99	-13.0	-20.34	157.00	Horizontal	Horizontal	N/A
6664.750	-30.62	22.44	-13.0	-17.62	204.00	Horizontal	Horizontal	Pass
13805.776	-37.45	16.87	-13.0	-24.45	303.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.974	-66.31	-16.11	-13.0	-53.31	85.00	Horizontal	Vertical	Pass
1997.600	-53.36	-1.21	-13.0	-40.36	127.00	Horizontal	Vertical	Pass
3857.750	-32.22	14.98	-13.0	-19.22	111.00	Horizontal	Vertical	N/A
7821.500	-30.66	24.33	-13.0	-17.66	318.00	Horizontal	Vertical	Pass
13352.963	-37.87	16.57	-13.0	-24.87	1.00	Horizontal	Vertical	Pass
17809.426	-41.32	12.94	-13.0	-28.32	208.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.177	-70.92	-16.39	-13.0	-57.92	310.00	Vertical	Vertical	Pass
2063.600	-53.21	-1.00	-13.0	-40.21	108.00	Vertical	Vertical	Pass
3850.000	-32.92	15.05	-13.0	-19.92	238.00	Vertical	Vertical	N/A
7046.000	-29.08	23.47	-13.0	-16.08	51.00	Vertical	Vertical	Pass
13363.463	-37.59	16.67	-13.0	-24.59	320.00	Vertical	Vertical	Pass
17799.188	-41.49	13.15	-13.0	-28.49	132.00	Vertical	Vertical	Pass

RSE-V&H n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
387.736	-69.93	-9.90	-13.0	-56.93	190.00	Vertical	Horizontal	Pass
2052.400	-53.54	-1.07	-13.0	-40.54	177.00	Vertical	Horizontal	Pass
3731.250	-39.76	15.09	-13.0	-26.76	207.00	Vertical	Horizontal	Pass
7966.500	-29.69	24.56	-13.0	-16.69	40.00	Vertical	Horizontal	Pass
12602.037	-37.65	15.23	-13.0	-24.65	348.00	Vertical	Horizontal	Pass
17965.613	-40.85	13.70	-13.0	-27.85	144.00	Vertical	Horizontal	Pass

19 DC_5A_n78A (3450-3550MHz)


19.1 DC_5A_n78A(3450-3550MHz) BW10MHz(LTE)+BW100MHz(NR)

RSE-H&H DC_5A_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.899	-38.86	4.85	-13.0	-25.86	283.00	Horizontal	Horizontal	N/A
887.722	-23.04	4.49	-13.0	-10.04	279.00	Horizontal	Horizontal	N/A
2970.300	-38.42	16.99	-13.0	-25.42	192.00	Horizontal	Horizontal	Pass
3451.500	-40.16	15.30	-13.0	-27.16	199.00	Horizontal	Horizontal	Pass
7891.000	-29.89	23.98	-13.0	-16.89	311.00	Horizontal	Horizontal	Pass
13399.950	-38.53	17.01	-13.0	-25.53	-2.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.045	-42.79	4.85	-13.0	-29.79	0.00	Horizontal	Vertical	N/A
889.711	-24.57	4.60	-13.0	-11.57	26.00	Horizontal	Vertical	N/A
2991.400	-37.95	16.21	-13.0	-24.95	323.00	Horizontal	Vertical	Pass
3432.000	-40.22	15.42	-13.0	-27.22	352.00	Horizontal	Vertical	Pass
7808.500	-29.48	24.77	-13.0	-16.48	68.00	Horizontal	Vertical	Pass
13369.763	-37.81	16.73	-13.0	-24.81	156.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.997	-35.00	4.85	-13.0	-22.00	304.00	Vertical	Vertical	N/A
892.378	-34.29	4.57	-13.0	-21.29	350.00	Vertical	Vertical	N/A
2968.100	-37.86	17.01	-13.0	-24.86	278.00	Vertical	Vertical	Pass
3431.250	-39.40	15.43	-13.0	-26.40	19.00	Vertical	Vertical	Pass
7807.750	-30.10	24.83	-13.0	-17.10	231.00	Vertical	Vertical	Pass
13366.612	-38.33	16.70	-13.0	-25.33	57.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.142	-37.38	4.85	-13.0	-24.38	120.00	Vertical	Horizontal	N/A
892.039	-33.30	4.58	-13.0	-20.30	318.00	Vertical	Horizontal	N/A
2960.400	-37.94	16.45	-13.0	-24.94	253.00	Vertical	Horizontal	Pass
3430.750	-40.05	15.43	-13.0	-27.05	94.00	Vertical	Horizontal	Pass
7803.750	-30.25	25.10	-13.0	-17.25	198.00	Vertical	Horizontal	Pass
12710.100	-37.68	16.43	-13.0	-24.68	12.00	Vertical	Horizontal	Pass

20 DC_5A_n78A (3700-3800MHz)


20.1 DC_5A_n78A(3700-3800MHz) BW10MHz(LTE)+BW100MHz(NR)

RSE-H&H DC_5A_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.560	-41.91	4.85	-13.0	-28.91	295.00	Horizontal	Horizontal	N/A
891.409	-25.42	4.59	-13.0	-12.42	273.00	Horizontal	Horizontal	N/A
2880.500	-38.08	15.07	-13.0	-25.08	361.00	Horizontal	Horizontal	Pass
3699.000	-40.89	14.71	-13.0	-27.89	133.00	Horizontal	Horizontal	Pass
7183.250	-30.60	22.74	-13.0	-17.60	185.00	Horizontal	Horizontal	Pass
13362.150	-37.77	16.65	-13.0	-24.77	358.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.190	-42.07	4.85	-13.0	-29.07	351.00	Horizontal	Vertical	N/A
891.505	-26.00	4.59	-13.0	-13.00	28.00	Horizontal	Vertical	N/A
2963.200	-38.26	16.90	-13.0	-25.26	139.00	Horizontal	Vertical	Pass
3908.750	-39.52	15.24	-13.0	-26.52	245.00	Horizontal	Vertical	Pass
7785.500	-29.92	24.38	-13.0	-16.92	328.00	Horizontal	Vertical	Pass
13368.188	-38.41	16.71	-13.0	-25.41	290.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.142	-37.00	4.85	-13.0	-24.00	257.00	Vertical	Vertical	N/A
889.323	-33.64	4.62	-13.0	-20.64	344.00	Vertical	Vertical	N/A
2983.500	-37.57	16.26	-13.0	-24.57	118.00	Vertical	Vertical	Pass
3733.750	-40.06	15.12	-13.0	-27.06	19.00	Vertical	Vertical	Pass
7960.500	-30.60	24.14	-13.0	-17.60	1.00	Vertical	Vertical	Pass
13401.787	-37.76	16.97	-13.0	-24.76	362.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.336	-39.27	4.85	-13.0	-26.27	74.00	Vertical	Horizontal	N/A
885.977	-32.46	4.39	-13.0	-19.46	324.00	Vertical	Horizontal	N/A
2963.600	-37.98	16.89	-13.0	-24.98	255.00	Vertical	Horizontal	Pass
3786.000	-40.38	15.04	-13.0	-27.38	185.00	Vertical	Horizontal	Pass
7831.500	-30.72	23.82	-13.0	-17.72	91.00	Vertical	Horizontal	Pass
12713.900	-38.38	16.39	-13.0	-25.38	257.00	Vertical	Horizontal	Pass

21 DC_7A_n78A (3450-3550MHz)


21.1 DC_7A_n78A(3450-3550MHz) BW20MHz(LTE)+BW100MHz(NR)

RSE-H&H DC_7A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
177.294	-65.08	-18.85	-13.0	-52.08	244.00	Horizontal	Horizontal	Pass
2583.400	-20.31	9.40	-13.0	-7.31	43.00	Horizontal	Horizontal	N/A
2681.400	-24.77	9.06	-13.0	-11.77	215.00	Horizontal	Horizontal	N/A
3451.750	-27.42	15.30	-13.0	-14.42	223.00	Horizontal	Horizontal	N/A
7953.750	-30.52	24.54	-13.0	-17.52	234.00	Horizontal	Horizontal	Pass
13369.238	-38.11	16.72	-13.0	-25.11	227.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.106	-66.42	-16.09	-13.0	-53.42	97.00	Horizontal	Vertical	Pass
2579.600	-29.30	10.13	-13.0	-16.30	300.00	Horizontal	Vertical	N/A
2681.000	-23.53	9.11	-13.0	-10.53	104.00	Horizontal	Vertical	N/A
3451.500	-34.66	15.30	-13.0	-21.66	118.00	Horizontal	Vertical	N/A
7829.000	-30.20	24.03	-13.0	-17.20	118.00	Horizontal	Vertical	Pass
12735.750	-38.15	16.15	-13.0	-25.15	132.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.739	-65.77	-17.21	-13.0	-52.77	142.00	Vertical	Vertical	Pass
2579.200	-26.52	10.41	-13.0	-13.52	327.00	Vertical	Vertical	N/A
2685.600	-29.74	8.93	-13.0	-16.74	301.00	Vertical	Vertical	N/A
3451.500	-23.73	15.30	-13.0	-10.73	224.00	Vertical	Vertical	N/A
7910.750	-29.80	23.85	-13.0	-16.80	286.00	Vertical	Vertical	Pass
13364.513	-37.58	16.68	-13.0	-24.58	124.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
48.964	-62.34	-17.33	-13.0	-49.34	158.00	Vertical	Horizontal	Pass
2580.700	-34.85	9.72	-13.0	-21.85	41.00	Vertical	Horizontal	N/A
2679.300	-35.38	9.13	-13.0	-22.38	225.00	Vertical	Horizontal	N/A
3451.250	-36.08	15.31	-13.0	-23.08	360.00	Vertical	Horizontal	N/A
7791.250	-29.62	24.95	-13.0	-16.62	150.00	Vertical	Horizontal	Pass
13814.175	-38.53	16.68	-13.0	-25.53	360.00	Vertical	Horizontal	Pass

22 DC_7A_n78A (3700-3800MHz)


22.1 DC_7A_n78A(3700-3800MHz) BW20MHz(LTE)+BW100MHz(NR)

RSE-H&H DC_7A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
175.936	-65.18	-18.97	-13.0	-52.18	260.00	Horizontal	Horizontal	Pass
2580.300	-19.91	9.83	-13.0	-6.91	47.00	Horizontal	Horizontal	N/A
2676.300	-23.82	9.11	-13.0	-10.82	174.00	Horizontal	Horizontal	N/A
3701.250	-38.73	14.74	-13.0	-25.73	221.00	Horizontal	Horizontal	Pass
7793.750	-30.78	24.69	-13.0	-17.78	242.00	Horizontal	Horizontal	Pass
12715.088	-37.30	16.38	-13.0	-24.30	116.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.856	-66.35	-16.31	-13.0	-53.35	77.00	Horizontal	Vertical	Pass
2580.200	-29.22	9.86	-13.0	-16.22	192.00	Horizontal	Vertical	N/A
2685.100	-33.60	8.97	-13.0	-20.60	305.00	Horizontal	Vertical	N/A
3701.250	-37.35	14.74	-13.0	-24.35	317.00	Horizontal	Vertical	N/A
7814.000	-30.46	24.35	-13.0	-17.46	-1.00	Horizontal	Vertical	Pass
12704.638	-37.65	16.49	-13.0	-24.65	275.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.642	-64.03	-17.23	-13.0	-51.03	137.00	Vertical	Vertical	Pass
2580.400	-26.46	9.80	-13.0	-13.46	104.00	Vertical	Vertical	N/A
2674.300	-28.63	9.09	-13.0	-15.63	174.00	Vertical	Vertical	N/A
3757.500	-39.89	15.26	-13.0	-26.89	347.00	Vertical	Vertical	N/A
7842.750	-30.08	23.35	-13.0	-17.08	70.00	Vertical	Vertical	Pass
12742.162	-38.13	16.08	-13.0	-25.13	2.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.400	-62.67	-17.26	-13.0	-49.67	174.00	Vertical	Horizontal	Pass
2580.400	-34.37	9.80	-13.0	-21.37	162.00	Vertical	Horizontal	N/A
2677.900	-35.67	9.18	-13.0	-22.67	221.00	Vertical	Horizontal	N/A
3717.500	-39.55	14.93	-13.0	-26.55	143.00	Vertical	Horizontal	Pass
7787.500	-29.66	24.58	-13.0	-16.66	-1.00	Vertical	Horizontal	Pass
13399.425	-37.51	17.00	-13.0	-24.51	132.00	Vertical	Horizontal	Pass

23 DC_38A_n78A (3450-3550MHz)


23.1 DC_38A_n78A(3450-3550MHz) BW20MHz(LTE)+BW100MHz(NR)

RSE-H&H DC_38A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.265	-65.96	-16.14	-13.0	-52.96	101.00	Horizontal	Horizontal	Pass
2625.800	-19.95	10.39	-13.0	-6.95	55.00	Horizontal	Horizontal	N/A
3451.500	-24.48	15.30	-13.0	-11.48	221.00	Horizontal	Horizontal	N/A
7955.000	-29.40	24.50	-13.0	-16.40	70.00	Horizontal	Horizontal	Pass
13349.026	-37.95	16.50	-13.0	-24.95	120.00	Horizontal	Horizontal	Pass
17927.287	-40.56	13.54	-13.0	-27.56	206.00	Horizontal	Horizontal	Pass

RSE-H&V DC_38A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.247	-66.29	-16.01	-13.0	-53.29	99.00	Horizontal	Vertical	Pass
2627.800	-30.18	9.90	-13.0	-17.18	216.00	Horizontal	Vertical	N/A
3451.500	-34.62	15.30	-13.0	-21.62	111.00	Horizontal	Vertical	N/A
7878.750	-30.03	24.22	-13.0	-17.03	123.00	Horizontal	Vertical	Pass
12697.037	-38.04	16.49	-13.0	-25.04	239.00	Horizontal	Vertical	Pass
17941.199	-40.79	13.88	-13.0	-27.79	288.00	Horizontal	Vertical	Pass

RSE-V&V DC_38A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.348	-68.34	-16.07	-13.0	-55.34	77.00	Vertical	Vertical	Pass
2627.400	-25.60	10.00	-13.0	-12.60	97.00	Vertical	Vertical	N/A
3451.250	-25.64	15.31	-13.0	-12.64	273.00	Vertical	Vertical	N/A
7799.250	-29.90	25.36	-13.0	-16.90	327.00	Vertical	Vertical	Pass
13817.588	-38.11	16.60	-13.0	-25.11	198.00	Vertical	Vertical	Pass
17954.589	-39.24	13.98	-13.0	-26.24	107.00	Vertical	Vertical	Pass

RSE-V&H DC_38A_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-62.00	-17.18	-13.0	-49.00	140.00	Vertical	Horizontal	Pass
2630.600	-29.86	9.56	-13.0	-16.86	30.00	Vertical	Horizontal	N/A
3451.500	-37.21	15.30	-13.0	-24.21	319.00	Vertical	Horizontal	N/A
7958.750	-29.07	24.88	-13.0	-16.07	5.00	Vertical	Horizontal	Pass
13356.900	-38.59	16.60	-13.0	-25.59	310.00	Vertical	Horizontal	Pass
17945.926	-41.01	13.99	-13.0	-28.01	79.00	Vertical	Horizontal	Pass

24 DC_38A_n78A (3700-3800MHz)


24.1 DC_38A_n78A(3700-3800MHz) BW20MHz(LTE)+BW100MHz(NR)

RSE-H&H DC_38A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
176.179	-66.47	-18.94	-13.0	-53.47	239.00	Horizontal	Horizontal	Pass
2627.500	-22.65	9.97	-13.0	-9.65	58.00	Horizontal	Horizontal	N/A
3701.500	-39.24	14.74	-13.0	-26.24	346.00	Horizontal	Horizontal	N/A
7796.250	-30.25	24.73	-13.0	-17.25	4.00	Horizontal	Horizontal	Pass
12693.950	-38.36	16.43	-13.0	-25.36	86.00	Horizontal	Horizontal	Pass
17950.650	-41.36	14.07	-13.0	-28.36	205.00	Horizontal	Horizontal	Pass

RSE-H&V DC_38A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
191.360	-66.54	-16.36	-13.0	-53.54	88.00	Horizontal	Vertical	Pass
2631.000	-27.18	9.53	-13.0	-14.18	197.00	Horizontal	Vertical	N/A
3701.750	-36.88	14.74	-13.0	-23.88	113.00	Horizontal	Vertical	N/A
7289.250	-30.31	23.13	-13.0	-17.31	167.00	Horizontal	Vertical	Pass
12679.224	-38.02	16.18	-13.0	-25.02	208.00	Horizontal	Vertical	Pass
17943.824	-40.77	13.94	-13.0	-27.77	190.00	Horizontal	Vertical	Pass

RSE-V&V DC_38A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.497	-64.85	-17.25	-13.0	-51.85	128.00	Vertical	Vertical	Pass
2628.200	-26.34	9.80	-13.0	-13.34	122.00	Vertical	Vertical	N/A
3701.250	-39.16	14.74	-13.0	-26.16	136.00	Vertical	Vertical	N/A
7808.000	-30.00	24.45	-13.0	-17.00	5.00	Vertical	Vertical	Pass
12657.849	-38.57	15.81	-13.0	-25.57	188.00	Vertical	Vertical	Pass
17956.426	-41.27	13.93	-13.0	-28.27	189.00	Vertical	Vertical	Pass

RSE-V&H DC_38A_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.837	-61.60	-17.20	-13.0	-48.60	152.00	Vertical	Horizontal	Pass
2627.600	-34.83	9.95	-13.0	-21.83	41.00	Vertical	Horizontal	N/A
3729.500	-39.83	15.07	-13.0	-26.83	216.00	Vertical	Horizontal	Pass
6711.750	-30.55	23.66	-13.0	-17.55	181.00	Vertical	Horizontal	Pass
13343.513	-37.48	16.28	-13.0	-24.48	328.00	Vertical	Horizontal	Pass
17808.376	-41.88	12.97	-13.0	-28.88	88.00	Vertical	Horizontal	Pass