

承 認 書

SPECIFICATION FOR APPROVAL

Customer:

CUSTOMER: _____

Customer part number: _____

CUST P/N: _____

Taoruan Item Number: _____

BESOFTP/N: _____

Product model: **Soft magnetic coil of Apple Watch -CLB**
DESC: _____

Date: **2022/12/13**

DATE: _____

editi **A.0**

on:

Version: _____

Proposed PREPARED BY	Audit CHECKED BY	approve APPROVED BY	The customer acknowledges CUSTOMER APPROVE
Feng Boqun	Su Yanping	Qian Limou	

Shenzhen Taoruan Electronics Co., LTD

Factory Address: Building 10, Zone BWutuan Industrial Zone, Shangcun Community, Gongming Street, Guangming District, Shenzhen, China. TEL: 13824883512,

版本變更履歷

Version Change History

SPECIFICATION


Product model: DESC	Soft magnetic coil of Apple Watch-CLB	version Rev: A 0	Customer CUST:		
			Taoruan part number Fine P/N:		
			Customer part number CUST P/N:		
1、 Dimensions: (mm)			A	25±0.5mm	
			B	2.5±0.5mm	
			C	23.7±0.25mm	
			D	20.5±1mm	
			E	13.8±0.3mm	
			H	7.8±0.3mm	
			I	3±1mm	
			J	8±2mm	
			K	7.8*2.0mm	
			L		
2、 Schematic Diagram:					
3、 Winding Specification:					
NO	TERMINAL		Wire diameter WIRE	Turns	Winding Direction
1	S	F	Wrapped wire 0.08 * 24P	13TS	normal
4、 Electrical characteristics:					
Temperature: 25 ± 10 °C, Humidity: 65 ± 20%					
Serial Number NO.	projec t ITEM	terminal TERMINAL	standard SPECIFICATION	Test conditions TEST FREQUENCY	testing instrument TEST EQUIPMENTS
1	IND.	S-F	5.8uH ± 20% individual coil	100KHz/1V	LCZ METER 1062B
2	IND.	S-F	7.5uH ± 0.5%	100KHz/1V	LCZ METER 1062B
3	q-	S-F	≥35	100KHz/1V	LCZ METER 1062B
	value				
4	DCR	S-F			
Prepared by/Date			Audit/Date Checked BY/DATE		
Feng Boqun December 13, 2022			Su Yanping December 13, 2022		

SPECIFICATION

Product model: DESC	Soft magnetic coil of Apple Watch-CLB	version Rev: A 0	Customer CUST:	
			Taoruan part number Fine P/N:	
			Customer part number CUST P/N:	

5、Packaging PACKONG:

5.1 Packaging pictures:



5.2 Packing Quantity and Specifications:

Project Item	Quantity	Material specifications	
Box Box	240 Pcs	370*265*55mm	
Box Big Carton	1680 Pcs	380*270*220mm	

5.3 The packaging shall be based on the existing packaging tray as the reference standard, and the actual shipping packaging shall prevail. If there are special requirements, customization can be made.

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.

6、Material List:

Serial Number number	材料名称 Material name	品名描述 Description	制造商 Manufacturer
1	Enamel wire 0.08 * 24 strands	Hot air enameled wire 0.08 * 24 strands	
2	Solder Bar	Solder Bar	
3	magnetic sheet	Φ 25 * 13.8 * 2.6mm manganese zinc soft magnetic sheet	
4	glue	201 glue	
5	magnet	7 8*2 mm 2900-3100 Gauss	
6	Perforated double-sided tape	Circular diameter 20mm (ref) adhesive backing	
7			
Prepared by/Date		Audit/Date Checked BY/DATE	
Feng Boqun December 13, 2022		Su Yanping 2022/12/13	