




Full Automatic Car Phone Bracket

User's Manual

Product introduction



① Left Arm Clamp

② Right Arm Clamp

③ Bottom Arm Clamp

④ Auto Retractable Arm Clamp

⑤ Button

⑥ Left Arm Clamp

⑦ Indicator

⑧ Central area of wireless charging

⑨ Power input port

Product parameters

Description: Full Automatic Car Phone Bracket

Model No.: CW26

Product size: 109.9*69.2*69.62mm

Packing size: 115*78*78mm

Color: Tarnish

Unit Net Weight: 192g

Gross weight: 210g

Materials: ABS+PC

Input Power: 5V/3A 9V/2A

Output Power: 15W(MAX)

Valid distance of wireless charging: 3~6mm

Conversion efficiency:
slow charging≥70%,
fast charging≥75%

Operation frequency:110-205KHz

Flashing Pattern

Mode	Indicator
Power on	Purple indicator ON
Standby	Purple indicator always ON
Charging	Green indicator flashes, indicator board turns off
Full charge	Light off
Foreign objects are detected	Purple indicator flashes fast, then turns to standby after 5 seconds, and the indicator board turns off
Under overtemperature protection status	Purple indicator flashes fast, then turns to standby after 5 seconds, and the indicator board turns off


Operation instructions

1. Press the vent clamp to fix it to the vent, then adjust the direction and fix the nut well.
2. Install the main part and rotate to tighten the knob.
3. Plug in the USB cable to ensure that the product has been powered on
4. Place a mobile phone in, and the arm clamps on both sides will automatically clamp the mobile phone tightly.
5. Gently press the button, the arm clamps will open automatically and the mobile phone can be taken out from it.

Product description

- Wireless charging for equipment conforming to Qi wireless charging standards.
- The wireless charger supports 15W fast charging and is available for both Apple and Android models.
- Wireless charging sensing: when the mobile phone with wireless charging approaches the charger and is sensed later on, the two arm clamps will automatically clamp the mobile phone tightly and charge it wirelessly.
- Foreign objects detection sensing: when the mobile phone without wireless charging approaches the charger and is sensed later on, the two arm clamps will also tightly clamp automatically, which can be used as a mobile phone bracket.
- The automatic retractable clamp arm is flexible so you can easily fix the mobile phone to charge it or retrieve it
- Fixed it to the car vent, which makes it adjustable at full angle of 360 degree, you can freely adjust the direction of your mobile phone.

- This product has functions of overcurrent protection, overheat protection and short circuit protection and has product certificates of FCC, CE and ROHS.



Lower bracket is
adjustable to
become
suitable for
different mobile
phone sizes.

Product details

1. This product has the power storage function and can open and close the arm clamps twice after flameout to prevent the embarrassment of failing to open the arm clamp after flameout.
2. This product has the function of preventing false touch. After three seconds of false touch, the arm clamps will clamp tightly again to avoid the risk of false operation during driving.
3. This product adopts waveform anti-skid silicone pad design, which can effectively avoid mobile phone buttons.
4. This product adopts u-shaped armlock radian and won't slide out either even if the phone screen is placed downward.
5. This product has circulating cooling holes to protect mobile phones from heating during charging.

Packinglist

1. Wireless charger x1
2. USB cable x1
3. Air outlet clip x1
4. Operation instructions x1

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located for operating in conjunction with any other antenna or transmitter.