


LaView

E1 INDOOR Baby Monitor



USER MANUAL

LaView

PRODUCT WARRANTY CARD

Your LaView product is protected by a 1-year warranty from the purchase date. For more information on repairs, exchange and other policies, please visit [www.laviewusa.com](http://www.laviewusa.com)

Please send all inquiries through the Contact Form on our website, or email us at [info@laviewusa.com](mailto:info@laviewusa.com). And our technicians would be glad to assist you.

LaView

CATALOGUE

002

WHAT'S IN THE BOX

003

APP SET UP

006

INSTALLATION

007

TROUBLESHOOTING

008

MOTION DETECTION

009

OTHERS

011

FCC COMPLIANCE

012

CUSTOMER SERVICE

013

PARAMETER

back cover

PRODUCT WARRANTY CARD

Camera	
Image sensor	1/2.9" CMOS
IR Distance	33ft
Lens	2.8mm FOV 114° Night Camera
Day & Night	IR Cut Filter with auto switch
System	
Processor	High-Performance Embedded SOC Processor
Wireless	Built-in 2.4G Wi-Fi
Audio	
Input	Built-in Omni-direction microphone
Output	Built-in loudspeaker
Video	
Compression Standard	H.264
Max. Resolution	1920 × 1080
Frame Rate	1~25fps adaptive frame rate of network transmission
WDR	DWDR
Interface	
Cloud Storage	LaView Cloud Storage
General	
Operating conditions	-4°F ~ 131°F (-20°C ~ 55°C ) humidity 90% or less (non-condensing)
Power Supply	5V DC 1A
Power Consumption	Max. 2.5W
Dimensions	6.9"4.5"8.8mm
Weight	7.5g
General Features	
Lullabies	9 Songs
Soothing lamp	Colorful

LaView

CUSTOMER SERVICE

Temperature sensor

Link LED

Soothing lamp

Night light

lens

Push to Talk

Lullabies/Reset

Temp.LED

Power

Power

DC 5V ± 10%

Status light

- Blinking red light: the device or network is abnormal
- Blue light solids on: camera running correctly
- Blinking blue light: currently connecting

Microphone

Capture sound for your video

Reset


Press and hold the "ð" for 6 seconds with pin to reset the device(Camera will return to factory default settings)

LIVE CHAT:

In LaView APP or on [laviewusa.com](http://laviewusa.com)

Email: [info@laviewusa.com](mailto:info@laviewusa.com)

Our professional technicians are committed to reply all your requests within 24 hours



If you purchased from Amazon, you can also contact our professional customer service team in your Amazon account.

LaView

WHAT'S IN THE BOX

- PLEASE CONSULT THIS CHECKLIST FOR ALL PARTS.

E1

Power Adapter

Manual

LaView

FCC COMPLIANCE

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received , including interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications or change to this equipment . Such modifications or change could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates,uses and can radiate radio frequency energy, if not installed and used in accordance with the instructions,may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on,the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

RF Warning Statements:

To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

LaView


APP SET UP

For step-by-step Mobile APP set up instruction, please read the Quick Start Guide included in the package or check out our Youtube tutorials

1

DOWNLOAD AND INSTALL APP


LaView App is available for both iOS and Android OS. Search the name "LaView" in App Store or Google Play. ( The other LaView apps, such as LaView Connect, LaView ONE, LaView Life do NOT support E1 Baby Monitor)



GET IT ON Google Play

Download on the App Store

Please download the LaView App from the App Store or Scan the QR Code below



LaView

NIGHT VISION

- The camera is equipped with. However, the night vision image quality may be affected by the following factor.
- There are high contrast light sources such as car headlight pointing to the camera

Daytime

Low Light

Dark

LaView

MAKE SURE YOUR PHONE IS CONNECTED TO A 2.4GHZ WIFI NETWORK

COMPLETE THE APP REGISTRATION PROCESS

FOLLOW THE IN-APP INSTRUCTION TO PAIR THE CAMERA


- Click on the "+" sign to add the camera. Continue to click "Video Surveillance" >> "Smart Camera"
- Connect the camera to power via included power adapter and USB cable. (If you are not setting up the camera for the very first time, press the "ð" reset button instead for 6 seconds until you hear "The reset succeeded.The system is being restarted.")


Lullabies/Reset

Push to Talk

Soothing lamp

Power





- Wait until the LED indicator is flashing green slowly, which means the camera is ready for pairing.
- Enter the WiFi Password to generate a QR code that carries your WiFi information

LaView

WHAT CAN I DO IF I RECEIVE TOO MANY NOTIFICATIONS?

- If the camera is placed at location with heavy traffic, we recommend to relocate it to a place with less traffic to receive less alerts.


LaView

OTHERS

- WHAT CAN I DO IF THE IMAGE IS NOT CLEAR?
  - The camera is equipped with 1080p Full HD lens and sensor to produce superior image, however the image quality may be affected by the lighting condition
  - Ensure the camera is NOT facing to environment with poor lighting condition or with extreme high contrast. Ensure it is NOT facing directly to bright lighting sources such as sun light.
  - Ensure your phone and your router has enough bandwidth to stream HD video. A minimum of 2Mbps is required to stream each 1080p camera. If the network does not meet this requirement, the live view stream will be downgraded to SD automatically

LaView

Use the camera to scan the QR code on the phone ( keep the camera 6-8 inches away from the phone)



6-8 inches

- Press "I Heard a Prompt" after the camera receives the QR Code and "QR Code scanning is successful, connecting". The camera will start pairing
- When connecting, you should make sure your router, mobile phone, and camera are as close as possible
- Wait until the camera is connected online
- Customize the camera name to differentiate cameras in different locations and finish pairing process
- If the pairing is not successful, press the "ð" Reset button for 6 seconds until you hear "The reset succeeded. The system is being restarted." and start again. Or check the FAQ section for more troubleshooting steps

LaView

MOTION DETECTION

- Check if WIFI password or router is changed. If so please reset the camera
- Ensure router is powered on and online
- Ensure camera has power
- Ensure the phone has decent network bandwidth
- Check the app is on latest version

LaView

HOW TO TURN ON AND OFF MOTION DETECTION?

- To turn on or off motion detection setting, go to the camera menu and click on Detection Alarm Settings

LaView

WHAT CAN I DO IF I CANNOT RECEIVE NOTIFICATIONS?

- Ensure your phone notification setting is enabled for LaView APP
- Ensure the phone has decent network bandwidth
- Ensure the camera is online

LaView


INSTALLATION

- FIND A GOOD MOUNTING SPOT
  - Use the WiFi Signal Indicator (Signal: 90%) in the APP live view screen to test the WiFi signal strength. Move the camera as close to the router as possible if the WiFi signal is poor

LaView

TROUBLESHOOTING

- IF YOU CANNOT CONNECT THE CAMERA TO THE INTERNET, CHECK THE FOLLOWING STEPS
  - Ensure you are connecting to a 2.4GHz WiFi not 5GHz



2.4GHz

5GHz

✓

✗

  - Ensure WiFi password or SSID is correct
  - Ensure the camera is placed as close to the router as possible
  - Ensure camera is powered on and the indicator is blinking rapidly before scanning the QR code
  - Ensure you are using the correct APP ( LaView )
  - Ensure the camera is scanning the QR code on the phone in the correct way
  - If the above steps doesn't help, reset the camera and start pairing again
- WHAT CAN I DO IF THE CAMERA STOPPED WORKING?
  - Close the APP and Restart the APP again

## **FCC Statement**

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

### **NOTE:**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.