



Duty Cycle

Condition	Mode	Frequency (MHz)	On Time (ms)	Period (ms)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)	Max Variation (%)
NVNT	a	5260	1.396	1.45	96.28	0.16	0.72	0.24
NVNT	a	5300	1.396	1.45	96.28	0.16	0.72	0.22
NVNT	a	5320	1.396	1.45	96.28	0.16	0.72	0.22
NVNT	n20	5260	1.308	1.362	96.04	0.18	0.76	0.21
NVNT	n20	5300	1.308	1.362	96.04	0.18	0.76	0.24
NVNT	n20	5320	1.308	1.362	96.04	0.18	0.76	0.22
NVNT	n40	5270	0.648	0.702	92.31	0.35	1.54	0.22
NVNT	n40	5310	0.649	0.702	92.45	0.34	1.54	0.25




[illegible][illegible]

Duty Cycle NVNT n20 5300MHz



Duty Cycle NVNT n20 5320MHz




Duty Cycle NVNT n40 5270MHz

Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	11.1	0.16	11.26	<=24	Pass
NVNT	a	5300	11.6	0.16	11.76	<=24	Pass
NVNT	a	5320	11.87	0.16	12.03	<=24	Pass
NVNT	n20	5260	11.42	0.18	11.6	<=24	Pass
NVNT	n20	5300	11.85	0.18	12.03	<=24	Pass
NVNT	n20	5320	12.22	0.18	12.4	<=24	Pass
NVNT	n40	5270	11.3	0.35	11.65	<=24	Pass
NVNT	n40	5310	11.61	0.34	11.95	<=24	Pass

Test Graphs


Power NVNT a 5260MHz




Power NVNT a 5300MHz




Power NVNT a 5320MHz




Power NVNT n20 5260MHz




Power NVNT n20 5300MHz




Power NVNT n20 5320MHz



Power NVNT n40 5270MHz



Power NVNT n40 5310MHz




-26dB Bandwidth


Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	25.85	Pass
NVNT	a	5300	25.01	Pass
NVNT	a	5320	26.73	Pass
NVNT	n20	5260	28.01	Pass
NVNT	n20	5300	28.8	Pass
NVNT	n20	5320	28.68	Pass
NVNT	n40	5270	43.11	Pass
NVNT	n40	5310	55.59	Pass

Test Graphs


-26dB Bandwidth NVNT a 5260MHz




-26dB Bandwidth NVNT a 5300MHz




-26dB Bandwidth NVNT a 5320MHz




-26dB Bandwidth NVNT n20 5260MHz




-26dB Bandwidth NVNT n20 5300MHz




-26dB Bandwidth NVNT n20 5320MHz



-26dB Bandwidth NVNT n40 5270MHz



-26dB Bandwidth NVNT n40 5310MHz




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5260	16.564
NVNT	a	5300	16.525
NVNT	a	5320	16.539
NVNT	n20	5260	17.586
NVNT	n20	5300	17.566
NVNT	n20	5320	17.617
NVNT	n40	5270	36.121
NVNT	n40	5310	36.237

Test Graphs


OBW NVNT a 5260MHz




OBW NVNT a 5300MHz




OBW NVNT a 5320MHz




OBW NVNT n20 5260MHz




OBW NVNT n20 5300MHz




OBW NVNT n20 5320MHz



OBW NVNT n40 5270MHz



OBW NVNT n40 5310MHz




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	0.638	0.16	0.798	<=11	Pass
NVNT	a	5300	1.103	0.16	1.263	<=11	Pass
NVNT	a	5320	1.33	0.16	1.49	<=11	Pass
NVNT	n20	5260	0.571	0.18	0.751	<=11	Pass
NVNT	n20	5300	1.135	0.18	1.315	<=11	Pass
NVNT	n20	5320	1.584	0.18	1.764	<=11	Pass
NVNT	n40	5270	-2.235	0.35	-1.885	<=11	Pass
NVNT	n40	5310	-1.853	0.34	-1.513	<=11	Pass

Test Graphs


PSD NVNT a 5260MHz




PSD NVNT a 5300MHz




PSD NVNT a 5320MHz




PSD NVNT n20 5260MHz




PSD NVNT n20 5300MHz



PSD NVNT n20 5320MHz



PSD NVNT n40 5270MHz



PSD NVNT n40 5310MHz

