


## Wireless Charger

### Quick Operation Guide

FCC ID:2A33Q-EWC1M001

#### 01/Usage method

1. Insert the USB-C plug of the wireless charger cable into the adapter with the corresponding interface, ensure that the adapter works normally.
2. Put on the wireless receiving position of the power receiving equipment directly on the charging panel of the wireless charger for wireless charging; the use of coupling ring is helpful for the correct alignment of the equipment and can obtain more experience.
3. When charging finished, remove the power receiving equipment from the wireless charger.



#### 02/ Safety tips

1. Please ensure that there are no metal objects between the power receiving equipment and the product, which may cause the product to not work and potential safety risks.
2. Do not store magnetic stripe cards (such as bank cards, bus cards, telephone cards, etc.) or some medical equipment (such as pacemaker or hearing aid, etc.) together with this product, which may cause magnetic stripe damage, abnormal operation of the equipment, etc.
3. Do not apply heavy pressure on this product and keep it out of the reach of children or animals.
4. Do not disassemble, refit and repair by the user itself. The risks and losses arisen therefrom shall be borne by the user itself.

#### 03/ Attention

1. It is recommended to use it with adapters that support fast charging protocol above pd2.0 and output power greater than 20 watts, so as to give full power output of this product and ensure the use experience.
2. When using this product to charge, please put on the power receiving equipment correctly in the wireless charging area. Incorrect placement will lead to problems such as reduced charging efficiency, heating, disconnection of charging, etc.

3. During wireless charging, the distance between the center point of the wireless charging area of the power receiving equipment and the upper surface of the product shall not exceed 4mm, and there shall be no metal objects in the contact surface of the wireless charging panel.

4. It is recommended that when wireless charging is carried out, the ambient temperature shall not be higher than 28 °C, and excessive ambient temperature will reduce the charging efficiency.

#### 04/ Indicator light

State	Lantern language
Power on self-test	Red & Green light alternating flashing
Normal standby	Green light slow flash
Fast charging(>5W)	Green light always on

State	Lantern language
Slow charging (≤5W)	Green light flash
Abnormal work	Red light flash
Metal foreign matter detected	Red light always on

#### 05/ Guarantee

The warranty period of this product is 12 months from the date of sale. Failure or damage caused by non-human factors can be carried out after-sales through purchase channels or contact the manufacturer within the warranty period.

##### **Guarantee does not apply to::**

1. Damage caused by force majeure.
2. Failure or damage of this product due to human factors.
3. Beyond the warranty period.

#### FCC Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:



- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement.

To maintain compliance with FCC's RF exposure guidelines, the distance must be at least 20 cm between the radiator and your body, and fully supported by the operating and installation configurations of the transmitter and its antenna(s).