



1. Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	97.11	0.13	0.72
NVNT	a	5785	97.08	0.13	0.72
NVNT	a	5825	97.08	0.13	0.72
NVNT	n20	5745	96.88	0.14	0.77
NVNT	n20	5785	96.91	0.14	0.77
NVNT	n20	5825	96.88	0.14	0.77
NVNT	n40	5755	94.1	0.26	1.54
NVNT	n40	5795	93.93	0.27	1.54
NVNT	ac20	5745	96.9	0.14	0.76
NVNT	ac20	5785	96.9	0.14	0.76
NVNT	ac20	5825	96.9	0.14	0.76
NVNT	ac40	5755	94.01	0.27	1.53
NVNT	ac40	5795	94.02	0.27	1.53
NVNT	ac80	5775	88.6	0.53	3.06




Duty Cycle NVNT a 5825MHz


Duty Cycle NVNT n20 5785MHz




Duty Cycle NVNT n20 5825MHz




Duty Cycle NVNT n40 5755MHz




Duty Cycle NVNT n40 5795MHz




Duty Cycle NVNT ac20 5745MHz




Duty Cycle NVNT ac20 5785MHz



Duty Cycle NVNT ac20 5825MHz



Duty Cycle NVNT ac40 5755MHz




Duty Cycle NVNT ac40 5795MHz

2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	10.33	0.13	10.46	<=30	Pass
NVNT	a	5785	9.32	0.13	9.45	<=30	Pass
NVNT	a	5825	8.89	0.13	9.02	<=30	Pass
NVNT	n20	5745	10.13	0.14	10.27	<=30	Pass
NVNT	n20	5785	9.35	0.14	9.49	<=30	Pass
NVNT	n20	5825	8.7	0.14	8.84	<=30	Pass
NVNT	n40	5755	9.2	0.26	9.46	<=30	Pass
NVNT	n40	5795	8.72	0.27	8.99	<=30	Pass
NVNT	ac20	5745	9.58	0.14	9.72	<=30	Pass
NVNT	ac20	5785	9.25	0.14	9.39	<=30	Pass
NVNT	ac20	5825	8.84	0.14	8.98	<=30	Pass
NVNT	ac40	5755	9.23	0.27	9.5	<=30	Pass
NVNT	ac40	5795	8.94	0.27	9.21	<=30	Pass
NVNT	ac80	5775	9.03	0.53	9.56	<=30	Pass

Test Graphs


Power NVNT a 5745MHz




Power NVNT a 5785MHz




Power NVNT a 5825MHz




Power NVNT n20 5745MHz




Power NVNT n20 5785MHz




Power NVNT n20 5825MHz




Power NVNT n40 5755MHz




Power NVNT n40 5795MHz




Power NVNT ac20 5745MHz




Power NVNT ac20 5785MHz




Power NVNT ac20 5825MHz




Power NVNT ac40 5755MHz



Power NVNT ac40 5795MHz



Power NVNT ac80 5775MHz




3. -6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	14.7803	≥ 0.5	Pass
NVNT	a	5785	15.112	≥ 0.5	Pass
NVNT	a	5825	14.3116	≥ 0.5	Pass
NVNT	n20	5745	14.7083	≥ 0.5	Pass
NVNT	n20	5785	15.649	≥ 0.5	Pass
NVNT	n20	5825	15.0695	≥ 0.5	Pass
NVNT	n40	5755	33.8828	≥ 0.5	Pass
NVNT	n40	5795	35.0578	≥ 0.5	Pass
NVNT	ac20	5745	14.1807	≥ 0.5	Pass
NVNT	ac20	5785	15.0117	≥ 0.5	Pass
NVNT	ac20	5825	15.0544	≥ 0.5	Pass
NVNT	ac40	5755	33.8067	≥ 0.5	Pass
NVNT	ac40	5795	32.6417	≥ 0.5	Pass
NVNT	ac80	5775	75.0865	≥ 0.5	Pass



Test Graphs



-6dB Bandwidth NVNT a 5745MHz







-6dB Bandwidth NVNT a 5785MHz







-6dB Bandwidth NVNT a 5825MHz**-6dB Bandwidth NVNT n20 5745MHz**

-6dB Bandwidth NVNT n20 5785MHz**-6dB Bandwidth NVNT n20 5825MHz**

-6dB Bandwidth NVNT n40 5755MHz**-6dB Bandwidth NVNT n40 5795MHz**

-6dB Bandwidth NVNT ac20 5745MHz**-6dB Bandwidth NVNT ac20 5785MHz**

-6dB Bandwidth NVNT ac20 5825MHz**-6dB Bandwidth NVNT ac40 5755MHz**


-6dB Bandwidth NVNT ac40 5795MHz**-6dB Bandwidth NVNT ac80 5775MHz**

4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5745	16.3741
NVNT	a	5785	16.3861
NVNT	a	5825	16.3783
NVNT	n20	5745	17.5346
NVNT	n20	5785	17.547
NVNT	n20	5825	17.5243
NVNT	n40	5755	35.9305
NVNT	n40	5795	36.0099
NVNT	ac20	5745	17.5256
NVNT	ac20	5785	17.5161
NVNT	ac20	5825	17.5566
NVNT	ac40	5755	35.9619
NVNT	ac40	5795	35.9547
NVNT	ac80	5775	75.1964

Test Graphs


OBW NVNT a 5745MHz




OBW NVNT a 5785MHz




OBW NVNT a 5825MHz




OBW NVNT n20 5745MHz




OBW NVNT n20 5785MHz




OBW NVNT n20 5825MHz




OBW NVNT n40 5755MHz




OBW NVNT n40 5795MHz




OBW NVNT ac20 5745MHz




OBW NVNT ac20 5785MHz




OBW NVNT ac20 5825MHz




OBW NVNT ac40 5755MHz



OBW NVNT ac40 5795MHz



OBW NVNT ac80 5775MHz




5. Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	-2.438	0.13	-2.308	<=30	Pass
NVNT	a	5785	-3.298	0.13	-3.168	<=30	Pass
NVNT	a	5825	-3.64	0.13	-3.51	<=30	Pass
NVNT	n20	5745	-2.447	0.14	-2.307	<=30	Pass
NVNT	n20	5785	-3.127	0.14	-2.987	<=30	Pass
NVNT	n20	5825	-4.173	0.14	-4.033	<=30	Pass
NVNT	n40	5755	-6.088	0.26	-5.828	<=30	Pass
NVNT	n40	5795	-6.664	0.27	-6.394	<=30	Pass
NVNT	ac20	5745	-3.139	0.14	-2.999	<=30	Pass
NVNT	ac20	5785	-3.676	0.14	-3.536	<=30	Pass
NVNT	ac20	5825	-4.007	0.14	-3.867	<=30	Pass
NVNT	ac40	5755	-6.417	0.27	-6.147	<=30	Pass
NVNT	ac40	5795	-6.877	0.27	-6.607	<=30	Pass
NVNT	ac80	5775	-9.848	0.53	-9.318	<=30	Pass

Test Graphs


PSD NVNT a 5745MHz




PSD NVNT a 5785MHz




PSD NVNT a 5825MHz




PSD NVNT n20 5745MHz




PSD NVNT n20 5785MHz




PSD NVNT n20 5825MHz




PSD NVNT n40 5755MHz




PSD NVNT n40 5795MHz




PSD NVNT ac20 5745MHz




PSD NVNT ac20 5785MHz




PSD NVNT ac20 5825MHz



PSD NVNT ac40 5755MHz



PSD NVNT ac40 5795MHz



PSD NVNT ac80 5775MHz

