


1. Bandwidth

1.1 OBW


1.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)	Verdict
				Result	
1M	SISO	2402	1	1.055	Pass
		2440	1	1.053	Pass
		2480	1	1.055	Pass
2M	SISO	2402	1	2.047	Pass
		2440	1	2.052	Pass
		2480	1	2.049	Pass


1.1.2 Test Graph




1M HCH 2480MHz Ant1 NTV




2M LCH 2402MHz Ant1 NTV



2M MCH 2440MHz Ant1 NTN



2M HCH 2480MHz Ant1 NTN




1.2 6dB BW


1.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.713	≥ 0.5	Pass
		2440	1	0.712	≥ 0.5	Pass
		2480	1	0.724	≥ 0.5	Pass
2M	SISO	2402	1	1.182	≥ 0.5	Pass
		2440	1	1.178	≥ 0.5	Pass
		2480	1	1.178	≥ 0.5	Pass


1.2.2 Test Graph




1M HCH 2480MHz Ant1 NTNV




2M LCH 2402MHz Ant1 NTNV



2M MCH 2440MHz Ant1 NTN



2M HCH 2480MHz Ant1 NTN



2. Maximum Conducted Output Power


2.1 Power

2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	2.43	<=30	Pass
		2440	2.18	<=30	Pass
		2480	1.28	<=30	Pass
2M	SISO	2402	2.26	<=30	Pass
		2440	1.96	<=30	Pass
		2480	1.01	<=30	Pass

Note1: Antenna Gain: Ant1: 1.54dBi;


2.1.1.2 Test Graph




1M HCH 2480MHz Ant1 NTN




2M LCH 2402MHz Ant1 NTN



2M MCH 2440MHz Ant1 NTN



2M HCH 2480MHz Ant1 NTN



3. Maximum Power Spectral Density


3.1 PSD

3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-13.51	<=8	Pass
		2440	-13.54	<=8	Pass
		2480	-14.55	<=8	Pass
2M	SISO	2402	-16.89	<=8	Pass
		2440	-17.14	<=8	Pass
		2480	-18.36	<=8	Pass

Note1: Antenna Gain: Ant1: 1.54dBi;


3.1.2 Test Graph




1M HCH 2480MHz Ant1 NTNV




2M LCH 2402MHz Ant1 NTNV



2M MCH 2440MHz Ant1 NTNV



2M HCH 2480MHz Ant1 NTNV




4. Unwanted Emissions In Non-restricted Frequency Bands

4.1 Ref


4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	1.17
		2440	1	0.99
		2480	1	0.05
2M	SISO	2402	1	0.52
		2440	1	0.26
		2480	1	-0.69
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.				


4.1.2 Test Graph




1M HCH 2480MHz Ant1 NTNV




2M LCH 2402MHz Ant1 NTNV



2M MCH 2440MHz Ant1 NTNV




2M HCH 2480MHz Ant1 NTNV




Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	1.17	-18.83	Pass
		2440	1	1.17	-18.83	Pass
		2480	1	1.17	-18.83	Pass
2M	SISO	2402	1	0.52	-19.48	Pass
		2440	1	0.52	-19.48	Pass
		2480	1	0.52	-19.48	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


4.2.2 Test Graph




1M MCH 2440MHz Ant1 NTN




1M HCH 2480MHz Ant1 NTN




1M HCH 2480MHz Ant1 NTNV




2M LCH 2402MHz Ant1 NTNV




2M LCH 2402MHz Ant1 NTNV



2M MCH 2440MHz Ant1 NTNV



2M HCH 2480MHz Ant1 NTN



2M HCH 2480MHz Ant1 NTN

