




APPENDIX REPORT

Project No.	SHT2109019502EW	Radio Specification	Bluetooth EDR
Test sample No.	YPHT21090195012	Model No.	EDM-200
Start test date	2021-09-27	Finish date	2021-09-27
Temperature	25.8℃	Humidity	31%
Test Engineer	Xiaoqin Li	Auditor	Xiaodong Zhu

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	20 dB Bandwidth	PASS
C	99% Occupied Bandwidth	PASS
D	Carrier Frequencies Separation	PASS
E	Hopping Channel Number	PASS
F	Dwell Time	PASS
G	Duty Cycle Correction Factor (DCCF)	PASS
H	Band edge and Spurious Emissions(coducted)	PASS

Appendix A: Peak Output Power

Modulation type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
GFSK	00	-3.13	-5.00	≤ 30.00	Pass
	39	-3.80	-5.80		
	78	-4.64	-6.44		
$\pi/4$ DQPSK	00	-3.64	-7.40	≤ 21.00	Pass
	39	-4.43	-8.32		
	78	-4.61	-8.48		
8DPSK	00	-3.56	-7.62	≤ 21.00	Pass
	39	-3.90	-8.00		
	78	-4.13	-8.28		

Modulation Type:	GFSK
CH00	 Ref Level 20.00 dBm Offset 1.00 dB RBW 1 MHz Att 30 dB SWI 4.21 us (~31 ms) VBW 3 MHz Mode Auto FFT Count 300/300 M1[1] -3.13 dBm 2.40185510 GHz CF 2.402 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27.SEP.2021 13:51:52
CH39	 Ref Level 20.00 dBm Offset 1.00 dB RBW 1 MHz Att 30 dB SWI 4.21 us (~31 ms) VBW 3 MHz Mode Auto FFT Count 300/300 M1[1] -3.80 dBm 2.44084520 GHz CF 2.441 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27.SEP.2021 13:53:15
CH78	 Ref Level 20.00 dBm Offset 1.00 dB RBW 1 MHz Att 30 dB SWI 4.21 us (~31 ms) VBW 3 MHz Mode Auto FFT Count 300/300 M1[1] -4.64 dBm 2.47984520 GHz CF 2.48 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27.SEP.2021 14:07:18

Modulation Type: $\pi/4$ DQPSK	
CH00	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWT 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] -3.64 dBm 2.4020000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.402 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27 SEP 2021 14:09:36
CH39	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWT 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] -4.43 dBm 2.44119480 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.441 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27 SEP 2021 14:01:56
CH78	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWT 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] -4.61 dBm 2.47982520 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.48 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27 SEP 2021 14:09:22

Modulation Type: 8DPSK

CH00	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWI 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] -3.56 dBm 2.40197000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.402 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27.SEP.2021 14:28:08
CH39	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWI 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] -3.90 dBm 2.44099000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.441 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27.SEP.2021 14:45:22
CH78	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 2 MHz Att 30 dB SWI 1.01 ms VBW 5 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] -4.13 dBm 2.47990010 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.48 GHz 1001 pts 500.0 kHz/ Span 5.0 MHz Date: 27.SEP.2021 14:48:56


Appendix B : 20 dB Bandwidth

Modulation type	Channel	20 dB Bandwidth (kHz)	Limit (kHz)	Result
GFSK	00	927.50	-	Pass
	39	925.00		
	78	935.00		
$\pi/4$ DQPSK	00	1280.00	-	Pass
	39	1280.00		
	78	1287.50		
8DPSK	00	1282.50	-	Pass
	39	1280.00		
	78	1285.00		


Modulation Type:

GFSK


CH00



CH39




CH78




Modulation Type:

 $\pi/4$ DQPSK


CH00



CH39




CH78




Modulation Type:

8DPSK


CH00



CH39



CH78




Appendix C: 99% Occupied Bandwidth

Modulation type	Channel	99% Occupied Bandwidth (MHz)	Limit (MHz)	Result
GFSK	00	0.87	-	Pass
	39	0.88		
	78	0.88		
$\pi/4$ DQPSK	00	1.17	-	Pass
	39	1.17		
	78	1.17		
8DPSK	00	1.16	-	Pass
	39	1.17		
	78	1.16		

Modulation Type:


GFSK

CH00




Date: 27 SEP 2021 13:50:26

CH39




Date: 27 SEP 2021 13:53:06

CH78




Date: 27 SEP 2021 14:07:09



Modulation Type:


8DPSK

CH00



Date: 27 SEP 2021 14:27:59

CH39



Date: 27 SEP 2021 14:45:13

CH78



Date: 27 SEP 2021 14:48:47

Appendix D: Carrier Frequencies Separation

Modulation type	Channel	Carrier Frequencies Separation (MHz)	Limit (kHz) *	Result
GFSK	39	1.00	≥935.00	Pass
π/4DQPSK	39	1.00	≥858.33	Pass
8DPSK	39	1.00	≥856.67	Pass



Note:

*: GFSK limit = The maximum 20 dB Bandwidth for GFSK modulation on the appendix B.


π/4DQPSK limit = $2/3$ * The maximum 20 dB Bandwidth for π/4DQPSK modulation on the appendix B.

8DPSK limit = $2/3$ * The maximum 20 dB Bandwidth for 8DPSK modulation on the appendix B

GFSK

 $\pi/4$ DQPSK



8DPSK




Appendix E: Hopping Channel Number

Modulation type	Channel number	Limit	Result
GFSK	79	≥15.00	Pass
π/4DQPSK	79		
8DPSK	79		

GFSK

 $\pi/4$ DQPSK

8DPSK









Appendix F: Dwell Time




Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	0.37	81	0.03	≤ 0.40	Pass
	DH3	1.62	60	0.10		
	DH5	2.87	44	0.13		
$\pi/4$ DQPSK	2DH1	0.38	80	0.03	≤ 0.40	Pass
	2DH3	1.63	61	0.10		
	2DH5	2.88	44	0.13		
8DPSK	3DH1	0.38	81	0.03	≤ 0.40	Pass
	3DH3	1.63	60	0.10		
	3DH5	2.88	44	0.13		

Modulation Type:


GFSK

DH1
Burst widthDH1
Burst numberDH3
Burst width


DH3 Burst number	 The screenshot shows a spectrum analyzer interface with the title 'Spectrum'. The y-axis represents power in dBm, ranging from -50 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. A red horizontal line is drawn at -100 dBm. The plot shows a dense, noisy signal across the entire frequency range. The status bar at the bottom indicates 'CF 2.441 GHz', '30001 pts', and '3.16 s'. The date '27.SEP.2021 15:09:17' is displayed at the bottom left.
DH5 Burst width	 The screenshot shows a spectrum analyzer interface with the title 'Spectrum'. The y-axis represents power in dBm, ranging from -50 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. A red horizontal line is drawn at -100 dBm. The plot shows a signal that is mostly flat at the noise floor, with a distinct, narrow burst of energy. The status bar at the bottom indicates 'CF 2.441 GHz', '8001 pts', and '1.0 ms'. The date '27.SEP.2021 15:29:38' is displayed at the bottom left.
DH5 Burst number	 The screenshot shows a spectrum analyzer interface with the title 'Spectrum'. The y-axis represents power in dBm, ranging from -50 to 10. The x-axis represents frequency in GHz, centered at 2.441 GHz. A red horizontal line is drawn at -100 dBm. The plot shows a dense, noisy signal across the entire frequency range, similar to the DH3 plot. The status bar at the bottom indicates 'CF 2.441 GHz', '30001 pts', and '3.16 s'. The date '27.SEP.2021 15:11:26' is displayed at the bottom left.

Modulation Type:	$\pi/4$ DQPSK
2DH1 Burst width	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 8001 pts. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in ms, ranging from 0 to 1.0 ms. The plot shows a burst of signal at approximately 0.2 ms. The signal is labeled with a red line at -10.54 dBm. The plot also shows a red line at -1.25 dBm. The plot is titled 'Spectrum' and '1 Zero Span'. The plot includes a legend with the following values: M1[1] -10.54 dBm, D1[1] -1.25 dBm, and 376.47 ps. The plot also shows a red line at -10.54 dBm. The plot is dated 27.SEP.2021 15:28:44.
2DH1 Burst number	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 30001 pts. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in s, ranging from 0 to 3.16 s. The plot shows a burst of signal at approximately 0.2 s. The signal is labeled with a red line at -10.54 dBm. The plot also shows a red line at -1.25 dBm. The plot is titled 'Spectrum' and '1 Zero Span'. The plot includes a legend with the following values: M1[1] -10.54 dBm, D1[1] -1.25 dBm, and 376.47 ps. The plot also shows a red line at -10.54 dBm. The plot is dated 27.SEP.2021 15:22:27.
2DH3 Burst width	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 8001 pts. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in ms, ranging from 0 to 1.0 ms. The plot shows a burst of signal at approximately 0.2 ms. The signal is labeled with a red line at -16.76 dBm. The plot also shows a red line at -1.25 dBm. The plot is titled 'Spectrum' and '1 Zero Span'. The plot includes a legend with the following values: M1[1] -16.76 dBm, D1[1] -1.25 dBm, and 1.63255 ms. The plot also shows a red line at -16.76 dBm. The plot is dated 27.SEP.2021 15:27:48.


2DH3
Burst number






2DH5
Burst width




2DH5
Burst number




Modulation Type:	8DPSK
3DH1 Burst width	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 8001 pts. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in ms, ranging from 0 to 1.0. The plot shows a burst of signal at approximately 0.5 ms. The signal is labeled with a peak level of -12.40 dBm and a duration of 1.25 ms. The plot also shows a noise floor at approximately -4.88 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Att 30 dB, SWT 10 ms, VBW 3 MHz, RBW 1 MHz, and TSG V/D. The date is 27.SEP.2021 15:24:05.
3DH1 Burst number	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 30001 pts. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in s, ranging from 0 to 3.16. The plot shows a burst of signal at approximately 0.5 s. The signal is labeled with a peak level of -12.40 dBm and a duration of 1.25 ms. The plot also shows a noise floor at approximately -4.88 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Att 30 dB, SWT 31.6 s, VBW 3 MHz, RBW 500 kHz, and TSG V/D. The date is 27.SEP.2021 15:17:24.
3DH3 Burst width	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 8001 pts. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in ms, ranging from 0 to 1.0. The plot shows a burst of signal at approximately 0.5 ms. The signal is labeled with a peak level of -23.88 dBm and a duration of 2.50 ms. The plot also shows a noise floor at approximately 16.41 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Att 30 dB, SWT 10 ms, VBW 3 MHz, RBW 1 MHz, and TSG V/D. The date is 27.SEP.2021 15:23:02.


3DH3
Burst number



3DH5
Burst width





3DH5
Burst number



Appendix G: Duty Cycle Correction Factor (DCCF)



DCCF Calculate Formula					
DCCF=20 * Log(duty cycle) = 20 * Log($T_{\text{on time}} / T_{\text{period}}$)					
Modulation type	Test Frequency (MHz)	$T_{\text{on time}}$ for single burst [ms]	T_{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.86	100	2	-24.85
$\pi/4$ DQPSK	2441	2.87	100	2	-24.82
8DPSK	2441	2.87	100	2	-24.82

GFSK



Ton time for single burst



Burst Quantity

 $\pi/4$ DQPSK

Ton time for single burst

Burst Quantity

8DPSK




Ton time for single burst

Burst Quantity


Test Item:	Band edge	Modulation type:	GFSK																																										
CH00 No hopping mode	Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.05 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.401821 GHz</td> <td>-3.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-56.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-61.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399965 GHz</td> <td>-57.27 dBm</td> <td></td> <td></td> </tr> </tbody> </table> Date: 27.SEP.2021 13:50:50			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.401821 GHz	-3.26 dBm			M2	1		2.4 GHz	-56.79 dBm			M3	1		2.39 GHz	-61.90 dBm			M4	1		2.31 GHz	-63.25 dBm			M5	1		2.399965 GHz	-57.27 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.401821 GHz	-3.26 dBm																																									
M2	1		2.4 GHz	-56.79 dBm																																									
M3	1		2.39 GHz	-61.90 dBm																																									
M4	1		2.31 GHz	-63.25 dBm																																									
M5	1		2.399965 GHz	-57.27 dBm																																									
CH00 Hopping mode	Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.404858 GHz</td> <td>-3.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-60.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-62.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-61.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399925 GHz</td> <td>-58.55 dBm</td> <td></td> <td></td> </tr> </tbody> </table> Date: 27.SEP.2021 15:00:49			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.404858 GHz	-3.54 dBm			M2	1		2.4 GHz	-60.15 dBm			M3	1		2.39 GHz	-62.69 dBm			M4	1		2.31 GHz	-61.91 dBm			M5	1		2.399925 GHz	-58.55 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.404858 GHz	-3.54 dBm																																									
M2	1		2.4 GHz	-60.15 dBm																																									
M3	1		2.39 GHz	-62.69 dBm																																									
M4	1		2.31 GHz	-61.91 dBm																																									
M5	1		2.399925 GHz	-58.55 dBm																																									
CH78 No hopping mode	Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWF 1.02 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz 2 Marker Table <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.479835 GHz</td> <td>-4.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-62.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-63.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.489528 GHz</td> <td>-60.93 dBm</td> <td></td> <td></td> </tr> </tbody> </table> Date: 27.SEP.2021 14:07:55			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.479835 GHz	-4.77 dBm			M2	1		2.4835 GHz	-62.48 dBm			M3	1		2.5 GHz	-63.53 dBm			M4	1		2.489528 GHz	-60.93 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.479835 GHz	-4.77 dBm																																									
M2	1		2.4835 GHz	-62.48 dBm																																									
M3	1		2.5 GHz	-63.53 dBm																																									
M4	1		2.489528 GHz	-60.93 dBm																																									

CH78
Hopping mode



Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK
CH00 No hopping mode	<		


CH78
Hopping mode






Date: 27 SEP 2021 15:02:57


Test Item:	Band edge	Modulation type:	8DPSK
CH00 No hopping mode			

CH78
Hoppig mode




Test Item:	Spurious Emission	Modulation type:	GFSK
CH00 Reference level			
CH00 30MHz~1000MHz			
CH00 1GHz~26GHz			


CH39
Reference level




CH39
30MHz~1000MHz




CH39
1GHz~26GHz




CH78
Reference level






CH78
30MHz~1000MHz




CH78
1GHz~26GHz




Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
CH00 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -3.80 dBm 2.4018500 GHz CF 2.402 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 27 SEP 2021 14:00:21		
CH00 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -59.32 dBm 879.4490 MHz M1 -23.00 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 27 SEP 2021 14:00:07		
CH00 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -43.56 dBm 3.496667 GHz M1 -23.00 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 27 SEP 2021 14:00:54		


CH39
Reference level




CH39
30MHz~1000MHz




CH39
1GHz~26GHz




CH78
Reference level






CH78
30MHz~1000MHz




CH78
1GHz~26GHz




Test Item:	Spurious Emission	Modulation type:	8DPSK
CH00 Reference level	 Date: 27.SEP.2021 14:28:53		
CH00 30MHz~1000MHz	 Date: 27.SEP.2021 14:29:09		
CH00 1GHz~26GHz	 Date: 27.SEP.2021 14:29:25		


CH39
Reference level




CH39
30MHz~1000MHz




CH39
1GHz~26GHz




CH78
Reference level



CH78
30MHz~1000MHz



CH78
1GHz~26GHz



-----End of Report-----