

Mode:	11A-5180
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2059.4703	7.20	43.49	68.23	24.74	37.92	54.00	16.08	150	296	Horizontal	PASS
2	2344.3278	6.92	44.20	74.00	29.80	34.44	54.00	19.56	150	150	Horizontal	PASS
3	4203.3983	12.16	47.08	74.00	26.92	39.85	54.00	14.15	150	46	Horizontal	PASS
4	6956.2828	-10.02	42.99	68.23	25.24	35.11	54.00	18.89	150	329	Horizontal	PASS
5	10355.7332	-5.31	54.43	68.23	13.80	44.67	54.00	9.33	150	16	Horizontal	PASS
6	11327.0047	-2.68	48.31	74.00	25.69	38.61	54.00	15.39	150	66	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1594.7026	0.56	45.55	74.00	28.45	30.41	54.00	23.59	150	4	Vertical	PASS
2	2629.1854	7.95	43.23	68.23	25.00	35.85	54.00	18.15	150	235	Vertical	PASS
3	7363.977	-9.47	42.43	74.00	31.57	35.05	54.00	18.95	150	53	Vertical	PASS
4	8997.7517	-7.49	44.54	68.23	23.69	36.46	54.00	17.54	150	125	Vertical	PASS
5	10355.7332	-5.31	56.71	68.23	11.52	49.78	54.00	4.22	150	8	Vertical	PASS
6	13137.6468	-0.81	48.25	68.23	19.98	40.01	54.00	13.99	150	0	Vertical	PASS

Mode:	11A-5200
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2084.4578	7.58	43.67	68.23	24.56	36.27	54.00	17.73	150	258	Horizontal	PASS
2	2554.2229	7.85	44.88	68.23	23.35	35.19	54.00	18.81	150	139	Horizontal	PASS
3	3908.5457	11.84	47.27	74.00	26.73	39.01	54.00	14.99	150	360	Horizontal	PASS
4	7331.0017	-9.43	43.16	74.00	30.84	34.12	54.00	19.88	150	257	Horizontal	PASS
5	10403.6972	-5.49	53.67	68.23	14.56	47.07	54.00	6.93	150	157	Horizontal	PASS
6	11716.7125	-2.69	47.77	74.00	26.23	37.36	54.00	16.64	150	77	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1594.7026	0.56	43.37	74.00	30.63	37.15	54.00	16.85	150	314	Vertical	PASS
2	2789.1054	8.76	44.83	74.00	29.17	35.88	54.00	18.12	150	82	Vertical	PASS
3	7357.9815	-9.46	42.69	74.00	31.31	36.65	54.00	17.35	150	127	Vertical	PASS
4	8964.7764	-7.53	44.76	68.23	23.47	35.28	54.00	18.72	150	356	Vertical	PASS
5	10397.7017	-5.49	57.40	68.23	10.83	47.56	54.00	6.44	150	163	Vertical	PASS
6	13170.622	-0.80	47.70	68.23	20.53	39.90	54.00	14.10	150	40	Vertical	PASS

Mode:	11A-5240
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2034.4828	6.85	44.36	68.23	23.87	35.60	54.00	18.40	150	19	Horizontal	PASS
2	3346.3268	9.95	45.40	74.00	28.60	37.69	54.00	16.31	150	158	Horizontal	PASS
3	8023.4824	-9.11	43.67	68.23	24.56	34.50	54.00	19.50	150	116	Horizontal	PASS
4	8946.7899	-7.55	44.74	68.23	23.49	36.43	54.00	17.57	150	19	Horizontal	PASS
5	10484.6365	-5.21	57.69	68.23	10.54	49.99	54.00	4.01	150	14	Horizontal	PASS
6	13932.051	-0.49	47.21	68.23	21.02	38.69	54.00	15.31	150	320	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1594.7026	0.56	41.37	74.00	32.63	30.76	54.00	23.24	150	341	Vertical	PASS
2	2554.2229	7.85	44.37	68.23	23.86	37.70	54.00	16.30	150	139	Vertical	PASS
3	3646.1769	10.34	45.68	74.00	28.32	37.36	54.00	16.64	150	226	Vertical	PASS
4	8158.3812	-9.20	44.55	74.00	29.45	36.52	54.00	17.48	150	35	Vertical	PASS
5	10484.6365	-5.21	56.92	68.23	11.31	48.21	54.00	5.79	150	163	Vertical	PASS
6	12798.9008	-1.25	47.29	68.23	20.94	38.72	54.00	15.28	150	127	Vertical	PASS

Mode:	11N20-5180
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1232.3838	0.45	37.69	74.00	36.31	29.42	54.00	24.58	150	291	Horizontal	PASS
2	2149.4253	7.10	44.15	68.23	24.08	36.68	54.00	17.32	150	4	Horizontal	PASS
3	2809.0955	8.91	43.37	74.00	30.63	36.96	54.00	17.04	150	194	Horizontal	PASS
4	7444.9163	-9.67	43.61	74.00	30.39	34.12	54.00	19.88	150	168	Horizontal	PASS
5	10367.7242	-5.37	53.30	68.23	14.93	45.62	54.00	8.38	150	171	Horizontal	PASS
6	12409.1931	-1.91	46.62	74.00	27.38	39.20	54.00	14.80	150	272	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2106.9465	7.71	43.49	68.23	24.74	36.27	54.00	17.73	150	199	Vertical	PASS
2	3328.8356	10.17	45.64	68.23	22.59	36.82	54.00	17.18	150	231	Vertical	PASS
3	7699.7252	-9.52	43.42	74.00	30.58	34.50	54.00	19.50	150	265	Vertical	PASS
4	8590.0575	-8.75	44.45	68.23	23.78	35.36	54.00	18.64	150	24	Vertical	PASS
5	10358.731	-5.33	56.86	68.23	11.37	50.21	54.00	3.79	150	166	Vertical	PASS
6	12933.7997	-1.08	47.91	68.23	20.32	39.19	54.00	14.81	150	172	Vertical	PASS

Mode:	11N20-5200
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2101.949	7.78	43.00	68.23	25.23	36.56	54.00	17.44	150	284	Horizontal	PASS
2	3606.1969	10.03	44.79	74.00	29.21	35.93	54.00	18.07	150	315	Horizontal	PASS
3	7333.9995	-9.44	44.37	74.00	29.63	34.03	54.00	19.97	150	21	Horizontal	PASS
4	10400.6995	-5.50	52.73	68.23	15.50	45.27	54.00	8.73	150	18	Horizontal	PASS
5	12466.1504	-1.62	47.17	74.00	26.83	38.33	54.00	15.67	150	110	Horizontal	PASS
6	15568.8234	3.07	50.13	74.00	23.87	42.20	54.00	11.80	150	282	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	43.57	68.23	24.66	36.14	54.00	17.86	150	238	Vertical	PASS
2	2566.7166	7.97	43.38	68.23	24.85	35.76	54.00	18.24	150	154	Vertical	PASS
3	7657.7567	-9.66	43.04	74.00	30.96	33.50	54.00	20.50	150	3	Vertical	PASS
4	10400.6995	-5.50	53.61	68.23	14.62	48.25	54.00	5.75	150	174	Vertical	PASS
5	13338.4961	-0.56	47.66	74.00	26.34	38.86	54.00	15.14	150	226	Vertical	PASS
6	15625.7807	2.97	49.91	74.00	24.09	41.19	54.00	12.81	150	168	Vertical	PASS

Mode:	11N20-5240
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1914.5427	6.58	42.12	68.23	26.11	35.60	54.00	18.40	150	258	Horizontal	PASS
2	2849.0755	8.63	45.54	74.00	28.46	36.95	54.00	17.05	150	59	Horizontal	PASS
3	3533.7331	10.00	44.62	68.23	23.61	35.84	54.00	18.16	150	130	Horizontal	PASS
4	7244.067	-9.74	43.57	68.23	24.66	34.87	54.00	19.13	150	342	Horizontal	PASS
5	10484.6365	-5.21	52.89	68.23	15.34	47.74	54.00	6.26	150	26	Horizontal	PASS
6	13143.6423	-0.81	46.67	68.23	21.56	39.44	54.00	14.56	150	74	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2069.4653	7.35	43.90	68.23	24.33	35.83	54.00	18.17	150	36	Vertical	PASS
2	3123.938	9.45	45.91	68.23	22.32	37.78	54.00	16.22	150	298	Vertical	PASS
3	8227.3295	-9.00	44.22	74.00	29.78	36.26	54.00	17.74	150	0	Vertical	PASS
4	10484.6365	-5.21	55.02	68.23	13.21	47.99	54.00	6.01	150	162	Vertical	PASS
5	12777.9166	-1.24	46.75	68.23	21.48	39.11	54.00	14.89	150	212	Vertical	PASS
6	15565.8256	3.03	50.04	74.00	23.96	41.55	54.00	12.45	150	178	Vertical	PASS

Mode:	11N40-5190
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1957.0215	6.49	43.32	68.23	24.91	36.22	54.00	17.78	150	262	Horizontal	PASS
2	2524.2379	7.58	43.95	68.23	24.28	34.72	54.00	19.28	150	292	Horizontal	PASS
3	8332.2508	-8.94	43.24	74.00	30.76	35.06	54.00	18.94	150	128	Horizontal	PASS
4	10385.7107	-5.44	50.66	68.23	17.57	43.89	54.00	10.11	150	159	Horizontal	PASS
5	12103.4224	-2.19	47.19	74.00	26.81	37.72	54.00	16.28	150	14	Horizontal	PASS
6	13962.0285	-0.17	47.54	68.23	20.69	37.77	54.00	16.23	150	0	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2766.6167	8.33	44.83	74.00	29.17	37.77	54.00	16.23	150	294	Vertical	PASS
2	3821.0895	11.33	47.21	74.00	26.79	39.18	54.00	14.82	150	335	Vertical	PASS
3	7310.0175	-9.41	43.47	74.00	30.53	35.66	54.00	18.34	150	92	Vertical	PASS
4	8212.3407	-9.04	43.84	74.00	30.16	35.29	54.00	18.71	150	104	Vertical	PASS
5	10382.713	-5.43	52.34	68.23	15.89	45.05	54.00	8.95	150	174	Vertical	PASS
6	11998.5011	-2.52	47.94	74.00	26.06	37.31	54.00	16.69	150	69	Vertical	PASS

Mode:	11N40-5230
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1844.5777	5.36	40.26	68.23	27.97	33.45	54.00	20.55	150	39	Horizontal	PASS
2	2574.2129	8.04	44.39	68.23	23.84	36.24	54.00	17.76	150	211	Horizontal	PASS
3	3541.2294	10.00	45.91	68.23	22.32	37.36	54.00	16.64	150	319	Horizontal	PASS
4	8224.3318	-9.01	42.96	74.00	31.04	34.14	54.00	19.86	150	189	Horizontal	PASS
5	10451.6613	-5.32	49.66	68.23	18.57	41.54	54.00	12.46	150	24	Horizontal	PASS
6	13176.6175	-0.80	47.32	68.23	20.91	40.63	54.00	13.37	150	173	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2041.979	6.95	43.51	68.23	24.72	35.25	54.00	18.75	150	129	Vertical	PASS
2	3318.8406	10.29	45.44	68.23	22.79	37.98	54.00	16.02	150	77	Vertical	PASS
3	3933.5332	11.84	45.92	74.00	28.08	38.80	54.00	15.20	150	314	Vertical	PASS
4	7585.8106	-9.82	43.72	74.00	30.28	34.44	54.00	19.56	150	87	Vertical	PASS
5	10460.6545	-5.29	50.77	68.23	17.46	40.90	54.00	13.10	150	177	Vertical	PASS
6	13632.2758	-0.59	48.05	68.23	20.18	38.51	54.00	15.49	150	134	Vertical	PASS

Mode:	11A-5745
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1934.5327	6.68	42.50	68.23	25.73	35.14	54.00	18.86	150	353	Horizontal	PASS
2	2994.8026	9.04	45.36	68.23	22.87	35.74	54.00	18.26	150	210	Horizontal	PASS
3	8660.3943	-8.21	44.07	68.23	24.16	35.19	54.00	18.81	150	7	Horizontal	PASS
4	11488.4951	-2.86	49.57	74.00	24.43	40.50	54.00	13.50	150	246	Horizontal	PASS
5	14326.7781	0.74	46.73	68.23	21.50	41.26	54.00	12.74	150	127	Horizontal	PASS
6	17241.4275	4.11	56.60	68.23	11.63	48.51	54.00	5.49	150	249	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1900.5497	6.76	43.57	68.23	24.66	34.24	54.00	19.76	150	356	Vertical	PASS
2	3307.4463	10.33	45.77	68.23	22.46	37.03	54.00	16.97	150	22	Vertical	PASS
3	8998.9518	-7.49	45.41	68.23	22.82	36.71	54.00	17.29	150	4	Vertical	PASS
4	11493.5862	-2.84	56.01	74.00	17.99	46.67	54.00	7.33	150	35	Vertical	PASS
5	12773.9955	-1.20	47.92	68.23	20.31	38.83	54.00	15.17	150	105	Vertical	PASS
6	17226.1542	4.10	58.96	68.23	9.27	50.52	54.00	3.48	150	308	Vertical	PASS

Mode:	11A-5785
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2128.2359	7.44	44.16	68.23	24.07	35.09	54.00	18.91	150	14	Horizontal	PASS
2	3290.4548	10.28	44.89	68.23	23.34	36.33	54.00	17.67	150	298	Horizontal	PASS
3	9635.3382	-6.28	43.98	68.23	24.25	35.77	54.00	18.23	150	274	Horizontal	PASS
4	11569.9526	-2.98	49.12	74.00	24.88	44.75	54.00	9.25	150	249	Horizontal	PASS
5	15146.4437	1.82	49.19	68.23	19.04	39.14	54.00	14.86	150	34	Horizontal	PASS
6	17355.977	3.84	54.36	68.23	13.87	47.17	54.00	6.83	150	258	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2943.8281	8.64	45.84	68.23	22.39	36.74	54.00	17.26	150	157	Vertical	PASS
2	4646.3768	13.87	48.48	74.00	25.52	38.56	54.00	15.44	150	134	Vertical	PASS
3	11569.9526	-2.98	54.63	74.00	19.37	47.91	54.00	6.09	150	253	Vertical	PASS
4	13227.1026	-0.56	47.99	68.23	20.24	40.74	54.00	13.26	150	127	Vertical	PASS
5	15625.0062	3.22	49.90	74.00	24.10	41.00	54.00	13.00	150	273	Vertical	PASS
6	17353.4315	3.86	58.42	68.23	9.81	48.50	54.00	5.50	150	195	Vertical	PASS

Mode:	11A-5825
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2617.5912	8.06	44.30	68.23	23.93	36.80	54.00	17.20	150	32	Horizontal	PASS
2	4439.0805	12.90	46.22	68.23	22.01	37.90	54.00	16.10	150	258	Horizontal	PASS
3	9108.4103	-7.31	44.67	74.00	29.33	35.23	54.00	18.77	150	150	Horizontal	PASS
4	10607.7365	-4.83	45.49	74.00	28.51	38.30	54.00	15.70	150	21	Horizontal	PASS
5	11656.5011	-2.80	51.79	74.00	22.21	43.15	54.00	10.85	150	245	Horizontal	PASS
6	15640.2795	2.87	50.06	74.00	23.94	42.61	54.00	11.39	150	360	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2804.4978	8.93	44.40	74.00	29.60	36.62	54.00	17.38	150	11	Vertical	PASS
2	4466.2669	13.04	46.90	68.23	21.33	37.13	54.00	16.87	150	164	Vertical	PASS
3	9001.4974	-7.49	45.82	74.00	28.18	39.89	54.00	14.11	150	4	Vertical	PASS
4	11646.3189	-2.84	56.60	74.00	17.40	50.74	54.00	3.26	150	266	Vertical	PASS
5	14996.2566	0.60	48.47	68.23	19.76	39.71	54.00	14.29	150	10	Vertical	PASS
6	17483.2543	3.82	53.60	68.23	14.63	44.76	54.00	9.24	150	195	Vertical	PASS

Mode:	11N20-5745
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.76	44.92	68.23	23.31	36.57	54.00	17.43	200	175	Horizontal	PASS
2	2855.4723	8.59	44.05	74.00	29.95	35.34	54.00	18.66	100	357	Horizontal	PASS
3	9164.4123	-6.84	44.30	74.00	29.70	36.68	54.00	17.32	200	286	Horizontal	PASS
4	11287.3971	-3.14	47.46	74.00	26.54	39.36	54.00	14.64	200	105	Horizontal	PASS
5	13176.1917	-0.64	47.55	68.23	20.68	39.32	54.00	14.68	200	356	Horizontal	PASS
6	17129.4235	4.15	51.34	68.23	16.89	42.45	54.00	11.55	100	164	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2073.8631	7.46	44.16	68.23	24.07	35.35	54.00	18.65	200	292	Vertical	PASS
2	2746.7266	7.94	44.90	74.00	29.10	35.89	54.00	18.11	200	4	Vertical	PASS
3	11480.8585	-2.89	49.98	74.00	24.02	42.55	54.00	11.45	200	258	Vertical	PASS
4	15319.5408	2.29	49.57	68.23	18.66	41.91	54.00	12.09	100	206	Vertical	PASS
5	16633.0422	3.22	50.88	68.23	17.35	43.52	54.00	10.48	100	311	Vertical	PASS
6	17241.4275	4.11	60.80	68.23	7.43	47.91	54.00	6.09	200	19	Vertical	PASS

Mode:	11N20-5785
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2801.0994	8.95	45.53	74.00	28.47	36.55	54.00	17.45	200	298	Horizontal	PASS
2	4935.2324	14.17	49.29	74.00	24.71	40.81	54.00	13.19	100	205	Horizontal	PASS
3	9077.8637	-7.40	44.02	74.00	29.98	35.17	54.00	18.83	200	101	Horizontal	PASS
4	11562.3159	-2.97	47.07	74.00	26.93	40.05	54.00	13.95	200	163	Horizontal	PASS
5	15591.9142	3.67	50.26	74.00	23.74	42.95	54.00	11.05	200	186	Horizontal	PASS
6	17628.3504	4.08	52.52	68.23	15.71	44.55	54.00	9.45	100	4	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2101.0495	7.80	44.11	68.23	24.12	35.95	54.00	18.05	200	325	Vertical	PASS
2	4286.1569	11.97	46.88	74.00	27.12	38.76	54.00	15.24	200	325	Vertical	PASS
3	11569.9526	-2.98	53.06	74.00	20.94	44.86	54.00	9.14	200	260	Vertical	PASS
4	15619.9151	3.34	49.70	74.00	24.30	41.76	54.00	12.24	100	64	Vertical	PASS
5	16864.6868	4.19	51.63	68.23	16.60	44.40	54.00	9.60	100	321	Vertical	PASS
6	17366.1592	3.79	52.68	68.23	15.55	43.16	54.00	10.84	200	17	Vertical	PASS

Mode:	11N20-5825
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2291.3543	7.03	43.05	74.00	30.95	34.74	54.00	19.26	100	143	Horizontal	PASS
2	3018.5907	9.21	43.66	68.23	24.57	36.93	54.00	17.07	100	121	Horizontal	PASS
3	9416.4213	-6.89	45.17	74.00	28.83	37.05	54.00	16.95	100	326	Horizontal	PASS
4	11646.3189	-2.84	49.33	74.00	24.67	40.27	54.00	13.73	200	244	Horizontal	PASS
5	15584.2775	3.56	50.62	74.00	23.38	42.74	54.00	11.26	200	104	Horizontal	PASS
6	17358.5226	3.83	50.99	68.23	17.24	43.28	54.00	10.72	200	273	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3083.1584	9.59	44.21	68.23	24.02	36.48	54.00	17.52	100	178	Vertical	PASS
2	9757.5243	-6.07	45.68	68.23	22.55	36.38	54.00	17.62	100	346	Vertical	PASS
3	11651.41	-2.83	51.63	74.00	22.37	45.07	54.00	8.93	100	257	Vertical	PASS
4	13494.3848	-0.94	48.18	68.23	20.05	39.74	54.00	14.26	200	55	Vertical	PASS
5	15597.0052	3.75	50.83	74.00	23.17	42.50	54.00	11.50	100	235	Vertical	PASS
6	17467.981	3.79	52.44	68.23	15.79	44.17	54.00	9.83	200	22	Vertical	PASS

Mode:	11N40-5755
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.76	44.30	68.23	23.93	35.21	54.00	18.79	100	149	Horizontal	PASS
2	3290.4548	10.28	44.83	68.23	23.40	37.10	54.00	16.90	200	21	Horizontal	PASS
3	10775.7425	-4.71	45.09	74.00	28.91	37.03	54.00	16.97	100	234	Horizontal	PASS
4	12814.7242	-1.17	47.06	68.23	21.17	39.27	54.00	14.73	200	300	Horizontal	PASS
5	15556.2765	3.12	49.68	74.00	24.32	42.12	54.00	11.88	100	279	Horizontal	PASS
6	17712.3534	4.73	52.69	74.00	21.31	43.97	54.00	10.03	200	275	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2821.4893	8.82	46.22	74.00	27.78	37.82	54.00	16.18	200	345	Vertical	PASS
2	8993.8607	-7.50	46.28	68.23	21.95	37.76	54.00	16.24	100	356	Vertical	PASS
3	11519.0417	-2.86	49.71	74.00	24.29	40.45	54.00	13.55	200	262	Vertical	PASS
4	14051.8592	0.29	47.84	68.23	20.39	39.66	54.00	14.34	100	33	Vertical	PASS
5	15594.4597	3.72	50.85	74.00	23.15	43.05	54.00	10.95	200	148	Vertical	PASS
6	16818.867	4.11	51.00	68.23	17.23	43.03	54.00	10.97	100	30	Vertical	PASS

Mode:	11N40-5795
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1387.4063	0.67	37.51	74.00	36.49	29.25	54.00	24.75	100	244	Horizontal	PASS
2	2104.4478	7.76	43.31	68.23	24.92	36.44	54.00	17.56	200	193	Horizontal	PASS
3	3331.2344	10.07	44.92	68.23	23.31	39.37	54.00	14.63	200	31	Horizontal	PASS
4	9612.4283	-6.38	44.29	68.23	23.94	36.37	54.00	17.63	100	52	Horizontal	PASS
5	11541.9516	-2.92	46.71	74.00	27.29	38.48	54.00	15.52	200	68	Horizontal	PASS
6	13041.2778	-0.86	47.02	68.23	21.21	38.56	54.00	15.44	200	0	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1717.0415	3.00	39.64	68.23	28.59	30.92	54.00	23.08	200	126	Vertical	PASS
2	2118.041	7.58	43.55	68.23	24.68	36.30	54.00	17.70	200	269	Vertical	PASS
3	3310.8446	10.30	45.10	68.23	23.13	36.67	54.00	17.33	200	89	Vertical	PASS
4	9584.4273	-6.43	44.42	68.23	23.81	36.68	54.00	17.32	200	0	Vertical	PASS
5	11567.407	-2.98	48.21	74.00	25.79	38.74	54.00	15.26	200	255	Vertical	PASS
6	14293.686	0.82	48.16	68.23	20.07	39.76	54.00	14.24	200	261	Vertical	PASS

Out of band

Mode:	11A-5180
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	45.40	68.23	22.83	44.26	54.00	9.74	150	77	Horizontal	PASS
2	4538.4492	15.14	47.59	74.00	26.41	46.94	54.00	7.06	150	299	Horizontal	PASS
3	5119.8641	17.08	52.61	74.00	21.39	49.19	54.00	4.81	150	30	Horizontal	PASS
4	5138.699	17.71	54.94	74.00	19.06	50.07	54.00	3.93	150	21	Horizontal	PASS
5	5145.4536	18.02	56.60	74.00	17.40	50.64	54.00	3.36	150	30	Horizontal	PASS
6	5149.6103	18.82	58.26	74.00	15.74	50.60	54.00	3.40	150	24	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	46.71	68.23	21.52	45.85	54.00	8.15	150	239	Vertical	PASS
2	4905.016	16.32	49.90	74.00	24.10	48.88	54.00	5.12	150	49	Vertical	PASS
3	4942.556	16.30	50.98	74.00	23.02	50.16	54.00	3.84	150	33	Vertical	PASS
4	5137.4001	17.67	51.59	74.00	22.41	50.06	54.00	3.94	150	272	Vertical	PASS
5	5144.2846	17.91	55.51	74.00	18.49	47.91	54.00	6.09	150	269	Vertical	PASS
6	5150	18.89	54.44	74.00	19.56	48.90	54.00	5.10	150	284	Vertical	PASS

Mode:	11N20-5180
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	44.70	68.23	23.53	44.51	54.00	9.49	150	98	Horizontal	PASS
2	4929.4365	16.31	51.17	74.00	22.83	48.30	54.00	5.70	150	130	Horizontal	PASS
3	5131.8145	17.48	52.38	74.00	21.62	47.45	54.00	6.55	150	48	Horizontal	PASS
4	5142.466	17.84	56.59	74.00	17.41	48.20	54.00	5.80	150	321	Horizontal	PASS
5	5148.0516	18.51	60.01	74.00	13.99	49.52	54.00	4.48	150	37	Horizontal	PASS
6	5150	18.89	57.19	74.00	16.81	50.00	54.00	4.00	150	37	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	46.61	68.23	21.62	44.06	54.00	9.94	150	200	Vertical	PASS
2	4699.6503	16.02	47.55	74.00	26.45	45.99	54.00	8.01	150	48	Vertical	PASS
3	5134.0228	17.56	51.74	74.00	22.26	48.47	54.00	5.53	150	267	Vertical	PASS
4	5138.9588	17.73	52.28	74.00	21.72	47.96	54.00	6.04	150	262	Vertical	PASS
5	5144.5444	17.92	55.88	74.00	18.12	47.11	54.00	6.89	150	270	Vertical	PASS
6	5150	18.89	56.64	74.00	17.36	49.21	54.00	4.79	150	267	Vertical	PASS

Mode:	11N40-5190
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	45.80	68.23	22.43	45.27	54.00	8.73	150	272	Horizontal	PASS
2	5047.512	16.28	51.88	74.00	22.12	48.94	54.00	5.06	150	281	Horizontal	PASS
3	5138.5691	17.71	54.64	74.00	19.36	48.20	54.00	5.80	150	31	Horizontal	PASS
4	5141.6867	17.82	54.92	74.00	19.08	47.82	54.00	6.18	150	328	Horizontal	PASS
5	5149.4804	18.79	55.86	74.00	18.14	49.94	54.00	4.06	150	7	Horizontal	PASS
6	5150	18.89	54.42	74.00	19.58	49.24	54.00	4.76	150	360	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	44.69	68.23	23.54	44.38	54.00	9.62	150	320	Vertical	PASS
2	5037.2502	16.28	51.40	74.00	22.60	47.27	54.00	6.73	150	116	Vertical	PASS
3	5137.53	17.68	55.82	74.00	18.18	48.22	54.00	5.78	150	264	Vertical	PASS
4	5143.8949	17.90	53.60	74.00	20.40	48.89	54.00	5.11	150	194	Vertical	PASS
5	5149.2206	18.74	55.49	74.00	18.51	47.09	54.00	6.91	150	264	Vertical	PASS
6	5150	18.89	53.00	74.00	21.00	49.00	54.00	5.00	150	96	Vertical	PASS

Mode:	11A-5745
-------	----------



Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5662.62	56.00	14.90	77.60	21.60	150	241	Horizontal
2	5714.37	69.41	14.92	109.23	39.82	150	244	Horizontal
3	5732.75	92.60	14.86	122.20	29.60	150	228	Horizontal
4	5763.87	82.37	14.77	122.20	39.83	150	244	Horizontal
5	5778.12	65.86	14.73	122.20	56.34	150	260	Horizontal
6	5820.12	54.83	14.73	122.20	67.37	150	264	Horizontal


Mode:	11A-5745
-------	----------



Suspected Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5685.87	54.48	14.94	94.79	40.31	150	75	Vertical
2	5706.87	61.74	14.94	107.13	45.39	150	130	Vertical
3	5726	78.76	14.88	122.20	43.44	150	139	Vertical
4	5765	74.21	14.76	122.20	47.99	150	135	Vertical
5	5778.87	60.08	14.72	122.20	62.12	150	160	Vertical
6	5797.25	54.49	14.67	122.20	67.71	150	148	Vertical

Mode:	11A-5785
-------	----------



Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5726	54.43	14.88	122.20	67.77	150	221	Horizontal
2	5752.62	62.94	14.80	122.20	59.26	150	221	Horizontal
3	5776.62	102.66	14.73	122.20	19.54	150	221	Horizontal
4	5799.87	87.28	14.66	122.20	34.92	150	221	Horizontal
5	5810.37	68.50	14.70	122.20	53.70	150	221	Horizontal
6	5853.12	54.62	14.85	115.07	60.45	150	221	Horizontal


Mode:	11A-5785
-------	----------



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5688.87	54.18	14.94	97.00	42.82	150	70	Vertical
2	5723.75	54.03	14.89	119.35	65.32	150	330	Vertical
3	5768.37	75.20	14.75	122.20	47.00	150	29	Vertical
4	5802.12	76.41	14.66	122.20	45.79	150	66	Vertical
5	5835.87	55.79	14.78	122.20	66.41	150	239	Vertical
6	5876	55.60	14.97	104.46	48.86	150	93	Vertical


Mode:	11A-5825
-------	----------



Suspected Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5732.75	54.49	14.86	122.20	67.71	150	272	Horizontal
2	5781.87	54.37	14.71	122.20	67.83	150	283	Horizontal
3	5810.75	83.52	14.70	122.20	38.68	150	247	Horizontal
4	5838.5	80.90	14.80	122.20	41.30	150	219	Horizontal
5	5858	58.26	14.88	109.96	51.70	150	238	Horizontal
6	5883.87	55.44	15.03	98.61	43.17	150	94	Horizontal

Mode:	11A-5825
-------	----------



Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5772.87	54.52	14.74	122.20	67.68	150	76	Vertical
2	5806.62	67.38	14.68	122.20	54.82	150	134	Vertical
3	5814.5	79.77	14.71	122.20	42.43	150	76	Vertical
4	5838.87	76.80	14.80	122.20	45.40	150	134	Vertical
5	5865.12	55.09	14.92	107.96	52.87	150	298	Vertical
6	5885.75	55.02	15.03	97.22	42.20	150	348	Vertical


Mode:	11N20-5745
-------	------------



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5682.87	53.74	14.94	92.57	38.83	150	256	Horizontal
2	5719.25	58.18	14.90	110.59	52.41	150	254	Horizontal
3	5735	88.33	14.85	122.20	33.87	150	94	Horizontal
4	5757.5	76.80	14.79	122.20	45.40	150	261	Horizontal
5	5809.62	54.50	14.69	122.20	67.70	150	41	Horizontal
6	5822.37	56.54	14.73	122.20	65.66	150	242	Horizontal


Mode:	11N20-5745
-------	------------



Suspected Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5678.75	54.34	14.93	89.53	35.19	150	142	Vertical
2	5696	54.36	14.95	102.25	47.89	150	48	Vertical
3	5727.5	61.79	14.88	122.20	60.41	150	120	Vertical
4	5760.5	63.75	14.78	122.20	58.45	150	124	Vertical
5	5787.12	55.57	14.70	122.20	66.63	150	178	Vertical
6	5813.75	54.36	14.71	122.20	67.84	150	87	Vertical

Mode:	11N20-5785
-------	------------




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5707.62	54.16	14.94	107.34	53.18	150	252	Horizontal
2	5727.5	54.25	14.88	122.20	67.95	150	252	Horizontal
3	5763.5	60.84	14.77	122.20	61.36	150	257	Horizontal
4	5805.12	67.02	14.68	122.20	55.18	150	92	Horizontal
5	5832.87	54.84	14.78	122.20	67.36	150	197	Horizontal
6	5862.5	55.34	14.90	108.70	53.36	150	229	Horizontal

Mode:	11N20-5785
-------	------------




Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5718.5	54.85	14.90	110.38	55.53	150	106	Vertical
2	5767.62	61.01	14.76	122.20	61.19	150	144	Vertical
3	5782.25	98.48	14.71	122.20	23.72	150	135	Vertical
4	5798	64.75	14.67	122.20	57.45	150	117	Vertical
5	5808.12	54.44	14.69	122.20	67.76	150	138	Vertical
6	5846.75	55.52	14.82	122.20	66.68	150	190	Vertical

Mode:	11N20-5825
-------	------------



Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.75	55.33	14.90	112.51	57.18	150	234	Horizontal
2	5750.37	54.32	14.81	122.20	67.88	150	91	Horizontal
3	5810.37	68.14	14.70	122.20	54.06	150	245	Horizontal
4	5842.62	64.02	14.81	122.20	58.18	150	259	Horizontal
5	5869.25	56.16	14.94	106.81	50.65	150	238	Horizontal
6	5874.87	55.01	14.97	105.23	50.22	150	75	Horizontal


Mode:	11N20-5825
-------	------------



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5727.12	54.38	14.88	122.20	67.82	150	288	Vertical
2	5760.12	55.08	14.78	122.20	67.12	150	177	Vertical
3	5807.75	58.47	14.69	122.20	63.73	150	59	Vertical
4	5850.12	56.38	14.84	121.91	65.53	150	322	Vertical
5	5865.5	54.44	14.92	107.86	53.42	150	317	Vertical
6	5891.37	56.29	15.07	93.06	36.77	150	152	Vertical


Mode:	11N40-5755
-------	------------



Suspected Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5692.25	56.01	14.94	99.49	43.48	150	239	Horizontal
2	5714.37	67.39	14.92	109.23	41.84	150	246	Horizontal
3	5726	72.41	14.88	122.20	49.79	150	239	Horizontal
4	5790.87	69.08	14.69	122.20	53.12	150	244	Horizontal
5	5817.12	58.29	14.72	122.20	63.91	150	253	Horizontal
6	5863.25	55.59	14.90	108.49	52.90	150	239	Horizontal

Mode:	11N40-5755
-------	------------



Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5680.62	54.63	14.93	90.91	36.28	150	152	Vertical
2	5718.5	61.45	14.90	110.38	48.93	150	143	Vertical
3	5729.37	64.10	14.87	122.20	58.10	150	145	Vertical
4	5786	66.07	14.70	122.20	56.13	150	119	Vertical
5	5794.62	62.21	14.68	122.20	59.99	150	119	Vertical
6	5856.12	55.60	14.86	110.48	54.88	150	19	Vertical


Mode:	11N40-5795
-------	------------



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5717	55.48	14.91	109.96	54.48	150	93	Horizontal
2	5756.75	58.76	14.79	122.20	63.44	150	238	Horizontal
3	5762.75	60.98	14.77	122.20	61.22	150	240	Horizontal
4	5822.37	64.79	14.73	122.20	57.41	150	238	Horizontal
5	5841.87	57.96	14.80	122.20	64.24	150	197	Horizontal
6	5885	55.66	15.03	97.78	42.12	150	238	Horizontal


Mode:	11N40-5795
-------	------------




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5687	54.07	14.94	95.62	41.55	150	135	Vertical
2	5734.62	54.00	14.86	122.20	68.20	150	144	Vertical
3	5769.5	60.27	14.75	122.20	61.93	150	126	Vertical
4	5840	55.21	14.80	122.20	66.99	150	123	Vertical
5	5861	54.69	14.89	109.12	54.43	150	112	Vertical
6	5910.12	55.77	15.11	79.20	23.43	150	274	Vertical

Appendix I: Conducted Emission



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.15	10.25	47.84	66.00	18.16	34.68	56.00	21.32	L1	PASS
2	0.516	10.25	51.08	56.00	4.92	36.66	46.00	9.34	L1	PASS
3	1.032	10.36	44.70	56.00	11.30	29.82	46.00	16.18	L1	PASS
4	2.298	10.28	43.16	56.00	12.84	28.52	46.00	17.48	L1	PASS
5	12.217	10.49	46.85	60.00	13.15	31.07	50.00	18.93	L1	PASS
6	13.888	10.53	52.93	60.00	7.07	33.26	50.00	16.74	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.153	10.35	45.95	65.84	19.89	31.36	55.84	24.48	N	PASS
2	0.519	10.25	46.18	56.00	9.82	33.66	46.00	12.34	N	PASS
3	1.026	10.26	40.00	56.00	16.00	25.31	46.00	20.69	N	PASS
4	4.272	10.40	39.52	56.00	16.48	27.02	46.00	18.98	N	PASS
5	11.026	10.49	40.41	60.00	19.59	25.73	50.00	24.27	N	PASS
6	13.051	10.57	41.65	60.00	18.35	25.54	50.00	24.46	N	PASS