

5 TEST SETUP PHOTOS

Please refer to Setup Photo file

6 PHOTOS OF THE EUT

Please refer to external photos file and internal photos file

Appendix-5.2GWIFI


HT250710011--Q3--5.2G--FCC

FCC_5.2G_WIFI (Part15.407) Test Data


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	21.43	16.62
NVNT	ANT1	802.11a	5200.00	21.30	16.60
NVNT	ANT1	802.11a	5240.00	21.37	16.57
NVNT	ANT1	802.11n(HT20)	5180.00	21.47	17.82
NVNT	ANT1	802.11n(HT20)	5200.00	21.53	17.79
NVNT	ANT1	802.11n(HT20)	5240.00	21.75	17.80
NVNT	ANT1	802.11ac(VHT20)	5180.00	21.67	17.85
NVNT	ANT1	802.11ac(VHT20)	5200.00	21.47	17.83
NVNT	ANT1	802.11ac(VHT20)	5240.00	21.65	17.87
NVNT	ANT1	802.11ax(HE20)	5180.00	22.15	19.10
NVNT	ANT1	802.11ax(HE20)	5200.00	22.13	19.06
NVNT	ANT1	802.11ax(HE20)	5240.00	21.62	19.07
NVNT	ANT1	802.11n(HT40)	5190.00	40.61	36.46
NVNT	ANT1	802.11n(HT40)	5230.00	39.95	36.35
NVNT	ANT1	802.11ac(VHT40)	5190.00	40.21	36.43
NVNT	ANT1	802.11ac(VHT40)	5230.00	40.32	36.40
NVNT	ANT1	802.11ax(HE40)	5190.00	40.90	37.96
NVNT	ANT1	802.11ax(HE40)	5230.00	40.46	37.95

99%_OCB_NVNT_ANT1_802_11a_5180



-26BW_NVNT_ANT1_802_11a_5180



99%_OCB_NVNT_ANT1_802_11a_5200




-26BW_NVNT_ANT1_802_11a_5200




99%_OCB_NVNT_ANT1_802_11a_5240




-26BW_NVNT_ANT1_802_11a_5240



99%_OCB_NVNT_ANT1_802_11n(HT20)_5180




-26BW_NVNT_ANT1_802_11n(HT20)_5180



99%_OCB_NVNT_ANT1_802_11n(HT20)_5200




-26BW_NVNT_ANT1_802_11n(HT20)_5200



99%_OCB_NVNT_ANT1_802_11n(HT20)_5240




-26BW_NVNT_ANT1_802_11n(HT20)_5240



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5200




-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5240




-26BW_NVNT_ANT1_802_11ac(VHT20)_5240




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5180




-26BW_NVNT_ANT1_802_11ax(HE20)_5180




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5200




-26BW_NVNT_ANT1_802_11ax(HE20)_5200




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5240




-26BW_NVNT_ANT1_802_11ax(HE20)_5240




99%_OCB_NVNT_ANT1_802_11n(HT40)_5190




-26BW_NVNT_ANT1_802_11n(HT40)_5190




99%_OCB_NVNT_ANT1_802_11n(HT40)_5230




-26BW_NVNT_ANT1_802_11n(HT40)_5230




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5190




-26BW_NVNT_ANT1_802_11ac(VHT40)_5190




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230




99%_OCB_NVNT_ANT1_802_11ax(HE40)_5190




-26BW_NVNT_ANT1_802_11ax(HE40)_5190



99%_OCB_NVNT_ANT1_802_11ax(HE40)_5230




-26BW_NVNT_ANT1_802_11ax(HE40)_5230




2. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	79.49	1.00
NVNT	ANT1	802.11a	5200.00	79.49	1.00
NVNT	ANT1	802.11a	5240.00	79.49	1.00
NVNT	ANT1	802.11n(HT20)	5180.00	27.97	5.53
NVNT	ANT1	802.11n(HT20)	5200.00	28.21	5.50
NVNT	ANT1	802.11n(HT20)	5240.00	28.21	5.50
NVNT	ANT1	802.11ac(VHT20)	5180.00	57.34	2.42
NVNT	ANT1	802.11ac(VHT20)	5200.00	57.34	2.42
NVNT	ANT1	802.11ac(VHT20)	5240.00	57.34	2.42
NVNT	ANT1	802.11ax(HE20)	5180.00	50.00	3.01
NVNT	ANT1	802.11ax(HE20)	5200.00	50.00	3.01
NVNT	ANT1	802.11ax(HE20)	5240.00	50.43	2.97
NVNT	ANT1	802.11n(HT40)	5190.00	66.67	1.76
NVNT	ANT1	802.11n(HT40)	5230.00	68.00	1.67
NVNT	ANT1	802.11ac(VHT40)	5190.00	52.99	2.76
NVNT	ANT1	802.11ac(VHT40)	5230.00	52.14	2.83
NVNT	ANT1	802.11ax(HE40)	5190.00	26.50	5.77
NVNT	ANT1	802.11ax(HE40)	5230.00	26.50	5.77


Duty_Cycle_NVNT_ANT1_802_11a_5180




Duty_Cycle_NVNT_ANT1_802_11a_5200




Duty_Cycle_NVNT_ANT1_802_11a_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5180




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5200




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5200




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5180




Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5200




Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230



Duty_Cycle_NVNT_ANT1_802_11ax(HE40)_5190




Duty_Cycle_NVNT_ANT1_802_11ax(HE40)_5230




3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	10.37	1.00	11.37	24	Pass
NVNT	ANT1	802.11a	5200.00	10.44	1.00	11.44	24	Pass
NVNT	ANT1	802.11a	5240.00	10.75	1.00	11.75	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	6.48	5.53	12.01	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	6.76	5.50	12.26	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	7.01	5.50	12.51	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	9.22	2.42	11.64	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	9.51	2.42	11.93	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	9.70	2.42	12.12	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	8.63	3.01	11.64	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	8.90	3.01	11.91	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	9.31	2.97	12.28	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	9.57	1.76	11.33	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	10.14	1.67	11.81	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	8.62	2.76	11.38	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	9.37	2.83	12.20	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	6.06	5.77	11.83	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	6.71	5.77	12.48	24	Pass

Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5230_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5230_40M




4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5.98	1.00	6.98	11	Pass
NVNT	ANT1	802.11a	5200.00	6.67	1.00	7.67	11	Pass
NVNT	ANT1	802.11a	5240.00	5.95	1.00	6.95	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	6.53	5.53	12.06	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	6.62	5.50	12.12	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	6.90	5.50	12.40	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	6.32	2.42	8.73	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	6.03	2.42	8.45	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	6.30	2.42	8.72	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	6.73	3.01	9.74	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	6.95	3.01	9.96	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	6.85	2.97	9.82	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	2.34	1.76	4.10	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	2.85	1.67	4.52	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	3.03	2.76	5.79	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	3.64	2.83	6.47	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	4.35	5.77	10.12	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	3.71	5.77	9.48	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power_Spectral_Density_NVNT_ANT1_802_11a_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5180




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5230




5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5145.00	-33.88	-27	Pass
NVNT	ANT1	802.11a	5240.00	5406.20	-40.80	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5148.20	-32.56	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5401.80	-41.37	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5146.40	-33.66	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5354.80	-40.72	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5149.40	-34.52	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5354.20	-40.61	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.10	-34.16	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5375.27	-41.10	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5144.48	-34.24	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5416.85	-40.83	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5149.52	-35.49	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5378.63	-40.71	-27	Pass


Bandedge_NVNT_ANT1_802_11a_5180



Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT1_802_11n(HT20)_5180



Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240



Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240



Bandedge_NVNT_ANT1_802_11n(HT40)_5190



Bandedge_NVNT_ANT1_802_11n(HT40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ax(HE40)_5190




Bandedge_NVNT_ANT1_802_11ax(HE40)_5230




6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	25150.03	-37.39	-27	Pass
NVNT	ANT1	802.11a	5200.00	25044.15	-36.93	-27	Pass
NVNT	ANT1	802.11a	5240.00	25070.62	-36.87	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25017.68	-36.30	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25097.09	-37.03	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	25017.68	-36.73	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25017.68	-36.72	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	24991.21	-36.02	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	24964.74	-37.05	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	25044.15	-36.54	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	25044.15	-35.65	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	25044.15	-37.18	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	25070.62	-37.28	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25150.03	-37.09	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	25017.68	-36.79	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	25070.62	-37.43	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	25070.62	-38.16	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	25017.68	-36.90	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5180_20M




Spurious_Emission_NVNT_ANT1_802_11a_5200_20M




Spurious_Emission_NVNT_ANT1_802_11a_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5230_40M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5179.944	5171.148	5188.740	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5179.946	5171.496	5188.396	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5179.950	5171.632	5188.268	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.952	5171.716	5188.188	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5179.948	5171.784	5188.112	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5179.950	5171.836	5188.064	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5179.962	5171.880	5188.044	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5179.928	5171.920	5187.936	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5179.930	5171.960	5187.900	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.942	5172.000	5187.884	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.936	5172.040	5187.832	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5199.966	5191.116	5208.816	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5199.968	5191.500	5208.436	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5199.960	5191.632	5208.288	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.970	5191.716	5208.224	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5199.954	5191.764	5208.144	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.964	5191.820	5208.108	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.952	5191.868	5208.036	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5199.960	5191.920	5208.000	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.970	5191.964	5207.976	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.968	5192.000	5207.936	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5199.984	5192.052	5207.916	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5239.932	5231.108	5248.756	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5239.928	5231.476	5248.380	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5239.944	5231.616	5248.272	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.950	5231.708	5248.192	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5239.938	5231.768	5248.108	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5239.948	5231.824	5248.072	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5239.946	5231.872	5248.020	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5239.938	5231.912	5247.964	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5239.944	5231.956	5247.932	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.936	5232.000	5247.872	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.932	5232.036	5247.828	5150~5250	Pass