

5 TEST SETUP PHOTOS

Please refer to Setup Photo file

6 PHOTOS OF THE EUT

Please refer to external photos file and internal photos file

Appendix-5.2GWIFI


HT250710011--U7--5.2G--FCC

FCC_5.2G_WIFI (Part15.407) Test Data


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	21.10	16.59
NVNT	ANT1	802.11a	5200.00	21.68	16.62
NVNT	ANT1	802.11a	5240.00	21.16	16.62
NVNT	ANT1	802.11n(HT20)	5180.00	21.67	17.84
NVNT	ANT1	802.11n(HT20)	5200.00	21.30	13.77
NVNT	ANT1	802.11n(HT20)	5240.00	21.45	17.82
NVNT	ANT1	802.11ac(VHT20)	5180.00	21.61	17.85
NVNT	ANT1	802.11ac(VHT20)	5200.00	21.38	17.84
NVNT	ANT1	802.11ac(VHT20)	5240.00	21.43	17.84
NVNT	ANT1	802.11ax(HE20)	5180.00	22.07	19.10
NVNT	ANT1	802.11ax(HE20)	5200.00	22.40	19.07
NVNT	ANT1	802.11ax(HE20)	5240.00	22.30	19.11
NVNT	ANT1	802.11n(HT40)	5190.00	40.36	36.40
NVNT	ANT1	802.11n(HT40)	5230.00	40.29	36.33
NVNT	ANT1	802.11ac(VHT40)	5190.00	40.25	36.43
NVNT	ANT1	802.11ac(VHT40)	5230.00	39.90	36.35
NVNT	ANT1	802.11ax(HE40)	5190.00	40.18	37.93
NVNT	ANT1	802.11ax(HE40)	5230.00	40.75	37.90

99%_OCB_NVNT_ANT1_802_11a_5180




-26BW_NVNT_ANT1_802_11a_5180



99%_OCB_NVNT_ANT1_802_11a_5200




-26BW_NVNT_ANT1_802_11a_5200




99%_OCB_NVNT_ANT1_802_11a_5240




-26BW_NVNT_ANT1_802_11a_5240




99%_OCB_NVNT_ANT1_802_11n(HT20)_5180




-26BW_NVNT_ANT1_802_11n(HT20)_5180




99%_OCB_NVNT_ANT1_802_11n(HT20)_5200




-26BW_NVNT_ANT1_802_11n(HT20)_5200




99%_OCB_NVNT_ANT1_802_11n(HT20)_5240




-26BW_NVNT_ANT1_802_11n(HT20)_5240




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5200




-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5240




-26BW_NVNT_ANT1_802_11ac(VHT20)_5240



99%_OCB_NVNT_ANT1_802_11ax(HE20)_5180




-26BW_NVNT_ANT1_802_11ax(HE20)_5180




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5200




-26BW_NVNT_ANT1_802_11ax(HE20)_5200




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5240




-26BW_NVNT_ANT1_802_11ax(HE20)_5240



99%_OCB_NVNT_ANT1_802_11n(HT40)_5190




-26BW_NVNT_ANT1_802_11n(HT40)_5190




99%_OCB_NVNT_ANT1_802_11n(HT40)_5230




-26BW_NVNT_ANT1_802_11n(HT40)_5230




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5190




-26BW_NVNT_ANT1_802_11ac(VHT40)_5190




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230



99%_OCB_NVNT_ANT1_802_11ax(HE40)_5190




-26BW_NVNT_ANT1_802_11ax(HE40)_5190



99%_OCB_NVNT_ANT1_802_11ax(HE40)_5230



-26BW_NVNT_ANT1_802_11ax(HE40)_5230




2. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	79.49	1.00
NVNT	ANT1	802.11a	5200.00	82.05	0.86
NVNT	ANT1	802.11a	5240.00	79.49	1.00
NVNT	ANT1	802.11n(HT20)	5180.00	28.21	5.50
NVNT	ANT1	802.11n(HT20)	5200.00	27.35	5.63
NVNT	ANT1	802.11n(HT20)	5240.00	27.97	5.53
NVNT	ANT1	802.11ac(VHT20)	5180.00	57.80	2.38
NVNT	ANT1	802.11ac(VHT20)	5200.00	57.34	2.42
NVNT	ANT1	802.11ac(VHT20)	5240.00	57.53	2.40
NVNT	ANT1	802.11ax(HE20)	5180.00	50.43	2.97
NVNT	ANT1	802.11ax(HE20)	5200.00	49.57	3.05
NVNT	ANT1	802.11ax(HE20)	5240.00	50.43	2.97
NVNT	ANT1	802.11n(HT40)	5190.00	68.00	1.67
NVNT	ANT1	802.11n(HT40)	5230.00	68.00	1.67
NVNT	ANT1	802.11ac(VHT40)	5190.00	51.69	2.87
NVNT	ANT1	802.11ac(VHT40)	5230.00	52.14	2.83
NVNT	ANT1	802.11ax(HE40)	5190.00	26.27	5.81
NVNT	ANT1	802.11ax(HE40)	5230.00	26.50	5.77


3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	8.86	1.00	9.86	24	Pass
NVNT	ANT1	802.11a	5200.00	9.56	0.86	10.42	24	Pass
NVNT	ANT1	802.11a	5240.00	9.71	1.00	10.71	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	4.93	5.50	10.43	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	5.43	5.63	11.06	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5.53	5.53	11.06	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	6.89	2.38	9.27	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	6.34	2.42	8.76	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5.74	2.40	8.14	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	6.27	2.97	9.24	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	5.61	3.05	8.66	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5.24	2.97	8.21	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	8.50	1.67	10.17	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	9.47	1.67	11.14	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	7.65	2.87	10.52	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	8.47	2.83	11.30	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	4.86	5.81	10.67	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	6.23	5.77	12.00	24	Pass

Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5240_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5230_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5230_40M



4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	4.53	1.00	5.53	11	Pass
NVNT	ANT1	802.11a	5200.00	2.35	0.86	3.21	11	Pass
NVNT	ANT1	802.11a	5240.00	2.64	1.00	3.64	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	4.62	5.50	10.12	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	3.25	5.63	8.88	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	2.13	5.53	7.66	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	3.37	2.38	5.75	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	2.38	2.42	4.80	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	2.44	2.40	4.84	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	3.49	2.97	6.46	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	3.09	3.05	6.14	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	2.85	2.97	5.82	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	1.17	1.67	2.84	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	2.96	1.67	4.63	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	1.92	2.87	4.79	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	2.75	2.83	5.58	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	3.08	5.81	8.89	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	3.50	5.77	9.27	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power_Spectral_Density_NVNT_ANT1_802_11a_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5200




Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5190




Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5230




5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5149.80	-33.23	-27	Pass
NVNT	ANT1	802.11a	5240.00	5362.00	-40.61	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5148.60	-35.32	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5411.20	-41.45	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5148.00	-35.46	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5376.20	-40.68	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5148.40	-36.86	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5382.60	-41.53	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5147.84	-36.69	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5360.78	-41.08	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5148.68	-33.59	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5364.56	-41.05	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5148.47	-36.52	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5368.76	-41.50	-27	Pass


Bandedge_NVNT_ANT1_802_11a_5180



Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT1_802_11n(HT20)_5180



Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240



Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240




Bandedge_NVNT_ANT1_802_11n(HT40)_5190



Bandedge_NVNT_ANT1_802_11n(HT40)_5230




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ax(HE40)_5190




Bandedge_NVNT_ANT1_802_11ax(HE40)_5230




6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	25044.15	-36.63	-27	Pass
NVNT	ANT1	802.11a	5200.00	25044.15	-36.79	-27	Pass
NVNT	ANT1	802.11a	5240.00	25070.62	-37.61	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25097.09	-37.26	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25070.62	-36.63	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	4768.13	-36.60	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25070.62	-37.65	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	25017.68	-37.82	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	4768.13	-36.05	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	25017.68	-37.31	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	25070.62	-37.18	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	4768.13	-35.65	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	24991.21	-35.10	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25070.62	-37.16	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	24991.21	-36.78	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	25044.15	-37.59	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	25017.68	-36.40	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	25017.68	-37.92	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5180_20M




Spurious_Emission_NVNT_ANT1_802_11a_5200_20M




Spurious_Emission_NVNT_ANT1_802_11a_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5230_40M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5179.904	5171.072	5188.736	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5179.878	5171.412	5188.344	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5179.924	5171.584	5188.264	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.914	5171.668	5188.160	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5179.928	5171.732	5188.124	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5179.912	5171.784	5188.040	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5179.920	5171.816	5188.024	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5179.898	5171.848	5187.948	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5179.906	5171.896	5187.916	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.880	5171.928	5187.832	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.888	5171.976	5187.800	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5199.964	5191.120	5208.808	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5199.976	5191.488	5208.464	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5199.954	5191.628	5208.280	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.970	5191.708	5208.232	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5199.958	5191.772	5208.144	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.944	5191.820	5208.068	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.944	5191.860	5208.028	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5199.940	5191.896	5207.984	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.958	5191.940	5207.976	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.946	5191.980	5207.912	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5199.952	5192.016	5207.888	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5239.912	5231.080	5248.744	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5239.926	5231.472	5248.380	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5239.938	5231.624	5248.252	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.932	5231.680	5248.184	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5239.936	5231.744	5248.128	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5239.924	5231.784	5248.064	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5239.924	5231.832	5248.016	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5239.916	5231.872	5247.960	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5239.910	5231.908	5247.912	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.918	5231.948	5247.888	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.904	5231.988	5247.820	5150~5250	Pass