







Mode	135																																																																																																																													
	LF																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																						
QPI Peak																																																																																																																														
	Site : 03CH16-HY																																																																																																																													
	Condition: QP 3m CBL6111D&00002N1D01N-06_47020 & 06 HORIZONTAL																																																																																																																													
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>20.72</td><td>40.00</td><td>-19.28</td><td>28.00</td><td>24.40</td><td>0.89</td><td>32.62</td><td>0.05</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>190.05</td><td>33.76</td><td>43.50</td><td>-9.74</td><td>49.09</td><td>14.86</td><td>2.15</td><td>32.40</td><td>0.06</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>239.52</td><td>35.44</td><td>46.00</td><td>-10.56</td><td>48.25</td><td>17.21</td><td>2.40</td><td>32.46</td><td>0.04</td><td>100</td><td>161</td><td>QP</td><td></td></tr><tr><td>4</td><td>480.00</td><td>40.12</td><td>46.00</td><td>-5.88</td><td>45.74</td><td>23.60</td><td>3.40</td><td>32.74</td><td>0.12</td><td>201</td><td>249</td><td>QP</td><td></td></tr><tr><td>5</td><td>721.61</td><td>37.36</td><td>46.00</td><td>-8.64</td><td>37.92</td><td>27.22</td><td>4.17</td><td>32.14</td><td>0.19</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>960.23</td><td>46.70</td><td>54.00</td><td>-7.30</td><td>42.21</td><td>30.95</td><td>4.83</td><td>31.60</td><td>0.31</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.00	20.72	40.00	-19.28	28.00	24.40	0.89	32.62	0.05	--	--	--	Peak	2	190.05	33.76	43.50	-9.74	49.09	14.86	2.15	32.40	0.06	--	--	--	Peak	3	239.52	35.44	46.00	-10.56	48.25	17.21	2.40	32.46	0.04	100	161	QP		4	480.00	40.12	46.00	-5.88	45.74	23.60	3.40	32.74	0.12	201	249	QP		5	721.61	37.36	46.00	-8.64	37.92	27.22	4.17	32.14	0.19	--	--	--	Peak	6	960.23	46.70	54.00	-7.30	42.21	30.95	4.83	31.60	0.31	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
	1	30.00	20.72	40.00	-19.28	28.00	24.40	0.89	32.62	0.05	--	--	--	Peak																																																																																																																
	2	190.05	33.76	43.50	-9.74	49.09	14.86	2.15	32.40	0.06	--	--	--	Peak																																																																																																																
	3	239.52	35.44	46.00	-10.56	48.25	17.21	2.40	32.46	0.04	100	161	QP																																																																																																																	
	4	480.00	40.12	46.00	-5.88	45.74	23.60	3.40	32.74	0.12	201	249	QP																																																																																																																	
5	721.61	37.36	46.00	-8.64	37.92	27.22	4.17	32.14	0.19	--	--	--	Peak																																																																																																																	
6	960.23	46.70	54.00	-7.30	42.21	30.95	4.83	31.60	0.31	--	--	--	Peak																																																																																																																	
Site : 03CH16-HY																																																																																																																														
Condition: QP 3m CBL6111D&00002N1D01N-06_47020 & 06 VERTICAL																																																																																																																														
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>66.86</td><td>25.52</td><td>40.00</td><td>-14.48</td><td>44.61</td><td>11.92</td><td>1.27</td><td>32.33</td><td>0.05</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>188.11</td><td>31.77</td><td>43.50</td><td>-11.73</td><td>47.02</td><td>14.91</td><td>2.13</td><td>32.36</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>240.49</td><td>30.69</td><td>46.00</td><td>-15.31</td><td>43.38</td><td>17.32</td><td>2.40</td><td>32.45</td><td>0.04</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>480.00</td><td>39.49</td><td>46.00</td><td>-6.51</td><td>45.11</td><td>23.60</td><td>3.40</td><td>32.74</td><td>0.12</td><td>162</td><td>105</td><td>QP</td><td></td></tr><tr><td>5</td><td>717.73</td><td>37.00</td><td>46.00</td><td>-9.00</td><td>37.78</td><td>27.02</td><td>4.16</td><td>32.15</td><td>0.19</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>960.23</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>43.07</td><td>30.95</td><td>4.83</td><td>31.60</td><td>0.31</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	66.86	25.52	40.00	-14.48	44.61	11.92	1.27	32.33	0.05	--	--	--	Peak	2	188.11	31.77	43.50	-11.73	47.02	14.91	2.13	32.36	0.07	--	--	--	Peak	3	240.49	30.69	46.00	-15.31	43.38	17.32	2.40	32.45	0.04	--	--	--	Peak	4	480.00	39.49	46.00	-6.51	45.11	23.60	3.40	32.74	0.12	162	105	QP		5	717.73	37.00	46.00	-9.00	37.78	27.02	4.16	32.15	0.19	--	--	--	Peak	6	960.23	47.56	54.00	-6.44	43.07	30.95	4.83	31.60	0.31	--	--	--	Peak	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	66.86	25.52	40.00	-14.48	44.61	11.92	1.27	32.33	0.05	--	--	--	Peak																																																																																																																	
2	188.11	31.77	43.50	-11.73	47.02	14.91	2.13	32.36	0.07	--	--	--	Peak																																																																																																																	
3	240.49	30.69	46.00	-15.31	43.38	17.32	2.40	32.45	0.04	--	--	--	Peak																																																																																																																	
4	480.00	39.49	46.00	-6.51	45.11	23.60	3.40	32.74	0.12	162	105	QP																																																																																																																		
5	717.73	37.00	46.00	-9.00	37.78	27.02	4.16	32.15	0.19	--	--	--	Peak																																																																																																																	
6	960.23	47.56	54.00	-6.44	43.07	30.95	4.83	31.60	0.31	--	--	--	Peak																																																																																																																	



Mode	166																																																																																															
	SHF																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak																																																																																																
	Site : 03CH16-HY Condition: PEAK(UNII) 1m SHF_00993_231124 HORIZONTAL						Site : 03CH16-HY Condition: PEAK(UNII) 1m SHF_00993_231124 VERTICAL																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>39167.47</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>60.15</td><td>44.54</td><td>9.08</td><td>56.40</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39167.47	47.83	74.00	-26.17	60.15	44.54	9.08	56.40	-9.54	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>39289.16</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>59.14</td><td>45.00</td><td>9.10</td><td>56.37</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39289.16	47.33	74.00	-26.67	59.14	45.00	9.10	56.37	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	39167.47	47.83	74.00	-26.17	60.15	44.54	9.08	56.40	-9.54	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	39289.16	47.33	74.00	-26.67	59.14	45.00	9.10	56.37	-9.54	--	PEAK																																																																																					



Appendix D. Duty Cycle Plots

<Sample 1>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	5GHz 802.11ac VHT20	97.85	1276	0.78	820Hz

MIMO <Ant. 0+1>



<Sample 2>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	5GHz 802.11ac VHT20	98.08	-	-	10Hz

MIMO <Ant. 0+1>







<Sample 7>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0	802.11a	97.83	1355	0.74	750Hz
1	802.11a	97.83	1355	0.74	750Hz
0+1	5GHz 802.11ac VHT20	97.71	1152	0.87	910Hz
0+1	5GHz 802.11ac VHT40	94.96	519.8	1.92	2KHz
0+1	5GHz 802.11ac VHT80	90.65	279.2	3.58	3.6KHz
0+1	5GHz 802.11ax HE20 Full RU	97.34	987	1.01	1.1KHz

<Ant. 0>




<Ant. 1>






MIMO <Ant. 0+1>


5GHz 802.11ac VHT20




5GHz 802.11ac VHT40



5GHz 802.11ac VHT80



5GHz 802.11ax HE20 Full RU







<Sample 8>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0	802.11a	97.91	1357	0.74	750HZ
1	802.11a	97.92	1362	0.73	750HZ
0+1	5GHz 802.11ac VHT20	97.70	1275	0.78	820Hz
0+1	5GHz 802.11ac VHT40	95.78	636	1.57	1.6KHz
0+1	5GHz 802.11ac VHT80	90.85	288	3.47	3.6KHz
0+1	5GHz 802.11ax HE20 Full RU	97.34	987	1.01	1.1KHz

<Ant. 0>




<Ant. 1>






MIMO <Ant. 0+1>


5GHz 802.11ac VHT20



5GHz 802.11ac VHT40



5GHz 802.11ac VHT80



5GHz 802.11ax HE20 Full RU

