











Mode	5																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																																																																																																																
ANT	0+1																																																																																																																																																																																																
Pol.	Horizontal								Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																	
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL								Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																																																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12370.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>54.30</td><td>39.04</td><td>11.51</td><td>56.58</td><td>0.67</td><td>-- -- PEAK</td></tr><tr><td>2 12370.00</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>47.48</td><td>39.04</td><td>11.51</td><td>56.58</td><td>0.67</td><td>199 55 Average</td></tr><tr><td>3 18555.00</td><td>35.82</td><td>74.00</td><td>-38.18</td><td>57.10</td><td>37.09</td><td>6.03</td><td>55.66</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 24740.00</td><td>48.58</td><td>88.20</td><td>-39.62</td><td>65.34</td><td>39.14</td><td>7.00</td><td>53.36</td><td>-9.54</td><td>100 100 Peak</td></tr><tr><td>5 24740.00</td><td>47.51</td><td>68.20</td><td>-20.69</td><td>64.27</td><td>39.14</td><td>7.00</td><td>53.36</td><td>-9.54</td><td>100 100 Average</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	48.94	74.00	-25.06	54.30	39.04	11.51	56.58	0.67	-- -- PEAK	2 12370.00	42.12	54.00	-11.88	47.48	39.04	11.51	56.58	0.67	199 55 Average	3 18555.00	35.82	74.00	-38.18	57.10	37.09	6.03	55.66	-9.54	-- -- Peak	4 24740.00	48.58	88.20	-39.62	65.34	39.14	7.00	53.36	-9.54	100 100 Peak	5 24740.00	47.51	68.20	-20.69	64.27	39.14	7.00	53.36	-9.54	100 100 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12370.00</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>68.73</td><td>39.04</td><td>11.51</td><td>56.58</td><td>0.67</td><td>129 15 PEAK</td></tr><tr><td>2 12370.00</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>52.05</td><td>39.04</td><td>11.51</td><td>56.58</td><td>0.67</td><td>129 15 Average</td></tr><tr><td>3 18555.00</td><td>35.94</td><td>74.00</td><td>-38.06</td><td>57.22</td><td>37.09</td><td>6.03</td><td>55.66</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 24740.00</td><td>48.73</td><td>88.20</td><td>-39.47</td><td>65.49</td><td>39.14</td><td>7.00</td><td>53.36</td><td>-9.54</td><td>100 5 Peak</td></tr><tr><td>5 24740.00</td><td>47.49</td><td>68.20</td><td>-20.71</td><td>64.25</td><td>39.14</td><td>7.00</td><td>53.36</td><td>-9.54</td><td>100 5 Average</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	55.37	74.00	-18.63	68.73	39.04	11.51	56.58	0.67	129 15 PEAK	2 12370.00	46.69	54.00	-7.31	52.05	39.04	11.51	56.58	0.67	129 15 Average	3 18555.00	35.94	74.00	-38.06	57.22	37.09	6.03	55.66	-9.54	-- -- Peak	4 24740.00	48.73	88.20	-39.47	65.49	39.14	7.00	53.36	-9.54	100 5 Peak	5 24740.00	47.49	68.20	-20.71	64.25	39.14	7.00	53.36	-9.54	100 5 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																								
1 12370.00	48.94	74.00	-25.06	54.30	39.04	11.51	56.58	0.67	-- -- PEAK																																																																																																																																																																																								
2 12370.00	42.12	54.00	-11.88	47.48	39.04	11.51	56.58	0.67	199 55 Average																																																																																																																																																																																								
3 18555.00	35.82	74.00	-38.18	57.10	37.09	6.03	55.66	-9.54	-- -- Peak																																																																																																																																																																																								
4 24740.00	48.58	88.20	-39.62	65.34	39.14	7.00	53.36	-9.54	100 100 Peak																																																																																																																																																																																								
5 24740.00	47.51	68.20	-20.69	64.27	39.14	7.00	53.36	-9.54	100 100 Average																																																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																								
1 12370.00	55.37	74.00	-18.63	68.73	39.04	11.51	56.58	0.67	129 15 PEAK																																																																																																																																																																																								
2 12370.00	46.69	54.00	-7.31	52.05	39.04	11.51	56.58	0.67	129 15 Average																																																																																																																																																																																								
3 18555.00	35.94	74.00	-38.06	57.22	37.09	6.03	55.66	-9.54	-- -- Peak																																																																																																																																																																																								
4 24740.00	48.73	88.20	-39.47	65.49	39.14	7.00	53.36	-9.54	100 5 Peak																																																																																																																																																																																								
5 24740.00	47.49	68.20	-20.71	64.25	39.14	7.00	53.36	-9.54	100 5 Average																																																																																																																																																																																								







Mode	5	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL



Mode	6																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																																																						
ANT	0+1																																																																																																																																						
Pol.	Horizontal								Vertical																																																																																																																														
Peak Avg																																																																																																																																							
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12690.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>52.59</td><td>39.58</td><td>11.66</td><td>56.99</td><td>0.76</td><td>-- -- PEAK</td></tr><tr><td>2 19035.00</td><td>35.07</td><td>74.00</td><td>-38.93</td><td>55.92</td><td>37.87</td><td>6.11</td><td>55.29</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>3 25380.00</td><td>40.52</td><td>88.20</td><td>-47.68</td><td>56.92</td><td>39.16</td><td>7.10</td><td>53.12</td><td>-9.54</td><td>150 122 Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	47.60	74.00	-26.40	52.59	39.58	11.66	56.99	0.76	-- -- PEAK	2 19035.00	35.07	74.00	-38.93	55.92	37.87	6.11	55.29	-9.54	-- -- Peak	3 25380.00	40.52	88.20	-47.68	56.92	39.16	7.10	53.12	-9.54	150 122 Peak	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12690.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>52.84</td><td>39.58</td><td>11.66</td><td>56.99</td><td>0.76</td><td>-- -- PEAK</td></tr><tr><td>2 19035.00</td><td>36.86</td><td>74.00</td><td>-37.14</td><td>57.71</td><td>37.87</td><td>6.11</td><td>55.29</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>3 25380.00</td><td>42.34</td><td>88.20</td><td>-45.86</td><td>58.74</td><td>39.16</td><td>7.10</td><td>53.12</td><td>-9.54</td><td>150 3 Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12690.00	47.85	74.00	-26.15	52.84	39.58	11.66	56.99	0.76	-- -- PEAK	2 19035.00	36.86	74.00	-37.14	57.71	37.87	6.11	55.29	-9.54	-- -- Peak	3 25380.00	42.34	88.20	-45.86	58.74	39.16	7.10	53.12	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																														
1 12690.00	47.60	74.00	-26.40	52.59	39.58	11.66	56.99	0.76	-- -- PEAK																																																																																																																														
2 19035.00	35.07	74.00	-38.93	55.92	37.87	6.11	55.29	-9.54	-- -- Peak																																																																																																																														
3 25380.00	40.52	88.20	-47.68	56.92	39.16	7.10	53.12	-9.54	150 122 Peak																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																														
1 12690.00	47.85	74.00	-26.15	52.84	39.58	11.66	56.99	0.76	-- -- PEAK																																																																																																																														
2 19035.00	36.86	74.00	-37.14	57.71	37.87	6.11	55.29	-9.54	-- -- Peak																																																																																																																														
3 25380.00	42.34	88.20	-45.86	58.74	39.16	7.10	53.12	-9.54	150 3 Peak																																																																																																																														







Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
17.7G ~18G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	7																																																																	
	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																																	
ANT	0+1																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>52.67</td><td>39.96</td><td>11.81</td><td>57.38</td><td>0.84</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19515.00</td><td>37.87</td><td>74.00</td><td>-36.13</td><td>58.27</td><td>37.94</td><td>6.30</td><td>55.10</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13010.00	47.90	88.20	-40.30	52.67	39.96	11.81	57.38	0.84	--	PEAK	2	19515.00	37.87	74.00	-36.13	58.27	37.94	6.30	55.10	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	13010.00	47.90	88.20	-40.30	52.67	39.96	11.81	57.38	0.84	--	PEAK																																																							
2	19515.00	37.87	74.00	-36.13	58.27	37.94	6.30	55.10	-9.54	--	PEAK																																																							







Mode	7	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
17.7G ~18G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	8																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																																																																							
ANT	0+1																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																						
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 8886.00</td><td>51.76</td><td>88.20</td><td>-36.44</td><td>58.74</td><td>37.97</td><td>9.96</td><td>56.55</td><td>1.10</td><td>100 109 PEAK</td></tr><tr><td>2 8886.00</td><td>46.56</td><td>68.20</td><td>-21.64</td><td>53.54</td><td>37.97</td><td>9.96</td><td>56.55</td><td>1.10</td><td>100 109 AVERAGE</td></tr><tr><td>3 13330.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>51.27</td><td>40.16</td><td>11.79</td><td>57.43</td><td>0.93</td><td>-- -- Peak</td></tr><tr><td>4 19995.00</td><td>37.50</td><td>74.00</td><td>-36.50</td><td>58.10</td><td>37.76</td><td>6.18</td><td>55.00</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 8886.00	51.76	88.20	-36.44	58.74	37.97	9.96	56.55	1.10	100 109 PEAK	2 8886.00	46.56	68.20	-21.64	53.54	37.97	9.96	56.55	1.10	100 109 AVERAGE	3 13330.00	46.72	74.00	-27.28	51.27	40.16	11.79	57.43	0.93	-- -- Peak	4 19995.00	37.50	74.00	-36.50	58.10	37.76	6.18	55.00	-9.54	-- -- PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 8886.00</td><td>50.71</td><td>88.20</td><td>-37.49</td><td>57.69</td><td>37.97</td><td>9.96</td><td>56.55</td><td>1.10</td><td>100 154 PEAK</td></tr><tr><td>2 8886.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>51.98</td><td>37.97</td><td>9.96</td><td>56.55</td><td>1.10</td><td>100 154 AVERAGE</td></tr><tr><td>3 13330.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>53.72</td><td>40.16</td><td>11.79</td><td>57.43</td><td>0.93</td><td>100 65 PEAK</td></tr><tr><td>4 13330.00</td><td>41.50</td><td>54.00</td><td>-12.50</td><td>46.05</td><td>40.16</td><td>11.79</td><td>57.43</td><td>0.93</td><td>100 65 Average</td></tr><tr><td>5 19995.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>57.30</td><td>37.76</td><td>6.18</td><td>55.00</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 8886.00	50.71	88.20	-37.49	57.69	37.97	9.96	56.55	1.10	100 154 PEAK	2 8886.00	45.00	68.20	-23.20	51.98	37.97	9.96	56.55	1.10	100 154 AVERAGE	3 13330.00	49.17	74.00	-24.83	53.72	40.16	11.79	57.43	0.93	100 65 PEAK	4 13330.00	41.50	54.00	-12.50	46.05	40.16	11.79	57.43	0.93	100 65 Average	5 19995.00	36.70	74.00	-37.30	57.30	37.76	6.18	55.00	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																															
1 8886.00	51.76	88.20	-36.44	58.74	37.97	9.96	56.55	1.10	100 109 PEAK																																																																																																																																															
2 8886.00	46.56	68.20	-21.64	53.54	37.97	9.96	56.55	1.10	100 109 AVERAGE																																																																																																																																															
3 13330.00	46.72	74.00	-27.28	51.27	40.16	11.79	57.43	0.93	-- -- Peak																																																																																																																																															
4 19995.00	37.50	74.00	-36.50	58.10	37.76	6.18	55.00	-9.54	-- -- PEAK																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																															
1 8886.00	50.71	88.20	-37.49	57.69	37.97	9.96	56.55	1.10	100 154 PEAK																																																																																																																																															
2 8886.00	45.00	68.20	-23.20	51.98	37.97	9.96	56.55	1.10	100 154 AVERAGE																																																																																																																																															
3 13330.00	49.17	74.00	-24.83	53.72	40.16	11.79	57.43	0.93	100 65 PEAK																																																																																																																																															
4 13330.00	41.50	54.00	-12.50	46.05	40.16	11.79	57.43	0.93	100 65 Average																																																																																																																																															
5 19995.00	36.70	74.00	-37.30	57.30	37.76	6.18	55.00	-9.54	-- -- Peak																																																																																																																																															







Mode	8	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL







Mode	9																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																																																																					
ANT	0+1																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																				
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 9099.00</td><td>52.83</td><td>74.00</td><td>-21.17</td><td>59.76</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>174 PEAK</td></tr><tr><td>2 9099.00</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>54.41</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>174 AVERAGE</td></tr><tr><td>3 13650.00</td><td>49.74</td><td>88.20</td><td>-38.46</td><td>53.00</td><td>40.60</td><td>11.78</td><td>57.46</td><td>1.02</td><td>--</td><td>-- PEAK</td></tr><tr><td>4 20475.00</td><td>37.85</td><td>74.00</td><td>-36.15</td><td>58.38</td><td>37.75</td><td>6.26</td><td>55.00</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 9099.00	52.83	74.00	-21.17	59.76	37.90	10.14	56.59	1.05	100	174 PEAK	2 9099.00	47.48	54.00	-6.52	54.41	37.90	10.14	56.59	1.05	100	174 AVERAGE	3 13650.00	49.74	88.20	-38.46	53.00	40.60	11.78	57.46	1.02	--	-- PEAK	4 20475.00	37.85	74.00	-36.15	58.38	37.75	6.26	55.00	-9.54	--	-- PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 9099.00</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>59.84</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>152 PEAK</td></tr><tr><td>2 9099.00</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>54.62</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>152 AVERAGE</td></tr><tr><td>3 13650.00</td><td>50.18</td><td>88.20</td><td>-38.02</td><td>54.24</td><td>40.60</td><td>11.78</td><td>57.46</td><td>1.02</td><td>--</td><td>-- PEAK</td></tr><tr><td>4 20475.00</td><td>36.80</td><td>74.00</td><td>-37.20</td><td>57.33</td><td>37.75</td><td>6.26</td><td>55.00</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 9099.00	52.91	74.00	-21.09	59.84	37.90	10.14	56.59	1.05	100	152 PEAK	2 9099.00	47.69	54.00	-6.31	54.62	37.90	10.14	56.59	1.05	100	152 AVERAGE	3 13650.00	50.18	88.20	-38.02	54.24	40.60	11.78	57.46	1.02	--	-- PEAK	4 20475.00	36.80	74.00	-37.20	57.33	37.75	6.26	55.00	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																													
1 9099.00	52.83	74.00	-21.17	59.76	37.90	10.14	56.59	1.05	100	174 PEAK																																																																																																																																												
2 9099.00	47.48	54.00	-6.52	54.41	37.90	10.14	56.59	1.05	100	174 AVERAGE																																																																																																																																												
3 13650.00	49.74	88.20	-38.46	53.00	40.60	11.78	57.46	1.02	--	-- PEAK																																																																																																																																												
4 20475.00	37.85	74.00	-36.15	58.38	37.75	6.26	55.00	-9.54	--	-- PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																													
1 9099.00	52.91	74.00	-21.09	59.84	37.90	10.14	56.59	1.05	100	152 PEAK																																																																																																																																												
2 9099.00	47.69	54.00	-6.31	54.62	37.90	10.14	56.59	1.05	100	152 AVERAGE																																																																																																																																												
3 13650.00	50.18	88.20	-38.02	54.24	40.60	11.78	57.46	1.02	--	-- PEAK																																																																																																																																												
4 20475.00	36.80	74.00	-37.20	57.33	37.75	6.26	55.00	-9.54	--	-- Peak																																																																																																																																												







Mode	9	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL







Mode	10																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>64.32</td><td>88.20</td><td>-23.88</td><td>57.05</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>7126.05</td><td>64.40</td><td>88.20</td><td>-23.80</td><td>57.12</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>237</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	64.32	88.20	-23.88	57.05	36.55	8.02	37.30	0.00	100	237	PEAK	2	7126.05	64.40	88.20	-23.80	57.12	36.56	8.02	37.30	0.00	100	237	Peak	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>91.56</td><td>-----</td><td>-----</td><td>84.38</td><td>36.48</td><td>8.00</td><td>37.30</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	91.56	-----	-----	84.38	36.48	8.00	37.30	0.00	100	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	64.32	88.20	-23.88	57.05	36.55	8.02	37.30	0.00	100	237	PEAK																																																																																																				
2	7126.05	64.40	88.20	-23.80	57.12	36.56	8.02	37.30	0.00	100	237	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	91.56	-----	-----	84.38	36.48	8.00	37.30	0.00	100	237	PEAK																																																																																																				
Avg																																																																																																																
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>49.50</td><td>68.20</td><td>-18.70</td><td>42.23</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.05</td><td>54.09</td><td>68.20</td><td>-14.11</td><td>46.81</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>237</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	49.50	68.20	-18.70	42.23	36.55	8.02	37.30	0.00	100	237	AVERAGE	2	7126.05	54.09	68.20	-14.11	46.81	36.56	8.02	37.30	0.00	100	237	Average	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.96</td><td>-----</td><td>-----</td><td>76.78</td><td>36.48</td><td>8.00</td><td>37.30</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.96	-----	-----	76.78	36.48	8.00	37.30	0.00	100	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	49.50	68.20	-18.70	42.23	36.55	8.02	37.30	0.00	100	237	AVERAGE																																																																																																				
2	7126.05	54.09	68.20	-14.11	46.81	36.56	8.02	37.30	0.00	100	237	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	83.96	-----	-----	76.78	36.48	8.00	37.30	0.00	100	237	AVERAGE																																																																																																				







Mode	10																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>77.44</td><td>88.20</td><td>-10.76</td><td>70.17</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>244</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>7126.05</td><td>74.45</td><td>88.20</td><td>-13.75</td><td>67.17</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>244</td><td>340</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	77.44	88.20	-10.76	70.17	36.55	8.02	37.30	0.00	244	340	PEAK	2	7126.05	74.45	88.20	-13.75	67.17	36.56	8.02	37.30	0.00	244	340	Peak	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>103.98</td><td>-----</td><td>-----</td><td>96.85</td><td>36.44</td><td>7.99</td><td>37.30</td><td>0.00</td><td>244</td><td>340</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	103.98	-----	-----	96.85	36.44	7.99	37.30	0.00	244	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	77.44	88.20	-10.76	70.17	36.55	8.02	37.30	0.00	244	340	PEAK																																																																																																				
2	7126.05	74.45	88.20	-13.75	67.17	36.56	8.02	37.30	0.00	244	340	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	103.98	-----	-----	96.85	36.44	7.99	37.30	0.00	244	340	PEAK																																																																																																				
Avg																																																																																																																
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>63.40</td><td>68.20</td><td>-4.80</td><td>56.13</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>244</td><td>340</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.05</td><td>66.95</td><td>68.20</td><td>-1.25</td><td>59.67</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>244</td><td>340</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	63.40	68.20	-4.80	56.13	36.55	8.02	37.30	0.00	244	340	AVERAGE	2	7126.05	66.95	68.20	-1.25	59.67	36.56	8.02	37.30	0.00	244	340	Average	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>97.26</td><td>-----</td><td>-----</td><td>90.08</td><td>36.48</td><td>8.00</td><td>37.30</td><td>0.00</td><td>244</td><td>340</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	97.26	-----	-----	90.08	36.48	8.00	37.30	0.00	244	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	63.40	68.20	-4.80	56.13	36.55	8.02	37.30	0.00	244	340	AVERAGE																																																																																																				
2	7126.05	66.95	68.20	-1.25	59.67	36.56	8.02	37.30	0.00	244	340	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	97.26	-----	-----	90.08	36.48	8.00	37.30	0.00	244	340	AVERAGE																																																																																																				







Mode	11																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.08</td><td>50.76</td><td>88.20</td><td>-37.44</td><td>43.48</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.08	50.76	88.20	-37.44	43.48	36.56	8.02	37.30	0.00	100	217	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>95.75</td><td>-----</td><td>-----</td><td>88.77</td><td>36.33</td><td>7.95</td><td>37.30</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	95.75	-----	-----	88.77	36.33	7.95	37.30	0.00	100	217
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7127.08	50.76	88.20	-37.44	43.48	36.56	8.02	37.30	0.00	100	217	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	95.75	-----	-----	88.77	36.33	7.95	37.30	0.00	100	217	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.16</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>36.68</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>217</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	43.95	68.20	-24.25	36.68	36.55	8.02	37.30	0.00	100	217	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>88.39</td><td>-----</td><td>-----</td><td>81.41</td><td>36.33</td><td>7.95</td><td>37.30</td><td>0.00</td><td>100</td><td>217</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	88.39	-----	-----	81.41	36.33	7.95	37.30	0.00	100	217
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.16	43.95	68.20	-24.25	36.68	36.55	8.02	37.30	0.00	100	217	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	88.39	-----	-----	81.41	36.33	7.95	37.30	0.00	100	217	AVERAGE																																																																																							







Mode	11																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7128.04</td><td>66.93</td><td>88.20 -21.27</td><td>59.64</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>223</td><td>295 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7128.04	66.93	88.20 -21.27	59.64	36.57	8.02	37.30	0.00	223	295 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>110.59</td><td>-----</td><td>103.54</td><td>36.38</td><td>7.97</td><td>37.30</td><td>0.00</td><td>223</td><td>295 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	110.59	-----	103.54	36.38	7.97	37.30	0.00	223	295 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 7128.04	66.93	88.20 -21.27	59.64	36.57	8.02	37.30	0.00	223	295 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 7085.00	110.59	-----	103.54	36.38	7.97	37.30	0.00	223	295 PEAK																																																																									
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7127.72</td><td>57.85</td><td>68.20 -10.35</td><td>50.56</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>223</td><td>295 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7127.72	57.85	68.20 -10.35	50.56	36.57	8.02	37.30	0.00	223	295 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>102.65</td><td>-----</td><td>95.68</td><td>36.38</td><td>7.97</td><td>37.30</td><td>0.00</td><td>223</td><td>295 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 7085.00	102.65	-----	95.68	36.38	7.97	37.30	0.00	223	295 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 7127.72	57.85	68.20 -10.35	50.56	36.57	8.02	37.30	0.00	223	295 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 7085.00	102.65	-----	95.68	36.38	7.97	37.30	0.00	223	295 AVERAGE																																																																									







Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SWT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7215.74</td><td>51.53</td><td>88.20</td><td>-36.67</td><td>43.78</td><td>36.93</td><td>8.13</td><td>37.31</td><td>0.00</td><td>204</td><td>194</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7215.74	51.53	88.20	-36.67	43.78	36.93	8.13	37.31	0.00	204	194	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>93.37</td><td>-----</td><td>-----</td><td>86.93</td><td>35.90</td><td>7.83</td><td>37.29</td><td>0.00</td><td>204</td><td>194</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.37	-----	-----	86.93	35.90	7.83	37.29	0.00	204	194	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7215.74	51.53	88.20	-36.67	43.78	36.93	8.13	37.31	0.00	204	194	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7025.00	93.37	-----	-----	86.93	35.90	7.83	37.29	0.00	204	194	PEAK																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7217.28</td><td>43.73</td><td>68.20</td><td>-24.47</td><td>35.98</td><td>36.93</td><td>8.13</td><td>37.31</td><td>0.00</td><td>204</td><td>194</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7217.28	43.73	68.20	-24.47	35.98	36.93	8.13	37.31	0.00	204	194	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>85.82</td><td>-----</td><td>-----</td><td>79.09</td><td>36.13</td><td>7.89</td><td>37.29</td><td>0.00</td><td>204</td><td>194</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	85.82	-----	-----	79.09	36.13	7.89	37.29	0.00	204	194	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7217.28	43.73	68.20	-24.47	35.98	36.93	8.13	37.31	0.00	204	194	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7025.00	85.82	-----	-----	79.09	36.13	7.89	37.29	0.00	204	194	AVERAGE																																																																																							







Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.54</td><td>60.62</td><td>88.20</td><td>-27.58</td><td>53.35</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.54	60.62	88.20	-27.58	53.35	36.55	8.02	37.30	0.00	100	287	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>106.04</td><td>-----</td><td>-----</td><td>99.31</td><td>36.13</td><td>7.89</td><td>37.29</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	106.04	-----	-----	99.31	36.13	7.89	37.29	0.00	100	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.54	60.62	88.20	-27.58	53.35	36.55	8.02	37.30	0.00	100	287	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7025.00	106.04	-----	-----	99.31	36.13	7.89	37.29	0.00	100	287	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.10</td><td>53.58</td><td>68.20</td><td>-14.62</td><td>46.31</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.10	53.58	68.20	-14.62	46.31	36.55	8.02	37.30	0.00	100	287	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>99.36</td><td>-----</td><td>-----</td><td>92.50</td><td>36.23</td><td>7.92</td><td>37.29</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	99.36	-----	-----	92.50	36.23	7.92	37.29	0.00	100	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.10	53.58	68.20	-14.62	46.31	36.55	8.02	37.30	0.00	100	287	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7025.00	99.36	-----	-----	92.50	36.23	7.92	37.29	0.00	100	287	AVERAGE																																																																																							





Mode	13																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																	
ANT	0+1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.68</td><td>54.99</td><td>88.20</td><td>-33.21</td><td>47.68</td><td>36.58</td><td>8.03</td><td>37.30</td><td>0.00</td><td>200</td><td>194</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7130.68	54.99	88.20	-33.21	47.68	36.58	8.03	37.30	0.00	200	194	PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>86.63</td><td>-----</td><td>-----</td><td>80.18</td><td>35.90</td><td>7.83</td><td>37.28</td><td>0.00</td><td>200</td><td>194</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	86.63	-----	-----	80.18	35.90	7.83	37.28	0.00	200	194	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7130.68	54.99	88.20	-33.21	47.68	36.58	8.03	37.30	0.00	200	194	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6985.00	86.63	-----	-----	80.18	35.90	7.83	37.28	0.00	200	194	PEAK																																																																																						
Avg	 Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.76</td><td>49.28</td><td>68.20</td><td>-18.92</td><td>41.90</td><td>36.64</td><td>8.04</td><td>37.30</td><td>0.00</td><td>200</td><td>194</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.76	49.28	68.20	-18.92	41.90	36.64	8.04	37.30	0.00	200	194	AVERAGE	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>80.36</td><td>-----</td><td>-----</td><td>73.92</td><td>35.90</td><td>7.83</td><td>37.29</td><td>0.00</td><td>200</td><td>194</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.36	-----	-----	73.92	35.90	7.83	37.29	0.00	200	194	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7140.76	49.28	68.20	-18.92	41.90	36.64	8.04	37.30	0.00	200	194	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6985.00	80.36	-----	-----	73.92	35.90	7.83	37.29	0.00	200	194	AVERAGE																																																																																						



Mode	13																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.32</td><td>69.66</td><td>88.20</td><td>-18.54</td><td>62.38</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.32	69.66	88.20	-18.54	62.38	36.56	8.02	37.30	0.00	100	291 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>101.40</td><td>-----</td><td>-----</td><td>94.95</td><td>35.90</td><td>7.83</td><td>37.28</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	101.40	-----	-----	94.95	35.90	7.83	37.28	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7127.32	69.66	88.20	-18.54	62.38	36.56	8.02	37.30	0.00	100	291 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	101.40	-----	-----	94.95	35.90	7.83	37.28	0.00	100	291 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7140.76</td><td>63.30</td><td>68.20</td><td>-4.90</td><td>55.92</td><td>36.64</td><td>8.04</td><td>37.30</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.76	63.30	68.20	-4.90	55.92	36.64	8.04	37.30	0.00	100	291 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>93.90</td><td>-----</td><td>-----</td><td>87.36</td><td>35.98</td><td>7.85</td><td>37.29</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	93.90	-----	-----	87.36	35.98	7.85	37.29	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7140.76	63.30	68.20	-4.90	55.92	36.64	8.04	37.30	0.00	100	291 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	93.90	-----	-----	87.36	35.98	7.85	37.29	0.00	100	291 AVERAGE																																																																																						





Mode	13																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																																																													
ANT	0+1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 9313.00</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>60.83</td><td>38.23</td><td>10.36</td><td>56.65</td><td>1.09</td><td>103 145 PEAK</td></tr><tr><td>2 9313.00</td><td>50.12</td><td>54.00</td><td>-3.88</td><td>56.52</td><td>38.23</td><td>10.36</td><td>56.65</td><td>1.09</td><td>103 145 AVERAGE</td></tr><tr><td>3 13970.00</td><td>49.20</td><td>88.20</td><td>-39.00</td><td>53.07</td><td>40.74</td><td>11.76</td><td>57.47</td><td>1.10</td><td>-- -- PEAK</td></tr><tr><td>4 20955.00</td><td>39.13</td><td>74.00</td><td>-34.87</td><td>59.02</td><td>38.09</td><td>6.38</td><td>54.82</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 9313.00	54.43	74.00	-19.57	60.83	38.23	10.36	56.65	1.09	103 145 PEAK	2 9313.00	50.12	54.00	-3.88	56.52	38.23	10.36	56.65	1.09	103 145 AVERAGE	3 13970.00	49.20	88.20	-39.00	53.07	40.74	11.76	57.47	1.10	-- -- PEAK	4 20955.00	39.13	74.00	-34.87	59.02	38.09	6.38	54.82	-9.54	-- -- PEAK	 Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 9313.00</td><td>55.53</td><td>74.00</td><td>-18.47</td><td>61.93</td><td>38.23</td><td>10.36</td><td>56.65</td><td>1.09</td><td>100 243 PEAK</td></tr><tr><td>2 9313.00</td><td>51.92</td><td>54.00</td><td>-2.08</td><td>58.32</td><td>38.23</td><td>10.36</td><td>56.65</td><td>1.09</td><td>100 243 AVERAGE</td></tr><tr><td>3 13970.00</td><td>49.05</td><td>88.20</td><td>-39.15</td><td>52.92</td><td>40.74</td><td>11.76</td><td>57.47</td><td>1.10</td><td>-- -- PEAK</td></tr><tr><td>4 20955.00</td><td>38.00</td><td>74.00</td><td>-36.00</td><td>57.89</td><td>38.09</td><td>6.38</td><td>54.82</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 9313.00	55.53	74.00	-18.47	61.93	38.23	10.36	56.65	1.09	100 243 PEAK	2 9313.00	51.92	54.00	-2.08	58.32	38.23	10.36	56.65	1.09	100 243 AVERAGE	3 13970.00	49.05	88.20	-39.15	52.92	40.74	11.76	57.47	1.10	-- -- PEAK	4 20955.00	38.00	74.00	-36.00	57.89	38.09	6.38	54.82	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																					
1 9313.00	54.43	74.00	-19.57	60.83	38.23	10.36	56.65	1.09	103 145 PEAK																																																																																																																																					
2 9313.00	50.12	54.00	-3.88	56.52	38.23	10.36	56.65	1.09	103 145 AVERAGE																																																																																																																																					
3 13970.00	49.20	88.20	-39.00	53.07	40.74	11.76	57.47	1.10	-- -- PEAK																																																																																																																																					
4 20955.00	39.13	74.00	-34.87	59.02	38.09	6.38	54.82	-9.54	-- -- PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																					
1 9313.00	55.53	74.00	-18.47	61.93	38.23	10.36	56.65	1.09	100 243 PEAK																																																																																																																																					
2 9313.00	51.92	54.00	-2.08	58.32	38.23	10.36	56.65	1.09	100 243 AVERAGE																																																																																																																																					
3 13970.00	49.05	88.20	-39.15	52.92	40.74	11.76	57.47	1.10	-- -- PEAK																																																																																																																																					
4 20955.00	38.00	74.00	-36.00	57.89	38.09	6.38	54.82	-9.54	-- -- Peak																																																																																																																																					



Mode	13	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL



Mode	15																																																																																																																	
	LF																																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																	
ANT	0+1																																																																																																																	
Pol.	Horizontal																																																																																																																	
QPI Peak																																																																																																																		
	Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>22.98</td><td>40.00</td><td>-17.02</td><td>30.06</td><td>24.14</td><td>1.05</td><td>32.34</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>154.16</td><td>26.66</td><td>43.50</td><td>-16.84</td><td>40.24</td><td>16.90</td><td>1.62</td><td>32.20</td><td>0.10</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>262.80</td><td>20.00</td><td>46.00</td><td>-26.00</td><td>30.09</td><td>20.00</td><td>1.91</td><td>32.12</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>290.93</td><td>25.26</td><td>46.00</td><td>-20.74</td><td>36.12</td><td>19.12</td><td>1.98</td><td>32.09</td><td>0.13</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>714.82</td><td>35.87</td><td>46.00</td><td>-10.13</td><td>38.07</td><td>26.99</td><td>2.78</td><td>32.11</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>952.47</td><td>34.06</td><td>46.00</td><td>-11.94</td><td>30.72</td><td>31.00</td><td>3.10</td><td>30.97</td><td>0.21</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	22.98	40.00	-17.02	30.06	24.14	1.05	32.34	0.07	--	Peak	2	154.16	26.66	43.50	-16.84	40.24	16.90	1.62	32.20	0.10	--	Peak	3	262.80	20.00	46.00	-26.00	30.09	20.00	1.91	32.12	0.12	--	Peak	4	290.93	25.26	46.00	-20.74	36.12	19.12	1.98	32.09	0.13	--	Peak	5	714.82	35.87	46.00	-10.13	38.07	26.99	2.78	32.11	0.14	--	Peak	6	952.47	34.06	46.00	-11.94	30.72	31.00	3.10	30.97	0.21	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
	1	31.94	22.98	40.00	-17.02	30.06	24.14	1.05	32.34	0.07	--	Peak																																																																																																						
	2	154.16	26.66	43.50	-16.84	40.24	16.90	1.62	32.20	0.10	--	Peak																																																																																																						
	3	262.80	20.00	46.00	-26.00	30.09	20.00	1.91	32.12	0.12	--	Peak																																																																																																						
	4	290.93	25.26	46.00	-20.74	36.12	19.12	1.98	32.09	0.13	--	Peak																																																																																																						
5	714.82	35.87	46.00	-10.13	38.07	26.99	2.78	32.11	0.14	--	Peak																																																																																																							
6	952.47	34.06	46.00	-11.94	30.72	31.00	3.10	30.97	0.21	--	Peak																																																																																																							
Vertical																																																																																																																		
																																																																																																																		
Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL																																																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>33.21</td><td>40.00</td><td>-6.79</td><td>40.29</td><td>24.14</td><td>1.05</td><td>32.34</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>103.72</td><td>21.70</td><td>43.50</td><td>-21.80</td><td>36.04</td><td>16.42</td><td>1.44</td><td>32.28</td><td>0.08</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>262.80</td><td>21.26</td><td>46.00</td><td>-24.74</td><td>31.35</td><td>20.00</td><td>1.91</td><td>32.12</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>500.45</td><td>26.02</td><td>46.00</td><td>-19.98</td><td>31.78</td><td>23.92</td><td>2.41</td><td>32.19</td><td>0.10</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>717.73</td><td>34.11</td><td>46.00</td><td>-11.89</td><td>36.19</td><td>27.11</td><td>2.78</td><td>32.11</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>947.62</td><td>34.95</td><td>46.00</td><td>-11.05</td><td>31.75</td><td>30.90</td><td>3.10</td><td>31.01</td><td>0.21</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	33.21	40.00	-6.79	40.29	24.14	1.05	32.34	0.07	--	Peak	2	103.72	21.70	43.50	-21.80	36.04	16.42	1.44	32.28	0.08	--	Peak	3	262.80	21.26	46.00	-24.74	31.35	20.00	1.91	32.12	0.12	--	Peak	4	500.45	26.02	46.00	-19.98	31.78	23.92	2.41	32.19	0.10	--	Peak	5	717.73	34.11	46.00	-11.89	36.19	27.11	2.78	32.11	0.14	--	Peak	6	947.62	34.95	46.00	-11.05	31.75	30.90	3.10	31.01	0.21	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	31.94	33.21	40.00	-6.79	40.29	24.14	1.05	32.34	0.07	--	Peak																																																																																																							
2	103.72	21.70	43.50	-21.80	36.04	16.42	1.44	32.28	0.08	--	Peak																																																																																																							
3	262.80	21.26	46.00	-24.74	31.35	20.00	1.91	32.12	0.12	--	Peak																																																																																																							
4	500.45	26.02	46.00	-19.98	31.78	23.92	2.41	32.19	0.10	--	Peak																																																																																																							
5	717.73	34.11	46.00	-11.89	36.19	27.11	2.78	32.11	0.14	--	Peak																																																																																																							
6	947.62	34.95	46.00	-11.05	31.75	30.90	3.10	31.01	0.21	--	Peak																																																																																																							



<Sample 10>

C4-1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 18	U-NII-5	5.925-6.425	0+1	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 19	U-NII-5	5.925-6.425	0+1	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 20	U-NII-5	5.925-6.425	0+1	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 21	U-NII-5	5.925-6.425	0+1	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 22	U-NII-5	5.925-6.425	0+1	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 23	U-NII-5	5.925-6.425	0+1	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 24	U-NII-6	6.425-6.525	0+1	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 25	U-NII-7	6.525-6.875	0+1	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 26	U-NII-7	6.525-6.875	0+1	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 27	U-NII-8	6.875-7.125	0+1	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 28	U-NII-8	6.875-7.125	0+1	802.11ax HE40	227	7085	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 29	U-NII-8	6.875-7.125	0+1	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 30	U-NII-8	6.875-7.125	0+1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 32	U-NII-8	6.875-7.125	0+1	802.11ax HE160	207	6985	MCS0	Full RU	LF



C4-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
18	802.11ax HE20	1	5924.97	49.84	68.20	-18.36	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Full RU	Harmonic
19	802.11ax HE40	3	5924.96	56.41	68.20	-11.79	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	Full RU	Harmonic
20	802.11ax HE80	7	5920.20	52.02	68.20	-16.18	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Full RU	Harmonic
21	802.11ax HE160	15	5900.80	56.25	68.20	-11.95	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	24100.00	50.74	68.20	-17.46	H	Avg.	Pass	Full RU	Harmonic
22	802.11ax HE160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	47	12370.00	44.44	54.00	-9.56	H	Avg.	Pass	Full RU	Harmonic
23	802.11ax HE160	79	-	-	-	-	-	-	-	Full RU	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11ax HE160	79	12690.00	47.24	54.00	-6.76	V	Avg.	Pass	Full RU	Harmonic
24	802.11ax HE160	111	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	111	13010.00	45.35	68.20	-22.85	V	Avg.	Pass	Full RU	Harmonic
25	802.11ax HE160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	143	8886.00	46.52	68.20	-21.68	V	Avg.	Pass	Full RU	Harmonic
26	802.11ax HE160	175	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	175	9099.00	49.17	54.00	-4.83	V	Avg.	Pass	Full RU	Harmonic
27	802.11ax HE20	233	7126.00	66.63	68.20	-1.57	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	Full RU	Harmonic
28	802.11ax HE40	227	7127.56	49.06	68.20	-19.14	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
29	802.11ax HE80	215	7126.42	47.42	68.20	-20.78	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	215	-	-	-	-	-	-	-	Full RU	Harmonic
30	802.11ax HE160	207	7140.52	53.28	68.20	-14.92	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	207	9313.00	52.91	54.00	-1.09	V	Avg.	Pass	Full RU	Harmonic
32	LF	207	717.73	38.25	46.00	-7.75	V	Peak	Pass	-	LF







Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>61.54</td><td>88.20</td><td>-26.66</td><td>56.82</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	61.54	88.20	-26.66	56.82	34.50	7.14	36.92	0.00	100	127	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>113.69</td><td>-----</td><td>-----</td><td>108.99</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>100</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.69	-----	-----	108.99	34.48	7.15	36.93	0.00	100	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	61.54	88.20	-26.66	56.82	34.50	7.14	36.92	0.00	100	127	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	113.69	-----	-----	108.99	34.48	7.15	36.93	0.00	100	127	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>49.84</td><td>68.20</td><td>-18.36</td><td>45.12</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	49.84	68.20	-18.36	45.12	34.50	7.14	36.92	0.00	100	127	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.61</td><td>-----</td><td>-----</td><td>101.91</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>100</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.61	-----	-----	101.91	34.48	7.15	36.93	0.00	100	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	49.84	68.20	-18.36	45.12	34.50	7.14	36.92	0.00	100	127	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	106.61	-----	-----	101.91	34.48	7.15	36.93	0.00	100	127	AVERAGE																																																																																							







		18																																																																																														
Mode	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.76</td><td>57.12</td><td>88.20</td><td>-31.08</td><td>52.40</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.76	57.12	88.20	-31.08	52.40	34.50	7.14	36.92	0.00	100	99 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>111.27</td><td>-----</td><td>-----</td><td>106.57</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.27	-----	-----	106.57	34.48	7.15	36.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5922.76	57.12	88.20	-31.08	52.40	34.50	7.14	36.92	0.00	100	99 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	111.27	-----	-----	106.57	34.48	7.15	36.93	0.00	100	99 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>48.15</td><td>68.20</td><td>-20.05</td><td>43.43</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	48.15	68.20	-20.05	43.43	34.50	7.14	36.92	0.00	100	99 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>104.52</td><td>-----</td><td>-----</td><td>99.81</td><td>34.50</td><td>7.14</td><td>36.93</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.52	-----	-----	99.81	34.50	7.14	36.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.84	48.15	68.20	-20.05	43.43	34.50	7.14	36.92	0.00	100	99 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	104.52	-----	-----	99.81	34.50	7.14	36.93	0.00	100	99 AVERAGE																																																																																					







Mode	19																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.96</td><td>65.11</td><td>88.20</td><td>-23.09</td><td>60.39</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.96	65.11	88.20	-23.09	60.39	34.50	7.14	36.92	0.00	100	128	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>111.71</td><td>-----</td><td>-----</td><td>107.01</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	111.71	-----	-----	107.01	34.48	7.15	36.93	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5917.96	65.11	88.20	-23.09	60.39	34.50	7.14	36.92	0.00	100	128	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	111.71	-----	-----	107.01	34.48	7.15	36.93	0.00	100	128	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>55.85</td><td>68.20</td><td>-12.35</td><td>51.13</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	55.85	68.20	-12.35	51.13	34.50	7.14	36.92	0.00	100	128	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>102.70</td><td>-----</td><td>-----</td><td>98.00</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.70	-----	-----	98.00	34.48	7.15	36.93	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	55.85	68.20	-12.35	51.13	34.50	7.14	36.92	0.00	100	128	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	102.70	-----	-----	98.00	34.48	7.15	36.93	0.00	100	128	AVERAGE																																																																																							







Mode	19																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>65.60</td><td>88.20</td><td>-22.60</td><td>60.88</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>107</td><td>99 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	65.60	88.20	-22.60	60.88	34.50	7.14	36.92	0.00	107	99 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>109.96</td><td>-----</td><td>-----</td><td>105.28</td><td>34.46</td><td>7.15</td><td>36.93</td><td>0.00</td><td>107</td><td>99 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.96	-----	-----	105.28	34.46	7.15	36.93	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.96	65.60	88.20	-22.60	60.88	34.50	7.14	36.92	0.00	107	99 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5965.00	109.96	-----	-----	105.28	34.46	7.15	36.93	0.00	107	99 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBN:3.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>56.41</td><td>68.20</td><td>-11.79</td><td>51.69</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>107</td><td>99 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	56.41	68.20	-11.79	51.69	34.50	7.14	36.92	0.00	107	99 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>101.74</td><td>-----</td><td>-----</td><td>97.08</td><td>34.44</td><td>7.15</td><td>36.93</td><td>0.00</td><td>107</td><td>99 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	101.74	-----	-----	97.08	34.44	7.15	36.93	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.96	56.41	68.20	-11.79	51.69	34.50	7.14	36.92	0.00	107	99 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5965.00	101.74	-----	-----	97.08	34.44	7.15	36.93	0.00	107	99 AVERAGE																																																																																					







Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>58.77</td><td>88.20</td><td>-29.43</td><td>54.05</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	58.77	88.20	-29.43	54.05	34.50	7.14	36.92	0.00	100	126	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.41</td><td>-----</td><td>-----</td><td>102.71</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.41	-----	-----	102.71	34.48	7.15	36.93	0.00	100	126
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.84	58.77	88.20	-29.43	54.05	34.50	7.14	36.92	0.00	100	126	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	107.41	-----	-----	102.71	34.48	7.15	36.93	0.00	100	126	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.20</td><td>52.02</td><td>68.20</td><td>-16.18</td><td>47.30</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>100</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.20	52.02	68.20	-16.18	47.30	34.50	7.14	36.92	0.00	100	126	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.13</td><td>-----</td><td>-----</td><td>95.42</td><td>34.50</td><td>7.14</td><td>36.93</td><td>0.00</td><td>100</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.13	-----	-----	95.42	34.50	7.14	36.93	0.00	100	126
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.20	52.02	68.20	-16.18	47.30	34.50	7.14	36.92	0.00	100	126	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	100.13	-----	-----	95.42	34.50	7.14	36.93	0.00	100	126	AVERAGE																																																																																							







Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.08</td><td>59.31</td><td>88.20</td><td>-28.89</td><td>54.59</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>104</td><td>103</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.08	59.31	88.20	-28.89	54.59	34.50	7.14	36.92	0.00	104	103	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>105.06</td><td>-----</td><td>-----</td><td>100.36</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>104</td><td>103</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	105.06	-----	-----	100.36	34.48	7.15	36.93	0.00	104	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.08	59.31	88.20	-28.89	54.59	34.50	7.14	36.92	0.00	104	103	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	105.06	-----	-----	100.36	34.48	7.15	36.93	0.00	104	103	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.08</td><td>51.82</td><td>68.20</td><td>-16.38</td><td>47.10</td><td>34.50</td><td>7.14</td><td>36.92</td><td>0.00</td><td>104</td><td>103</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.08	51.82	68.20	-16.38	47.10	34.50	7.14	36.92	0.00	104	103	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>97.32</td><td>-----</td><td>-----</td><td>92.62</td><td>34.48</td><td>7.15</td><td>36.93</td><td>0.00</td><td>104</td><td>103</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.32	-----	-----	92.62	34.48	7.15	36.93	0.00	104	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.08	51.82	68.20	-16.38	47.10	34.50	7.14	36.92	0.00	104	103	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	97.32	-----	-----	92.62	34.48	7.15	36.93	0.00	104	103	AVERAGE																																																																																							





Mode	21																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5902.60</td><td>62.34</td><td>88.20</td><td>-25.86</td><td>57.63</td><td>34.50</td><td>7.13</td><td>36.92</td><td>0.00</td><td>100</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.60	62.34	88.20	-25.86	57.63	34.50	7.13	36.92	0.00	100	127	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>101.77</td><td>-----</td><td>-----</td><td>97.24</td><td>34.31</td><td>7.16</td><td>36.94</td><td>0.00</td><td>100</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.77	-----	-----	97.24	34.31	7.16	36.94	0.00	100	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5902.60	62.34	88.20	-25.86	57.63	34.50	7.13	36.92	0.00	100	127	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	101.77	-----	-----	97.24	34.31	7.16	36.94	0.00	100	127	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5900.00</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>51.54</td><td>34.50</td><td>7.13</td><td>36.92</td><td>0.00</td><td>100</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.00	56.25	68.20	-11.95	51.54	34.50	7.13	36.92	0.00	100	127	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>93.12</td><td>-----</td><td>-----</td><td>88.57</td><td>34.30</td><td>7.19</td><td>36.94</td><td>0.00</td><td>100</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.12	-----	-----	88.57	34.30	7.19	36.94	0.00	100	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5900.00	56.25	68.20	-11.95	51.54	34.50	7.13	36.92	0.00	100	127	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	93.12	-----	-----	88.57	34.30	7.19	36.94	0.00	100	127	AVERAGE																																																																																							







Mode	21																																																																																																										
	Band Edge																																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																										
ANT	0+1																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5901.20</td><td>62.10</td><td>88.20</td><td>-26.10</td><td>57.39</td><td>34.50</td><td>7.13</td><td>36.92</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5901.20	62.10	88.20	-26.10	57.39	34.50	7.13	36.92	0.00	100	99 PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.39</td><td>-----</td><td>-----</td><td>94.85</td><td>34.30</td><td>7.18</td><td>36.94</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	99.39	-----	-----	94.85	34.30	7.18	36.94	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5901.20	62.10	88.20	-26.10	57.39	34.50	7.13	36.92	0.00	100	99 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6025.00	99.39	-----	-----	94.85	34.30	7.18	36.94	0.00	100	99 PEAK																																																																																																
Avg																																																																																																											
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5901.00</td><td>54.48</td><td>68.20</td><td>-13.72</td><td>49.77</td><td>34.50</td><td>7.13</td><td>36.92</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5901.00	54.48	68.20	-13.72	49.77	34.50	7.13	36.92	0.00	100	99 AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>91.35</td><td>-----</td><td>-----</td><td>86.67</td><td>34.46</td><td>7.15</td><td>36.93</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	91.35	-----	-----	86.67	34.46	7.15	36.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5901.00	54.48	68.20	-13.72	49.77	34.50	7.13	36.92	0.00	100	99 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6025.00	91.35	-----	-----	86.67	34.46	7.15	36.93	0.00	100	99 AVERAGE																																																																																																





Mode	21																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																																			
ANT	0+1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak																																																																																																																																				
Avg	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12050.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>52.14</td><td>38.90</td><td>11.36</td><td>56.15</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 18075.00</td><td>35.76</td><td>74.00</td><td>-38.24</td><td>57.69</td><td>37.75</td><td>5.82</td><td>55.96</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>3 24100.00</td><td>51.73</td><td>88.20</td><td>-36.47</td><td>69.23</td><td>38.80</td><td>6.98</td><td>53.74</td><td>-9.54</td><td>150 127 Peak</td></tr><tr><td>4 24100.00</td><td>50.74</td><td>68.20</td><td>-17.46</td><td>68.24</td><td>38.80</td><td>6.98</td><td>53.74</td><td>-9.54</td><td>150 127 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12050.00	46.83	74.00	-27.17	52.14	38.90	11.36	56.15	0.58	-- -- PEAK	2 18075.00	35.76	74.00	-38.24	57.69	37.75	5.82	55.96	-9.54	-- -- Peak	3 24100.00	51.73	88.20	-36.47	69.23	38.80	6.98	53.74	-9.54	150 127 Peak	4 24100.00	50.74	68.20	-17.46	68.24	38.80	6.98	53.74	-9.54	150 127 Average	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12050.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>51.04</td><td>38.90</td><td>11.36</td><td>56.15</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 18075.00</td><td>35.93</td><td>74.00</td><td>-38.07</td><td>57.86</td><td>37.75</td><td>5.82</td><td>55.96</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>3 24100.00</td><td>45.09</td><td>88.20</td><td>-43.11</td><td>62.59</td><td>38.80</td><td>6.98</td><td>53.74</td><td>-9.54</td><td>150 136 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12050.00	46.53	74.00	-27.47	51.04	38.90	11.36	56.15	0.58	-- -- PEAK	2 18075.00	35.93	74.00	-38.07	57.86	37.75	5.82	55.96	-9.54	-- -- Peak	3 24100.00	45.09	88.20	-43.11	62.59	38.80	6.98	53.74	-9.54	150 136 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1 12050.00	46.83	74.00	-27.17	52.14	38.90	11.36	56.15	0.58	-- -- PEAK																																																																																																																											
2 18075.00	35.76	74.00	-38.24	57.69	37.75	5.82	55.96	-9.54	-- -- Peak																																																																																																																											
3 24100.00	51.73	88.20	-36.47	69.23	38.80	6.98	53.74	-9.54	150 127 Peak																																																																																																																											
4 24100.00	50.74	68.20	-17.46	68.24	38.80	6.98	53.74	-9.54	150 127 Average																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1 12050.00	46.53	74.00	-27.47	51.04	38.90	11.36	56.15	0.58	-- -- PEAK																																																																																																																											
2 18075.00	35.93	74.00	-38.07	57.86	37.75	5.82	55.96	-9.54	-- -- Peak																																																																																																																											
3 24100.00	45.09	88.20	-43.11	62.59	38.80	6.98	53.74	-9.54	150 136 Peak																																																																																																																											







Mode	21	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	22																																																																																																												
	Harmonic																																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																												
ANT	0+1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>58.69</td><td>39.04</td><td>11.51</td><td>56.58</td><td>0.67</td><td>100</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>12378.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>49.00</td><td>39.04</td><td>11.51</td><td>56.58</td><td>0.67</td><td>100</td><td>126</td><td>AVERAGE</td></tr><tr><td>3</td><td>18555.00</td><td>36.02</td><td>74.00</td><td>-37.98</td><td>57.30</td><td>37.09</td><td>6.03</td><td>55.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>24740.00</td><td>51.47</td><td>88.20</td><td>-36.73</td><td>68.23</td><td>39.14</td><td>7.00</td><td>53.36</td><td>-9.54</td><td>150</td><td>128</td><td>Peak</td></tr><tr><td>5</td><td>24740.00</td><td>50.67</td><td>68.20</td><td>-17.53</td><td>67.43</td><td>39.14</td><td>7.00</td><td>53.36</td><td>-9.54</td><td>150</td><td>128</td><td>Average</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	53.33	74.00	-20.67	58.69	39.04	11.51	56.58	0.67	100	126	PEAK	2	12378.00	44.44	54.00	-9.56	49.00	39.04	11.51	56.58	0.67	100	126	AVERAGE	3	18555.00	36.02	74.00	-37.98	57.30	37.09	6.03	55.66	-9.54	--	--	Peak	4	24740.00	51.47	88.20	-36.73	68.23	39.14	7.00	53.36	-9.54	150	128	Peak	5	24740.00	50.67	68.20	-17.53	67.43	39.14	7.00	53.36	-9.54	150	128	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	12370.00	53.33	74.00	-20.67	58.69	39.04	11.51	56.58	0.67	100	126	PEAK																																																																																																	
2	12378.00	44.44	54.00	-9.56	49.00	39.04	11.51	56.58	0.67	100	126	AVERAGE																																																																																																	
3	18555.00	36.02	74.00	-37.98	57.30	37.09	6.03	55.66	-9.54	--	--	Peak																																																																																																	
4	24740.00	51.47	88.20	-36.73	68.23	39.14	7.00	53.36	-9.54	150	128	Peak																																																																																																	
5	24740.00	50.67	68.20	-17.53	67.43	39.14	7.00	53.36	-9.54	150	128	Average																																																																																																	







Mode	22	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	23																																																																															
	Harmonic																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																															
ANT	0+1																																																																															
Pol.	Horizontal					Vertical																																																																										
Peak Avg																																																																																
	Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL					Site : 03CH13-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>12690.00</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>59.98</td><td>39.58</td><td>11.66</td><td>56.99</td><td>0.76 100 126 PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>51.99</td><td>39.58</td><td>11.66</td><td>56.99</td><td>0.76 100 126 AVERAGE</td></tr><tr><td>3</td><td>19035.00</td><td>35.72</td><td>74.00</td><td>-38.28</td><td>56.57</td><td>37.87</td><td>6.11</td><td>55.29</td><td>-9.54 -- -- Peak</td></tr><tr><td>4</td><td>25380.00</td><td>45.36</td><td>88.20</td><td>-42.84</td><td>61.76</td><td>39.16</td><td>7.10</td><td>53.12</td><td>-9.54 150 127 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	12690.00	54.99	74.00	-19.01	59.98	39.58	11.66	56.99	0.76 100 126 PEAK	2	12690.00	47.00	54.00	-7.00	51.99	39.58	11.66	56.99	0.76 100 126 AVERAGE	3	19035.00	35.72	74.00	-38.28	56.57	37.87	6.11	55.29	-9.54 -- -- Peak	4	25380.00	45.36	88.20	-42.84	61.76	39.16	7.10	53.12	-9.54 150 127 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																								
1	12690.00	54.99	74.00	-19.01	59.98	39.58	11.66	56.99	0.76 100 126 PEAK																																																																							
2	12690.00	47.00	54.00	-7.00	51.99	39.58	11.66	56.99	0.76 100 126 AVERAGE																																																																							
3	19035.00	35.72	74.00	-38.28	56.57	37.87	6.11	55.29	-9.54 -- -- Peak																																																																							
4	25380.00	45.36	88.20	-42.84	61.76	39.16	7.10	53.12	-9.54 150 127 Peak																																																																							







Mode	23	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	24																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																																																																																																							
ANT	0+1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13010.00</td><td>52.32</td><td>88.20</td><td>-35.88</td><td>57.09</td><td>39.96</td><td>11.81</td><td>57.38</td><td>0.84</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>2 13010.00</td><td>43.91</td><td>68.20</td><td>-24.29</td><td>48.68</td><td>39.96</td><td>11.81</td><td>57.38</td><td>0.84</td><td>100</td><td>194</td><td>AVERAGE</td></tr><tr><td>3 19515.00</td><td>37.07</td><td>74.00</td><td>-36.93</td><td>57.47</td><td>37.94</td><td>6.30</td><td>55.10</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13010.00	52.32	88.20	-35.88	57.09	39.96	11.81	57.38	0.84	100	194	PEAK	2 13010.00	43.91	68.20	-24.29	48.68	39.96	11.81	57.38	0.84	100	194	AVERAGE	3 19515.00	37.07	74.00	-36.93	57.47	37.94	6.30	55.10	-9.54	--	--	Peak	 Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13010.00</td><td>52.51</td><td>88.20</td><td>-35.69</td><td>57.28</td><td>39.96</td><td>11.81</td><td>57.38</td><td>0.84</td><td>100</td><td>321</td><td>PEAK</td></tr><tr><td>2 13010.00</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>50.12</td><td>39.96</td><td>11.81</td><td>57.38</td><td>0.84</td><td>100</td><td>321</td><td>AVERAGE</td></tr><tr><td>3 19515.00</td><td>36.36</td><td>74.00</td><td>-37.64</td><td>56.76</td><td>37.94</td><td>6.30</td><td>55.10</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13010.00	52.51	88.20	-35.69	57.28	39.96	11.81	57.38	0.84	100	321	PEAK	2 13010.00	45.35	68.20	-22.85	50.12	39.96	11.81	57.38	0.84	100	321	AVERAGE	3 19515.00	36.36	74.00	-37.64	56.76	37.94	6.30	55.10	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13010.00	52.32	88.20	-35.88	57.09	39.96	11.81	57.38	0.84	100	194	PEAK																																																																																																																													
2 13010.00	43.91	68.20	-24.29	48.68	39.96	11.81	57.38	0.84	100	194	AVERAGE																																																																																																																													
3 19515.00	37.07	74.00	-36.93	57.47	37.94	6.30	55.10	-9.54	--	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 13010.00	52.51	88.20	-35.69	57.28	39.96	11.81	57.38	0.84	100	321	PEAK																																																																																																																													
2 13010.00	45.35	68.20	-22.85	50.12	39.96	11.81	57.38	0.84	100	321	AVERAGE																																																																																																																													
3 19515.00	36.36	74.00	-37.64	56.76	37.94	6.30	55.10	-9.54	--	--	Peak																																																																																																																													







Mode	24	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL





Mode	25												
	Harmonic												
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz												
ANT	0+1												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_00993_231124 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	8886.00	49.89	88.20	-38.31	56.87	37.97	9.96	56.55	1.10	300	45	PEAK	
2	8886.00	43.29	68.20	-24.91	50.27	37.97	9.96	56.55	1.10	300	45	AVERAGE	
3	13330.00	47.11	74.00	-26.89	51.66	40.16	11.79	57.43	0.93	--	--	PEAK	
4	19995.00	36.36	74.00	-37.64	56.96	37.76	6.18	55.00	-9.54	--	--	PEAK	
5	26660.00	44.24	88.20	-43.96	59.27	40.70	7.17	53.36	-9.54	150	10	PEAK	
6	26660.00	38.90	68.20	-29.30	53.93	40.70	7.17	53.36	-9.54	150	10	AVERAGE	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	8886.00	51.76	88.20	-36.44	58.74	37.97	9.96	56.55	1.10	104	46	PEAK	
2	8886.00	46.52	68.20	-21.68	53.50	37.97	9.96	56.55	1.10	104	46	AVERAGE	
3	13330.00	47.45	74.00	-26.55	52.00	40.16	11.79	57.43	0.93	--	--	PEAK	
4	19995.00	37.29	74.00	-36.71	57.89	37.76	6.18	55.00	-9.54	--	--	PEAK	
5	26660.00	46.50	88.20	-41.70	61.53	40.70	7.17	53.36	-9.54	150	356	PEAK	
6	26660.00	42.15	68.20	-26.05	57.18	40.70	7.17	53.36	-9.54	150	356	AVERAGE	



Mode	25	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL



Mode	26																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																																							
ANT	0+1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_00993_231124 HORIZONTAL																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9099.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>59.79</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>9099.00</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>54.12</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>223</td><td>AVERAGE</td></tr><tr><td>3</td><td>13650.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>51.30</td><td>40.60</td><td>11.78</td><td>57.46</td><td>1.02</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>20475.00</td><td>38.33</td><td>74.00</td><td>-35.67</td><td>58.06</td><td>37.75</td><td>6.26</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>27300.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>63.76</td><td>39.70</td><td>7.16</td><td>53.56</td><td>-9.54</td><td>150</td><td>138</td><td>PEAK</td></tr><tr><td>6</td><td>27300.00</td><td>43.81</td><td>68.20</td><td>-24.39</td><td>60.05</td><td>39.70</td><td>7.16</td><td>53.56</td><td>-9.54</td><td>150</td><td>138</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9099.00	52.86	74.00	-21.14	59.79	37.90	10.14	56.59	1.05	100	223	PEAK	2	9099.00	47.19	54.00	-6.81	54.12	37.90	10.14	56.59	1.05	100	223	AVERAGE	3	13650.00	47.24	88.20	-40.96	51.30	40.60	11.78	57.46	1.02	--	--	PEAK	4	20475.00	38.33	74.00	-35.67	58.06	37.75	6.26	55.00	-9.54	--	--	PEAK	5	27300.00	47.52	88.20	-40.68	63.76	39.70	7.16	53.56	-9.54	150	138	PEAK	6	27300.00	43.81	68.20	-24.39	60.05	39.70	7.16	53.56	-9.54	150	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	9099.00	52.86	74.00	-21.14	59.79	37.90	10.14	56.59	1.05	100	223	PEAK																																																																																																												
2	9099.00	47.19	54.00	-6.81	54.12	37.90	10.14	56.59	1.05	100	223	AVERAGE																																																																																																												
3	13650.00	47.24	88.20	-40.96	51.30	40.60	11.78	57.46	1.02	--	--	PEAK																																																																																																												
4	20475.00	38.33	74.00	-35.67	58.06	37.75	6.26	55.00	-9.54	--	--	PEAK																																																																																																												
5	27300.00	47.52	88.20	-40.68	63.76	39.70	7.16	53.56	-9.54	150	138	PEAK																																																																																																												
6	27300.00	43.81	68.20	-24.39	60.05	39.70	7.16	53.56	-9.54	150	138	AVERAGE																																																																																																												
Site : 03CH13-HY Condition: PEAK(U-NII)_6E 1m SHF_00993_231124 VERTICAL																																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9099.00</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>60.67</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>9099.00</td><td>49.17</td><td>54.00</td><td>-4.83</td><td>56.10</td><td>37.90</td><td>10.14</td><td>56.59</td><td>1.05</td><td>100</td><td>330</td><td>AVERAGE</td></tr><tr><td>3</td><td>13650.00</td><td>47.58</td><td>88.20</td><td>-40.62</td><td>51.64</td><td>40.60</td><td>11.78</td><td>57.46</td><td>1.02</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>20475.00</td><td>38.06</td><td>74.00</td><td>-35.94</td><td>58.59</td><td>37.75</td><td>6.26</td><td>55.00</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>27300.00</td><td>47.17</td><td>88.20</td><td>-41.03</td><td>63.41</td><td>39.70</td><td>7.16</td><td>53.56</td><td>-9.54</td><td>150</td><td>136</td><td>PEAK</td></tr><tr><td>6</td><td>27300.00</td><td>42.99</td><td>68.20</td><td>-25.21</td><td>59.23</td><td>39.70</td><td>7.16</td><td>53.56</td><td>-9.54</td><td>150</td><td>136</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9099.00	53.74	74.00	-20.26	60.67	37.90	10.14	56.59	1.05	100	330	PEAK	2	9099.00	49.17	54.00	-4.83	56.10	37.90	10.14	56.59	1.05	100	330	AVERAGE	3	13650.00	47.58	88.20	-40.62	51.64	40.60	11.78	57.46	1.02	--	--	PEAK	4	20475.00	38.06	74.00	-35.94	58.59	37.75	6.26	55.00	-9.54	--	--	PEAK	5	27300.00	47.17	88.20	-41.03	63.41	39.70	7.16	53.56	-9.54	150	136	PEAK	6	27300.00	42.99	68.20	-25.21	59.23	39.70	7.16	53.56	-9.54	150	136	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	9099.00	53.74	74.00	-20.26	60.67	37.90	10.14	56.59	1.05	100	330	PEAK																																																																																																												
2	9099.00	49.17	54.00	-4.83	56.10	37.90	10.14	56.59	1.05	100	330	AVERAGE																																																																																																												
3	13650.00	47.58	88.20	-40.62	51.64	40.60	11.78	57.46	1.02	--	--	PEAK																																																																																																												
4	20475.00	38.06	74.00	-35.94	58.59	37.75	6.26	55.00	-9.54	--	--	PEAK																																																																																																												
5	27300.00	47.17	88.20	-41.03	63.41	39.70	7.16	53.56	-9.54	150	136	PEAK																																																																																																												
6	27300.00	42.99	68.20	-25.21	59.23	39.70	7.16	53.56	-9.54	150	136	AVERAGE																																																																																																												







Mode	26	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL







Mode	27										
	Band Edge										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz										
ANT	0+1										
Pol.	Horizontal										
Peak	Level (dBuV/m) </										







Mode	27																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>73.87</td><td>88.20</td><td>-14.33</td><td>66.60</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>7126.00</td><td>76.02</td><td>88.20</td><td>-12.18</td><td>68.74</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	73.87	88.20	-14.33	66.60	36.55	8.02	37.30	0.00	100	90	PEAK	2	7126.00	76.02	88.20	-12.18	68.74	36.56	8.02	37.30	0.00	100	90	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>103.32</td><td>-----</td><td>-----</td><td>96.14</td><td>36.48</td><td>8.00</td><td>37.30</td><td>0.00</td><td>100</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	103.32	-----	-----	96.14	36.48	8.00	37.30	0.00	100	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.00	73.87	88.20	-14.33	66.60	36.55	8.02	37.30	0.00	100	90	PEAK																																																																																																				
2	7126.00	76.02	88.20	-12.18	68.74	36.56	8.02	37.30	0.00	100	90	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	103.32	-----	-----	96.14	36.48	8.00	37.30	0.00	100	90	PEAK																																																																																																				
Avg																																																																																																																
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>60.76</td><td>68.20</td><td>-7.44</td><td>53.49</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>66.63</td><td>68.20</td><td>-1.57</td><td>59.35</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	60.76	68.20	-7.44	53.49	36.55	8.02	37.30	0.00	100	90	AVERAGE	2	7126.00	66.63	68.20	-1.57	59.35	36.56	8.02	37.30	0.00	100	90	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>95.27</td><td>-----</td><td>-----</td><td>88.09</td><td>36.48</td><td>8.00</td><td>37.30</td><td>0.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	95.27	-----	-----	88.09	36.48	8.00	37.30	0.00	100	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.01	60.76	68.20	-7.44	53.49	36.55	8.02	37.30	0.00	100	90	AVERAGE																																																																																																				
2	7126.00	66.63	68.20	-1.57	59.35	36.56	8.02	37.30	0.00	100	90	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	95.27	-----	-----	88.09	36.48	8.00	37.30	0.00	100	90	AVERAGE																																																																																																				







Mode	28																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.20</td><td>57.23</td><td>88.20</td><td>-30.97</td><td>49.94</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.20	57.23	88.20	-30.97	49.94	36.57	8.02	37.30	0.00	100	31 PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>100.19</td><td>-----</td><td>-----</td><td>93.21</td><td>36.33</td><td>7.95</td><td>37.30</td><td>0.00</td><td>100</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	100.19	-----	-----	93.21	36.33	7.95	37.30	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7128.20	57.23	88.20	-30.97	49.94	36.57	8.02	37.30	0.00	100	31 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	100.19	-----	-----	93.21	36.33	7.95	37.30	0.00	100	31 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.88</td><td>48.21</td><td>68.20</td><td>-19.99</td><td>40.92</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.88	48.21	68.20	-19.99	40.92	36.57	8.02	37.30	0.00	100	31 AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>92.40</td><td>-----</td><td>-----</td><td>85.35</td><td>36.38</td><td>7.97</td><td>37.30</td><td>0.00</td><td>100</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	92.40	-----	-----	85.35	36.38	7.97	37.30	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7127.88	48.21	68.20	-19.99	40.92	36.57	8.02	37.30	0.00	100	31 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	92.40	-----	-----	85.35	36.38	7.97	37.30	0.00	100	31 AVERAGE																																																																																						







Mode	28																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.20</td><td>56.39</td><td>88.20</td><td>-31.81</td><td>49.10</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>108</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.20	56.39	88.20	-31.81	49.10	36.57	8.02	37.30	0.00	100	108	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>100.95</td><td>-----</td><td>-----</td><td>94.04</td><td>36.28</td><td>7.93</td><td>37.30</td><td>0.00</td><td>100</td><td>108</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	100.95	-----	-----	94.04	36.28	7.93	37.30	0.00	100	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7128.20	56.39	88.20	-31.81	49.10	36.57	8.02	37.30	0.00	100	108	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	100.95	-----	-----	94.04	36.28	7.93	37.30	0.00	100	108	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.56</td><td>49.06</td><td>68.20</td><td>-19.14</td><td>41.77</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>108</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.56	49.06	68.20	-19.14	41.77	36.57	8.02	37.30	0.00	100	108	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>93.98</td><td>-----</td><td>-----</td><td>87.00</td><td>36.33</td><td>7.95</td><td>37.30</td><td>0.00</td><td>100</td><td>108</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	93.98	-----	-----	87.00	36.33	7.95	37.30	0.00	100	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7127.56	49.06	68.20	-19.14	41.77	36.57	8.02	37.30	0.00	100	108	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	93.98	-----	-----	87.00	36.33	7.95	37.30	0.00	100	108	AVERAGE																																																																																							



Mode	29																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.32</td><td>53.46</td><td>88.20</td><td>-34.74</td><td>46.19</td><td>36.55</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>29 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.32	53.46	88.20	-34.74	46.19	36.55	8.02	37.30	0.00	100	29 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>100.00</td><td>-----</td><td>-----</td><td>93.63</td><td>35.90</td><td>7.83</td><td>37.28</td><td>0.00</td><td>100</td><td>29 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	100.00	-----	-----	93.63	35.90	7.83	37.28	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.32	53.46	88.20	-34.74	46.19	36.55	8.02	37.30	0.00	100	29 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	100.00	-----	-----	93.63	35.90	7.83	37.28	0.00	100	29 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.42</td><td>47.42</td><td>68.20</td><td>-20.78</td><td>40.14</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>29 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.42	47.42	68.20	-20.78	40.14	36.56	8.02	37.30	0.00	100	29 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>92.78</td><td>-----</td><td>-----</td><td>85.92</td><td>36.23</td><td>7.92</td><td>37.29</td><td>0.00</td><td>100</td><td>29 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	92.78	-----	-----	85.92	36.23	7.92	37.29	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7126.42	47.42	68.20	-20.78	40.14	36.56	8.02	37.30	0.00	100	29 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	92.78	-----	-----	85.92	36.23	7.92	37.29	0.00	100	29 AVERAGE																																																																																						







Mode	29																																																																																																																
	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																																
ANT	0+1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																										
Avg																																																																																																																	
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto																																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.96</td><td>51.44</td><td>88.20</td><td>-36.76</td><td>44.15</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.96	51.44	88.20	-36.76	44.15	36.57	8.02	37.30	0.00	100	85	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>97.12</td><td>-----</td><td>-----</td><td>90.39</td><td>36.13</td><td>7.89</td><td>37.29</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	97.12	-----	-----	90.39	36.13	7.89	37.29	0.00	100	85	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7127.96	51.44	88.20	-36.76	44.15	36.57	8.02	37.30	0.00	100	85	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7025.00	97.12	-----	-----	90.39	36.13	7.89	37.29	0.00	100	85	PEAK																																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.74</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>38.22</td><td>36.57</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.74	45.51	68.20	-22.69	38.22	36.57	8.02	37.30	0.00	100	85	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>90.24</td><td>-----</td><td>-----</td><td>83.79</td><td>35.90</td><td>7.83</td><td>37.28</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	90.24	-----	-----	83.79	35.90	7.83	37.28	0.00	100	85	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7127.74	45.51	68.20	-22.69	38.22	36.57	8.02	37.30	0.00	100	85	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7025.00	90.24	-----	-----	83.79	35.90	7.83	37.28	0.00	100	85	AVERAGE																																																																																																					





Mode	30																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7216.60</td><td>50.82</td><td>88.20</td><td>-37.38</td><td>43.07</td><td>36.93</td><td>8.13</td><td>37.31</td><td>0.00</td><td>100</td><td>145</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7216.60	50.82	88.20	-37.38	43.07	36.93	8.13	37.31	0.00	100	145	PEAK	Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>87.30</td><td>-----</td><td>-----</td><td>88.82</td><td>35.90</td><td>7.84</td><td>37.26</td><td>0.00</td><td>100</td><td>145</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.30	-----	-----	88.82	35.90	7.84	37.26	0.00	100	145	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7216.60	50.82	88.20	-37.38	43.07	36.93	8.13	37.31	0.00	100	145	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	87.30	-----	-----	88.82	35.90	7.84	37.26	0.00	100	145	PEAK																																																																																								
Avg	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:10.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7140.76</td><td>44.19</td><td>68.20</td><td>-24.01</td><td>36.81</td><td>36.64</td><td>8.04</td><td>37.30</td><td>0.00</td><td>100</td><td>145</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.76	44.19	68.20	-24.01	36.81	36.64	8.04	37.30	0.00	100	145	AVERAGE	Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL : RBW:1000.000kHz VBN:10.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>78.31</td><td>-----</td><td>-----</td><td>71.86</td><td>35.90</td><td>7.83</td><td>37.28</td><td>0.00</td><td>100</td><td>145</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	78.31	-----	-----	71.86	35.90	7.83	37.28	0.00	100	145	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7140.76	44.19	68.20	-24.01	36.81	36.64	8.04	37.30	0.00	100	145	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	78.31	-----	-----	71.86	35.90	7.83	37.28	0.00	100	145	AVERAGE																																																																																								







Mode	30																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	Site : 03CH13-HY Condition: PEAK_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH13-HY Condition: PEAK(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																								
Avg																																																																																																															
	Site : 03CH13-HY Condition: AVG_BE(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto						Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.60</td><td>60.64</td><td>88.20</td><td>-27.56</td><td>53.36</td><td>36.56</td><td>8.02</td><td>37.30</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.60	60.64	88.20	-27.56	53.36	36.56	8.02	37.30	0.00	100	103	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>94.94</td><td>-----</td><td>-----</td><td>88.49</td><td>35.90</td><td>7.83</td><td>37.28</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	94.94	-----	-----	88.49	35.90	7.83	37.28	0.00	100	103	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7126.60	60.64	88.20	-27.56	53.36	36.56	8.02	37.30	0.00	100	103	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	94.94	-----	-----	88.49	35.90	7.83	37.28	0.00	100	103	PEAK																																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7140.52</td><td>53.28</td><td>68.20</td><td>-14.92</td><td>45.90</td><td>36.64</td><td>8.04</td><td>37.30</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.52	53.28	68.20	-14.92	45.90	36.64	8.04	37.30	0.00	100	103	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>86.51</td><td>-----</td><td>-----</td><td>80.05</td><td>35.90</td><td>7.83</td><td>37.27</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	86.51	-----	-----	80.05	35.90	7.83	37.27	0.00	100	103	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7140.52	53.28	68.20	-14.92	45.90	36.64	8.04	37.30	0.00	100	103	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	86.51	-----	-----	80.05	35.90	7.83	37.27	0.00	100	103	AVERAGE																																																																																																			





Mode	30												
	Harmonic												
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz												
ANT	0+1												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH13-HY Condition: PEAK(UUNI)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH13-HY Condition: PEAK(UUNI)_6E 1m SHF_00993_231124 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	9313.00	55.20	74.00	-18.80	61.60	38.23	10.36	56.65	1.09	100	236	PEAK	
2	9313.00	51.58	54.00	-2.42	57.98	38.23	10.36	56.65	1.09	100	236	AVERAGE	
3	13970.00	47.90	88.20	-40.30	51.77	40.74	11.76	57.47	1.10	--	--	PEAK	
4	20955.00	39.55	74.00	-34.45	59.44	38.09	6.38	54.82	-9.54	--	--	PEAK	
5	27940.00	47.64	88.20	-40.56	63.75	39.70	7.33	53.60	-9.54	150	261	PEAK	
6	27940.00	42.19	68.20	-26.01	58.30	39.70	7.33	53.60	-9.54	150	261	AVERAGE	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	9313.00	56.51	74.00	-17.49	62.91	38.23	10.36	56.65	1.09	100	149	PEAK	
2	9313.00	52.91	54.00	-1.09	59.31	38.23	10.36	56.65	1.09	100	149	AVERAGE	
3	13970.00	47.42	88.20	-40.78	51.29	40.74	11.76	57.47	1.10	--	--	PEAK	
4	20955.00	38.17	74.00	-35.83	58.06	38.09	6.38	54.82	-9.54	--	--	PEAK	
5	27940.00	47.72	88.20	-40.48	63.83	39.70	7.33	53.60	-9.54	150	0	PEAK	
6	27940.00	43.22	68.20	-24.98	59.33	39.70	7.33	53.60	-9.54	150	0	AVERAGE	



Mode	30	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL
	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 HORIZONTAL	 Site : 03CH13-HY Condition: AVG(UNII)_6E 3m HORN_91200_1326 VERTICAL



Mode	32																																																																																																																																																																																																			
	LF																																																																																																																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																																																																																																																			
ANT	0+1																																																																																																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																																																																																																											
QP/ Peak																																																																																																																																																																																																				
	Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL								Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL																																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>31.94</td><td>24.15</td><td>40.00</td><td>-15.85</td><td>31.23</td><td>24.14</td><td>1.05</td><td>32.34</td><td>0.07 -- -- Peak</td></tr><tr><td>2</td><td>205.57</td><td>23.36</td><td>43.50</td><td>-20.14</td><td>38.63</td><td>15.10</td><td>1.76</td><td>32.19</td><td>0.06 -- -- Peak</td></tr><tr><td>3</td><td>221.09</td><td>24.25</td><td>46.00</td><td>-21.75</td><td>39.05</td><td>15.49</td><td>1.80</td><td>32.17</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>291.90</td><td>25.53</td><td>46.00</td><td>-20.47</td><td>36.37</td><td>19.14</td><td>1.98</td><td>32.09</td><td>0.13 -- -- Peak</td></tr><tr><td>5</td><td>722.58</td><td>36.25</td><td>46.00</td><td>-9.75</td><td>38.12</td><td>27.30</td><td>2.79</td><td>32.10</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>954.41</td><td>33.39</td><td>46.00</td><td>-12.61</td><td>30.02</td><td>31.00</td><td>3.11</td><td>30.95</td><td>0.21 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	31.94	24.15	40.00	-15.85	31.23	24.14	1.05	32.34	0.07 -- -- Peak	2	205.57	23.36	43.50	-20.14	38.63	15.10	1.76	32.19	0.06 -- -- Peak	3	221.09	24.25	46.00	-21.75	39.05	15.49	1.80	32.17	0.08 -- -- Peak	4	291.90	25.53	46.00	-20.47	36.37	19.14	1.98	32.09	0.13 -- -- Peak	5	722.58	36.25	46.00	-9.75	38.12	27.30	2.79	32.10	0.14 -- -- Peak	6	954.41	33.39	46.00	-12.61	30.02	31.00	3.11	30.95	0.21 -- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>31.94</td><td>29.05</td><td>40.00</td><td>-10.95</td><td>36.13</td><td>24.14</td><td>1.05</td><td>32.34</td><td>0.07 100 284 QP</td></tr><tr><td>2</td><td>95.96</td><td>19.75</td><td>43.50</td><td>-23.75</td><td>35.06</td><td>15.49</td><td>1.41</td><td>32.28</td><td>0.07 -- -- Peak</td></tr><tr><td>3</td><td>257.95</td><td>20.87</td><td>46.00</td><td>-25.13</td><td>31.32</td><td>19.67</td><td>1.90</td><td>32.13</td><td>0.11 -- -- Peak</td></tr><tr><td>4</td><td>481.05</td><td>27.38</td><td>46.00</td><td>-18.62</td><td>33.47</td><td>23.62</td><td>2.37</td><td>32.18</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>717.73</td><td>38.25</td><td>46.00</td><td>-7.75</td><td>40.33</td><td>27.11</td><td>2.78</td><td>32.11</td><td>0.14 -- -- Peak</td></tr><tr><td>6</td><td>899.12</td><td>37.13</td><td>46.00</td><td>-8.87</td><td>36.34</td><td>29.00</td><td>3.04</td><td>31.44</td><td>0.19 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	31.94	29.05	40.00	-10.95	36.13	24.14	1.05	32.34	0.07 100 284 QP	2	95.96	19.75	43.50	-23.75	35.06	15.49	1.41	32.28	0.07 -- -- Peak	3	257.95	20.87	46.00	-25.13	31.32	19.67	1.90	32.13	0.11 -- -- Peak	4	481.05	27.38	46.00	-18.62	33.47	23.62	2.37	32.18	0.10 -- -- Peak	5	717.73	38.25	46.00	-7.75	40.33	27.11	2.78	32.11	0.14 -- -- Peak	6	899.12	37.13	46.00	-8.87	36.34	29.00	3.04	31.44	0.19 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
	1	31.94	24.15	40.00	-15.85	31.23	24.14	1.05	32.34	0.07 -- -- Peak																																																																																																																																																																																										
	2	205.57	23.36	43.50	-20.14	38.63	15.10	1.76	32.19	0.06 -- -- Peak																																																																																																																																																																																										
	3	221.09	24.25	46.00	-21.75	39.05	15.49	1.80	32.17	0.08 -- -- Peak																																																																																																																																																																																										
	4	291.90	25.53	46.00	-20.47	36.37	19.14	1.98	32.09	0.13 -- -- Peak																																																																																																																																																																																										
5	722.58	36.25	46.00	-9.75	38.12	27.30	2.79	32.10	0.14 -- -- Peak																																																																																																																																																																																											
6	954.41	33.39	46.00	-12.61	30.02	31.00	3.11	30.95	0.21 -- -- Peak																																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																												
1	31.94	29.05	40.00	-10.95	36.13	24.14	1.05	32.34	0.07 100 284 QP																																																																																																																																																																																											
2	95.96	19.75	43.50	-23.75	35.06	15.49	1.41	32.28	0.07 -- -- Peak																																																																																																																																																																																											
3	257.95	20.87	46.00	-25.13	31.32	19.67	1.90	32.13	0.11 -- -- Peak																																																																																																																																																																																											
4	481.05	27.38	46.00	-18.62	33.47	23.62	2.37	32.18	0.10 -- -- Peak																																																																																																																																																																																											
5	717.73	38.25	46.00	-7.75	40.33	27.11	2.78	32.11	0.14 -- -- Peak																																																																																																																																																																																											
6	899.12	37.13	46.00	-8.87	36.34	29.00	3.04	31.44	0.19 -- -- Peak																																																																																																																																																																																											




Appendix D. Duty Cycle Plots

<Sample 1>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	6GHz 802.11ax HE20 Full RU	97.34	987	1.01	3kHz

MIMO <Ant. 0+1>






<Sample 2>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	6GHz 802.11ax HE20 Full RU	97.06	990	1.01	3kHz

MIMO <Ant. 0+1>





<Sample 9>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	6GHz 802.11ax HE20 Full RU	97.04	985	1.02	3kHz
0+1	6GHz 802.11ax HE40 Full RU	94.96	519.8	1.92	3kHz
0+1	6GHz 802.11ax HE80 Full RU	90.58	279	3.58	10kHz
0+1	6GHz 802.11ax HE160 Full RU	85.64	167	5.99	10kHz

MIMO <Ant. 0+1>





<Sample 10>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	6GHz 802.11ax HE20 Full RU	97.06	990	1.01	3kHz
0+1	6GHz 802.11ax HE40 Full RU	94.70	519.8	1.92	3kHz
0+1	6GHz 802.11ax HE80 Full RU	90.65	279.2	3.58	10kHz
0+1	6GHz 802.11ax HE160 Full RU	85.38	166.5	6.01	10kHz

MIMO <Ant. 0+1>

