

Remote controller operating instruction

Influencing received the performance factor (distance) have environment (building, moving vehicle, interphone, strong electrical radiation), weather (fine, rain, cloudy, the sun) and time (morning, afternoon and night) in fact is absorption of electric wave and reflection disturbing action of ionization radiation layer, other disturb electric wave, and around object and space humidity as well as screen open effect producing from equipment installation location.

Under above—mentioned different condition, remote controller installed on the 5.0KW gasoline generator received effect is shown as following figure (showing one day actual measuring effect)

NOTE:

Receiver antenna should not been fetched our together with closer other power supply cord, should been individually fetched out from small hole of the plastic housing, and pull the antennal straight as can as possible.

When using remote controller, should pull the antenna completely, otherwise control distance shall decrease.

When using remote controller, pressing the controlling emission key (ON, OFF) needs the 1-3 seconds of delay time.

When using the remote controller, moving the remote controller can make receiver respond fast.

Note: if special influencing, such as moving vehicle or interphone, and instant strong electric field make received distance temporary reducing and cause remote

controller receiver not movement, it can properly move location or shorten distance, then operate again .

The acceptance of this remote controller should be carried out at fine day ,in open place its remote controlling distance should be $>40m$. Farthest remote distance is approximately 90m about.

When putting the generator with remote controller into serious steel concrete screen environment, remote controlling received distance will be influenced greatly.

This operating instruction is used for the radio remote controller of the gasoline generator that is produced by Hanjing Electronic Co.,LTD. and certificated by FCC OR U.S.



FCC STATEMENT

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against

harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.