






11AX40MIMO_Ant2_2422 26/8




11AX40MIMO_Ant1_2422 52/40




11AX40MIMO_Ant2_2422 52/40




11AX40MIMO_Ant1_2422_106/54




11AX40MIMO_Ant2_2422_106/54




11AX40MIMO_Ant1_2422_242/61




11AX40MIMO Ant2_2422 242/61




11AX40MIMO Ant1_2422 484/65



11AX40MIMO Ant2_2422 484/65



11AX40MIMO_Ant1_2437 26/8




11AX40MIMO_Ant2_2437 26/8



11AX40MIMO_Ant1_2437 52/40



11AX40MIMO Ant2 2437 52/40



11AX40MIMO Ant1 2437 106/54




11AX40MIMO Ant2 2437 106/54




11AX40MIMO Ant1 2437 242/61




11AX40MIMO Ant2 2437 242/61




11AX40MIMO Ant1 2437 484/65



11AX40MIMO_Ant2_2437 484/65



11AX40MIMO_Ant1_2452 26/8



11AX40MIMO_Ant2_2452 26/8

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn




11AX40MIMO_Ant1_2452 52/40



11AX40MIMO_Ant2_2452 52/40




11AX40MIMO_Ant1_2452 106/54




11AX40MIMO_Ant2_2452_106/54




11AX40MIMO_Ant1_2452_242/61



11AX40MIMO_Ant2_2452_242/61




11AX40MIMO_Ant1_2452 484/65



Date: 25.FEB.2023 10:32:22

11AX40MIMO_Ant2_2452 484/65



Date: 25.FEB.2023 10:35:06




a) Maximum Conducted Output Power

Limit

FCC CFR Title 47 Part 15 Subpart C Section 15.247 (b)(3)/ RSS-247 5.4:

Section	Test Item	Limit	Frequency Range(MHz)
CFR 47 FCC 15.247(b)(3)	Maximum conducted output power	1 Watt or 30dBm	2400~2483.5
ISED RSS-247 5.4 d	EIRP	4 Watt or 36dBm	2400~2483.5

Test Configuration



Test Procedure

1. The maximum conducted output power may be measured using a broadband Peak RF power meter.
2. Power measurements were performed only when the EUT was transmitting at its AVG power control level using a broadband power meter with a pulse sensor.
3. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter.
4. Record the measurement data.

Test Mode

Please refer to the clause 2.4.

Test Result



FCC

Test Mode	Antenna	Frequency [MHz]	RU Configuration	Output Power [dBm]	Limit [dBm]	Verdict
802.11b	Ant1	2412	/	17.54	≤30	PASS
	Ant2	2412	/	17.49	≤30	PASS
	Ant1	2437	/	16.45	≤30	PASS
	Ant2	2437	/	17.41	≤30	PASS
	Ant1	2462	/	16.06	≤30	PASS
	Ant2	2462	/	17.91	≤30	PASS
802.11g	Ant1	2412	/	17.32	≤30	PASS
	Ant2	2412	/	16.09	≤30	PASS
	Ant1	2437	/	16.84	≤30	PASS
	Ant2	2437	/	14.73	≤30	PASS
	Ant1	2462	/	17.25	≤30	PASS
	Ant2	2462	/	15.23	≤30	PASS
802.11n(HT20)	Ant1	2412	/	15.92	≤29.89	PASS
	Ant2	2412	/	12.21	≤29.89	PASS
	Total	2412	/	17.46	≤29.89	PASS
	Ant1	2437	/	15.47	≤29.89	PASS
	Ant2	2437	/	12.81	≤29.89	PASS
	Total	2437	/	17.35	≤29.89	PASS
	Ant1	2462	/	15.31	≤29.89	PASS
	Ant2	2462	/	13.65	≤29.89	PASS
	Total	2462	/	17.57	≤29.89	PASS
802.11n(HT40)	Ant1	2422	/	12.40	≤29.89	PASS
	Ant2	2422	/	8.40	≤29.89	PASS
	Total	2422	/	13.86	≤29.89	PASS
	Ant1	2437	/	12.81	≤29.89	PASS
	Ant2	2437	/	8.98	≤29.89	PASS
	Total	2437	/	14.31	≤29.89	PASS
	Ant1	2452	/	13.30	≤29.89	PASS
	Ant2	2452	/	9.84	≤29.89	PASS
	Total	2452	/	14.92	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	26/0	14.81	≤29.89	PASS
	Ant2	2412	26/0	13.10	≤29.89	PASS
	Total	2412	26/0	17.05	≤29.89	PASS
	Ant1	2437	26/0	14.52	≤29.89	PASS
	Ant2	2437	26/0	11.28	≤29.89	PASS
	Total	2437	26/0	16.21	≤29.89	PASS
	Ant1	2462	26/0	14.59	≤29.89	PASS
	Ant2	2462	26/0	10.27	≤29.89	PASS
	Total	2462	26/0	15.96	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	26/4	15.47	≤29.89	PASS
	Ant2	2412	26/4	11.58	≤29.89	PASS
	Total	2412	26/4	16.96	≤29.89	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

中国国家认证认可监督管理委员会
Certification and Accreditation Administration of the People's Republic of ChinaFor anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Ant1	2437	26/4	15.11	≤29.89	PASS
	Ant2	2437	26/4	12.54	≤29.89	PASS
	Total	2437	26/4	17.02	≤29.89	PASS
	Ant1	2462	26/4	15.11	≤29.89	PASS
	Ant2	2462	26/4	11.89	≤29.89	PASS
	Total	2462	26/4	16.80	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	26/8	14.24	≤29.89	PASS
	Ant2	2412	26/8	11.90	≤29.89	PASS
	Total	2412	26/8	16.24	≤29.89	PASS
	Ant1	2437	26/8	14.56	≤29.89	PASS
	Ant2	2437	26/8	11.64	≤29.89	PASS
	Total	2437	26/8	16.35	≤29.89	PASS
	Ant1	2462	26/8	13.46	≤29.89	PASS
	Ant2	2462	26/8	10.34	≤29.89	PASS
	Total	2462	26/8	15.18	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	52/37	14.32	≤29.89	PASS
	Ant2	2412	52/37	11.44	≤29.89	PASS
	Total	2412	52/37	16.12	≤29.89	PASS
	Ant1	2437	52/37	14.62	≤29.89	PASS
	Ant2	2437	52/37	9.26	≤29.89	PASS
	Total	2437	52/37	15.73	≤29.89	PASS
	Ant1	2462	52/37	13.64	≤29.89	PASS
	Ant2	2462	52/37	9.70	≤29.89	PASS
	Total	2462	52/37	15.11	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	52/38	15.25	≤29.89	PASS
	Ant2	2412	52/38	12.99	≤29.89	PASS
	Total	2412	52/38	17.28	≤29.89	PASS
	Ant1	2437	52/38	15.52	≤29.89	PASS
	Ant2	2437	52/38	12.51	≤29.89	PASS
	Total	2437	52/38	17.28	≤29.89	PASS
	Ant1	2462	52/38	14.94	≤29.89	PASS
	Ant2	2462	52/38	11.39	≤29.89	PASS
	Total	2462	52/38	16.53	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	52/40	12.88	≤29.89	PASS
	Ant2	2412	52/40	8.06	≤29.89	PASS
	Total	2412	52/40	14.12	≤29.89	PASS
	Ant1	2437	52/40	13.96	≤29.89	PASS
	Ant2	2437	52/40	11.79	≤29.89	PASS
	Total	2437	52/40	16.02	≤29.89	PASS
	Ant1	2462	52/40	13.32	≤29.89	PASS
	Ant2	2462	52/40	11.37	≤29.89	PASS
	Total	2462	52/40	15.46	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	106/53	15.51	≤29.89	PASS
	Ant2	2412	106/53	10.96	≤29.89	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

中国国家认证认可监督管理委员会
Certification and Accreditation Administration of the People's Republic of ChinaFor anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Total	2412	106/53	16.82	≤29.89	PASS
	Ant1	2437	106/53	14.78	≤29.89	PASS
	Ant2	2437	106/53	10.42	≤29.89	PASS
	Total	2437	106/53	16.14	≤29.89	PASS
	Ant1	2462	106/53	14.79	≤29.89	PASS
	Ant2	2462	106/53	10.20	≤29.89	PASS
	Total	2462	106/53	16.09	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	106/54	14.00	≤29.89	PASS
	Ant2	2412	106/54	10.48	≤29.89	PASS
	Total	2412	106/54	15.60	≤29.89	PASS
	Ant1	2437	106/54	13.61	≤29.89	PASS
	Ant2	2437	106/54	10.23	≤29.89	PASS
	Total	2437	106/54	15.25	≤29.89	PASS
	Ant1	2462	106/54	13.42	≤29.89	PASS
	Ant2	2462	106/54	11.16	≤29.89	PASS
	Total	2462	106/54	15.45	≤29.89	PASS
802.11ax(HE20)	Ant1	2412	242/61	10.65	≤29.89	PASS
	Ant2	2412	242/61	6.78	≤29.89	PASS
	Total	2412	242/61	12.14	≤29.89	PASS
	Ant1	2437	242/61	12.84	≤29.89	PASS
	Ant2	2437	242/61	6.18	≤29.89	PASS
	Total	2437	242/61	13.69	≤29.89	PASS
	Ant1	2462	242/61	13.47	≤29.89	PASS
	Ant2	2462	242/61	10.65	≤29.89	PASS
	Total	2462	242/61	15.30	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	26/0	15.26	≤29.89	PASS
	Ant2	2422	26/0	11.80	≤29.89	PASS
	Total	2422	26/0	16.88	≤29.89	PASS
	Ant1	2437	26/0	15.25	≤29.89	PASS
	Ant2	2437	26/0	11.60	≤29.89	PASS
	Total	2437	26/0	16.81	≤29.89	PASS
	Ant1	2452	26/0	15.15	≤29.89	PASS
	Ant2	2452	26/0	10.96	≤29.89	PASS
	Total	2452	26/0	16.55	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	26/8	14.48	≤29.89	PASS
	Ant2	2422	26/8	11.77	≤29.89	PASS
	Total	2422	26/8	16.34	≤29.89	PASS
	Ant1	2437	26/8	14.96	≤29.89	PASS
	Ant2	2437	26/8	12.07	≤29.89	PASS
	Total	2437	26/8	16.76	≤29.89	PASS
	Ant1	2452	26/8	14.01	≤29.89	PASS
	Ant2	2452	26/8	11.44	≤29.89	PASS
	Total	2452	26/8	15.92	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	26/17	14.24	≤29.89	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

中国国家认证认可监督管理委员会
Certification and Accreditation Administration of the People's Republic of ChinaFor anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Ant2	2422	26/17	11.13	≤29.89	PASS
	Total	2422	26/17	15.97	≤29.89	PASS
	Ant1	2437	26/17	14.79	≤29.89	PASS
	Ant2	2437	26/17	11.80	≤29.89	PASS
	Total	2437	26/17	16.56	≤29.89	PASS
	Ant1	2452	26/17	13.94	≤29.89	PASS
	Ant2	2452	26/17	11.95	≤29.89	PASS
	Total	2452	26/17	16.07	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	52/37	15.20	≤29.89	PASS
	Ant2	2422	52/37	11.66	≤29.89	PASS
	Total	2422	52/37	16.79	≤29.89	PASS
	Ant1	2437	52/37	15.37	≤29.89	PASS
	Ant2	2437	52/37	11.17	≤29.89	PASS
	Total	2437	52/37	16.77	≤29.89	PASS
	Ant1	2452	52/37	15.46	≤29.89	PASS
	Ant2	2452	52/37	10.91	≤29.89	PASS
802.11ax(HE40)	Total	2452	52/37	16.77	≤29.89	PASS
	Ant1	2422	52/40	15.49	≤29.89	PASS
	Ant2	2422	52/40	12.41	≤29.89	PASS
	Total	2422	52/40	17.23	≤29.89	PASS
	Ant1	2437	52/40	15.82	≤29.89	PASS
	Ant2	2437	52/40	11.61	≤29.89	PASS
	Total	2437	52/40	17.22	≤29.89	PASS
	Ant1	2452	52/40	14.48	≤29.89	PASS
802.11ax(HE40)	Ant2	2452	52/40	13.20	≤29.89	PASS
	Total	2452	52/40	16.90	≤29.89	PASS
	Ant1	2422	52/44	14.60	≤29.89	PASS
	Ant2	2422	52/44	11.40	≤29.89	PASS
	Total	2422	52/44	16.30	≤29.89	PASS
	Ant1	2437	52/44	14.87	≤29.89	PASS
	Ant2	2437	52/44	11.59	≤29.89	PASS
	Total	2437	52/44	16.54	≤29.89	PASS
802.11ax(HE40)	Ant1	2452	52/44	11.81	≤29.89	PASS
	Ant2	2452	52/44	12.18	≤29.89	PASS
	Total	2452	52/44	15.01	≤29.89	PASS
	Ant1	2422	106/53	14.74	≤29.89	PASS
	Ant2	2422	106/53	11.45	≤29.89	PASS
	Total	2422	106/53	16.41	≤29.89	PASS
	Ant1	2437	106/53	14.79	≤29.89	PASS
	Ant2	2437	106/53	11.77	≤29.89	PASS
802.11ax(HE40)	Total	2437	106/53	16.55	≤29.89	PASS
	Ant1	2452	106/53	15.41	≤29.89	PASS
	Ant2	2452	106/53	12.49	≤29.89	PASS
	Total	2452	106/53	17.20	≤29.89	PASS





802.11ax(HE40)	Ant1	2422	106/54	13.30	≤29.89	PASS
	Ant2	2422	106/54	12.14	≤29.89	PASS
	Total	2422	106/54	15.77	≤29.89	PASS
	Ant1	2437	106/54	14.32	≤29.89	PASS
	Ant2	2437	106/54	11.33	≤29.89	PASS
	Total	2437	106/54	16.09	≤29.89	PASS
	Ant1	2452	106/54	13.40	≤29.89	PASS
	Ant2	2452	106/54	12.66	≤29.89	PASS
	Total	2452	106/54	16.06	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	106/56	13.73	≤29.89	PASS
	Ant2	2422	106/56	10.88	≤29.89	PASS
	Total	2422	106/56	15.55	≤29.89	PASS
	Ant1	2437	106/56	14.78	≤29.89	PASS
	Ant2	2437	106/56	12.13	≤29.89	PASS
	Total	2437	106/56	16.66	≤29.89	PASS
	Ant1	2452	106/56	15.05	≤29.89	PASS
	Ant2	2452	106/56	12.05	≤29.89	PASS
	Total	2452	106/56	16.81	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	242/61	15.18	≤29.89	PASS
	Ant2	2422	242/61	12.12	≤29.89	PASS
	Total	2422	242/61	16.92	≤29.89	PASS
	Ant1	2437	242/61	15.36	≤29.89	PASS
	Ant2	2437	242/61	11.01	≤29.89	PASS
	Total	2437	242/61	16.72	≤29.89	PASS
	Ant1	2452	242/61	15.52	≤29.89	PASS
	Ant2	2452	242/61	11.03	≤29.89	PASS
	Total	2452	242/61	16.84	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	242/62	14.56	≤29.89	PASS
	Ant2	2422	242/62	12.69	≤29.89	PASS
	Total	2422	242/62	16.74	≤29.89	PASS
	Ant1	2437	242/62	14.40	≤29.89	PASS
	Ant2	2437	242/62	13.21	≤29.89	PASS
	Total	2437	242/62	16.86	≤29.89	PASS
	Ant1	2452	242/62	16.00	≤29.89	PASS
	Ant2	2452	242/62	11.32	≤29.89	PASS
	Total	2452	242/62	17.27	≤29.89	PASS
802.11ax(HE40)	Ant1	2422	484/65	10.57	≤29.89	PASS
	Ant2	2422	484/65	7.64	≤29.89	PASS
	Total	2422	484/65	12.36	≤29.89	PASS
	Ant1	2437	484/65	11.43	≤29.89	PASS
	Ant2	2437	484/65	9.32	≤29.89	PASS
	Total	2437	484/65	13.51	≤29.89	PASS
	Ant1	2452	484/65	13.13	≤29.89	PASS
	Ant2	2452	484/65	10.02	≤29.89	PASS





	Total	2452	484/65	14.86	≤29.89	PASS
--	-------	------	--------	-------	--------	------

ISED

Test Mode	Antenna	Frequency [MHz]	RU Configuration	Output Power [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
802.11b	Ant1	2412	/	17.54	20.47	≤36	PASS
	Ant2	2412	/	17.49	20.76	≤36	PASS
	Ant1	2437	/	16.45	19.38	≤36	PASS
	Ant2	2437	/	17.41	20.68	≤36	PASS
	Ant1	2462	/	16.06	18.99	≤36	PASS
	Ant2	2462	/	17.91	21.18	≤36	PASS
802.11g	Ant1	2412	/	17.32	20.25	≤36	PASS
	Ant2	2412	/	16.09	19.36	≤36	PASS
	Ant1	2437	/	16.84	19.77	≤36	PASS
	Ant2	2437	/	14.73	18.00	≤36	PASS
	Ant1	2462	/	17.25	20.18	≤36	PASS
	Ant2	2462	/	15.23	18.50	≤36	PASS
802.11n(HT20)	Ant1	2412	/	15.92	18.85	≤35.89	PASS
	Ant2	2412	/	12.21	15.48	≤35.89	PASS
	Total	2412	/	17.46	23.57	≤35.89	PASS
	Ant1	2437	/	15.47	18.40	≤35.89	PASS
	Ant2	2437	/	12.81	16.08	≤35.89	PASS
	Total	2437	/	17.35	23.46	≤35.89	PASS
	Ant1	2462	/	15.31	18.24	≤35.89	PASS
	Ant2	2462	/	13.65	16.92	≤35.89	PASS
	Total	2462	/	17.57	23.68	≤35.89	PASS
802.11n(HT40)	Ant1	2422	/	12.40	15.33	≤35.89	PASS
	Ant2	2422	/	8.40	11.67	≤35.89	PASS
	Total	2422	/	13.86	19.97	≤35.89	PASS
	Ant1	2437	/	12.81	15.74	≤35.89	PASS
	Ant2	2437	/	8.98	12.25	≤35.89	PASS
	Total	2437	/	14.31	20.42	≤35.89	PASS
	Ant1	2452	/	13.30	16.23	≤35.89	PASS
	Ant2	2452	/	9.84	13.11	≤35.89	PASS
	Total	2452	/	14.92	21.03	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	26/0	14.81	17.74	≤35.89	PASS
	Ant2	2412	26/0	13.10	16.37	≤35.89	PASS
	Total	2412	26/0	17.05	23.16	≤35.89	PASS
	Ant1	2437	26/0	14.52	17.45	≤35.89	PASS
	Ant2	2437	26/0	11.28	14.55	≤35.89	PASS
	Total	2437	26/0	16.21	22.32	≤35.89	PASS
	Ant1	2462	26/0	14.59	17.52	≤35.89	PASS
	Ant2	2462	26/0	10.27	13.54	≤35.89	PASS
	Total	2462	26/0	15.96	22.07	≤35.89	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

中国国家认证认可监督管理委员会
Certification and Accreditation Administration of the People's Republic of ChinaFor anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



802.11ax(HE20)	Ant1	2412	26/4	15.47	18.40	≤35.89	PASS
	Ant2	2412	26/4	11.58	14.85	≤35.89	PASS
	Total	2412	26/4	16.96	23.07	≤35.89	PASS
	Ant1	2437	26/4	15.11	18.04	≤35.89	PASS
	Ant2	2437	26/4	12.54	15.81	≤35.89	PASS
	Total	2437	26/4	17.02	23.13	≤35.89	PASS
	Ant1	2462	26/4	15.11	18.04	≤35.89	PASS
	Ant2	2462	26/4	11.89	15.16	≤35.89	PASS
	Total	2462	26/4	16.80	22.91	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	26/8	14.24	17.17	≤35.89	PASS
	Ant2	2412	26/8	11.90	15.17	≤35.89	PASS
	Total	2412	26/8	16.24	22.35	≤35.89	PASS
	Ant1	2437	26/8	14.56	17.49	≤35.89	PASS
	Ant2	2437	26/8	11.64	14.91	≤35.89	PASS
	Total	2437	26/8	16.35	22.46	≤35.89	PASS
	Ant1	2462	26/8	13.46	16.39	≤35.89	PASS
	Ant2	2462	26/8	10.34	13.61	≤35.89	PASS
	Total	2462	26/8	15.18	21.29	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	52/37	14.32	17.25	≤35.89	PASS
	Ant2	2412	52/37	11.44	14.71	≤35.89	PASS
	Total	2412	52/37	16.12	22.23	≤35.89	PASS
	Ant1	2437	52/37	14.62	17.55	≤35.89	PASS
	Ant2	2437	52/37	9.26	12.53	≤35.89	PASS
	Total	2437	52/37	15.73	21.84	≤35.89	PASS
	Ant1	2462	52/37	13.64	16.57	≤35.89	PASS
	Ant2	2462	52/37	9.70	12.97	≤35.89	PASS
	Total	2462	52/37	15.11	21.22	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	52/38	15.25	18.18	≤35.89	PASS
	Ant2	2412	52/38	12.99	16.26	≤35.89	PASS
	Total	2412	52/38	17.28	23.39	≤35.89	PASS
	Ant1	2437	52/38	15.52	18.45	≤35.89	PASS
	Ant2	2437	52/38	12.51	15.78	≤35.89	PASS
	Total	2437	52/38	17.28	23.39	≤35.89	PASS
	Ant1	2462	52/38	14.94	17.87	≤35.89	PASS
	Ant2	2462	52/38	11.39	14.66	≤35.89	PASS
	Total	2462	52/38	16.53	22.64	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	52/40	12.88	15.81	≤35.89	PASS
	Ant2	2412	52/40	8.06	11.33	≤35.89	PASS
	Total	2412	52/40	14.12	20.23	≤35.89	PASS
	Ant1	2437	52/40	13.96	16.89	≤35.89	PASS
	Ant2	2437	52/40	11.79	15.06	≤35.89	PASS
	Total	2437	52/40	16.02	22.13	≤35.89	PASS
	Ant1	2462	52/40	13.32	16.25	≤35.89	PASS
	Ant2	2462	52/40	11.37	14.64	≤35.89	PASS



	Total	2462	52/40	15.46	21.57	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	106/53	15.51	18.44	≤35.89	PASS
	Ant2	2412	106/53	10.96	14.23	≤35.89	PASS
	Total	2412	106/53	16.82	22.93	≤35.89	PASS
	Ant1	2437	106/53	14.78	17.71	≤35.89	PASS
	Ant2	2437	106/53	10.42	13.69	≤35.89	PASS
	Total	2437	106/53	16.14	22.25	≤35.89	PASS
	Ant1	2462	106/53	14.79	17.72	≤35.89	PASS
	Ant2	2462	106/53	10.20	13.47	≤35.89	PASS
	Total	2462	106/53	16.09	22.20	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	106/54	14.00	16.93	≤35.89	PASS
	Ant2	2412	106/54	10.48	13.75	≤35.89	PASS
	Total	2412	106/54	15.60	21.71	≤35.89	PASS
	Ant1	2437	106/54	13.61	16.54	≤35.89	PASS
	Ant2	2437	106/54	10.23	13.50	≤35.89	PASS
	Total	2437	106/54	15.25	21.36	≤35.89	PASS
	Ant1	2462	106/54	13.42	16.35	≤35.89	PASS
	Ant2	2462	106/54	11.16	14.43	≤35.89	PASS
	Total	2462	106/54	15.45	21.56	≤35.89	PASS
802.11ax(HE20)	Ant1	2412	242/61	10.65	13.58	≤35.89	PASS
	Ant2	2412	242/61	6.78	10.05	≤35.89	PASS
	Total	2412	242/61	12.14	18.25	≤35.89	PASS
	Ant1	2437	242/61	12.84	15.77	≤35.89	PASS
	Ant2	2437	242/61	6.18	9.45	≤35.89	PASS
	Total	2437	242/61	13.69	19.80	≤35.89	PASS
	Ant1	2462	242/61	13.47	16.40	≤35.89	PASS
	Ant2	2462	242/61	10.65	13.92	≤35.89	PASS
	Total	2462	242/61	15.30	21.41	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	26/0	15.26	18.19	≤35.89	PASS
	Ant2	2422	26/0	11.80	15.07	≤35.89	PASS
	Total	2422	26/0	16.88	22.99	≤35.89	PASS
	Ant1	2437	26/0	15.25	18.18	≤35.89	PASS
	Ant2	2437	26/0	11.60	14.87	≤35.89	PASS
	Total	2437	26/0	16.81	22.92	≤35.89	PASS
	Ant1	2452	26/0	15.15	18.08	≤35.89	PASS
	Ant2	2452	26/0	10.96	14.23	≤35.89	PASS
	Total	2452	26/0	16.55	22.66	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	26/8	14.48	17.41	≤35.89	PASS
	Ant2	2422	26/8	11.77	15.04	≤35.89	PASS
	Total	2422	26/8	16.34	22.45	≤35.89	PASS
	Ant1	2437	26/8	14.96	17.89	≤35.89	PASS
	Ant2	2437	26/8	12.07	15.34	≤35.89	PASS
	Total	2437	26/8	16.76	22.87	≤35.89	PASS
	Ant1	2452	26/8	14.01	16.94	≤35.89	PASS



	Ant2	2452	26/8	11.44	14.71	≤35.89	PASS
	Total	2452	26/8	15.92	22.03	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	26/17	14.24	17.17	≤35.89	PASS
	Ant2	2422	26/17	11.13	14.40	≤35.89	PASS
	Total	2422	26/17	15.97	22.08	≤35.89	PASS
	Ant1	2437	26/17	14.79	17.72	≤35.89	PASS
	Ant2	2437	26/17	11.80	15.07	≤35.89	PASS
	Total	2437	26/17	16.56	22.67	≤35.89	PASS
	Ant1	2452	26/17	13.94	16.87	≤35.89	PASS
	Ant2	2452	26/17	11.95	15.22	≤35.89	PASS
	Total	2452	26/17	16.07	22.18	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	52/37	15.20	18.13	≤35.89	PASS
	Ant2	2422	52/37	11.66	14.93	≤35.89	PASS
	Total	2422	52/37	16.79	22.90	≤35.89	PASS
	Ant1	2437	52/37	15.37	18.30	≤35.89	PASS
	Ant2	2437	52/37	11.17	14.44	≤35.89	PASS
	Total	2437	52/37	16.77	22.88	≤35.89	PASS
	Ant1	2452	52/37	15.46	18.39	≤35.89	PASS
	Ant2	2452	52/37	10.91	14.18	≤35.89	PASS
	Total	2452	52/37	16.77	22.88	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	52/40	15.49	18.42	≤35.89	PASS
	Ant2	2422	52/40	12.41	15.68	≤35.89	PASS
	Total	2422	52/40	17.23	23.34	≤35.89	PASS
	Ant1	2437	52/40	15.82	18.75	≤35.89	PASS
	Ant2	2437	52/40	11.61	14.88	≤35.89	PASS
	Total	2437	52/40	17.22	23.33	≤35.89	PASS
	Ant1	2452	52/40	14.48	17.41	≤35.89	PASS
	Ant2	2452	52/40	13.20	16.47	≤35.89	PASS
	Total	2452	52/40	16.90	23.01	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	52/44	14.60	17.53	≤35.89	PASS
	Ant2	2422	52/44	11.40	14.67	≤35.89	PASS
	Total	2422	52/44	16.30	22.41	≤35.89	PASS
	Ant1	2437	52/44	14.87	17.80	≤35.89	PASS
	Ant2	2437	52/44	11.59	14.86	≤35.89	PASS
	Total	2437	52/44	16.54	22.65	≤35.89	PASS
	Ant1	2452	52/44	11.81	14.74	≤35.89	PASS
	Ant2	2452	52/44	12.18	15.45	≤35.89	PASS
	Total	2452	52/44	15.01	21.12	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	106/53	14.74	17.67	≤35.89	PASS
	Ant2	2422	106/53	11.45	14.72	≤35.89	PASS
	Total	2422	106/53	16.41	22.52	≤35.89	PASS
	Ant1	2437	106/53	14.79	17.72	≤35.89	PASS
	Ant2	2437	106/53	11.77	15.04	≤35.89	PASS
	Total	2437	106/53	16.55	22.66	≤35.89	PASS



	Ant1	2452	106/53	15.41	18.34	≤35.89	PASS
	Ant2	2452	106/53	12.49	15.76	≤35.89	PASS
	Total	2452	106/53	17.20	23.31	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	106/54	13.30	16.23	≤35.89	PASS
	Ant2	2422	106/54	12.14	15.41	≤35.89	PASS
	Total	2422	106/54	15.77	21.88	≤35.89	PASS
	Ant1	2437	106/54	14.32	17.25	≤35.89	PASS
	Ant2	2437	106/54	11.33	14.60	≤35.89	PASS
	Total	2437	106/54	16.09	22.20	≤35.89	PASS
	Ant1	2452	106/54	13.40	16.33	≤35.89	PASS
	Ant2	2452	106/54	12.66	15.93	≤35.89	PASS
	Total	2452	106/54	16.06	22.17	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	106/56	13.73	16.66	≤35.89	PASS
	Ant2	2422	106/56	10.88	14.15	≤35.89	PASS
	Total	2422	106/56	15.55	21.66	≤35.89	PASS
	Ant1	2437	106/56	14.78	17.71	≤35.89	PASS
	Ant2	2437	106/56	12.13	15.40	≤35.89	PASS
	Total	2437	106/56	16.66	22.77	≤35.89	PASS
	Ant1	2452	106/56	15.05	17.98	≤35.89	PASS
	Ant2	2452	106/56	12.05	15.32	≤35.89	PASS
	Total	2452	106/56	16.81	22.92	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	242/61	15.18	18.11	≤35.89	PASS
	Ant2	2422	242/61	12.12	15.39	≤35.89	PASS
	Total	2422	242/61	16.92	23.03	≤35.89	PASS
	Ant1	2437	242/61	15.36	18.29	≤35.89	PASS
	Ant2	2437	242/61	11.01	14.28	≤35.89	PASS
	Total	2437	242/61	16.72	22.83	≤35.89	PASS
	Ant1	2452	242/61	15.52	18.45	≤35.89	PASS
	Ant2	2452	242/61	11.03	14.30	≤35.89	PASS
	Total	2452	242/61	16.84	22.95	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	242/62	14.56	17.49	≤35.89	PASS
	Ant2	2422	242/62	12.69	15.96	≤35.89	PASS
	Total	2422	242/62	16.74	22.85	≤35.89	PASS
	Ant1	2437	242/62	14.40	17.33	≤35.89	PASS
	Ant2	2437	242/62	13.21	16.48	≤35.89	PASS
	Total	2437	242/62	16.86	22.97	≤35.89	PASS
	Ant1	2452	242/62	16.00	18.93	≤35.89	PASS
	Ant2	2452	242/62	11.32	14.59	≤35.89	PASS
	Total	2452	242/62	17.27	23.38	≤35.89	PASS
802.11ax(HE40)	Ant1	2422	484/65	10.57	13.50	≤35.89	PASS
	Ant2	2422	484/65	7.64	10.91	≤35.89	PASS
	Total	2422	484/65	12.36	18.47	≤35.89	PASS
	Ant1	2437	484/65	11.43	14.36	≤35.89	PASS
	Ant2	2437	484/65	9.32	12.59	≤35.89	PASS



	Total	2437	484/65	13.51	19.62	≤35.89	PASS
	Ant1	2452	484/65	13.13	16.06	≤35.89	PASS
	Ant2	2452	484/65	10.02	13.29	≤35.89	PASS
	Total	2452	484/65	14.86	20.97	≤35.89	PASS


b) Power Spectral Density

Limit

FCC CFR Title 47 Part 15 Subpart C Section 15.247 (e)/ RSS-247 5.2 b:

Test Item	Limit	Frequency Range(MHz)
Power Spectral Density	8dBm(in any 3 kHz)	2400~2483.5

Test Configuration



Test Procedure

1. The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
2. The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement according to section 10.2 of KDB 558074 D01 DTS Meas Guidance v05r02.
3. Spectrum Setting:
Set analyzer center frequency to DTS channel center frequency.
Set the span to 1.5 times the DTS bandwidth.
Set the RBW to: 3 kHz
Set the VBW to: 10 kHz
Detector: PK
Sweep time: Auto
Allow trace to fully stabilize. Then use the peak marker function to determine the maximum amplitude level.

Test Mode

Please refer to the clause 2.4.

**Test Result**

Test Mode	Antenna	Frequency [MHz]	RU Configuration	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
802.11b	Ant1	2412	/	-12.51	≤8	PASS
	Ant2	2412	/	-12.29	≤8	PASS
	Ant1	2437	/	-13.76	≤8	PASS
	Ant2	2437	/	-12.61	≤8	PASS
	Ant1	2462	/	-13.70	≤8	PASS
	Ant2	2462	/	-12.07	≤8	PASS
802.11g	Ant1	2412	/	-14.06	≤8	PASS
	Ant2	2412	/	-15.85	≤8	PASS
	Ant1	2437	/	-16.06	≤8	PASS
	Ant2	2437	/	-17.21	≤8	PASS
	Ant1	2462	/	-14.90	≤8	PASS
	Ant2	2462	/	-16.29	≤8	PASS
802.11n(HT20)	Ant1	2412	/	-19.17	≤7.89	PASS
	Ant2	2412	/	-20.25	≤7.89	PASS
	Total	2412	/	-14.84	≤7.89	PASS
	Ant1	2437	/	-16.49	≤7.89	PASS
	Ant2	2437	/	-19.34	≤7.89	PASS
	Total	2437	/	-14.67	≤7.89	PASS
	Ant1	2462	/	-16.41	≤7.89	PASS
	Ant2	2462	/	-17.88	≤7.89	PASS
	Total	2462	/	-14.07	≤7.89	PASS
802.11n(HT40)	Ant1	2422	/	-20.18	≤7.89	PASS
	Ant2	2422	/	-24.83	≤7.89	PASS
	Total	2422	/	-18.90	≤7.89	PASS
	Ant1	2437	/	-18.78	≤7.89	PASS
	Ant2	2437	/	-24.33	≤7.89	PASS
	Total	2437	/	-17.71	≤7.89	PASS
	Ant1	2452	/	-19.17	≤7.89	PASS
	Ant2	2452	/	-21.50	≤7.89	PASS
	Total	2452	/	-17.17	≤7.89	PASS
802.11ax(HE20)	Ant1	2412	26/4	-3.99	≤7.89	PASS
	Ant2	2412	26/4	-7.66	≤7.89	PASS
	Total	2412	26/4	-2.44	≤7.89	PASS
	Ant1	2412	52/38	-6.93	≤7.89	PASS
	Ant2	2412	52/38	-9.27	≤7.89	PASS
	Total	2412	52/38	-4.93	≤7.89	PASS
	Ant1	2412	106/53	-9.92	≤7.89	PASS
	Ant2	2412	106/53	-13.75	≤7.89	PASS
	Total	2412	106/53	-8.42	≤7.89	PASS
	Ant1	2412	242/61	-19.75	≤7.89	PASS
	Ant2	2412	242/61	-24.87	≤7.89	PASS
	Total	2412	242/61	-18.59	≤7.89	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Ant1	2437	26/4	-4.49	≤7.89	PASS
	Ant2	2437	26/4	-6.93	≤7.89	PASS
	Total	2437	26/4	-2.53	≤7.89	PASS
	Ant1	2437	52/38	-7.16	≤7.89	PASS
	Ant2	2437	52/38	-9.22	≤7.89	PASS
	Total	2437	52/38	-5.06	≤7.89	PASS
	Ant1	2437	106/53	-9.72	≤7.89	PASS
	Ant2	2437	106/53	-13.43	≤7.89	PASS
	Total	2437	106/53	-8.18	≤7.89	PASS
	Ant1	2437	242/61	-18.08	≤7.89	PASS
	Ant2	2437	242/61	-23.33	≤7.89	PASS
	Total	2437	242/61	-16.95	≤7.89	PASS
	Ant1	2462	26/4	-5.00	≤7.89	PASS
	Ant2	2462	26/4	-8.11	≤7.89	PASS
	Total	2462	26/4	-3.27	≤7.89	PASS
	Ant1	2462	52/38	-7.34	≤7.89	PASS
	Ant2	2462	52/38	-10.78	≤7.89	PASS
	Total	2462	52/38	-5.72	≤7.89	PASS
	Ant1	2462	106/53	-10.24	≤7.89	PASS
	Ant2	2462	106/53	-13.79	≤7.89	PASS
	Total	2462	106/53	-8.65	≤7.89	PASS
	Ant1	2462	242/61	-18.48	≤7.89	PASS
	Ant2	2462	242/61	-23.01	≤7.89	PASS
	Total	2462	242/61	-17.17	≤7.89	PASS
802.11ax(HE40)	Ant1	2422	26/8	-5.02	≤7.89	PASS
	Ant2	2422	26/8	-7.13	≤7.89	PASS
	Total	2422	26/8	-2.94	≤7.89	PASS
	Ant1	2422	52/40	-7.66	≤7.89	PASS
	Ant2	2422	52/40	-9.10	≤7.89	PASS
	Total	2422	52/40	-5.31	≤7.89	PASS
	Ant1	2422	106/54	-9.23	≤7.89	PASS
	Ant2	2422	106/54	-13.07	≤7.89	PASS
	Total	2422	106/54	-7.73	≤7.89	PASS
	Ant1	2422	242/61	-10.32	≤7.89	PASS
	Ant2	2422	242/61	-14.14	≤7.89	PASS
	Total	2422	242/61	-8.81	≤7.89	PASS
	Ant1	2422	484/65	-20.61	≤7.89	PASS
	Ant2	2422	484/65	-22.82	≤7.89	PASS
	Total	2422	484/65	-18.57	≤7.89	PASS
	Ant1	2437	26/8	-5.94	≤7.89	PASS
	Ant2	2437	26/8	-7.27	≤7.89	PASS
	Total	2437	26/8	-3.54	≤7.89	PASS
	Ant1	2437	52/40	-7.31	≤7.89	PASS
	Ant2	2437	52/40	-10.07	≤7.89	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011


Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn




Total	2437	52/40	-5.46	≤7.89	PASS
Ant1	2437	106/54	-9.28	≤7.89	PASS
Ant2	2437	106/54	-12.30	≤7.89	PASS
Total	2437	106/54	-7.52	≤7.89	PASS
Ant1	2437	242/61	-10.87	≤7.89	PASS
Ant2	2437	242/61	-14.21	≤7.89	PASS
Total	2437	242/61	-9.22	≤7.89	PASS
Ant1	2437	484/65	-21.07	≤7.89	PASS
Ant2	2437	484/65	-20.92	≤7.89	PASS
Total	2437	484/65	-17.98	≤7.89	PASS
Ant1	2452	26/8	-5.59	≤7.89	PASS
Ant2	2452	26/8	-7.59	≤7.89	PASS
Total	2452	26/8	-3.47	≤7.89	PASS
Ant1	2452	52/40	-7.04	≤7.89	PASS
Ant2	2452	52/40	-9.06	≤7.89	PASS
Total	2452	52/40	-4.92	≤7.89	PASS
Ant1	2452	106/54	-10.64	≤7.89	PASS
Ant2	2452	106/54	-11.99	≤7.89	PASS
Total	2452	106/54	-8.25	≤7.89	PASS
Ant1	2452	242/61	-10.79	≤7.89	PASS
Ant2	2452	242/61	-14.56	≤7.89	PASS
Total	2452	242/61	-9.27	≤7.89	PASS
Ant1	2452	484/65	-19.47	≤7.89	PASS
Ant2	2452	484/65	-21.56	≤7.89	PASS
Total	2452	484/65	-17.38	≤7.89	PASS


11B_Ant1_2412



11B_Ant2_2412



11B_Ant1_2437



11B_Ant2_2437


CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China


Tel.: (86)755-27521059

Fax: (86)755-27521011


Http://www.sz-ctc.org.cn




11B_Ant1_2462




11B_Ant2_2462




11G_Ant1_2412




11G_Ant2_2412




11G_Ant1_2437




11G_Ant2_2437




11G_Ant1_2462




11G_Ant2_2462




11N20MIMO_Ant1_2412




11N20MIMO_Ant2_2412




11N20MIMO_Ant1_2437




11N20MIMO_Ant2_2437




11N20MIMO_Ant1_2462




11N20MIMO_Ant2_2462




11N40MIMO_Ant1_2422




11N40MIMO_Ant2_2422




11N40MIMO_Ant1_2437




11N40MIMO_Ant2_2437




11N40MIMO_Ant1_2452




11N40MIMO_Ant2_2452




11AX20MIMO_Ant1_2412_26/4




11AX20MIMO_Ant2_2412 26/4




11AX20MIMO_Ant1_2412 52/38




11AX20MIMO_Ant2_2412 52/38




11AX20MIMO_Ant1_2412 106/53




11AX20MIMO_Ant2_2412 106/53




11AX20MIMO_Ant1_2412 242/61




11AX20MIMO_Ant2_2412 242/61




11AX20MIMO_Ant1_2437 26/4




11AX20MIMO_Ant2_2437 26/4




11AX20MIMO_Ant1_2437 52/38




11AX20MIMO_Ant2_2437 52/38




11AX20MIMO_Ant1_2437 106/53




11AX20MIMO_Ant2_2437 106/53




11AX20MIMO_Ant1_2437 242/61




11AX20MIMO_Ant2_2437 242/61




11AX20MIMO_Ant1_2462 26/4




11AX20MIMO_Ant2_2462 26/4




11AX20MIMO_Ant1_2462 52/38




11AX20MIMO_Ant2_2462 52/38




11AX20MIMO_Ant1_2462 106/53




11AX20MIMO_Ant2_2462 106/53




11AX20MIMO_Ant1_2462 242/61




11AX20MIMO_Ant2_2462 242/61




11AX40MIMO_Ant1_2422 26/8




11AX40MIMO_Ant2_2422 26/8




11AX40MIMO_Ant1_2422 52/40




11AX40MIMO_Ant2_2422 52/40




11AX40MIMO_Ant1_2422 106/54




11AX40MIMO_Ant2_2422 106/54




11AX40MIMO_Ant1_2422 242/61




11AX40MIMO_Ant2_2422 242/61




11AX40MIMO_Ant1_2422 484/65




11AX40MIMO_Ant2_2422 484/65




11AX40MIMO_Ant1_2437 26/8




11AX40MIMO_Ant2_2437 26/8




11AX40MIMO_Ant1_2437 52/40




11AX40MIMO_Ant2_2437 52/40




11AX40MIMO_Ant1_2437 106/54



11AX40MIMO_Ant2_2437 106/54




11AX40MIMO_Ant1_2437 242/61




11AX40MIMO_Ant2_2437 242/61




11AX40MIMO_Ant1_2437 484/65




11AX40MIMO Ant2 2437 484/65




11AX40MIMO Ant1 2452 26/8




11AX40MIMO Ant2 2452 26/8




11AX40MIMO_Ant1_2452 52/40




11AX40MIMO_Ant2_2452 52/40



11AX40MIMO_Ant1_2452 106/54



11AX40MIMO_Ant2_2452 106/54



11AX40MIMO_Ant1_2452 242/61



11AX40MIMO_Ant2_2452 242/61