

Date: 11/02/2022

To: Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD

FCC ID: 2A3PS66T0

To Whom It May Concern:

This letter is to ascertain that Automotive Wireless Charger, Product 66T0, has been the units used for conducting FCC compliance testing, and it meets KDB 680106 D01 v03r01, Clause 5(b) all 6 conditions as stated below hence PAG is not required.

1	Power transfer frequency is less than 1 MHz
2	Output power from each primary coil is less than or equal to 15 watts
3	The system may consist of more than one source primary coils, charging one or more clients. If more than one primary coil is present, the coil pairs may be powered on at the same time.
4	Client device is placed directly in contact with the transmitter.
5	Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).
6	The aggregate H-field strengths anywhere at or beyond 15 cm surrounding the device, and 20 cm away from the surface from all coils that by design can simultaneously transmit, and while those coils are simultaneously energized, are demonstrated to be less than 50% of the applicable MPE limit.

If you have any question or concerns, pls. contact us.

Sincerely,

Client's signature

Name: Arun Kumar

Address: Minda Industries Ltd. ; B-64/1, Wazirpur Industrial Area, Delhi

